



## **GRAND PRIX OF QATAR** Free Practice Nr. 2 **Chronological Analysis of Performances**

| Lan          | Lap Tim    | e    | T1              | T2               | Т3                      | <i>T4</i>           | Speed          | Lan      | Lap Ti  | me  |         | T1           | T2               | Т3               | T4                 | Spee          |
|--------------|------------|------|-----------------|------------------|-------------------------|---------------------|----------------|----------|---------|-----|---------|--------------|------------------|------------------|--------------------|---------------|
|              | •          |      |                 |                  |                         |                     |                |          |         |     |         |              | 12               |                  |                    |               |
| 1s           | t 4        | And  |                 | VIZIOSC          |                         |                     | ITA            | 3rc      | 1 42    | Α   | lex F   |              | _                |                  | SUZUKI             |               |
|              |            |      |                 |                  | Fotal laps=             |                     | l laps=12      |          |         |     |         |              | Runs=4           | Total laps       |                    | Full laps=    |
| /            | Run# 1     | Fron | t Tyre <b>S</b> | lick-Mediu       | m Rear                  | <i>Tyre</i> Slick-S | Soft           | /        | Run# 1  | 1 / | Front   | <i>yre</i> S | lick-Soft        | Real             | r <i>Tyre</i> Slic | k-Mediur      |
| 1            | 4'13.820   | Р    | 33.049          | 32.892           | 30.080                  | 32.639              | 160.8          | 1        | 2'36.37 | 6   | P 35    | .742         | 32.883           | 29.921           | 32.78              | 151.          |
| 2            | 1'59.068   |      | 26.530          | 31.365           | 28.585                  | 32.588              | 343.5          | 2        | 1'56.27 | 9   | 25      | .654         | 30.272           | 28.573           | 31.78              |               |
| 3            | 1'56.020   |      | 25.206          | 30.260           | 28.699                  | 31.855              | 349.1          | 3        | 1'56.13 |     |         | .631         | 30.157           | 28.426           |                    |               |
| 4            | 1'55.422   |      | 25.119          | 30.124           | 28.628                  | 31.551              | 348.0          | 4        | 1'55.57 |     |         | .344         | 30.174           | 28.407           |                    |               |
| 5            | 1'59.510   |      | 25.120          | 32.083           | 31.089                  | 31.218              | 347.9          | 5        | 1'55.44 |     |         | .041         | 30.266           | 28.437           |                    |               |
|              | Run# 2     | Fron | t Tyre S        | lick-Mediu       | <b>m</b> Rear i         | <i>lyre</i> Slick-S | Soft           | 6        | 2'03.81 |     |         | .959         | 31.828           | 31.330           |                    |               |
| 6            | 2'06.004   | Р    | 31.908          | 32.138           | 29.842                  | 32.116              | 153.8          |          | Run# 2  | 2 / |         |              | lick-Soft        |                  | <i>Tyre</i> Slic   | K-Mealur      |
| 7            | 1'57.852   |      | 26.531          | 30.673           | 28.787                  | 31.861              | 348.1          | 7        | 2'05.99 | 7   |         | .116         | 31.676           | 29.804           |                    |               |
| 8            | 1'55.850   |      | 25.272          | 30.384           | 28.570                  | 31.624              | 348.1          | 8        | 1'57.93 |     |         | .174         | 30.596           | 29.137           |                    |               |
| 9            | 1'55.724   |      | 25.156          | 30.020           | 28.607                  | 31.941              | 350.7          | 9        | 1'55.73 |     |         | .303         | 30.107           | 28.508           |                    |               |
| 10           | 1'56.563   |      | 25.397          | 30.265           | 28.740                  | 32.161              | 336.5          | 10       | 1'55.85 |     |         | .272         | 30.264           | 28.598           |                    |               |
| 11           | 1'55.131   |      | 25.224          | 30.002           | 28.432                  | 31.473              | 346.8          | 11       | 1'57.42 |     |         | .483         | 30.466           | 29.050           |                    |               |
| 12           | 1'58.790   |      | 28.724          | 30.890           | 28.792<br><i>Rear</i> 7 | 30.384              | 340.8          |          |         |     |         |              | lick-Medi        |                  |                    |               |
|              |            |      | t Tyre -        |                  |                         |                     |                | 12       | 2'06.06 |     |         | .403         | 31.767           | 29.543           |                    |               |
| 13           | 2'04.121   |      | 31.240          | 31.774           | 29.293                  | 31.814              | 167.5          | 13       | 1'55.54 |     |         | .412         | 30.018           | 28.491           |                    |               |
| 14           | 1'55.335   | _    | 25.229          | 30.144           | 28.457                  | 31.505              | 347.4          | 14       | 1'54.99 |     |         | .105         | 29.876           | 28.421           |                    |               |
| 15           | 1'54.361   |      | 24.883          | 29.874           | 28.282                  | 31.322              | 348.9          | 15       | 1'54.98 |     |         | 1.103        | 29.935           | 28.426           |                    |               |
| 16<br>17     | 1'58.346   |      | 28.565          | 29.872<br>33.234 | 28.156<br>30.846        | 31.753<br>33.305    | 349.2<br>342.5 | 16       | 1'58.07 |     |         | 5.102        | 31.147           | 29.221           |                    |               |
| 17           | 2'04.580   |      | 27.195          | 33.234           | 30.040                  | 33.303              | 342.3          |          |         |     |         |              | lick-Soft        |                  | r Tyre Slic        |               |
| 2nd          | d 9        | Dan  | ilo PE          | TRUCCI           | Alma P                  | ramac Raci          | ng ITA         | 17       | 2'02.17 |     |         | .415         | 30.873           | 29.044           |                    |               |
| <b>~</b> 11\ | <b>4 3</b> |      |                 | Runs=3           | Γotal laps=             | =16 Ful             | l laps=11      | 18<br>19 | 1'54.87 | _   |         | .901         | 29.865<br>29.813 | 28.297<br>28.276 |                    | _             |
| - /          | Run# 1     | Fron | t Tyre S        | lick-Mediu       | m Rear i                | <i>Tyre</i> Slick-I | Medium         | 19       | 1'54.45 | 0   |         | .901         | 29.013           | 20.270           | 31.40              | <u>o</u> 340. |
| 1            | 2'31.444   | Р    | 32.958          | 32.603           | 30.970                  | 33.021              | 161.0          | 4th      | າ 99    | J   | orge    | LOR          | RENZO            | Ducat            | i Team             | SI            |
| 2            | 1'58.538   |      | 25.917          | 31.192           | 29.078                  | 32.351              | 339.3          | 711      | . 33    |     |         |              | Runs=4           | Total laps       | s=16               | Full laps     |
| 3            | 1'55.814   |      | 25.250          | 30.318           | 28.571                  | 31.675              | 349.8          |          | Run# 1  | 1 / | Front i | <i>yre</i> S | lick-Soft        | Real             | r <i>Tyre</i> Slic | k-Soft        |
| 4            | 1'55.793   |      | 25.204          | 30.095           | 28.670                  | 31.824              | 348.7          | 1        | 2'07.13 | 39  | P 31    | .299         | 31.851           | 29.282           | 32.03              | 7 173.        |
| 5            | 1'55.518   |      | 25.119          | 30.101           | 28.612                  | 31.686              | 347.6          | 2        | 2'00.30 | )4  | P 27    | .511         | 30.591           | 29.760           | 32.44              | 2 343.        |
| 6            | 2'06.555   |      | 27.544          | 32.882           | 31.149                  | 34.980              | 345.2          |          | Run# 2  | 2 / | Front i | <i>yre</i> S | lick-Soft        | Real             | r Tyre Slic        | k-Soft        |
| /            | Run# 2     | Fron | t Tyre S        | lick-Mediu       | m Rear i                | <i>Tyre</i> Slick-I | Medium         | 3        | 2'02.80 | 9   | P 31    | .697         | 30.712           | 28.713           | 31.68              | 7 176.        |
| 7            | 2'03.397   | Р    | 31.508          | 31.085           | 28.942                  | 31.862              | 139.8          | 4        | 1'55.93 |     |         | .553         | 30.244           | 28.515           |                    |               |
| 8            | 1'55.735   |      | 25.433          | 30.235           | 28.517                  | 31.550              | 346.8          | 5        | 1'55.60 | 4   |         | .094         | 30.143           | 28.518           |                    |               |
| 9            | 1'55.283   |      | 25.073          | 30.126           | 28.447                  | 31.637              | 347.0          | 6        | 1'55.98 |     | 25      | .159         | 30.298           | 28.823           | 31.70              | 2 345.        |
| 10           | 2'01.255   |      | 26.452          | 32.414           | 29.836                  | 32.553              | 347.1          | 7        | 1'55.67 |     | 25      | .129         | 30.323           | 28.621           | 31.60              |               |
| 11           | 1'55.421   |      | 25.114          | 30.151           | 28.507                  | 31.649              | 348.0          | 8        | 1'56.70 |     | P 25    | .708         | 31.585           | 29.031           | 30.38              | 345.          |
| 12           | 1'58.186   |      | 25.911          | 31.233           | 29.838                  | 31.204              | 344.1          | -        | Run# 3  | 3 / | Front i | yre -        |                  | Real             | r Tyre -           |               |
| /            | Run# 3     | Fron | t Tyre <b>S</b> | lick-Soft        |                         | <i>Tyre</i> Slick-S | Soft           | 9        | 2'01.44 | 4   | P 30    | .164         | 30.838           | 28.841           | 31.60              | 179.          |
| 13           | 2'06.257   |      | 32.743          | 31.694           | 29.907                  | 31.913              | 139.2          | 10       | 1'55.38 |     |         | .095         | 30.104           | 28.591           |                    |               |
| 14           | 1'54.367   |      | 24.944          | 29.878           | 28.181                  | 31.364              | 349.4          | 11       | 1'55.43 |     |         | .100         | 30.120           | 28.632           |                    |               |
| 15           | 2'03.028   |      | 28.121          | 33.039           | 30.181                  | 31.687              | 348.3          | 12       | 1'55.52 |     |         | .062         | 30.298           | 28.595           | 31.57              |               |
| 16           | 2'00.154   |      | 27.688          | 31.093           | 28.993                  | 32.380              | 349.7          | 13       | 1'55.39 |     | P 25    | .058         | 31.182           | 29.058           | 30.09              | 8 345.        |
|              |            |      |                 |                  |                         |                     |                |          |         |     |         |              |                  |                  |                    |               |
|              |            |      |                 | VIZIOSO          |                         | Ducati To           |                |          | ITA     |     | 54.361  |              | 24.883           | 29.874           | 28.282             | 31.322        |

These data/results cannot be reproduced, stored and/or transmitted in whole or in part by any manner of electronic, mechanical, photocopying, recording, broadcasting or otherwise now known or herein after developed without the previous express consent by the copyright owner, except for reproduction in daily press and regular printed publications on sale to the public within 60 days of the event related to those data/results and always provided that copyright symbol appears together as follows below.

© DORNA, 2018







Free Practice Nr. 2 MotoGP

|        | Lap Time                    |                     | T1 T2       |                  |                     | Speed          | Lap | Lap Tim                          | e        |                  | T1 T2            | 2 7              | 3 T4                | Speed          |
|--------|-----------------------------|---------------------|-------------|------------------|---------------------|----------------|-----|----------------------------------|----------|------------------|------------------|------------------|---------------------|----------------|
| 14     | 2'00.784                    | Front Tyre P 30.032 |             | Rear 7           | <i>yre</i> - 31.650 | 179.6          | 7th | 26                               | Da       | ni PED           |                  | •                | Honda Tear          | _              |
| 15     | 1'54.831                    | 25.006              | 29.969      | 28.416           | 31.440              | 346.8          |     |                                  |          |                  |                  | Total laps:      |                     | laps=13        |
| 16     | 1'55.360                    | 25.135              | 30.034      | 28.497           | 31.694              | 348.1          |     |                                  |          |                  |                  |                  | <i>Tyre</i> Slick-N |                |
|        |                             | Andrea I            | MNONE       | Team S           | UZUKI EC            | ST ITA         |     | 2'42.992                         |          | 35.867           | 32.092           | 29.844           | 32.354              | 111.1          |
| 5th    | ı   29                      | Anurea i            |             | Total laps=      |                     | l laps=13      |     | 1'57.239                         |          | 26.012           | 30.452           | 28.883           | 31.892              | 323.8          |
|        | 2un# 4                      | Front Turo          | Slick-Mediu | •                |                     |                |     | 1'56.360<br>1'55.844             |          | 25.480<br>25.413 | 30.177<br>30.125 | 28.827<br>28.579 | 31.876<br>31.727    | 343.5<br>344.1 |
|        |                             |                     |             |                  | -                   |                |     | 1 55.6 <del>44</del><br>1'55.676 |          | 25.306           | 30.123           | 28.528           | 31.727              | 343.9          |
| 1      | 2'18.865                    |                     |             | 30.424           | 32.981              | 166.2          |     | 1'55.909                         |          | 25.391           | 30.149           | 28.660           | 31.709              | 345.7          |
| 2      | 2'00.825                    | 28.333<br>25.273    |             | 29.246<br>28.779 | 32.201<br>31.938    | 338.3<br>337.8 |     | 1'58.954                         |          | 26.573           | 31.443           | 29.694           | 31.244              | 338.9          |
| 3<br>4 | 1'56.370<br>1'57.056        | 25.273              |             | 28.692           | 31.956              | 337.7          |     |                                  |          |                  |                  |                  | Tyre Slick-N        |                |
| 5      | 1'55.848                    | 25.305              |             | 28.599           | 31.836              | 345.3          |     |                                  |          | 35.459           | 31.610           | 29.597           | 32.253              | 113.8          |
| 6      | 2'00.352                    |                     |             | 29.499           | 31.750              | 337.7          |     | 1'57.525                         |          | 25.853           | 30.566           | 29.023           | 32.083              | 339.0          |
|        |                             |                     | Slick-Mediu |                  |                     |                |     | 1'57.070                         |          | 25.461           | 30.539           | 28.997           | 32.073              | 342.7          |
| 7      |                             |                     |             | 29.796           | 32.630              | 128.5          |     | 1'56.954                         |          | 25.585           | 30.512           | 28.967           | 31.890              | 344.7          |
| 8      | 2'09.003<br><b>1'56.194</b> | 25.335              |             | 28.638           | 31.812              | 336.5          |     | 1'56.897                         |          | 25.484           | 30.507           | 28.898           | 32.008              | 344.8          |
| 9      | 2'06.320                    | 25.448              |             | 30.054           | 32.154              | 336.9          |     | 1'56.762                         |          | 25.386           | 30.433           | 28.914           | 32.029              | 345.0          |
| 10     | 1'55.683                    | 25.389              |             | 28.526           | 31.632              | 339.3          | 14  | 1'59.568                         | Р        | 25.776           | 31.142           | 31.514           | 31.136              | 343.1          |
| 11     | 1'56.486                    |                     |             | 29.283           | 30.703              | 339.4          | R   | un# 3                            | Fra      | ont Tyre :       | Slick-Medi       | um <i>Rear</i>   | Tyre Slick-S        | oft            |
|        |                             |                     | Slick-Mediu |                  |                     | Soft           | 15  | 2'04.895                         | Р        | 33.029           | 31.024           | 28.910           | 31.932              | 118.5          |
| 12     | 2'10.232                    | P 29.795            | 32.258      | 33.124           | 35.055              | 175.1          | 16  | 1'55.476                         | i        | 25.373           | 30.095           | 28.487           | 31.521              | 346.9          |
| 13     | 1'58.905                    | 25.763              |             | 29.963           | 31.952              | 337.7          | 17  | 1'54.851                         | ] [      | 25.040           | 29.907           | 28.423           | 31.481              | 346.9          |
| 14     | 1'55.903                    | 25.453              |             | 28.510           | 31.714              | 335.9          | 18  | 1'55.146                         | i        | 25.051           | 30.009           | 28.450           | 31.636              | 347.8          |
| 15     | 1'55.681                    | 25.255              |             | 28.487           | 31.683              | 335.7          |     |                                  | C-0      | CDUT             | CHLOW            | LCR H            | onda CASTF          | 20 GB          |
| 16     | 1'57.158                    | P 25.285            | 30.782      | 29.704           | 31.387              | 338.1          | 8th | 35                               | Ca       | CRUI             |                  | Total laps:      |                     | laps=1         |
| -      | Run# 4                      | Front Tyre          | Slick-Mediu | ım <i>Rear 1</i> | yre Slick-S         | Soft           |     | un# 1                            | Ere      | ant Tura !       |                  | · .              | Tyre Slick-S        |                |
| 17     | 2'03.205                    | P 31.756            | 30.773      | 28.930           | 31.746              | 99.5           |     |                                  |          |                  |                  |                  |                     |                |
| 18     | 1'59.313                    | 26.611              | 31.761      | 29.057           | 31.884              | 339.5          |     | 2'30.794                         |          | 31.544           | 33.191           | 30.535           | 35.149              | 176.0          |
| 19     | 1'54.841                    | 25.096              | 29.998      | 28.269           | 31.478              | 339.6          |     | 2'06.737                         |          | 27.742           | 32.666           | 31.191           | 35.138              | 316.3          |
| 20     | 2'00.489                    | 25.119              | 32.792      | 29.859           | 32.719              | 338.7          |     | 2'01.655<br>1'55.306             |          | 25.910<br>25.310 | 34.176<br>29.993 | 29.463<br>28.331 | 32.106<br>31.672    | 347.7<br>347.7 |
|        |                             | Marc MA             | POLIEZ      | Rensol           | Honda Tea           | m SPA          |     | 1 55.306<br>2'04.857             |          | 31.801           | 30.969           | 29.982           | 32.105              | 348.7          |
| 6th    | ı   93  ˈ                   | VIAIC IVIA          |             | Total laps=      |                     | l laps=12      |     | 2 04.037<br>1'55.286             |          | 25.126           | 30.002           | 28.455           | 31.703              | 346.2          |
|        | 2un # 4                     | Front Turo          | Slick-Mediu |                  |                     |                |     | 1'59.111                         |          | 27.821           | 31.008           | 29.187           | 31.095              | 346.4          |
|        |                             |                     |             |                  | <u>-</u>            |                |     |                                  |          |                  |                  |                  | Tyre Slick-S        |                |
| 1      | 2'38.052                    |                     |             | 30.180           | 32.708              | 84.8           |     |                                  |          | 30.838           | 32.023           | 33.296           | 32.336              | 164.0          |
| 2      | 1'56.895                    | 25.438              |             | 28.974           | 31.982              | 344.7          |     | 1'56.119                         |          | 25.366           | 30.228           | 28.717           | 31.808              | 347.0          |
| 3<br>4 | 1'55.410                    | 25.242<br>25.095    |             | 28.465<br>28.585 | 31.610<br>31.660    | 344.4<br>347.2 |     | 1'55.519                         |          | 25.242           | 30.057           | 28.460           | 31.760              | 347.8          |
| 5      | 1'55.415<br>1'55.043        | 25.038              | <b>-</b> 1  | 28.379           | 31.636              | 346.0          |     | 1'55.562                         |          | 25.291           | 30.079           | 28.451           | 31.741              | 348.1          |
| 6      | 2'03.143                    |                     |             | 30.116           | 34.432              | 346.8          |     | 1'55.892                         |          | 25.235           | 30.619           | 29.517           | 30.521              | 346.8          |
|        |                             |                     | Slick-Mediu |                  |                     |                | R   | un# 3                            | Fro      | ont Tyre         | Slick-Medi       | um <i>Rear</i>   | Tyre Slick-S        | oft            |
| 7      | 2'12.732                    |                     |             | 30.036           | 32.900              | 76.5           | 13  | 2'12.761                         | Р        | 34.409           | 34.580           | 29.832           | 33.940              | 145.2          |
| 8      | 1'56.933                    | 25.407              |             | 29.035           | 32.122              | 340.3          |     | 2'00.244                         |          | 26.313           | 32.654           | 29.441           | 31.836              | 335.2          |
| 9      | 1'55.632                    | 25.407              |             | 28.567           | 31.807              | 341.0          |     | 1'54.852                         |          | 25.078           |                  | 28.361           | 31.532              | 349.1          |
| 10     | 1'55.698                    | 25.190              |             | 28.577           | 31.769              | 341.7          |     | 2'09.597                         |          | 28.405           | 32.713           | 30.194           | 38.285              | 347.6          |
| 11     | 1'55.736                    | 25.126              |             | 28.587           | 31.858              | 341.1          |     |                                  | 11/-1    | 4 *              | DOOOL            | Moviete          | v Vomebe N          | Act IT         |
| 12     | 2'04.773                    |                     |             | 30.234           | 32.191              | 341.4          | 9th | 46                               | vai      | entino           | ROSSI            |                  | ar Yamaha M         |                |
|        |                             |                     | Slick-Mediu |                  |                     |                |     |                                  | <u> </u> | , -              |                  | Total laps:      |                     | laps=1         |
| 13     | 2'07.323                    |                     |             | 30.011           | 32.379              | 134.7          |     |                                  |          | ont Tyre         |                  |                  | <i>Tyre</i> Slick-S | ott            |
| 14     | 1'58.385                    | 26.239              |             | 29.301           | 32.019              | 342.7          |     | 2'57.886                         |          | 32.218           | 31.826           | 29.905           | 32.341              | 160.3          |
| 15     | 1'54.850                    | 25.085              |             | 28.336           | 31.452              | 343.9          |     | 1'56.430                         |          | 25.482           | 30.185           | 28.856           | 31.907              | 340.2          |
| 16     | 1'54.887                    | 25.057              |             | 28.341           | 31.542              | 345.3          |     | 1'55.871                         |          | 25.277           | 30.053           | 28.779           | 31.762              | 339.6          |
| 17     | 1'55.455                    | 25.147              |             | 28.528           | 31.770              | 346.1          | 4   | 1'55.837                         | •        | 25.143           | 30.068           | 28.789           | 31.837              | 340.9          |
|        | ta a 4 1 -                  | A1                  | 0)/17/000   |                  | D                   |                |     | ٠,                               |          | 204              | 04.000           | 00.07.1          | 00.000              | 4 000          |
| rasi   | test Lap:                   | Andrea D            | OVIZIOSO    |                  | Ducati Te           | eam            | IT  | A 1                              | 1'54.    | 30T              | 24.883           | 29.874           | 28.282 3°           | 1.322          |

These data/results cannot be reproduced, stored and/or transmitted in whole or in part by any manner of electronic, mechanical, photocopying, recording, broadcasting or otherwise now known or herein after developed without the previous express consent by the copyright owner, except for reproduction in daily press and regular printed publications on sale to the public within 60 days of the event related to those data/results and always provided that copyright symbol appears together as follows below.

© DORNA, 2018







Free Practice Nr. 2 **MotoGP** *T2 T3* T3 T4 Speed T4 Speed Lap Lap Time Lap Lap Time T1 T2 25.292 30.078 28.768 31.805 341.2 10 25.353 30.288 28.798 32.085 341.7 5 1'55.943 1'56.524 25.173 28.655 342.6 Р 341.8 6 1'55.599 30.039 31.732 11 1'55.595 25.287 30.354 29.053 30.901 7 Р 27.091 30.979 29.910 330.4 1'56.688 28.708 Run# 3 Front Tyre Slick-Medium Rear Tyre Slick-Soft Run# 2 Rear Tyre Slick-Soft Front Tyre Slick-Medium 12 28.700 175.1 2'01.432 30.218 30.706 31.808 134.5 30.050 8 Р 32.941 31.462 32.318 13 25.188 28.478 31.591 341.5 2'10.109 33.388 1'55.307 9 25.383 31.992 341.1 14 1'53.970 Р 25.119 30.154 341.9 1'56.496 30.244 28.877 28.541 30.156 10 1'56.298 25.294 30.218 28.837 31.949 339.7 Run# 4 Front Tyre Slick-Soft Rear Tyre Slick-Soft 11 27.905 30.364 28.908 32.002 339.3 1'59.179 15 Р 29 246 30 521 28.629 31 625 1793 2'00.021 12 25.419 30.279 28.835 31.885 341.8 1'56.418 16 1'55.195 25.039 30.007 28.543 31.606 345.2 13 2'00.762 29.124 31.546 29.689 30.403 337.8 Aprilia Racing Team SPA Aleix ESPARGARO Run# 3 Front Tyre Slick-Medium Rear Tyre Slick-Soft **12th** 41 Runs=3 Total laps=16 Full laps=11 14 2'03.181 31.169 31.303 28.95 31.758 156.7 Rear Tyre Slick-Medium Run # 1 Front Tyre Slick-Soft 15 1'54.853 25.125 29.810 28.469 31.449 341.8 25.133 28.614 31.594 342.0 16 29.799 1 2'41.758 31.905 29.692 165.4 1'55.140 32.204 32.229 25.030 2 29.895 28.536 31.726 340.5 25.536 30.377 28.678 31.894 341.9 17 1'55.187 1'56.485 3 25.725 30.179 28.691 31.780 345.0 1'56.375 Monster Yamaha Tec FRA Johann ZARCO 5 10th 4 1'55.610 25.222 30.136 28,658 31.594 343.2 Runs=3 Total laps=19 Full laps=13 5 25.346 30.343 28,698 31.802 344.3 1'56.189 Run# 1 Front Tyre Slick-Medium Rear Tyre Slick-Medium Р 338.3 6 2'03.731 29.553 31.255 29.891 33.032 1 2'17.220 30.949 33.576 30.221 32.654 181.3 Run# 2 Front Tyre Slick-Medium Rear Tyre Slick-Soft 2 1'57.990 25.773 30.914 29.223 32.080 340.2 7 29.221 160.8 2'06.324 31.453 31.946 3 1'56.529 25.392 30.377 28.785 31.975 342.4 8 1'55.939 25.509 30.106 28.632 31.692 340.0 4 25.378 29.073 341.6 1'56.741 30.382 31.908 9 1'55.817 25.344 30.113 28.611 31.749 340.4 5 25.435 30.501 29.090 31.730 340.8 1'56.756 10 29.439 33.706 29.701 32.123 341.2 2'04.969 Р 6 25.471 335.2 30.479 29.024 30.676 1'55.650 Р 25.209 43 013 3393 11 2'15.869 35 063 Run# 2 Front Tyre Slick-Medium Rear Tyre Slick-Medium Front Tyre Slick-Soft Rear Tyre Slick-Soft Run# 3 2'02.494 7 30.105 31.355 29.079 31.955 182.2 12 2'05.693 30.586 31.076 29.012 35.019 175.1 8 25.332 31.810 340.5 1'56.105 30.298 28.665 30.016 28.455 31.573 340.5 13 1'55.236 25.192 9 25.384 30.067 28.526 31.779 340.5 1'55.756 14 29.779 30.464 28.881 31.643 343.0 2'00.767 10 1'56.045 25.204 30.016 28.981 31.844 340.5 15 1'55.322 25.056 30.140 28.407 31.719 343.4 31.800 340.9 11 25.244 30.157 28.699 1'55.900 16 32,653 32.416 32.156 32.078 341.5 2'09.303 12 1'56.395 25.321 30.261 28.931 31.882 342.2 Tito RABAT Reale Avintia Racing SPA Р 25.813 31.103 29.313 31.076 340.1 13 1'57.305 13th 53 Runs=3 Total laps=18 Full laps=13 Run# 3 Front Tyre Slick-Medium Rear Tyre Slick-Soft Run# Front Tyre Slick-Medium Rear Tyre Slick-Medium 1 14 2'02.035 P 30.067 31.071 29.034 31.863 179.1 15 1'55.518 25.290 30.058 28.521 31.649 341.3 1 2'17.371 Р 31.207 31.950 29.974 32.548 181.8 16 25.135 30.028 28.405 31.608 343.2 2 1'58.020 25.793 30.948 29.219 32.060 337.3 1'55.176 17 1'54.969 25.047 29.936 28.505 31.481 343.6 3 25.495 30.493 28.664 31.918 339.4 1'56.570 18 1'54.912 25.153 29.878 28.412 31.469 343.7 4 1'56.975 25.362 30.439 28.944 32.230 340.9 5 PIT 32.931 33.701 30.627 32.602 324.2 1'56.214 25.363 30.325 28.686 31.840 338.3 6 30.547 339.6 25.243 28.870 31.833 1'56.493 Movistar Yamaha Mot SPA Maverick VIÑALES 25 11th 7 1'59.397 Р 27.119 31 340 29 646 31 292 337.3 Runs=4 Total laps=16 Full laps=9 Front Tyre Slick-Medium Rear Tyre Slick-Medium Run# 2 Run# Front Tyre Slick-Medium Rear Tyre Slick-Medium 1 8 2'01.647 29.520 31.029 29.017 32.081 177.4 1 3'13.783 32.210 31.237 29.257 32.325 155.4 9 30.438 25.325 28.816 31.880 338.3 1'56.459 2 1'56.883 26.005 30.424 28.566 31.888 342.6 10 25.242 30.318 28.805 31.844 339.0 1'56.209 3 1'55.792 25.174 30.302 28.564 31.752 342.8 11 1'55.691 25.285 30.163 28.590 31.653 341.5 4 25.297 30.092 28.627 31.885 341.6 1'55.901 12 25.097 30.361 28.717 31.740 341.3 1'55.915 5 25.354 30.285 28.697 31.874 1'56.210 341.6 Р 13 2'02.620 29.215 32 228 29 257 31.920 341.8 6 27.245 30.362 28.600 31.888 343.0 1'58.095 Front Tyre Slick-Soft Rear Tyre Slick-Soft Run# 3 7 25.263 30.154 28.558 31.886 341.9 1'55.861 29.296 31.811 193.8 14 29.247 31.706 2'02.060 8 P 25 232 30 185 28 610 30 546 343 1 15 25.253 30.184 28.556 343.0 1'55.532 31.539 Run# Front Tyre -2 Rear Tyre 16 25.012 30.029 28.622 31.645 342.0 1'55.308 9 Р 30.789 28.920 32.071 2'02.512 30.732 161.1 17 2'05.927 28.421 30.716 30.069 36.721 341.9 Fastest Lap: Andrea DOVIZIOSO Ducati Team ITA 1'54.361 24.883 29.874 28.282 31.322

These data/results cannot be reproduced, stored and/or transmitted in whole or in part by any manner of electronic, mechanical, photocopying, recording, broadcasting or otherwise now known or herein after developed without the previous express consent by the copyright owner, except for reproduction in daily press and regular printed publications on sale to the public within 60 days of the event related to those data/results and always provided that copyright symbol appears together as follows below.







|                        |                              | tice Nr. 2                |                       |                            |                         |                     |                |                                  |                  |                            |                            |                            | :oGP                    |
|------------------------|------------------------------|---------------------------|-----------------------|----------------------------|-------------------------|---------------------|----------------|----------------------------------|------------------|----------------------------|----------------------------|----------------------------|-------------------------|
| Lap                    | Lap Tim                      |                           |                       |                            |                         | Speed               | Lap            | •                                |                  | <u>T1 T2</u>               |                            |                            | Speed                   |
| 18                     | 2'00.039                     | 25.263                    | 32.255                | 29.978                     | 32.543                  | 343.4               | 2              | 1'58.240                         | 26.412           |                            | 28.972                     | 32.027                     | 340.8<br>339.1          |
| 1 14                   | h 43                         | Jack MILLE                | ER                    | Alma Pra                   | ımac Raci               | ng AUS              | 3<br>4         | 1'57.137<br>1'56.526             | 25.763<br>25.403 |                            | 28.713<br>28.734           | 32.086<br>32.009           | 338.2                   |
| 14t                    | 11 43                        | F                         | Runs=3                | Γotal laps=1               | 7 Full                  | laps=11             | 5              | 1'55.148                         |                  |                            | 28.671                     | 30.320                     | 326.6                   |
| - /                    | Run # 1                      | Front Tyre SI             | ick-Mediu             | m Rear Ty                  | re Slick-S              | oft                 |                |                                  | Front Tyre       |                            |                            |                            |                         |
| 1                      | 2'43.869                     | P 33.798                  | 32.518                | 30.039                     | 32.327                  | 123.9               | 6              | 2'05.251                         |                  |                            | 29.402                     | 32.443                     | 166.0                   |
| 2                      | 1'57.221                     | 25.684                    | 30.682                | 28.924                     | 31.931                  | 344.4               | 7              | 1'56.974                         | 25.547           |                            | 28.773                     | 32.124                     | 335.0                   |
| 3                      | 1'55.842                     | 25.280                    | 30.201                | 28.584                     | 31.777                  | 343.0               | 8              | 2'05.523                         | 25.417           |                            | 29.503                     | 32.443                     | 336.3                   |
| 4                      | 2'02.422                     |                           |                       | 29.010                     | 31.784                  | 336.9               | 9              | 1'58.476                         |                  |                            | 30.026                     | 31.876                     | 337.9                   |
| 5                      | 2'00.989                     | 26.509                    | 31.260                | 30.632                     | 32.588                  | 343.1               |                |                                  | Front Tyre       |                            |                            |                            |                         |
| 6                      | 1'55.821                     | 25.397                    | 30.112                | 28.552                     | 31.760                  | 339.6               | 10             | 2'02.177                         |                  |                            | 28.995                     | 31.982                     | 172.9                   |
| 7                      | 1'56.800                     | P 25.998                  | 30.812                | 29.541                     | 30.449                  | 342.0               | 11             | 1'56.230                         | 25.444           |                            | 28.523                     | 31.812                     | 341.4                   |
|                        | Run# 2                       | Front Tyre SI             | ick-Mediu             | <b>m</b> Rear Ty           | <i>re</i> Slick-S       | oft                 | 12             | 1'55.718                         |                  |                            | 28.497                     | 31.840                     | 341.4                   |
| 8                      | 2'02.618                     | P 29.951                  | 30.955                | 29.752                     | 31.960                  | 180.5               | 13             | 2'05.861                         | 31.790           |                            | 30.256                     | 32.731                     | 340.3                   |
| 9                      | 1'59.502                     | 25.412                    | 31.126                | 31.017                     | 31.947                  | 339.3               | 14             | 2'03.458                         | 25.208           |                            | 29.087                     | 38.653                     | 340.4                   |
| 10                     | 1'56.411                     | 25.495                    | 30.307                | 28.630                     | 31.979                  | 341.1               |                |                                  |                  |                            |                            |                            |                         |
| 11                     | 1'55.582                     | 25.285                    | 30.099                | 28.525                     | 31.673                  | 336.5               | 171            | h 44                             | Pol ESPA         |                            |                            | KTM Fact                   | -                       |
| 12                     | 1'58.721                     | P 25.599                  | 32.782                | 30.408                     | 29.932                  | 339.8               |                |                                  |                  |                            | Total laps=1               |                            | ıll laps=               |
|                        | Run# 3                       | Front Tyre SI             | ick-Soft              | Rear Ty                    | <i>re</i> Slick-S       | Soft                |                | Run # 1                          | Front Tyre       | Slick-Medi                 | um <i>Rear T</i>           | yre Slick-S                | Soft                    |
| 13                     | 2'03.662                     | P 31.395                  | 30.775                | 29.508                     | 31.984                  | 166.0               | 1              | 2'31.846                         | P 32.849         | 32.723                     | 30.613                     | 32.907                     | 167.4                   |
| 14                     | 1'58.692                     | 26.706                    | 30.791                | 29.276                     | 31.919                  | 341.0               | 2              | 1'59.282                         | 26.407           | 31.293                     | 29.306                     | 32.276                     | 343.0                   |
| 15                     | 1'55.448                     | 25.219                    | 30.014                | 28.549                     | 31.666                  | 341.1               | 3              | 1'56.802                         | 25.520           | 30.553                     | 28.856                     | 31.873                     | 342.7                   |
| 16                     | 1'55.360                     | 25.200                    | 29.994                | 28.536                     | 31.630                  | 340.9               | 4              | 2'04.997                         | 28.720           | 31.471                     | 31.325                     | 33.481                     | 326.0                   |
|                        | PIT                          | 27.904                    | 31.932                | 30.337                     | 35.587                  | 340.0               | 5              | 1'56.724                         | 25.471           |                            | 28.777                     | 32.009                     | 343.9                   |
| 4 = 4                  |                              | Takaaki NA                | KAGAM                 | LCR Hon                    | da IDEMI                | TS JPN              | 6              | 2'13.440                         |                  |                            | 30.961                     | 31.688                     | 339.8                   |
| 15t                    | h 30                         |                           |                       | rotal laps=1               |                         | laps=14             |                | Run # 2                          | Front Tyre       | Slick-Medi                 | um <i>Rear T</i>           | <i>yre</i> Slick-S         | Soft                    |
|                        | Run# 1                       | Front Tyre SI             |                       |                            |                         | ledium              | 7              | 2'06.153                         | P 31.556         | 31.863                     | 30.022                     | 32.712                     | 170.1                   |
|                        |                              |                           |                       | 31.223                     |                         |                     | 8              | 2'00.397                         | 25.871           |                            | 30.191                     | 33.475                     | 340.5                   |
| 1<br>2                 | 2'42.806<br><b>2'00.689</b>  | P 40.897<br>27.666        | 35.071<br>31.320      | 29.297                     | 33.347<br><b>32.406</b> | 108.0<br>338.7      | 9              | 1'57.735                         | 25.641           |                            | 29.087                     | 32.130                     | 341.9                   |
| 3                      | 1'56.851                     | 25.637                    | 30.535                | 28.669                     | 32.010                  | 339.9               | 10             | 2'02.372                         |                  |                            | 30.494                     | 31.192                     | 340.8                   |
| 4                      | 1'57.639                     | 26.056                    | 30.530                | 28.818                     | 32.235                  | 314.3               |                | Run # 3                          | Front Tyre       |                            | Rear I                     | <i>yre</i> Slick-S         | SOTT                    |
| 5                      | 1'56.569                     | 25.577                    | 30.315                | 28.698                     | 31.979                  | 339.7               | 11             | 2'08.482                         |                  |                            | 30.857                     | 32.271                     | 143.5                   |
| 6                      | 2'06.567                     | 32.823                    | 32.795                | 28.848                     | 32.101                  | 339.7               | 12             | 1'59.236                         | 27.809           |                            | 29.176                     | 31.752                     | 345.7                   |
| 7                      | 1'56.658                     | 25.613                    | 30.410                | 28.643                     | 31.992                  | 341.0               | 13_            | 1'55.919                         |                  |                            | 28.582                     | 31.696                     |                         |
| 8                      | 2'03.919                     | P 28.488                  | 32.467                | 30.330                     | 32.634                  | 338.3               | 14             | 2'13.669                         | 33.141           | 34.432                     | 30.942                     | 35.154                     | 343.4                   |
| ,                      | Run# 2                       | Front Tyre SI             | ick-Mediu             | m Rear Ty                  | <i>re</i> Slick-N       | /ledium             | 181            | h 21                             | Franco M         | ORBIDEL                    | EG 0,0 N                   | Marc VDS                   | IT                      |
| 9                      | 2'26.224                     | P 35.411                  | 35.484                | 39.634                     | 35.695                  | 122.4               | 101            | :h 21                            |                  |                            | Total laps=1               | 17 Full                    | l laps=1                |
| 10                     | 2'03.407                     |                           | 31.836                | 29.842                     | 32.779                  | 329.8               |                | Run # 1                          | Front Tyre       | Slick-Hard                 | Rear T                     | yre Slick-S                | Soft                    |
| 11                     | 1'59.877                     | 25.933                    | 31.139                | 30.210                     | 32.595                  | 338.0               | 1              | 2'19.144                         | P 32.871         | 32.935                     | 30.281                     | 33.039                     | 164.3                   |
| 12                     | 1'57.109                     | 25.703                    | 30.484                | 28.910                     | 32.012                  | 337.3               | 2              | 1'59.226                         | 26.336           |                            | 29.227                     | 32.524                     | 339.0                   |
| 13                     | 1'56.461                     | 25.435                    | 30.309                | 28.804                     | 31.913                  | 338.3               | 3              | 1'57.749                         | 26.000           |                            | 28.900                     | 32.212                     | 332.5                   |
| 14                     | 1'56.399                     | 25.404                    | 30.279                | 28.772                     | 31.944                  | 338.2               | 4              | 1'56.936                         | 25.551           |                            | 28.857                     | 32.116                     | 336.1                   |
| 15                     | 2'03.146                     |                           | 32.879                | 31.136                     | 33.190                  | 338.3               | 5              | 1'56.976                         | 25.610           |                            | 28.755                     | 32.203                     | 339.6                   |
|                        | <i>Run#</i> 3                | Front Tyre SI             | ick-Mediu             | m Rear Ty                  | <i>re</i> Slick-S       | Soft                | 6              | 1'56.543                         | 25.455           |                            | 28.705                     | 32.047                     | 341.1                   |
| 16                     | 2'11.759                     | P 36.949                  | 32.429                | 29.644                     | 32.737                  | 110.3               | 7              | 2'01.589                         | P 26.968         | 34.550                     | 29.574                     | 30.497                     | 335.2                   |
|                        | 1'57.169                     | 25.677                    | 30.412                | 29.014                     | 32.066                  | 338.8               |                | Run # 2                          | Front Tyre       | Slick-Medi                 | um <i>Rear T</i> j         | <i>yre</i> Slick-S         | Soft                    |
| 17                     |                              | 05 077                    | 30.058                | 28.487                     | 31.772                  | 340.3               | 8              | 2'08.231                         | P 35.371         | 31.253                     | 29.266                     | 32.341                     | 116.5                   |
| 17<br>18               | 1'55.694                     | 25.377                    |                       |                            | 04.057                  | 339.8               | 0              |                                  |                  | 30.598                     | 00.040                     | 20.000                     | 339.5                   |
| 18<br>19               | 1'55.694<br>1'56.035         | 25.428                    | 30.156                | 28.594                     | 31.857                  | 000.0               | 9              | 1'57.026                         | 25.513           | 30.390                     | 28.912                     | 32.003                     | 000.0                   |
| 18<br>19               | 1'55.694<br>1'56.035         | 25.428                    |                       |                            |                         |                     | 10             | 1'56.715                         | 25.317           |                            | 28.912                     | 32.003                     |                         |
| 18<br>19               | 1'55.694<br>1'56.035         | 25.428 Scott REDI         | DING                  | Aprilia Ra                 | acing Tear              | n GBR               |                |                                  |                  | 30.316                     |                            |                            | 337.5                   |
| 18<br>19<br><b>16t</b> | 1'55.694<br>1'56.035<br>h 45 | 25.428<br>Scott REDI<br>F | <b>DING</b><br>Runs=3 | Aprilia Ra<br>Fotal laps=1 | acing Tear<br>4 Fu      | m GBR<br>ıll laps=9 | 10             | 1'56.715                         | 25.317<br>25.388 | 30.316<br>30.414           | 28.995                     | 32.087                     | 337.5<br>336.4          |
| 18<br>19<br><b>16t</b> | 1'55.694<br>1'56.035<br>h 45 | 25.428 Scott REDI         | <b>DING</b><br>Runs=3 | Aprilia Ra<br>Fotal laps=1 | acing Tear<br>4 Fu      | m GBR<br>ıll laps=9 | 10<br>11<br>12 | 1'56.715<br>1'56.630<br>2'00.040 | 25.317<br>25.388 | 30.316<br>30.414<br>33.390 | 28.995<br>28.786<br>29.424 | 32.087<br>32.042<br>30.545 | 337.5<br>336.4<br>337.1 |

These data/results cannot be reproduced, stored and/or transmitted in whole or in part by any manner of electronic, mechanical, photocopying, recording, broadcasting or otherwise now known or herein after developed without the previous express consent by the copyright owner, except for reproduction in daily press and regular printed publications on sale to the public within 60 days of the event related to those data/results and always provided that copyright symbol appears together as follows below.

© DORNA, 2018

ITA

1'54.361

Ducati Team



24.883

29.874



28.282

Fastest Lap:

Andrea DOVIZIOSO

| Fre        | e Prac                   | tic         | e Nr. 2              | 2                |                  |                     |                |             |                      |     |                   |            |                  | Mot                 | :oGP       |
|------------|--------------------------|-------------|----------------------|------------------|------------------|---------------------|----------------|-------------|----------------------|-----|-------------------|------------|------------------|---------------------|------------|
| Lap        | Lap Tim                  | e           | Τ                    | 1 T.             | 2 T3             | 3 T4                | Speed          | Lap         | <del></del>          |     | T                 |            |                  |                     | Speed      |
| 14         | 1'56.503                 |             | 25.615               | 30.248           | 28.695           | 31.945              | 338.2          |             | Run # 2              | Fr  | ont Tyre <b>S</b> | lick-Mediu | ım <i>Rear</i> i | <i>Tyre</i> Slick-S | oft        |
| 15         | 1'55.965                 |             | 25.286               | 30.226           | 28.709           | 31.744              | 338.3          | 2           | 2'10.529             | Р   | 33.133            | 32.981     | 30.427           | 33.988              | 167.0      |
| 16         | 2'02.974                 |             | 27.185               | 32.419           | 30.862           | 32.508              | 339.5          | 3           | 2'01.794             |     | 27.123            | 32.038     | 30.137           | 32.496              | 338.8      |
| 17         | 1'56.604                 |             | 25.407               | 30.376           | 28.838           | 31.983              | 338.4          | 4           | 1'57.868             |     | 25.736            | 30.926     | 28.896           | 32.310              | 335.6      |
|            |                          | Th          | omas Ll              | ITHI             | EG 0.0           | Marc VDS            | SWI            | 5           | 2'03.192             |     | 29.171            | 31.146     | 30.242           | 32.633              | 343.0      |
| 19t        | h 12                     | • • • •     |                      |                  | Total laps=      |                     | laps=11        | 6           | 2'00.799             | Р   | 25.878            | 32.232     | 30.486           | 32.203              | 332.9      |
|            | Pun# 4                   | Er          |                      |                  | •                | Tyre Slick-N        |                |             | Run# 3               | Fr  | ont Tyre S        | lick-Mediu | ım <i>Rear</i> i | Tyre Slick-S        | oft        |
|            |                          |             |                      |                  |                  | -                   |                | 7           | 2'13.259             | Р   | 34.658            | 33.106     | 32.870           | 32.625              | 161.2      |
| 1          | 2'20.292                 | Ρ           | 34.239               | 32.883           | 30.136           | 34.054              | 146.4          | 8           | 1'58.103             |     | 25.975            | 30.921     | 29.087           | 32.120              | 340.4      |
| 2          | 1'59.906                 |             | 27.218               | 31.081           | 29.162           | 32.445              | 325.3          | 9           | 2'00.703             |     | 25.521            | 33.061     | 29.567           | 32.554              | 341.7      |
| 3          | 1'57.863                 |             | 25.554               | 30.955           | 29.022           | 32.332              | 334.7          | 10          | 1'57.088             |     | 25.617            | 30.715     | 28.729           | 32.027              | 339.4      |
| 4          | 1'57.363                 |             | 25.598               | 30.488           | 29.019           | 32.258              | 336.3          | 11          | 1'57.329             |     | 25.642            | 30.860     | 28.789           | 32.038              | 339.1      |
| 5          | 1'56.978                 |             | 25.415               | 30.633           | 28.861           | 32.069              | 337.3          | 12          | 2'00.681             | Р   | 27.375            | 32.129     | 29.666           | 31.511              | 332.6      |
| 6          | 1'58.058                 |             | 25.431               | 30.564           | 29.271           | 32.792              | 336.2          |             | Run # 4              | Fr  | ont Tyre S        | lick-Soft  | Rear             | Tyre Slick-N        | /ledium    |
| 7          | 2'01.245                 |             | 25.608               | 32.331           | 31.401           | 31.905              | 333.8          | 13          | 2'09.904             | Р   | 33.252            | 33.186     | 30.915           | 32.551              | 171.7      |
|            | Run# 2                   | Fr          |                      | iick-Meai        | um <i>Rear i</i> | <i>Tyre</i> Slick-S | οστ            |             |                      |     |                   |            |                  | Tyre Slick-S        |            |
| 8          | 2'08.234                 |             | 33.486               | 31.744           | 30.454           | 32.550              | 122.0          | 11          |                      |     | 33.674            | 32.885     | 32.276           | 32.144              | 159.1      |
| 9          | 2'02.397                 |             | 29.469               | 30.883           | 29.362           | 32.683              | 334.4          | 14          | 2'10.979             |     | 25.494            | 30.468     | 28.605           | 31.876              | 338.8      |
| 10         | 1'56.636                 |             | 25.437               | 30.329           | 28.789           | 32.081              | 337.2          | 15<br>16    | 1'56.443             |     | 25.523            | 32.499     | 29.065           | 31.803              | 343.1      |
| 11_        | 2'00.073                 | 1           | 26.430               | 31.971           | 29.343           | 32.329              | 331.0          | 17          | 1'58.890<br>1'56.394 | 1   | 25.366            | 30.473     | 28.578           | 31.977              | 343.2      |
| 12_        | 1'56.242                 | J           | 25.307               | 30.184           | 28.634           | 32.117              | 336.1          |             | 1 30.394             | 1   | 23.300            | 30.473     | 20.370           | 31.377              | 343.2      |
| 13         | 1'56.891                 |             | 25.454               | 30.381           | 28.789           | 32.267              | 334.7          | 22          | nd 55                | На  | fizh SYA          | HRIN       | Monste           | r Yamaha T          | ec MAL     |
| 14         | 2'03.925                 |             | 27.279               | 33.398           | 31.371           | 31.877              | 330.9          | <b>ZZ</b> I | 11u 33               |     | F                 | Runs=3     | Total laps=      | ₌17 Full            | l laps=12  |
|            | Run# 3                   | Fr          |                      | lick-Medi        |                  | <i>Tyre</i> Slick-S |                |             | Run # 1              | Fr  | ont Tyre S        | lick-Mediu | ım Rear          | Tyre Slick-N        | /ledium    |
| 15         | 2'08.006                 | Р           | 34.201               | 31.605           | 29.414           | 32.786              | 173.6          | 1           | 2'38.277             | Р   | 37.851            | 34.277     | 30.536           | 33.068              | 171.2      |
| 16         | 1'58.274                 |             | 25.648               | 31.182           | 29.314           | 32.130              | 336.5          | 2           | 2'00.416             |     | 27.316            | 31.269     | 29.242           | 32.589              | 336.8      |
|            |                          | Br          | adley SN             | ЛІТН             | Red Bu           | II KTM Fact         | orv GBR        | 3           | 2'01.499             |     | 29.474            | 30.847     | 28.906           | 32.272              | 341.8      |
| <b>20t</b> | h 38                     | <b>D</b> I. | =                    |                  | Total laps=      |                     | ıll laps=9     | 4           | 1'57.814             |     | 25.884            | 30.591     | 29.193           | 32.146              | 339.9      |
|            | Run# 1                   | Er          | ont Tyre <b>S</b>    |                  |                  | Tyre Slick-S        |                | 5           | 1'57.335             |     | 25.750            | 30.653     | 28.860           | 32.072              | 330.7      |
|            |                          |             |                      |                  |                  |                     |                | 6           | 1'57.185             |     | 25.523            | 30.418     | 29.013           | 32.231              | 337.9      |
| 1          | 2'30.504                 | Ρ           | 32.823               | 33.201           | 30.518           | 33.668              | 169.3          | 7           | 2'09.039             | Р   | 30.983            | 33.196     | 31.405           | 33.455              | 330.6      |
| 2          | 1'59.428                 |             | 26.571               | 31.156           | 29.241           | 32.460              | 315.8          |             | Run # 2              | Fr  | ont Tyre S        | lick-Mediu | ım <i>Rear</i> i | Tyre Slick-N        | /ledium    |
| 3          | 1'58.024                 |             | 26.045               | 30.725           | 28.943           | 32.311              | 332.1          | 8           | 2'15.124             | Р   | 36.063            | 32.388     | 33.438           | 33.235              | 158.3      |
| 4<br>5     | 1'58.665                 |             | 26.129<br>25.672     | 31.443<br>30.711 | 29.059<br>29.144 | 32.034<br>32.158    | 328.8<br>334.4 | 9           | 1'58.487             |     | 26.137            | 30.999     | 29.048           | 32.303              | 334.9      |
|            | 1'57.685                 |             |                      |                  |                  | 31.962              | 338.9          | 10          | 1'57.517             |     | 25.536            | 30.598     | 29.174           | 32.209              | 336.0      |
| 6<br>7     | <b>1'56.970</b> 2'02.113 |             | <b>25.719</b> 27.939 | 30.443<br>32.534 | 28.846<br>30.542 | 31.098              | 336.1          | 11          | 1'57.161             |     | 25.496            | 30.362     | 29.088           | 32.215              | 335.7      |
|            |                          |             | ont Tyre <b>S</b>    |                  |                  | Tyre Slick-S        |                | 12          | 2'00.253             | Р   | 26.358            | 31.601     | 29.128           | 33.166              | 328.0      |
|            |                          |             |                      |                  |                  |                     |                |             | Run# 3               |     | ont Tyre S        | lick-Soft  | Rear             | Tyre Slick-S        | oft        |
| 8          | 2'04.846                 |             | 31.473               | 31.241           | 29.246           | 32.886              | 170.5          | 13          | 2'09.350             | Р   | 35.505            | 31.976     | 29.425           | 32.444              | 156.4      |
| 9          | 1'58.434                 |             | 26.182               | 30.904           | 29.094           | 32.254              | 334.4          | 14          | 1'57.013             |     | 25.514            | 30.451     | 28.928           | 32.120              | 336.9      |
| 10         | 1'56.998                 |             | 25.613               | 30.485           | 28.820           | 32.080              | 338.1          | 15          | 1'56.541             |     | 25.345            | 30.335     | 28.851           | 32.010              | 336.6      |
| 11         | 2'01.488                 |             | 28.236               | 32.147           | 29.701           | 31.404              | 333.5          | 16          | 1'56.454             | 1   | 25.394            | 30.282     | 28.743           | 32.035              | 337.1      |
|            |                          |             | ont Tyre <b>S</b>    |                  |                  | <i>Tyre</i> Slick-S |                | 17          | 1'56.873             |     | 25.608            | 30.360     | 28.806           | 32.099              | 333.8      |
| 12         | 2'01.933                 | Р           | 29.929               | 30.873           | 29.065           | 32.066              | 173.8          |             |                      |     |                   |            |                  |                     |            |
| 13         | 1'57.205                 |             | 25.666               | 30.748           | 28.782           | 32.009              | 338.7          | 23          | rd 19                | Al۱ | varo BAl          | JTISTA     | Angel N          | lieto Team          | SPA        |
| 14         | 1'55.093                 |             | 25.622               | 30.602           | 28.744           | 30.125              | 338.4          |             |                      |     | F                 | Runs=3     | Total laps=      | :14 Fu              | ıll laps=8 |
|            | <i>Run#</i> 4            | Fr          | ont Tyre <b>S</b>    | ııck-Medi        | um <i>Rear i</i> | <i>Tyre</i> Slick-S | oft            |             | Run # 1              | Fr  | ont Tyre S        | lick-Soft  | Rear             | <i>Tyre</i> Slick-S | oft        |
| 15         | 2'05.474                 | -           | 31.139               | 31.184           | 31.066           | 32.085              | 171.4          | 1           | 2'22.926             | Р   | 31.446            | 32.339     | 30.058           | 32.702              | 170.3      |
| 16         | 1'56.260                 | ]           | 25.528               | 30.260           | 28.601           | 31.871              | 334.9          | 2           | 1'58.041             |     | 26.012            | 30.819     | 28.994           | 32.216              | 340.8      |
|            |                          | K۰          | rel ABR              |                  | Angel N          | lieto Team          | CZE            | 3           | 1'57.791             |     | 25.554            | 31.062     | 29.049           | 32.126              | 342.8      |
| 219        | st 17                    | rvd         |                      |                  | Total laps=      |                     | laps=10        | 4           | 1'57.359             |     | 25.508            | 30.591     | 29.024           | 32.236              | 342.6      |
|            | D                        |             |                      |                  |                  |                     |                | 5           | 1'56.990             | 7   | 25.398            | 30.573     | 28.931           | 32.088              | 342.5      |
|            |                          |             | ont Tyre <b>S</b>    |                  |                  | <i>Tyre</i> Slick-N | nealum         | 6           | 1'57.450             |     | 25.507            | 30.614     | 28.870           | 32.459              | 341.2      |
| 1          | 2'19.302                 | Р           | 34.785               | 34.634           | 30.759           | 33.327              | 173.8          | 7           | 2'00.088             |     | 27.736            | 31.026     | 29.553           | 31.773              | 318.7      |
| Fas        | stest Lap:               | Α           | Andrea DO            | VIZIOSO          |                  | Ducati Te           | eam            |             | ITA 1                | '54 | .361              | 24.883     | 29.874           | 28.282 3            | 1.322      |

These data/results cannot be reproduced, stored and/or transmitted in whole or in part by any manner of electronic, mechanical, photocopying, recording, broadcasting or otherwise now known or herein after developed without the previous express consent by the copyright owner, except for reproduction in daily press and regular printed publications on sale to the public within 60 days of the event related to those data/results and always provided that copyright symbol appears together as follows below.

© DORNA, 2018







Free Practice Nr. 2 MotoGP

| 10  | Citaci   |    | 0 111 2           |           |             |                    |           |     |          |    |    |           | MOLOGE   |
|-----|----------|----|-------------------|-----------|-------------|--------------------|-----------|-----|----------|----|----|-----------|----------|
| Lap | Lap Time | 9  | T                 | 1 T2      | ? <i>T3</i> | T4                 | Speed     | Lap | Lap Time | T1 | T2 | <i>T3</i> | T4 Speed |
|     | Run# 2   | Fr | ont Tyre <b>S</b> | lick-Soft | Rear T      | yre Slick-         | Soft      |     |          |    |    |           |          |
| 8   | 2'06.745 | Р  | 32.977            | 31.992    | 29.467      | 32.309             | 164.9     |     |          |    |    |           |          |
| 9   | 1'57.538 |    | 25.548            | 30.698    | 29.107      | 32.185             | 340.3     |     |          |    |    |           |          |
| 0   | 1'57.338 |    | 25.480            | 30.713    | 29.021      | 32.124             | 340.3     |     |          |    |    |           |          |
| 1   | 1'57.383 |    | 25.505            | 30.602    | 29.145      | 32.131             | 340.2     |     |          |    |    |           |          |
| 2   | 1'57.611 | Р  | 25.495            | 30.763    | 29.253      | 32.100             | 338.8     |     |          |    |    |           |          |
|     | Run# 3   | Fr | ont Tyre <b>S</b> | lick-Soft | Rear T      | yre Slick-         | Soft      |     |          |    |    |           |          |
| 13  | 2'04.148 | Р  | 30.925            | 31.669    | 29.298      | 32.256             | 167.2     |     |          |    |    |           |          |
| 14  | 1'57.300 | Р  | 25.520            | 30.655    | 29.054      | 32.071             | 340.6     |     |          |    |    |           |          |
| 14  | th 10    | Xa | vier SIM          | IEON      | Reale A     | /intia Raci        | ng BEL    |     |          |    |    |           |          |
| .41 | th 10    |    | I                 | Runs=3    | Total laps= | 15 Ful             | l laps=10 |     |          |    |    |           |          |
|     | Run# 1   | Fr | ont Tyre <b>S</b> | lick-Soft | Rear T      | <i>yre</i> Slick-l | Medium    |     |          |    |    |           |          |
| 1   | 2'26.322 | Р  | 32.144            | 32.735    | 30.865      | 33.144             | 174.6     |     |          |    |    |           |          |
| 2   | 1'59.728 |    | 26.222            | 31.215    | 29.729      | 32.562             | 332.5     |     |          |    |    |           |          |
| 3   | 1'58.039 |    | 25.613            | 30.706    | 29.340      | 32.380             | 341.4     |     |          |    |    |           |          |
| 4   | 1'59.376 |    | 25.672            | 30.678    | 29.559      | 33.467             | 341.2     |     |          |    |    |           |          |
| 5   | 2'01.360 |    | 25.650            | 32.358    | 31.030      | 32.322             | 340.6     |     |          |    |    |           |          |
| 6   | 1'58.381 |    | 25.633            | 30.720    | 29.374      | 32.654             | 342.9     |     |          |    |    |           |          |
| 7   | 2'15.242 | Р  | 32.780            | 33.538    | 31.601      | 37.323             | 322.5     |     |          |    |    |           |          |
|     | Run# 2   | Fr | ont Tyre <b>S</b> | lick-Soft | Rear T      | yre Slick-         | Soft      |     |          |    |    |           |          |
| 8   | 2'13.346 | Р  | 34.300            | 33.068    | 32.943      | 33.035             | 166.3     |     |          |    |    |           |          |
| 9   | 1'59.679 |    | 25.979            | 31.451    | 29.526      | 32.723             | 340.6     |     |          |    |    |           |          |
| 10  | 1'58.079 |    | 25.676            | 30.639    | 29.385      | 32.379             | 340.4     |     |          |    |    |           |          |
| 11  | 1'57.765 |    | 25.607            | 30.596    | 29.283      | 32.279             | 337.5     |     |          |    |    |           |          |
| 12  | 2'04.169 |    | 26.843            | 32.583    | 31.307      | 33.436             | 339.8     |     |          |    |    |           |          |
| 13  | 2'03.260 | Р  | 26.081            | 31.538    | 31.463      | 34.178             | 337.3     |     |          |    |    |           |          |
|     | Run# 3   | Fr | ont Tyre <b>S</b> | lick-Soft | Rear T      | yre Slick-         | Soft      |     |          |    |    |           |          |
| 14  | 2'08.948 | Р  | 33.062            | 33.368    | 29.969      | 32.549             | 151.4     |     |          |    |    |           |          |
| 15  | 1'57.810 |    | 25.706            | 30.731    | 29.271      | 32.102             | 342.5     |     |          |    |    |           |          |

Fastest Lap: Andrea DOVIZIOSO Ducati Team ITA 1'54.361 24.883 29.874 28.282 31.322

These data/results cannot be reproduced, stored and/or transmitted in whole or in part by any manner of electronic, mechanical, photocopying, recording, broadcasting or otherwise now known or herein after developed without the previous express consent by the copyright owner, except for reproduction in daily press and regular printed publications on sale to the public within 60 days of the event related to those data/results and always provided that copyright symbol appears together as follows below.

© DORNA, 2018



