

New in v1.4.0: 60+ weather icons!

Bootstrap Icons

Free, high quality, open source icon library with over 1,300 icons. Include them anyway you like—SVGs, SVG sprite, or web fonts.

Use them with or without Bootstrap in any project.

\$ npm i bootstrap-icons




Get a domain and create a website with Squarespace. Start your free trial today.

ads via Carbon

Currently v1.5.0 • Icons • Install • Usage • Styling • Accessibility • GitHub repo


Icons

Start typing to filter...




52 I	Bootstrap rooms Cinicial open source GVG room libri	ary for Bootonap
←	$ \rightarrow$	<u> </u>
arrow-bar-left	arrow-bar-right	arrow-bar-up
C	5	\downarrow
arrow-clockwise	arrow-counterclockwise	arrow-down
\bigcirc		(K)
arrow-down-circle	arrow-down-circle-fill	arrow-down-left-circle
	L	L
arrow-down-left-circle-fill	arrow-down-left-square	arrow-down-left-square-fill
Ä		٦
arrow-down-right-circle	arrow-down-right-circle-fill	arrow-down-right-square
\(\begin{align*} \begin{align*} \be	↓	
arrow-down-right-square-fill	arrow-down-square	arrow-down-square-fill
∠	\searrow	\
arrow-down-left	arrow-down-right	arrow-down-short

↓ ↑	\leftarrow	\bigcirc
arrow-down-up	arrow-left	arrow-left-circle
(\leftarrow	\leftarrow
arrow-left-circle-fill	arrow-left-square	arrow-left-square-fill
\iff	←	\odot
arrow-left-right	arrow-left-short	arrow-repeat
\leftarrow	\hookrightarrow	\rightarrow
arrow-return-left	arrow-return-right	arrow-right
\Rightarrow		\Rightarrow
arrow-right-circle	arrow-right-circle-fill	arrow-right-square
\rightarrow	\rightarrow	↑
arrow-right-square-fill	arrow-right-short	arrow-up
\bigcirc		R
arrow-up-circle	arrow-up-circle-fill	arrow-up-left-circle



@		
at	award	award-fill
	$\langle \times \rangle$	×
back	backspace	backspace-fill
\boxtimes	×	3D
backspace-reverse	backspace-reverse-fill	badge-3d
3D	4K	4K
badge-3d-fill	badge-4k	badge-4k-fill
8K	8K	Ad
badge-8k	badge-8k-fill	badge-ad
Ad	AR	AR
badge-ad-fill	badge-ar	badge-ar-fill
CC	CC	HD
badge-cc	badge-cc-fill	badge-hd



bank2

bag-x-fill

000 \mathbf{M} bar-chart bar-chart-fill bar-chart-line 围 4 bar-chart-line-fill bar-chart-steps basket basket-fill basket2 basket2-fill basket3 basket3-fill battery battery-charging battery-full battery-half



bell



bell-fill



bell-slash

bell-slash-fill	bezier	bezier2
₫ ⁄©	<u></u>	ñ
bicycle	binoculars	binoculars-fill
<u>"=</u>	≡ "	
blockquote-left	blockquote-right	book
book-fill	book-half	bookmark
bookmark-check	bookmark-check-fill	bookmark-dash
bookmark-dash-fill	bookmark-fill	bookmark-heart
	+	#
bookmark-heart-fill	bookmark-plus	bookmark-plus-fill
*	*	×

bookmark-star	bookmark-star-fill	bookmark-x
×		
bookmark-x-fill	bookmarks	bookmarks-fill
Ħ	В	В
bookshelf	bootstrap	bootstrap-fill
(R)		
bootstrap-reboot	border	border-all
border-bottom	border-center	border-inner
border-left	border-middle	border-outer
		
border-right	border-style	border-top
=	D-0 0-0	

border-width	bounding-box	bounding-box-circles
box	box-arrow-down-left	box-arrow-down-right
	₩	
box-arrow-down	box-arrow-in-down	box-arrow-in-down-left
		\rightarrow
box-arrow-in-down-right	box-arrow-in-left	box-arrow-in-right
		团
box-arrow-in-up	box-arrow-in-up-left	box-arrow-in-up-right
box-arrow-in-up	_ `	box-arrow-in-up-right
box-arrow-left	_ `	box-arrow-in-up-right box-arrow-up
\leftarrow	box-arrow-in-up-left	riangle
box-arrow-left	box-arrow-in-up-left	riangle

braces	bricks	briefcase
	-کے۔	<u>-\</u>
briefcase-fill	brightness-alt-high	brightness-alt-high-fill
. <u>خ</u> .	. ∴ .	->-\-
brightness-alt-low	brightness-alt-low-fill	brightness-high
-)	·Ö.	·
brightness-high-fill	brightness-low	brightness-low-fill
((●))	(())	
broadcast	broadcast-pin	brush
brush-fill	bucket	bucket-fill
bug	bug-fill	building

















15/72











✓	//	\otimes
check2	check2-all	check2-circle
\subseteq	<u>~</u>	<u>~</u>
check2-square	chevron-bar-contract	chevron-bar-down
<u>^</u>	<	>
chevron-bar-expand	chevron-bar-left	chevron-bar-right
_	~	<
chevron-bar-up	chevron-compact-down	chevron-compact-left
>		×
chevron-compact-right	chevron-compact-up	chevron-contract
₩	«	>>
chevron-double-down	chevron-double-left	chevron-double-right
	~	\Diamond
chovron-double-up	chayran dawn	chovron ovnand



21/72

cloud-arrow-down

cloud-arrow-down-fill cloud-arrow-up



cloud-lightning	cloud-lightning-fill	cloud-lightning-rain
1,41,		
cloud-lightning-rain-fill	cloud-minus	cloud-minus-fill
		(
cloud-moon	cloud-moon-fill	cloud-plus
4		"/"
cloud-plus-fill	cloud-rain	cloud-rain-fill
		\triangle
cloud-rain-heavy	cloud-rain-heavy-fill	cloud-slash
	****	***
cloud-slash-fill	cloud-sleet	cloud-sleet-fill
****	****	<u>څُ</u>
cloud-snow	cloud-snow-fill	cloud-sun
	(P)	•


cloud-sun-fill	cloud-upload	cloud-upload-fill
clouds	clouds-fill	cloudy
	<>	>
cloudy-fill	code	code-slash
⟨ ⟩	(\$)	
code-square	coin	collection
	<u></u>	Ē
collection-fill	collection-play	collection-play-fill
	88	\mathbb{H}
columns	columns-gap	command
compass	compass-fill	cone
A		

cone-striped	controller	cpu
cpu-fill	credit-card	credit-card-2-back
		:
credit-card-2-back-fill	credit-card-2-front	credit-card-2-front-fill
	1	
credit-card-fill	crop	cup
	đ	₿
cup-fill	cup-straw	currency-bitcoin
\$	€	(\$
currency-dollar	currency-euro	currency-exchange
currency-dollar	currency-euro	currency-exchange
		currency-exchange


cursor-fill	cursor-text	dash
dash-circle	dash-circle-dotted	dash-circle-fill
dash-lg	dash-square	dash-square-dotted
	<u>오</u>	*
dash-square-fill	diagram-2	diagram-2-fill
000	•••	\Diamond
diagram-3	diagram-3-fill	diamond
•		•
diamond-fill	diamond-half	dice-1
	•	
dice-1-fill	dice-2	dice-2-fill







27/72



emoji-frown-fill emoji-heart-eyes emoji-heart-eyes-fill





exclamation-circle

exclamation-circle-fill


29/72


exclamation






01		
file-earmark-binary-fill	file-earmark-break	file-earmark-break-fill
		\Diamond
file-earmark-check	file-earmark-check-fill	file-earmark-code
<>>	±	±
file-earmark-code-fill	file-earmark-diff	file-earmark-diff-fill
		X
file-earmark-easel	file-earmark-easel-fill	file-earmark-excel
X		T
file-earmark-excel-fill	file-earmark-fill	file-earmark-font
T		
file-earmark-font-fill	file-earmark-image	file-earmark-image-fill
A	a	
file-earmark-lock	file-earmark-lock-fill	file-earmark-lock2





1116-1111



file-plus	file-plus-fill	file-post
	P	P
file-post-fill	file-ppt	file-ppt-fill
file-richtext	file-richtext-fill	file-ruled
		7
file-ruled-fill	file-slides	file-slides-fill
file-spreadsheet	file-spreadsheet-fill	file-text
	W	W
file-text-fill	file-word	file-word-fill
×	×	Ö
file-x	file-x-fill	file-zip
Ď		

file-zip-fill	files	files-alt
	_	=
film	filter	filter-circle
	_	=
filter-circle-fill	filter-left	filter-right
=		P
filter-square	filter-square-fill	flag
flag-fill	flower1	flower2
%		
flower3	folder	folder-check
		+
folder-fill	folder-minus	folder-plus
>		<u></u>

folder-symlink	folder-symlink-fill	folder-x
		T
folder2	folder2-open	fonts
\Rightarrow	-	
forward	forward-fill	front
ר ח ר ח	J L J F	∇
fullscreen	fullscreen-exit	funnel
•	(\$)	\Phi
funnel-fill	gear	gear-fill
\Diamond		
gear-wide	gear-wide-connected	gem
Q^{7}	Q	o ⁷¹
gender-ambiguous	gender-female	gender-male
¹⁵ C ⁷¹	Q	0


gender-trans	geo	geo-alt
•		
geo-alt-fill	geo-fill	gift
gift-fill	github	globe
	G	\searrow
globe2	google	graph-down
<u>~</u>	00	
graph-up	grid	grid-1x2
		000
grid-1x2-fill	grid-3x2	grid-3x2-gap
		000 000 000
grid-3x2-gap-fill	grid-3x3	grid-3x3-gap








:::::

grid-3x3-gap-fill	grid-fill	grip-horizontal
•••		<u></u>
grip-vertical	hammer	hand-index
•	Jpn)	•
hand-index-fill	hand-index-thumb	hand-index-thumb-fill
\Diamond	•	S
hand-thumbs-down	hand-thumbs-down-fill	hand-thumbs-up
•		
hand-thumbs-up-fill	handbag	handbag-fill
#		
hash	hdd	hdd-fill
hdd-network	hdd-network-fill	hdd-rack










https://icons.getbootstrap.com 44/72


layout-text-sidebar-reverse	layout-text-window	layout-text-window-reverse
layout-three-columns	layout-wtf	life-preserver
lightbulb	lightbulb-fill	lightbulb-off
	5	4
lightbulb-off-fill	lightning	lightning-charge
*	*	ග
lightning-charge-fill	lightning-fill	link
\mathscr{O}	in	
link-45deg	linkedin	list
	=	1 2 3
list-check	list-nested	list-ol


https://icons.getbootstrap.com

45/72



https://icons.getbootstrap.com 46/72







peace-fill	pen	pen-fill
pencil	pencil-fill	pencil-square
\bigcirc		
pentagon	pentagon-fill	pentagon-half
00		
people	person-circle	people-fill
%	0	
percent	person	person-badge
5		°
person-badge-fill	person-bounding-box	person-check
2 ~	<u>o</u> -	_ _
person-check-fill	person-dash	person-dash-fill
•		<u></u> +

	Bootstrap icons · Official open source SVG icon library	ю воовнар
person-fill	person-lines-fill	person-plus
+		<u>o</u> ×
person-plus-fill	person-square	person-x
×		
person-x-fill	phone	phone-fill
		((_))
phone-landscape	phone-landscape-fill	phone-vibrate
(())	\bigcirc	
phone-vibrate-fill	pie-chart	pie-chart-fill
		口
piggy-bank	piggy-bank-fill	pin
☆	*	#
pin-angle	pin-angle-fill	pin-fill


pin-map	pin-map-fill	pip
	\triangleright	
pip-fill	play	play-btn
		•
play-btn-fill	play-circle	play-circle-fill
•	岁	#
play-fill	plug	plug-fill
+	+	
plus	plus-circle	plus-circle-dotted
•	+	+
plus-circle-fill	plus-lg	plus-square
(+)	+	(h
plus-square-dotted	plus-square-fill	power
		لما


printer	printer-fill	puzzle
**	?	?
puzzle-fill	question	question-circle
? >		?
question-diamond	question-diamond-fill	question-circle-fill
?	?	?
question-lg	question-octagon	question-octagon-fill
?	?	
question-square	question-square-fill	rainbow
receipt	receipt-cutoff	reception-0
	•1	.d.
reception-1	reception-2	reception-3






reception-4	record	record-btn
		0
record-btn-fill	record-circle	record-circle-fill
	•	•
record-fill	record2	record2-fill
کہے	•	\Leftrightarrow
recycle	reddit	reply
«>		•
reply-all	reply-all-fill	reply-fill
<u>a</u>	<u>a</u>	
rss	rss-fill	rulers
[XI	α ι	[₩
safe	safe-fill	safe2
	נס	60









https://icons.getbootstrap.com 57/72


M	K	N
skip-start-btn	skip-start-btn-fill	skip-start-circle
K	M	S
skip-start-circle-fill	skip-start-fill	skype
::		
slack	slash	slash-circle-fill
slash-lg	slash-square	slash-square-fill
<u>~</u>	<u> </u>	*
sliders	smartwatch	snow
	**	↓A Z
snow2	snow3	sort-alpha-down
↓ ^Z _A	↑ A Z	↑ Z
sort-alpha-down-alt	sort-alpha-up	sort-alpha-up-alt

https://icons.getbootstrap.com 58/72

↓ <u>=</u>	↓ <u>≒</u>	↓ 1 9
sort-down	sort-down-alt	sort-numeric-down
↓ ⁹ 1	↑ ¹ ₉	↑9 1
sort-numeric-down-alt	sort-numeric-up	sort-numeric-up-alt
↑ <u>=</u>	↑ <u>=</u>	al h
sort-up	sort-up-alt	soundwave
°	ő	
speaker	speaker-fill	speedometer
	abç	
speedometer2	spellcheck	square
square-fill	square-half	stack
\Diamond	*	
star	star-fill	star-half







https://icons.getbootstrap.com

text-indent-left	text-indent-right	text-left
=	=	
text-paragraph	text-right	textarea
<u> </u>	⟨T⟩	
textarea-resize	textarea-t	thermometer
thermometer-half	thermometer-high	thermometer-low
	\$ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	•••
thermometer-snow	thermometer-sun	three-dots
•	\bigcirc	
three-dots-vertical	toggle-off	toggle-on
toggle2-off	toggle2-on	toggles
	*	F

toggles2	tools	tornado
Az		
translate	trash	trash-fill
		\triangle
trash2	trash2-fill	tree
A		
tree-fill	triangle	triangle-fill
		T
triangle-half	trophy	trophy-fill
		→
tropical-storm	truck t	ruck-flatbed
tsunami	tv	tv-fill
	Y	Aa

twitch	twitter	type
В	H1	H2
type-bold	type-h1	type-h2
НЗ	I	5
type-h3	type-italic	type-strikethrough
<u>U</u>	⊘= ⊘=	
type-underline	ui-checks	ui-checks-grid
○= •=	O O	7
ui-radios	ui-radios-grid	umbrella
T		
umbrella-fill	union	unlock
	IIIII	
unlock-fill	upc	upc-scan
\triangle		

upload	vector-pen	view-list
		0
view-stacked	vinyl	vinyl-fill
0.0	□)	—)
voicemail	volume-down	volume-down-fill
Ц×	■×	Ц
volume-mute	volume-mute-fill	volume-off
•	ロ))	■)))
volume-off-fill	volume-up	volume-up-fill
Vr	wallet	wallet-fill
	•	***
wallet2	watch	water
<u>(C)</u>		∵

66/72

whatsapp	wifi	wifi-1
÷	Z.	9 0
wifi-2	wifi-off	wind
window	window-dock	window-sidebar
%	×	\otimes
wrench	Х	x-circle
	\Leftrightarrow	
x-circle-fill	x-diamond	x-diamond-fill
×	\bigotimes	×
x-lg	x-octagon	x-octagon-fill
X	×	
x-square	x-square-fill	youtube





zoom-in zoom-out

Install

Bootstrap Icons are published to npm, but they can also be manually downloaded if needed.

npm

Install <u>Bootstrap Icons</u>—including SVGs, icon sprite, and icon fonts—with npm. Then, choose how you'd like to include the icons with the <u>usage instructions</u>.

```
$ npm i bootstrap-icons
```

Download

Releases are published on GitHub and include icon SVGs, fonts, license, and readme. Our package.json is also included, though our npm scripts are primarily available for our development workflows.

Download latest ZIP

CDN

Include the icon fonts stylesheet—in your website <head> or via @import in CSS—from our CDN and get started in seconds. See icon font docs for examples.

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.5.0/font/</pre>
```

```
@import url("https://cdn.jsdelivr.net/npm/bootstrap-icons@1.5.0/font/bootstrap-icons.
```

Usage

Bootstrap Icons are SVGs, so you can include them into your HTML in a few ways depending on how your project is setup. Bootstrap Icons include a width and height of 1em by default to allow for easy resizing via font-size.

https://icons.getbootstrap.com 68/72

Embedded

Embed your icons within the HTML of your page (as opposed to an external image file). Here we've used a custom width and height.


```
>
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="32" height="32" fill="currentColor" cl</pre>
```

Sprite

Use the SVG sprite to insert any icon through the <use> element. Use the icon's filename as the fragment identifier (e.g., toggles is #toggles). SVG sprites allow you to reference an external file similar to an element, but with the power of currentColor for easy theming.

Heads up! There's an issue with Chrome where <use> doesn't work across domains.



External image

Copy the Bootstrap Icons SVGs to your directory of choice and reference them like normal images with the element.



```
<img src="/assets/img/bootstrap.svg" alt="Bootstrap" width="32" height="32">
```

https://icons.getbootstrap.com 69/72


Icon font

Icon fonts with classes for every icon are also included for Bootstrap Icons. Include the icon web fonts in your page via CSS, then reference the class names as needed in your HTML (e.g., <i class="bi-alarm-clock"></i>).

Use font-size and color to change the icon appearance.

```
ひ
```

```
<i class="bi-alarm"></i></i></or>
```



```
<i class="bi-alarm" style="font-size: 2rem; color: cornflowerblue;"></i></i></or>
```

CSS

You can also use the SVG within your CSS (**be sure to escape any characters**, such as # to %23 when specifying hex color values). When no dimensions are specified via width and height on the <svg>, the icon will fill the available space.

The viewBox attribute is required if you wish to resize icons with background-size. Note that the xmlns attribute is required.

```
.bi::before {
    display: inline-block;
    content: "";
    vertical-align: -.125em;
    background-image: url("data:image/svg+xml,<svg viewBox='0 0 16 16' fill='%23333' xm
    background-repeat: no-repeat;
    background-size: 1rem 1rem;
}</pre>
```

Styling

https://icons.getbootstrap.com 70/72

Color can be changed by setting a .text-* class or custom CSS:



```
<svg class="bi bi-alert-triangle text-success" width="32" height="32" viewBox="0 0 20
...
</svg>
```

Accessibility

If the icons are not purely decorative, make sure you provide an appropriate text alternative. Depending on which method you're using to add the icons, and where you're using them (e.g. as standalone images, or as the only content of a button or similar control), there are various possible approaches. Here are a few examples:



```
<!-- alt="..." on <img> element --> <img src="/assets/img/bootstrap.svg" alt="Bootstrap" ...>
```



```
<i class="bi-github" role="img" aria-label="GitHub"></i></i>
```



https://icons.getbootstrap.com 71/72

Working with SVGs

SVGs are awesome to work with, but they do have some known quirks to work around. Given the numerous ways in which SVGs can be used, we haven't included these attributes and workarounds in our code.

Known issues include:

- SVGs receive focus by default in Internet Explorer and Edge Legacy. When embedding your SVGs, add focusable="false" to the <svg> element. Learn more on Stack Overflow.
- When using SVGs with elements, screen readers may not announce them as images, or skip the image completely. Include an additional role="img" on the element to avoid any issues. See this article for details.
- External SVG sprites may not function correctly in Internet Explorer. Use the svg4everybody polyfill as needed.

Found another issue with SVGs we should note? Please open <u>an issue</u> to share details.

GitHub Twitter About

Currently v1.5.0. Icons and documentation licensed MIT.

https://icons.getbootstrap.com 72/72