

StockNetwork 2.0 API Documentation

Overview

StockNetwork 2.0 provides RESTful API endpoints for searching and retrieving stock-related data. This document outlines the available endpoints, request parameters, response formats, and security requirements.

API Information

- **Version:** 2.0
 - **Base URL:** <http://api.stocknetwork.co.za/api/2/>
 - **Authentication:** Bearer Token (JWT)
-

Authentication

The API requires authentication for certain endpoints. All requests requiring authentication must include the Authorization header:

Authorization: Bearer {your_token}

Endpoints

1. Search Options

- **Endpoint:** GET /api/2/search/options
- **Description:** Retrieves available search options.
- **Response:**
 - 200 OK: Success

2. Search

- **Endpoint:** POST /api/2/search
- **Description:** Searches for stock-related data based on given criteria.
- **Query Parameters:**
 - Offset (*int*): Pagination offset
 - Limit (*int*): Number of records to return
 - Date_From (*datetime*): Start date for filtering
 - Date_To (*datetime*): End date for filtering
 - OrderBy (*string*): Field to order results by
 - Filter (*string*): Custom filter string
- **Request Body:**

- application/json: Expects ResortSearchCriteriaRQ object, see below
 - **Response:**
 - 200 OK: Success
-

Data Models

1. AmenityDTO

```
{
  "amenityTypeId": "UUID",
  "name": "string",
  "description": "string",
  "groupId": "UUID"
}
```

2. UnitSizeDTO

```
{
  "unitSizeId": "UUID",
  "name": "string",
  "description": "string"
}
```

3. GeoCoordinatedDTO

```
{
  "latitude": "double",
  "longitude": "double",
  "withInKmRadius": "integer"
}
```

4. PriceDTO

```
{
  "minPrice": "decimal",
  "maxPrice": "decimal"
}
```

5. RegionDTO

```
{
  "regionId": "UUID",
  "name": "string",
  "country": "string",
  "countryId": "UUID",
  "isRCIRegion": "bool",
  "regionCode": "string"
}
```

6. ResortSearchCriteriaRQ

Name	Data Type	Required	Description
searchRequestId	UUID	Yes	Unique request ID, this must be used on all subsequent calls to correctly handle paging. If paging is requested and

Name	Data Type	Required	Description
			this is not supplied, nothing will be returned
checkInDate	datetime	Yes	Check-in date
checkOutDate	datetime	Yes	Check-out date
searchText	string	No	Search keywords. This could be resort name, area, state or city
city	string	No	City name. Future use
state	string	No	State name. Future use
country	string	No	Country name. Future use
amenities	AmenityDTO[]	No	List of amenities
activities	AmenityDTO[]	No	List of activities
experiences	AmenityDTO[]	No	List of experiences
unitSizes	UnitSizeDTO[]	No	List of unit sizes
geocoordinates	GeoCoordinateDTO	No	Geographical coordinates. Future use
pricing	PriceDTO	No	Pricing details
region	RegionDTO	No	Region details

7. ResortSearchCriteriaRQ Example

```
{
  "searchRequestID": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "checkInDate": "2025-04-10T14:37:55.297Z",
  "checkOutDate": "2025-04-11T14:37:55.297Z",
  "searchText": "37 on and",
  "city": null,
  "state": null,
  "country": null,
  "amenities": null,
  "activities": null,
  "experiences": null,
  "unitSizes": null,
  "geocoordinates": null,
  "pricing": {
    "minPrice": 0,
    "maxPrice": 1000000
  },
  "region": null
}
```

API Response Overview

The API returns information about the availability of resort rooms within a specified date range. The main components of the response include details about the resort, unit types, rates, availability, and amenities. The response supports pagination for listing multiple results.

Fields in the Response

1. referenceUrl (string)

- **Description:** A URL that provides a reference to the resort's booking page.

- **Example:** <https://stock.stocknetwork.co.za/ui/f0be6ae5-d88f-4ed4-8d8c-f3340d4dc107?Resort=Anderson&CheckInDT=2025-04-18&CheckOutDT=2025-04-21>

2. stockAvailability (array of objects)

- **Description:** A list of available resorts that matched the request criteria.
- **Example:** Contains multiple resort objects, each representing a specific resort, its unit types and its availability details.

Resort Object (nested inside stockAvailability):

- **referenceUrl** (string): A URL to view more details about the resort.
- **resortInfoUrl** (string): A URL to view more information about the resort.
- **unitTypes** (array of objects): A list of unit types available for booking.
 - **name** (string): Name of the unit type (e.g., "Deluxe Triple Room").
 - **description** (string): Description of the unit.
 - **sleeper** (string): Number of people the unit can accommodate.
 - **roomCount** (number): The number of rooms available.
 - **unitsAvailable** (number): The number of units currently available.
 - **rate** (object):
 - **rate** (number): The price of the unit.
 - **currency** (string): The currency of the rate.
 - **currencySymbol** (string): The symbol of the currency.
 - **normalRate** (number): The normal rack rate for this property (Rate without discount)
 - **uniqueId** (UUID): The uniqueId for this rate
 - **maximumDiscountAllowed** (number): The maximum amount of discount that can be applied
 - **checkInDate** (string, date): Check-in date for the booking.
 - **checkOutDate** (string, date): Check-out date for the booking.
 - **requiresAdditionalInformation** (boolean): Indicates whether additional information is required for the booking. This will be used to calculate Nightsbridge occupancy and meal plans
 - **source** (string): The source of the stock information.
 - **nights** (number): The number of nights this stay is for

3. resortId (string)

- **Description:** Unique identifier for the resort.
- **Example:** "1e872343-1720-4211-90d0-a77c864176de"

4. name (string)

- **Description:** The name of the resort.
- **Example:** "37 On Anderson"

5. description (string)

- **Description:** A brief description of the resort and its location.
- **Example:** "37 On Anderson is located in the heart of Brooklyn in Pretoria..."

6. location (string)

- **Description:** The location of the resort.
- **Example:** "Brooklyn, Pretoria, Gauteng, South Africa"

7. currency (string)

- **Description:** The currency used for the resort's rates.
- **Example:** "ZAR"

8. resortCode (string)

- **Description:** The resort's unique code.
- **Example:** "33544"

9. resortType (string)

- **Description:** Type of the resort (e.g., "Guest House").
- **Example:** "Guest House"

10. area (string)

- **Description:** The area where the resort is located.
- **Example:** "Gauteng"

11. latitude (float)

- **Description:** Latitude coordinate of the resort's location.
- **Example:** -25.760188

12. longitude (float)

- **Description:** Longitude coordinate of the resort's location.
- **Example:** 28.232257

13. imageLinks (array of objects)

- **Description:** A list of image links related to the resort.
- **Example:**

```
[
  {
    "imageLinkId": "ccef0883-692a-464c-9d78-110ef9cef888",
    "url": "https://d1zyr4xm qw3mni.cloudfront.net/image/500/gallery/33544/property/632188.jpg"
  }
]
```

14. amenities (array of AmenityDTO)

- **Description:** A list of available amenities for the resort.

- **Example:** See AmenityDTO

15. experiences (array of AmenityDTO)

- **Description:** A list of experiences available at the resort.
- **Example:** See AmenityDTO

16. activities (array of AmenityDTO)

- **Description:** A list of activities available at the resort.
- **Example:** See AmenityDTO

17. pageNumber (integer)

- **Description:** The current page number in pagination.
- **Example:** 1

18. totalPages (integer)

- **Description:** The total number of pages available in the response.
- **Example:** 1

19. pageSize (integer)

- **Description:** The number of results per page.
- **Example:** 15

20. totalRowCount (integer)

- **Description:** The total number of results in the response.
- **Example:** 1

21. unitSizes (array of objects)

- **Description:** A list of unit sizes for the resort, that were used in the request object
- **Example:**

```
json
CopyEdit
[
  {
    "unitSizeId": "f3b4090c-a4bb-4807-8251-daab56367ee9"
  }
]
```

22. checkInDate (string, date)

- **Description:** The check-in date used in the request object
- **Example:** "2025-04-18T00:00:00+02:00"

23. checkOutDate (string, date)

- **Description:** The check-out date used in the request object
- **Example:** "2025-04-21T00:00:00+02:00"

24. searchRequestId (string)

- **Description:** A unique identifier for the search request. Must be used for paging
- **Example:** "f4efe16c-e30f-429b-aaf8-6f868f4d4de2"

25. isSuccess (boolean)

- **Description:** Indicates whether the request was successful.
- **Example:** true/false

26. error (object)

- **Description:** Error information in case the request fails.
 - **errorCode** (integer): Error code if there is an issue.
 - **errorMessage** (string): Description of the error.

27. Example response

```
{
  "referenceUrl": "https://localhost:7086/f0be6ae5-d88f-4ed4-8d8c-f3340d4dc107?Resort=37 on
and&CheckInDT=2025-04-10&CheckOutDT=2025-04-11",
  "stockAvailability": [
    {
      "referenceUrl": "https://localhost:7086/f0be6ae5-d88f-4ed4-8d8c-f3340d4dc107?Resort=37 On
Anderson&CheckInDT=2025-04-10&CheckOutDT=2025-04-11",
      "resortInfoUrl": "https://stock.stocknetwork.co.za/ResortInfo.aspx?ResortID=1e872343-1720-4211-90d0-
a77c864176de",
      "unitTypes": [
        {
          "resortUnitTypeId": "a9865f4d-890b-4278-b009-aefe32746621",
          "url": "https://stock.stocknetwork.co.za/ResortInfo.aspx?ResortID=1e872343-1720-4211-90d0-
a77c864176de&ResortUnitTypeID=a9865f4d-890b-4278-b009-aefe32746621",
          "name": "Deluxe Inside Rooms",
          "description": "Air-conditioned for comfort, the rooms contain extra-length queen-size beds, and have en-suite
bathrooms with showers and baths. A TV with DStv, a bar fridge, and tea and coffee facilities is available in each of the
rooms. Wi-Fi is available.",
          "code": "1",
          "sleeper": "2 Sleeper",
          "unitSize": "2 Sleeper",
          "unitSizeTypeId": "d3bd7e8f-0276-4a90-8f1b-818662f0fcf1",
          "roomCount": 1,
          "unitsAvailable": 2,
          "rate": {
            "rate": 975,
            "currency": "ZAR",
            "currencySymbol": "R",
            "normalRate": 0,
            "uniqueId": "8a05f230-4542-4a5e-a33f-f8791367de7f",
            "maximumDiscountAllowed": 0
          },
          "checkInDate": "2025-04-10T14:37:55.297Z",
          "checkOutDate": "2025-04-11T14:37:55.297Z",
          "requiresAdditionalInformation": true,
          "source": "ManualStock - Site: 4851",
        }
      ]
    }
  ]
}
```

```
"nights": 1
},
{
  "resortUnitTypeId": "5bcbd6b6-dd9f-48c1-ae3c-81e599f56ad8",
  "url": "https://stock.stocknetwork.co.za//ResortInfo.aspx?ResortID=1e872343-1720-4211-90d0-a77c864176de&ResortUnitTypeID=5bcbd6b6-dd9f-48c1-ae3c-81e599f56ad8",
  "name": "Outside Standard Room",
  "description": "The air-conditioned room contains an extra-length queen-size bed and has an en-suite bathroom with a shower and bath. The room offers a TV with DStv, Wi-Fi access, a bar fridge, and tea and coffee facilities.",
  "code": "3",
  "sleeper": "2 Sleeper",
  "unitSize": "2 Sleeper",
  "unitSizeTypeId": "d3bd7e8f-0276-4a90-8f1b-818662f0fcf1",
  "roomCount": 1,
  "unitsAvailable": 1,
  "rate": {
    "rate": 975,
    "currency": "ZAR",
    "currencySymbol": "R",
    "normalRate": 0,
    "uniqueId": "ca6e1515-f0f8-4167-92a7-ec3a1db5f83d",
    "maximumDiscountAllowed": 0
  },
  "checkInDate": "2025-04-10T14:37:55.297Z",
  "checkOutDate": "2025-04-11T14:37:55.297Z",
  "requiresAdditionalInformation": true,
  "source": "ManualStock - Site: 4851",
  "nights": 1
},
{
  "resortUnitTypeId": "4beda2b6-043a-4d92-a32f-73c68a923f21",
  "url": "https://stock.stocknetwork.co.za//ResortInfo.aspx?ResortID=1e872343-1720-4211-90d0-a77c864176de&ResortUnitTypeID=4beda2b6-043a-4d92-a32f-73c68a923f21",
  "name": "Inside Classic Rooms",
  "description": "Air-conditioned for comfort, the room contains an extra-length queen-size bed and has an en-suite bathroom with a shower and bath. A TV with DStv, Wi-Fi access, a bar fridge, and tea and coffee facilities is available in the room.",
  "code": "4",
  "sleeper": "2 Sleeper",
  "unitSize": "2 Sleeper",
  "unitSizeTypeId": "d3bd7e8f-0276-4a90-8f1b-818662f0fcf1",
  "roomCount": 1,
  "unitsAvailable": 1,
  "rate": {
    "rate": 975,
    "currency": "ZAR",
    "currencySymbol": "R",
    "normalRate": 0,
    "uniqueId": "213b63cc-0398-4a36-91cf-71c4e79b0296",
    "maximumDiscountAllowed": 0
  },
  "checkInDate": "2025-04-10T14:37:55.297Z",
  "checkOutDate": "2025-04-11T14:37:55.297Z",
```

```
"requiresAdditionalInformation": true,
"source": "ManualStock - Site: 4851",
"nights": 1
},
{
  "resortUnitTypeId": "4e3a9d2d-8365-4e54-a952-f0a0b8d1e710",
  "url": "https://stock.stocknetwork.co.za//ResortInfo.aspx?ResortID=1e872343-1720-4211-90d0-a77c864176de&ResortUnitTypeID=4e3a9d2d-8365-4e54-a952-f0a0b8d1e710",
  "name": "Deluxe Family Room",
  "description": "Air-conditioned, the room offers a queen-size bed and 2 single beds. The en-suite bathroom is fitted with a shower and bath. Wi-Fi is provided. A TV with DStv, a bar fridge, and tea and coffee facilities is available in the room.",
  "code": "7",
  "sleepers": "4 Sleeper",
  "unitSize": "4 Sleeper",
  "unitSizeTypeId": "639b55c9-f056-4bca-bf2b-d68ba3459490",
  "roomCount": 1,
  "unitsAvailable": 1,
  "rate": {
    "rate": 1052,
    "currency": "ZAR",
    "currencySymbol": "R",
    "normalRate": 0,
    "uniqueId": "0ad48370-c15d-48cf-9ffc-885f83c13396",
    "maximumDiscountAllowed": 0
  },
  "checkInDate": "2025-04-10T14:37:55.297Z",
  "checkOutDate": "2025-04-11T14:37:55.297Z",
  "requiresAdditionalInformation": true,
  "source": "ManualStock - Site: 4851",
  "nights": 1
}
],
"resortId": "1e872343-1720-4211-90d0-a77c864176de",
"name": "37 On Anderson",
"description": "37 On Anderson is located in the heart of Brooklyn in Pretoria, and offers guests beautiful rooms only 700 m from the University of Pretoria main entrance, less than 1 km from the Loftus Stadium, and within 2 km of various Embassies.",
"cheapestRate": 975,
"availability": 0,
"location": "Brooklyn, Pretoria, Gauteng, South Africa",
"sharingSiteId": 4851,
"currency": "ZAR",
"resortCode": "33544",
"resortType": "Guest House",
"area": "Gauteng",
"latitude": -25.760188,
"longitude": 28.232257,
"imageLinks": [
  {
    "imageLinkId": "ccef0883-692a-464c-9d78-110ef9cef888",
    "linkType": "Thumbnail",
    "url": "https://d1zyr4xmqw3mni.cloudfront.net/image/500/gallery/33544/property/632188.jpg"
```

```

    }
  ],
  "amenities": [
    {
      "amenityTypeId": "61ac6882-b2f4-4541-a765-35d96098aa33",
      "name": "Free parking",
      "description": "",
      "groupId": "3b4dd9d2-8ce9-48b4-8160-8f2e8310f2bb"
    },
    {
      "amenityTypeId": "58afdee7-6013-414d-8ccc-de61b29dbc67",
      "name": "Secured parking",
      "description": "",
      "groupId": "3b4dd9d2-8ce9-48b4-8160-8f2e8310f2bb"
    },
    {
      "amenityTypeId": "f05a02a5-05ae-4d27-8715-e4c11f288f9c",
      "name": "WIFI",
      "description": "",
      "groupId": "3b4dd9d2-8ce9-48b4-8160-8f2e8310f2bb"
    }
  ],
  "experiences": [],
  "activities": []
}
],
"pageNumber": 1,
"totalPages": 1,
"pageSize": 15,
"totalRowCount": 1,
"checkInDate": "2025-04-10T14:37:55.297Z",
"checkOutDate": "2025-04-11T14:37:55.297Z",
"searchRequestId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
"isSuccess": true,
"error": {
  "errorCode": 0,
  "errorMessage": ""
}
}

```

Security

All API requests requiring authentication must be made using a Bearer token:

Authorization: Bearer {your_token}

Contact & Support

For further assistance, contact API support at support@stocknetwork.co.za.