

Stocknetwork API documentation

API Version 1

Document version 0.9

Version history for API documentation

Version	Date	Author	Description
0.1	2022-09-10	Jeffrey Hiscox	First draft of Stocknetwork API. Just details Authentication and Voucher/Member imports
0.2	2022-10-01	Jeffrey Hiscox	New to make changes to the voucher/member imports as they have been separated into their own calls
0.3	2022-12-07	Jeffrey Hiscox	Add initial search filter calls
0.4	2022-12-22	Jeffrey Hiscox	Addition for fetching members/vouchers using their code
0.5	2023-01-18	Jeffrey Hiscox	Return objects for reservations (successful and error responses)
0.6	2023-02-03	Jeffrey Hiscox	Fix Json notation
0.7	2023-02-04	Jeffrey Hiscox	Changes for additional information when stock is booked for external sources
0.8	2023-02-06	Jeffrey Hiscox	Added ChildAges and MealPlanRateId to booking request object
0.9	2023-03-01	Jeffrey Hiscox	Add MealPlan rates to AdditionalInfo call
0.10	2023-05-31	Jeffrey Hiscox	Added ResortTypeID to search and request calls

Contents

Stocknetwork API documentation	1
API Version 1	1
Document version 0.7	1
1. Overview	3
Request and Response formats	3
JSON API	3
REST API	3
2. Authentication	4
2.1 Security and Authentication	4
2.2 Authorization header	6
3. Search Filter Options.....	6
4. Searching for Stock	8
4.1.1 Request Object.....	9
4.1.2 Response Object	10
4.2 Additional information Required	13
4.2.1 Request Object.....	13
4.2.2 Response Object	14
5. Booking Stock.....	16
5.1 Request Object.....	17
5.2 Response Object	19
6. Validate Member/Voucher	21
6.1 Validate a Member	21
6.2 Validate a Voucher.....	22
7. Imports/Uploads	23
7.1 Members.....	23
7.2 Uploading Members	24
7.3 Vouchers	25
7.4 Uploading Vouchers.....	25
8. Enums.....	26
8.1 ResponseStatus.....	26
8.2 ReservationStatus	27
8.3 MembershipType.....	27

8.4	BankName.....	27
8.5	BankAccountType	28

1. Overview

This document is set out to guide developers of 3rd party platforms through the requirements and steps to integrate with the **Stocknetwork API**. Once integrated, the various platforms can make use of the various HTTP calls/resources to facilitate the management of their own OTA platform. The below functionality will be made available through the **Stocknetwork API**

- Available stock search options
 - Countries, regions, amenities, unit size
- Stock search
 - Search can be implemented to return available stock options using the above filter criteria
- Requesting stock on a reservation
 - By requesting stock it will be reserved on the Stocknetwork portal
- Reservation management
 - Reservations can be pulled to view the status of it and outstanding payments
- Imports/Uploads
 - Vouchers: ability to upload vouchers that 3rd party platform customers can use to get a discount on their reservation
 - Members: ability to upload members, so that only valid members can view and request reservations

All requests must be secure, i.e. use `https` and not `http`

The **Stocknetwork API** is based on HTTP and uses the JSON format. It follows a RESTful architecture for web services where possible. The sandbox base URL is <http://testapi.stocknetwork.co.za>

Request and Response formats

JSON API

JSON is a standard text-based format for representing structured data based on JavaScript object syntax. It is commonly used for transmitting data in web applications (e.g. sending some data from the server to the client, so it can be displayed on a web page, or vice versa).

REST API

A **RESTful API** is an architectural style for an Application Program Interface (**API**) that uses HTTP requests to access and use data. That data can be used to GET, PUT, POST and DELETE data types, which refers to the reading, updating, creating and deleting of operations concerning resources.

All calls require the following in the http header:

- Accept: application/json
- Cache-Control: no-cache
- Content-Type: application/json
- Authorization: base-64 encoded string which is explained in the next step

2. Authentication

2.1 Security and Authentication

The interfaces are protected on the HTTP transport level, with SSL and bearer-based authentication.

To request access to the Stocknetwork API sandbox, please send an email to onboarding@stocknetwork.co.za and provide the following.

- Company name
- Responsible person full name
- Responsible person email
- Responsible person cellphone
- Reason for requesting API access

The team will then review the request, and if successful, generate your unique credentials that will be used to access the sandbox

When Stocknetwork has successfully supplied the unique credentials, they will be used in the following way to get your unique access token.

The clientID and clientSecret are used to determine what information you have access to

To acquire an access token, send a POST request with a Json body as indicated below:

```
POST /api/1.0/token HTTP/1.1
Host: testapi.stocknetwork.co.za
Content-Type: application/json
Accept: application/json
Accept-Charset: utf-8

{
  "username": {{unique_username}},
  "clientID": {{clientID}},
  "clientSecret": {{clientSecret}}
}
```

With the following parameters:

Parameter	Type	Required?	Description
username	String(20)	required	Your integration's unique username
clientId	String(36)	required	Your integration's client_id
clientSecret	String(36)	required	Your integration's client_secret

If successful, you will receive back an access token response:

```
HTTP/1.1 201 OK
Content-Type: application/json; charset=utf-8

{
  "accessToken": {{access_token}},
  "expiryDt": {{expires_at}}
  "clientId": {{client_id}}
  "siteId": {{site_id}}
  "site": {{site}}
```

With the following parameters:

Parameter	Type	Required?	Description
accessToken	String(100)	required	A token that is valid for 30 days and may be used to perform authenticated requests on behalf of the 3 rd party platform.
expiryDt	int64	required	The timestamp in unix time when the access token will expire
clientId	String(36)	required	Your integration's client_id
siteId	String(36)	required	The unique id of the site that you have access to
site	int	required	The unique number associated with the site

Each access token is valid for 30 days. When an access token expires, you will need to authenticate again to get a new token. Access tokens may be revoked by the Stocknetwork at any time. **You must treat access tokens like passwords and store them securely. Any abuse or unauthorized access using a 3rd parties access token will result in suspension of their access to the Stocknetwork API**

An HTTP 401- Unauthorized status code will be returned under the following circumstances

- clientId and/or clientSecret is missing
- clientId and/or clientSecret is invalid
- Username is incorrect/invalid

```
HTTP/1.1 401 Unauthorized
Content-Type: application/json; charset=utf-8

{
  "error_message": "{{error_message}}",
}
```

Parameter	Type	Required?	Description
error_message	string	required	A string message detailing what error was encountered

2.2 Authorization header

Every **Stocknetwork API** HTTP request MUST add an 'Authorization' header. The header looks as follows (trimmed for readability):

```
Authorization: Bearer eyJhbGciOiJIUzUxMiIsInR5cCI6IkpXVCJ9.eyJodHRwOi8vc2NoZW1hcy5...
```

The literal 'Bearer' indicates that the bearer-based authentication mechanism is used. The accessToken acquired in 2.1 must be used as the header value.

3. Search Filter Options

The StockNetwork API has an initial call, that should be made as early as possible, which will return what filter options can be used for a 3rd parties site. It should not be cached as filter options may change from time to time (new/removed regions, new/removed amenities, etc).

The StockNetwork API will pick up the correct site from the Authorization header and provide the options available

The below indicates the call that is needed. It requires no parameters or query string values other than the correct Authorization header

```
GET /api/1.0/search/options HTTP/1.1
Host: testapi.stocknetwork.co.za
Content-Type: application/json
Accept: application/json
Accept-Charset: utf-8
Authorization: Bearer authorization token
```

This call, if successful, will return the below object

Parameter	Type	Required?	Description
siteld	String(36)	required	Your integration's unique site uid
siteCode	int	required	Your integration's unique site user friendly id

countries	Array[Country]	required	A list of countries that are accessible to your site
amenities	Array[Amentity]	optional	A list of amenities that are found under resorts that your site has access to
experiences	Array[Amentity]	optional	A list of experiences that are found under resorts that your site has access to
activities	Array[Amentity]	optional	A list of activities that are found under resorts that your site has access to
unitSizes	Array[UnitSize]	optional	A list of available unit sizes
resortTypes	Array[SystemType]	optional	A list of available resort types

Country

Parameter	Type	Required?	Description
name	String(100)	required	The name of the country
regions	Array[Region]	required	A list of regions in that country

Region

Parameter	Type	Required?	Description
name	String(100)	required	The name of the region
country	String(100)	required	The name of the country
isRciRegion	bool	required	The determines if the stock for this region comes from RCI.
regionCode	String(3)	optional	The unique code given to this region under this country

Amenity

Parameter	Type	Required?	Description
amenityTypeId	String(36)	required	The uniqueid for this amenity
name	String(100)	required	The name of the amenity
description	string(500)	optional	A description of this amenity if available
groupId	string(36)	required	The uniqueid for the group this amenity falls under

UnitSize

Parameter	Type	Required?	Description
unitSizeId	String(100)	required	The uniqueid for this unit size
Name	Array[Region]	required	The name for the unit size
description	string(500)	required	A description of the unit size if available

SystemType

Parameter	Type	Required?	Description
systemTypeid	String(100)	required	The uniqueid for this special type
Name	Array[Region]	required	The name for the special type
description	string(500)	required	A description of the special type if available

4. Searching for Stock

The Stocknetwork API allows 3rd party platforms to search for stock using a range of filter criteria to narrow down the options returned. Certain filter criteria must be supplied to narrow the amount of stock that is returned as to not slow down the performance of the API which will negatively impact other 3rd parties.

The filter criteria gathered in point 3 will be used to filter down a search request but will also include

- a date range for check in/out
- a price range filter
- a search string
 - this string is compared against the resort, district, complex and checks to see if any of those fields contain the search string

4.1.1 Request Object

```
POST /api/1.0/search HTTP/1.1
Host: testapi.stocknetwork.co.za
Content-Type: application/json
Accept: application/json
Accept-Charset: utf-8
Authorization: Bearer authorization token

{
  "checkInDate": "2022-12-08T00:00:00+02:00",
  "checkOutDate": "2022-12-15T00:00:00+02:00",
  "region": {
    "regionId": null,
    "name": "Cape - Eastern",
    "country": "South Africa",
    "countryId": null,
    "isRciRegion": false,
    "regionCode": "CE"
  },
  "amenities": [],
  "unitSizes": [],
  "geoCoordinates": null,
  "pricing": {
    "minPrice": 0.0,
    "maxPrice": 50000.0
  },
  "searchText": "",
  "resortId": null,
  "resortTypeId": null,
  "groupStockToMatchDates": true,
  "extendDatesIfNoMatchFound": false,
  "ignoreLocationData": false
}
```

Parameter	Type	Required?	Description
checkInDate	datetime	required	The date the customer wants to check in
checkOutDate	datetime	required	The date the customer wants to check out
region	Region	required	A list of countries that are accessible to your site
amenities	Array[Amenity]	optional	A list of amenities that are found under resorts that your site has access to
unitSizes	Array[UnitSize]	optional	A list of unit sizes to restrict the search to
pricing	Price	optional	The price range consisting of a min and max price
searchText	String(100)	optional	The search string used to filter against resort, complex, district

resortId	String(36)	optional	The uniqueID of a specific resort.
resortTypeid	String(36)	optional	The resortTypeID to filter resorts based on
groupStockToMatchDates	bool	optional	If true, will group single nights together to get to the nights the date range required. Most of the manual stock comes in for specific days and not a date range. So this will group all those together. Default = true
extendDatesIfNoMatchFound	bool	optional	If true, will extend the date range by 14 days to find any stock that might fall outside of the specified date range. Default = false
ignoreLocationData	bool	optional	If true, will ignore the region and just get the first 5 options available. Mainly used for initial load just to display a range of properties. This will not include RCI properties. Default = false
geoCoordinates	Geocoordinate	optional	A latitude, longitude and distance to search within. This is not yet implemented

Price

Parameter	Type	Required?	Description
minPrice	decimal	required	The minimum price. Default = 0
maxPrice	decimal	required	The maximum price. Default = 50000

Geocoordinate

Parameter	Type	Required?	Description
latitude	Decimal(11,8)	required	The latitude of the search start position
longitude	Decimal(11,8)	required	The longitude of the search start position
withInKmRadius	Decimal(4,1)	optional	The KM range to search with in. Default = 50

4.1.2 Response Object

Parameter	Type	Required?	Description
referenceUrl	URI	optional	A unique URL that can be used in future to make the same call
stockAvailability	Array[StockAvailability]	optional	A list of available stock that matched the filter criteria that was used to search
isDirectMatchFound	bool	optional	Indicates if stock was found that matched the exact check in and check out dates

StockAvailability

Parameter	Type	Required?	Description
countryName	String(100)	required	The country this resort resides in
regionName	String(100)	required	The region in the country for this resort
resortId	String(36)	optional	The unique id of the resort
resortName	String(100)	required	The name of the resort
resortCode	String(10)	optional	A resort identifier
resortType	String(100)	optional	The type of resort
area	String(100)	required	The area in the region for this resort
latitude	decimal	optional	The latitude of the resort
longitude	decimal	optional	The longitude of the resort
attractions	String(500)	optional	A short text description of the attractions in and around the resort
imageLinks	Array[Link]	optional	A list of images for the resort
referenceUrl	URI	optional	A URL that can be used to go directly to this resort in future
resortInfoLink	URI	optional	A link that will provide more information about the resort
roomTypes	Array[RoomType]	required	The various room types available at the resort and the quantity available
amenities	Array[Amenity]	optional	Any amenities for this resort
experiences	Array[Amenity]	optional	Any experiences for this resort
activities	Array[Amenity]	optional	Any activities for this resort
hideRequestReservation	bool	required	Determines whether this resort is setup to hide the request button.
hidePayForReservation	bool	required	Determines whether this resort is setup to hide the payment option
minDepositRequiredPercentage	decimal	optional	A percentage that indicates the deposit amount needed when making payment

Link

Parameter	Type	Required?	Description
imageLinkId	String(36)	required	Unique ID given to this link
name	DECIMAL	required	A human readable name
linkType	ImageType	required	The type of link this is
url	URL	required	A URL that directs to the image
width	Int	optional	Recommended width for the image
height	int	optional	Recommended height for the image

RoomType

Parameter	Type	Required?	Description
roomId	String(36)	required	Unique ID given to this room type
roomType	String(100)	required	A human readable name for this room type

links	Array[Link]	required	A list of links/images for this room type
size	String(100)	required	A description of the room type size
maxOccupancy	int	optional	The max occupancy for this room type
unitSizeTypeid	String(36)	optional	The unique id that indicates the size of this room type
resortUnitTypeReferenceUrl	URL	optional	A URL that can be used later to search just for this room type
availabilities	Array[Availability]	required	A list of available dates and quantities of stock for this room type
requiresAdditionalInformation	bool	required	If this is set to true, you need to make the call in 4.3 as additional information is required. This call must only be made when the customer has chosen to add it to their cart as it requires Stocknetwork to make external calls which will impact performance if done for all stock

Availability

Parameter	Type	Required?	Description
isDirectMatch	bool	required	Whether this option is a direct match to the check in/out dates supplied
nights	int	required	The number of nights the stay is for
checkInDate	Array[Link]	required	The check in date
checkOutDate	String(100)	required	The check out date
unitsAvailable	int	required	The number of available units for this room type
source	String(36)	optional	The source where this stock comes from
uniqueId	String(36)	optional	The unique id that will be used to map manual stock
rates	Rate	required	The rates for this particular stay
sharingSiteId	String(36)	optional	The unique id of the site that this stock comes from

Rate

Parameter	Type	Required?	Description
rateId	String(36)	required	The unique id used for this stay/rate
rate	Decimal(18,2)	required	The recommended rate used to sell this stay
normalRate	Decimal(18,2)	required	The normal rate for this stay
Discount	Decimal(18,2)	required	A discount on this stay, if any
Currency	String(100)	optional	The currency this rate is displayed as
currencySymbol	String(3)	optional	The currency symbol this rate is displayed as. This could be a symbol or the 3 character code for the currency

4.2 Additional information Required

As Stocknetwork sources available stock from multiple external providers it can happen that, for specific units, the external providers require additional information or have certain restrictions for that property type. Instead of Stocknetwork getting all this information when a search is done, it was determined that the best option forward would be to flag this stock as 'RequiresAdditionalInformation' and when the stock is either added to the cart or before the request is booked, the below call **must** be made so that Stocknetwork can determine what information/restrictions are in place for the specific stock

Based on the above, the following call **must** be made either when stock is added to the cart or before the booking request is sent through to Stocknetwork. Failure to make this call and add the additional information to the booking request will result in the failure of the booking. It might also be decided, that if it keeps happening, that the API caller might be banned from the use of the API as this will cause an issue with Stocknetwork and their various stock providers. So please ensure that if the 'RequiresAdditionalInformation' is set on a RoomType the below call is made and its return information is processed correctly

4.2.1 Request Object

```
POST /api/1.0/request/additionalinformation HTTP/1.1
Host: testapi.stocknetwork.co.za
Content-Type: application/json
Accept: application/json
Accept-Charset: utf-8
Authorization: Bearer authorization token

{
  "resortId": "305A30CD-83A6-444B-8FB5-422FD6F7BABA",
  "roomId": "059D6E79-B6AF-4038-AF2E-029E7A086FF2",
  "checkInDate": "2022-12-08T00:00:00",
  "checkOutDate": "2022-12-15T00:00:00",
}
```

Parameter	Type	Required?	Description
resortId	String(36)	required	The unique id for this resort. StockAvailability.ResortID
roomId	String(36)	required	The unique id for the specific room. RoomType.RoomID
checkInDate	datetime	required	The date of check in
checkOutDate	datetime	required	The date of checkout

4.2.2 Response Object

The following object will be returned which details any information that is required and if there are any restrictions. Please note that there are certain instructions that will have to be met before you send through the booking request.

Restrictions

The checks that need to be performed by you are as follows:

1. The combined number of adults and children do not exceed the MaxOccupancy for this room and resort
2. The number of adults does not exceed the max allowed by the resort/room
3. If childPolicy.Child1AgeLimitAllowed is false, no children between the age displayed in childPolicy. Child1AgeLimit are allowed to stay
4. If childPolicy.Child2AgeLimitAllowed is false, no children between the age displayed in childPolicy. Child2AgeLimit are allowed to stay
5. If childPolicy.Child1AgeLimitAllowed is true, no children outside the age displayed in childPolicy. Child1AgeLimit are allowed to stay
 - a. The below restriction will apply if the child1 falls outside the above age rule
6. If childPolicy.Child2AgeLimitAllowed is true, no children outside the age displayed in childPolicy. Child2AgeLimit are allowed to stay
7. Please note the above two rules are for the age between those limits. Just because a child has an age within child2AgeLimit the request will be allowed even if they are outside the range of child1AgeLimit
8. If childPolicy.ChildrenAllowed is false, then no children are allowed to stay in this resort/room
9. If the length of the booking is less than the minLOS, the booking cannot continue as this is a restriction set for the resort/room

Meal Plans

It may also happen that the resort/room offers different meal plans. The meal plans returned might have an additional cost which the 3rd parties will need to display to their customers to indicate that there is an additional rate that will be applied to their reservation. The meal plan does include a default that will be set up by the resort for that room type but it is possible that the default setup has an additional rate applicable. When a mealRatePlanId is sent through, Stocknetwork will automatically add the additional rate to the booking so we urge you to notify your customers to this.

Parameter	Type	Required?	Description
reservationCanContinue	bool	required	Can you continue with making this booking. This is normally populated by the 3 rd party provider, that is offering the stock, when they find an initial error with the information passed in

childPolicy	ChildPolicy	required	The child policy that is enforced by the resort for this room
maxOccupancy	int	required	The maximum number of people that can stay in the room
maxAdults	int	required	The maximum number of adults that can stay in this room
cancellationPolicy	CancellationPolicy	optional	Details about the cancellation policy enforced for this room
mealPlans	Array[MealPlan]	optional	A list of meal plans that the resort is offering for this room type
minLOS	int	optional	If there is a minimum length of stay implemented. Defaults to 1
errorMessage	String(200)	optional	If there is a reason as to why this booking cannot be made, it will be displayed in this message

ChildPolicy

Parameter	Type	Required?	Description
childrenAllowed	bool	required	The child policy that is enforced by the resort for this room
Child1AgeLimit	String(50)	required	Represents the lower age limit for a child. So if this is 0 – 12 it means that this is applicable for children between the age of 0 - 12
Child1AgeLimitAllowed	bool	required	Indicates whether a child between the age of Child1AgeLimit is allowed to stay at this resort
Child2AgeLimit	String(50)	required	Represents the upper age limit for a child. So if this is 12 – 18 it means that this is applicable for children between the age of 13 – 18.
Child2AgeLimitAllowed	bool	required	Indicates whether a child between the age of Child2AgeLimit is allowed to stay at this resort

CancellationPolicy

Parameter	Type	Required?	Description
description	String(1000)	required	Details the cancellation policy for this room at the resort

MealPlan

Parameter	Type	Required?	Description
mealPlanRateId	bool	required	The unique id that applies to this meal plan

description	string	required	A description of the meal plan offered
isDefaultMealPlan	int	required	Is this the default meal plan by the resort for this room
hasAdditionalCharge	Bool	optional	Indicates if there is an additional charge if this meal plan is selected
additionalCharge	decimal(18,2)	optional	The additional charge that is applied when this meal plan is selected. Defaults it to 0

5. Booking Stock

The Stocknetwork API allows 3rd party platforms to book stock that is returned in the Search end point. The below information will be sent so that the Stocknetwork API can check and make the booking for the various stock requested.

NB: If there is no stock available, or the stock could not be booked for any reason, a failure message will be returned with the stock items that are now invalid. Each stock item that failed will also contain an error message as to why it failed

Certain 3rd parties will require that the person making the reservation needs to be authenticated in the form of a voucher code or membership number. See point 6 on how to validate a customer

The below details the structure used to send a reservation request

5.1 Request Object

```
POST /api/1.0/request HTTP/1.1
Host: testapi.stocknetwork.co.za
Content-Type: application/json
Accept: application/json
Accept-Charset: utf-8
Authorization: Bearer authorization token

{
  "amountIncl": 1084.0,
  "personId": "a7794cfb-011f-40a5-8bbc-805bc3393595",
  "fullName": "John Doe",
  "emailAddress": "john@doe.com",
  "cellphone": "+27831234567",
  "currency": "ZAR",
  "currencySymbol": "R",
  "deleteCustomerInfoAfterCheckout": false,
  "customerReferenceNo": "RS123456",
  "notes": "Any note that the customer would like to add",
  "membershipNo": "1234",
  "preferredContactMethod": "Email",
  "discount": 0.0,
  "isRequestAndPay": false,
  "Items": [
    {
      "uniqueStockId": "28214268",
      "reservationRateId": "3600f370-a9e7-4ab2-a7a2-fb96a29ec9cd",
      "resortId": "45c98b40-3b59-4d33-a97b-b28a43ca1538",
      "resortName": "River Rock Lodge",
      "unitSizeTypeId": "d3bd7e8f-0276-4a90-8f1b-818662f0fcf1",
      "unitSize": "1 Bedroom, 2 Sleeper",
      "unitNameId": "4e0b66fe-e0ce-4568-bdc5-6398df35a6ad",
      "unitName": "King Protea",
      "checkInDate": "2022-12-14T00:00:00",
      "checkOutDate": "2022-12-15T00:00:00",
      "numberOfNights": 1,
      "noOfUnits": 1,
      "amountIncl": 1084.0,
      "source": "ManualStock - Site: 1",
      "sharedStockSourceId": 0,
      "unitNumber": "",
      "adultOccupancy": 2,
      "childOccupancy": 2,
      "mealRatePlanId": 2,
      "childAges": [ 5, 14 ]
    }
  ]
}
```

Parameter	Type	Required?	Description
amountIncl	Decimal(18,2)	required	The total amount of all stock requests in this reservation. Stocknetwork will still calculate its own total amount. This is a friendly readable amount
personId	String(36)	optional	The unique id of the customer making the reservation
fullName	String(100)	required	The full name of the customer making the reservation
emailAddress	String(100)	required	The email address where the customer can be contacted
cellphone	String(20)	required	The cellphone where the customer can be contacted
currency	String(100)	required	The currency this rate is displayed as
currencySymbol	String(3)	required	The currency symbol this rate is displayed as. This could be a symbol or the 3 character code for the currency
deleteCustomerInfoAfterCheckout	bool	optional	If true, Stocknetwork will delete the customer's information from its database after the checkout date has expired as it will conclude the reservation request. Default = false
customerReferenceNo	String(36)	optional	A reference that is supplied by either the customer or 3 rd party to identify this reservation
notes	String(500)	optional	Any additional notes from the customer that Stocknetwork might need to know or provide feedback on
membershipNo	String(20)	optional	If a 3 rd party requires a voucher number or membership code, it will be added here
preferredContactMethod	ContactMethodEnum	optional	Determines how the customer wants to be contacted. Default = Email
discount	Decimal(18,2)	optional	The total discount, if any was given. This is a friendly readable amount, Stocknetwork will not use this when the reservation is created. It will use its own record of what the discount must be
isRequestAndPay	bool	optional	Has the customer chosen to create the reservation and pay for it. This is determined by the HidePayforReservation in point 4. Defaults to false

items	Array[StayItem]	required	A list of stock items that the customer wants to reserve
-------	-----------------	----------	--

StayItem

Parameter	Type	Required?	Description
uniqueStockId	String(36)	required	The unique id for the reservation stay. This is the UniqueID field from the Availability object in the response to a request
reservationRateId	String(36)	required	The unique id from the rate object (RateID). This comes from the Rate object in the response object of the request
resortId	String(36)	optional	The unique id for the resort
resortName	String(100)	required	The name of the resort
unitSizeTypeId	String(36)	optional	The unique id of the room type size
unitSize	String(100)	required	The unit size name for the room type
unitNameId	String(36)	optional	The unique id of the room type
unitName	String(100)	optional	The name of the room type
checkInDate	datetime	required	The check in date
checkOutDate	datetime	required	The check out date
numberOfNights	int	required	The number of nights the stay is for
noOfUnits	int	required	The number of units for this room type that are to be reserved
adultOccupancy	int	required	The number of adults staying
childOccupancy	int	required	The number of children staying. Defaults to 0
amountIncl	Decimal(18,2)	required	The amount (incl vat) for this room type. This must be the rate for the room type x the NoOfUnits
Source	String(100)	required	The source where this room type came from
sharingStockSourceId	int	optional	The id of the site where this stock came from
mealPlan	String(100)	optional	If a meal plan was selected. Not yet handled
unitNumber	String(100)	optional	The specific unit number for the stay. If multiple, they must be separated by the pipe delimiter (). Not yet handled
mealRatePlanId	Int	Optional	If there is a meal plan available, the MealPlanRateId will be inserted here. From 4.2.2 MealPlan object
childAges	Array[int]	Optional	If there are children staying in this room. The ages must be specified of each child. The length of this array must match the ChildOccupancy supplied

5.2 Response Object

Parameter	Type	Required?	Description
reservationId	String(36)	required	The Stocknetwork unique id used to identify the reservation
status	ResponseStatus	required	The status of the end point request
reservationStatus	ReservationStatus	required	The status of the reservation

reservationRefNo	String(20)	required	A human readable reference no
paymentUrl	URI	required	A URL that can be followed to make payment of the reservation
reservationInformationUrl	URI	required	A URL where details about the reservation can be seen. Status updates, line items, etc
totalAmountExcl	Decimal(18,2)	required	The reservation amount excluding VAT
vatAmount	Decimal(18,2)	required	The reservation VAT amount
totalAmountIncl	Decimal(18,2)	required	The total amount including VAT before any discount was applied
discountReceived	Decimal(18,2)	required	The amount of discount for this reservation, if any
totalAmountInclAfterDiscount	Decimal(18,2)	required	If there was any DiscountReceived, this will display the TotalInclAmount – DiscountReceived. This is the true total of what the reservation cost
amountPaid	Decimal(18,2)	required	The amount the customer has paid for the reservation
cancelReservationUrl	URI	optional	A URL that can be used to cancel the reservation. Not yet implemented
successfulItems	Array[ReservationItem]	optional	A list of reservations that were successfully booked
errorItems	Array[ReservationItem]	optional	A list of reservations that could not be saved. Most common cause if because there was no more stock available
customerReference	String(100)	optional	The customer reference used on the initial reservation request
siteId	String(36)	optional	The SiteID this reservation was for

ReservationItem

Parameter	Type	Required?	Description
id	String(36)	required	The unique id for the reservation room stay
resortName	String(100)	required	The resort name for this room stay
unitName	String(100)	optional	The room name stay
unitSize	String(100)	required	The size of the room for this stay
checkInDate	DateTime	optional	The check in date for this room stay
checkOutDate	DateTime	required	The check out date for this room stay
nights	int	optional	The number of nights for this room stay
noOfUnits	int	optional	The number of units booked for this room stay
maxOccupancy	int	required	The maximum occupancy allowed in this room stay
adultOccupancy	int	optional	The number of adults staying
childOccupancy	int	optional	The number of children staying

uniqueReference	String(20)	required	The human readable reference for this room stay
unitNumbers	Array[string(20)]	optional	The unit numbers assigned for this room stay
totalAmountIncl	Decimal(18,2)	optional	The total amount (including VAT) for this room stay
errorReason	String(200)	required	A reason as to why Stocknetwork was unable to book this room stay
bookingAgentEmail	String(100)	required	The email address to contact the agent responsible for the booking
bookingAgentPhone	String(20)	optional	The phone number to contact the agent responsible for the booking
resortInformationUrl	URI	optional	A url that will display more information about the resort
resortImageUrl	URI	optional	A url that will point to the default image of the resort
unitImageUrl	URI	optional	A url that will point to the default image for the room type
resortAgentEmail	String(100)	optional	The email address to contact the resort
resortAgentPhone	String(20)	optional	The phone number to contact the resort
minimumDepositRequired	Decimal(18,2)	optional	The minimum deposit that needs to be paid to book the stock
reservationRateId	String(36)	Required	The Stocknetwork unique reference for this stock booking

6. Validate Member/Voucher

The Stocknetwork API allows 3rd party platforms to validate a member is allowed to book stock or to validate a voucher that can be used to allocate a discount to their reservation request.

6.1 Validate a Member

To validate a membership number, a GET request is sent to `/api/1.0/person/membership/{membershipNo}` where {membershipNo} is the membership number you want to validate.

```
GET /api/1.0/person/membership HTTP/1.1
Host: testapi.stocknetwork.co.za
Content-Type: application/json
Accept: application/json
Accept-Charset: utf-8
Authorization: Bearer authorization token

{
}
```

This call, if successful, we return the below object

Parameter	Type	Required?	Description
personid	String(36)	required	The unique id assigned to this person
membershipnumber	String(36)	required	The members membership number
fullname	String(100)	required	The members full name
emailaddress	String(100)	required	The members email address
cellphone	String(20)	required	The members cellphone
isactive	bool	required	Determines if the member is active. If false we will not allow the voucher or membership code to be used. Defaults to true
username	String(100)	optional	The members username to login to the site
password	String(50)	optional	The members password to login to the site.
membershiptype	MembershipType	required	The type of membership associated to this member. Defaults to Standard
expirydt	String(30)	optional	The date at which point this membership expires and the member will no longer be able to access the site
referrermembershipcode	String(30)	optional	If the member was referred by another member the main membership code will be added here for association
bankdetail	BankDetail	optional	The bank details for this member

6.2 Validate a Voucher

To validate a voucher, a GET request is sent to `/api/1.0/persondiscount/voucher/{voucherCode}` where `{voucherCode}` is the code you want to validate.

Stocknetwork will return a voucher, even if it has been redeemed before, if one is found with the correct code. Although in this instance the amount will be set to 0 so that it cannot be used again

```
GET /api/1.0/persondiscount/voucher/{vouchercode} HTTP/1.1
Host: testapi.stocknetwork.co.za
Content-Type: application/json
Accept: application/json
Accept-Charset: utf-8
Authorization: Bearer authorization token

{
}
```

This call, if successful, we return the below object

Parameter	Type	Required?	Description
persondiscountid	String(36)	required	The Stocknetwork uniqueid for this voucher
personid	String(36)	optional	The unique id of the person this voucher is assigned to
code	String(50)	required	The voucher code
amount	Decimal(18,2)	required	The value the voucher is worth. This will be 0 if it has been redeemed previously
fullname	String(100)	required	The full name of the person this voucher is assigned to
emailaddress	String(100)	required	The email address of the person this voucher is assigned to
cellphone	String(20)	required	The cellphone number of the person this voucher is assigned to
isredeemedpreviously	bool	required	Whether the voucher has been redeemed previously.
redeemdt	String(100)	optional	If the voucher has previously been redeemed, it will show the date it was redeemed

7. Imports/Uploads

The Stocknetwork API allows 3rd party platforms to import/upload their own member/voucher information to the Stocknetwork database using the API calls provided. This allows the 3rd party platform to offer discounts (in the form of vouchers) and restrict reservation requests to only authorized customers who either have a voucher or membership code. If a 3rd party platform requires either a voucher or membership code, the API will not allow unauthorized customers to create request under that 3rd party platform

7.1 Members

When the 3rd party platform is setup to only allow reservations for members, all other requests without a valid membership number will be rejected.

7.2 Uploading Members

The uploading of members caters for a number of fields of which many are not required. The mandatory fields for a member are Full Name, Cellphone, Email and Membership Number. To upload member/s please see the below call

```
POST /api/1.0/persondiscount/member HTTP/1.1
Host: testapi.stocknetwork.co.za
Content-Type: application/json
Accept: application/json
Accept-Charset: utf-8
Authorization: Bearer authorization token

[
  {
    "membershipNumber": "1234567890",
    "fullName": "John Doe",
    "emailAddress": "john@doe.com",
    "cellphone": "0121111111",
    "isActive": true,
    "username": "johndoe",
    "password": "*****",
    "membershipType": "Standard",
    "expiryDt": "2025-01-01",
    "referrerMembershipCode": "12345",
    "bankDetail": {
      "bankName": "ABSA",
      "accountName": "J Doe",
      "accountType": "Cheque",
      "accountNumber": "12345 12345",
      "branchCode": "12345"
    }
  }
]
```

It is important to note in this call that it takes a Json array. So even if you are only uploading one voucher/member, you still need to include it in a Json array

Member

Parameter	Type	Required?	Description
membershipNumber	string(36)	required	The unique id of this member. If this code is found, the members details will be updated with what was sent through
fullName	string(100)	required	The members full name
emailAddress	string(100)	required	The members email address
cellphone	string(20)	required	The members cellphone

isActive	bool	optional	Determines if the member is active. If false we will not allow the voucher or membership code to be used. Defaults to true
username	string(100)	optional	The members username to login to the site
password	string(50)	optional	The members password to login to the site.
membershipType	MembershipType	optional	The type of membership associated to this member. Defaults to Standard
expiryDt	Datetime	optional	The date at which point this membership expires and the member will no longer be able to access the site
referrerMembershipCode	string(100)	optional	If the member was referred by another member the main membership code will be added here for association
bankDetails	BankDetail	optional	The bank details for this member

BankDetail

Parameter	Type	Required?	Description
bankName	BankName	required	The name of the bank where this account is
accountName	string(100)	required	The account name
accountType	BankAccountType	required	The account type
accountNumber	string(50)	required	The account number
branchCode	String(10)	required	The branch code for the bank

7.3 Vouchers

When the 3rd party platform is setup to only allow reservations with vouchers, all other request without a valid voucher code will be rejected. All voucher codes must be unique and are only redeemable once, after which we will allow the same voucher code to be used but no discount will be given. It is done like this to allow 3rd party platform customer to still make reservations even though they have used their voucher previously. When a voucher code is entered, the Stocknetwork API can be called to authenticate the voucher and if successful, the voucher amount will be returned so that it can be deducted from the reservation total amount.

7.4 Uploading Vouchers

The voucher is different from the member upload as Stocknetwork does not require as much detail about the voucher holder. To upload vouchers you will call the following endpoint

```
POST /api/1.0/persondiscount/voucher HTTP/1.1
Host: testapi.stocknetwork.co.za
Content-Type: application/json
Accept: application/json
Accept-Charset: utf-8
```

```
[
  {
    "code": "1234567890",
    "amount": 300,
    "fullName": "John Doe",
    "emailAddress": "john@doe.com",
    "cellphone": "0121111111",
    "isActive": true
  },
  {
    "code": "0987654321",
    "amount": 0,
    "fullName": "Jane Smith",
    "emailAddress": "jane@smith.com",
    "cellphone": "01234567890",
    "isActive": true
  }
]
```

It is important to note in this call that it takes a Json array. So even if you are only uploading one voucher/member, you still need to include it in a Json array

Parameter	Type	Required?	Description
code	string(36)	required	The unique id of the voucher. If a duplicate voucher is found, this import will be rejected
amount	decimal(10,2)	required	The amount the voucher is for. If for a member, it must be set to 0
fullName	string(100)	required	The persons' full name who this voucher is for
emailAddress	string(100)	required	The persons' email address who this voucher is for
cellphone	string(100)	required	The persons' cellphone who this voucher is for
isActive	bool	optional	Determines if the voucher/member is active. If false we will not allow the voucher or membership code to be used

8. Enums

The available options for the various custom types that are in the objects

8.1 ResponseStatus

Enum	Description
Success	All stays were successfully booked
Error	The was an error saving all stays
PartialSuccess	We managed to successfully book at least one stay option. But there was also at least one stay option which we failed to book
ReservationFound	When a lookup for a reservation is performed, this will be returned if we were unable to find anything matching the reservationID sent through
NoReservationLineItems	If a reservation is sent to Stocknetwork processing but there are no stays added, we will reject with this status

8.2 ReservationStatus

Enum	Description
Request	The reservation has been received and is being processed
Booked	The reservation stays have been booked at the various resorts
Paid	Payment has been received for the reservation. This could just indicate that the minimum deposit has been paid. You can view the AmountPaid in the reservation object to see how much has been paid
Confirmed	The reservation has been confirmed meaning the stays have been booked and full payment has been received.
Cancelled	The reservation has been cancelled

8.3 MembershipType

Enum	Description
Standard	Awaiting descriptions
Wealth	Awaiting descriptions

8.4 BankName

Enum	Description
ABSA	
AfricaBank	
BankZero	
BidvestBank	
CapitecBank	
DiscoveryBank	
FNB	
Investec	
Nedbank	
StandardBank	
TymeBank	

Chips	
NedbankCash	

8.5 BankAccountType

Enum	Description
Cheque	Cheque account type
Savings	Savings account type
CreditCard	Credit Card account type
Current	Current account type
Chips	
AccountBank	
Wallet	