1BM19CS097
NEEHAL

LAB-2

1) Using MongoDB
i) Create a database for Students and Create a Student Collection (_id,Name, USN, Semester, Dept_Name, CGPA, Hobbies(Set)).
ii) Insert required documents to the collection.
iii) First Filter on "Dept_Name:CSE" and then group it on "Semester" and compute the Average CPGA for that semester and filter those documents where the "Avg_CPGA" is greater than 7.5.
iv) Command used to export MongoDB JSON documents from "Student" Collection into the "Students" database into a CSV file "Output.txt".

```
> db.Student.insert({_id:1,Name:"Aravind",USN:"1BM19CS001",Sem:6,Dept_Name:"CSE",CGPA:"9.0",Hobbies:"Badminton"});
WriteResult({ "nInserted" : 1 })
> db.Student.insert({_id:2,Name:"Aman",USN:"1BM19EC002",Sem:7,Dept_Name:"ECE",CGPA:"9.1",Hobbies:"Swimming"});
WriteResult({ "nInserted" : 1 })
> db.Student.insert({_id:3,Name:"Latha",USN:"1BM19CS003",Sem:6,Dept_Name:"CSE",CGPA:"8.1",Hobbies:"Reading"});
WriteResult({ "nInserted" : 1 })
> db.Student.insert({_id:4,Name:"Sam",USN:"1BM19CS004",Sem:6,Dept_Name:"CSE",CGPA:"6.5",Hobbies:"Cycling"});
WriteResult({ "nInserted" : 1 })
> db.Student.insert({_id:5,Name:"Suman",USN:"1BM19CS004",Sem:5,Dept_Name:"CSE",CGPA:"7.6",Hobbies:"Cycling"});
WriteResult({ "nInserted" : 1 })
```



```
--fields "_id","Name","USN","Sem","Dept_Name","CGPA","Hobbies";
2022-04-18T15:11:05.457+0530    csv flag is deprecated; please use --type=csv instead
2022-04-18T15:11:05.460+0530    connected to: localhost
2022-04-18T15:11:05.460+0530    exported 5 records
bmscecse@bmscecse-HP-Pro-3330-MT:~$
```

Open ▾ output.txt ~/Desktop Save

```
1 _id,Name,USN,Sem,Dept_Name,CGPA,Hobbies
2 1,Aravind,1BM19CS001,6,CSE,9,Badminton
3 2,Aman,1BM19EC002,7,ECE,9.1,Swimming
4 3,Latha,1BM19CS003,6,CSE,8.1,Reading
5 4,Sam,1BM19CS004,6,CSE,6.5,Cycling
6 5,Suman,1BM19CS004,5,CSE,7.6,Cycling
```

2)Create a mongodb collection Bank. Demonstrate the following by choosing fields of your choice.

1. Insert three documents
2. Use Arrays(Use Pull and Pop operation)
3. Use Index
4. Use Cursors
5. Updation

```
> db.createCollection("Bank");
{ "ok" : 1 }
> db.insert({CustID:1, Name:"Trivikram Hegde", Type:"Savings", Contact:["9945678231", "080-22364587"]});
uncaught exception: TypeError: db.insert is not a function :
@(shell):1:1
> db.Bank.insert({CustID:1, Name:"Trivikram Hegde", Type:"Savings", Contact:["9945678231", "080-22364587"]});
WriteResult({ "nInserted" : 1 })
> db.Bank.insert({CustID:2, Name:"Vishvesh Bhat", Type:"Savings", Contact:["6325985615", "080-23651452"]});
WriteResult({ "nInserted" : 1 })
> db.Bank.insert({CustID:3, Name:"Vaishak Bhat", Type:"Savings", Contact:["8971456321", "080-33529458"]});
WriteResult({ "nInserted" : 1 })
> db.Bank.insert({CustID:4, Name:"Pramod P Parande", Type:"Current", Contact:["9745236589", "080-56324587"]});
WriteResult({ "nInserted" : 1 })
> db.Bank.insert({CustID:4, Name:"Shreyas R S", Type:"Current", Contact:["9445678321","044-65611729", "080-25639856"]});
WriteResult({ "nInserted" : 1 })
> db.Bank.find({});
{ "_id" : ObjectId("625d77809329139694f188a2"), "CustID" : 1, "Name" : "Trivikram Hegde", "Type" : "Savings", "Contact" : [ "9945678231", "080
-22364587" ] }
{ "_id" : ObjectId("625d77bd9329139694f188a3"), "CustID" : 2, "Name" : "Vishvesh Bhat", "Type" : "Savings", "Contact" : [ "6325985615", "080-2
3651452" ] }
{ "_id" : ObjectId("625d77e69329139694f188a4"), "CustID" : 3, "Name" : "Vaishak Bhat", "Type" : "Savings", "Contact" : [ "8971456321", "080-33
529458" ] }
{ "_id" : ObjectId("625d78229329139694f188a5"), "CustID" : 4, "Name" : "Pramod P Parande", "Type" : "Current", "Contact" : [ "9745236589", "08
0-56324587" ] }
{ "_id" : ObjectId("625d78659329139694f188a6"), "CustID" : 4, "Name" : "Shreyas R S", "Type" : "Current", "Contact" : [ "9445678321", "044-656
11729", "080-25639856" ] }
> db.Bank.updateMany({CustID:1},{$pop:{Contact:1}} );
{ "acknowledged" : true, "matchedCount" : 1, "modifiedCount" : 1 }
> db.Bank.find({});
{ "_id" : ObjectId("625d77809329139694f188a2"), "CustID" : 1, "Name" : "Trivikram Hegde", "Type" : "Savings", "Contact" : [ "9945678231" ] }
{ "_id" : ObjectId("625d77bd9329139694f188a3"), "CustID" : 2, "Name" : "Vishvesh Bhat", "Type" : "Savings", "Contact" : [ "6325985615", "080-2
3651452" ] }
{ "_id" : ObjectId("625d77e69329139694f188a4"), "CustID" : 3, "Name" : "Vaishak Bhat", "Type" : "Savings", "Contact" : [ "8971456321", "080-33
529458" ] }
{ "_id" : ObjectId("625d78229329139694f188a5"), "CustID" : 4, "Name" : "Pramod P Parande", "Type" : "Current", "Contact" : [ "9745236589", "08
0-56324587" ] }
{ "_id" : ObjectId("625d78659329139694f188a6"), "CustID" : 4, "Name" : "Shreyas R S", "Type" : "Current", "Contact" : [ "9445678321", "044-656
11729", "080-25639856" ] }
```

```
{ "_id" : ObjectId("625d78659329139694f188a6"), "CustID" : 4, "Name" : "Shreyas R S", "Type" : "Current", "Contact" : [ "9445678321", "044-656
11729", "080-25639856" ] }
> db.Bank.updateMany({},{$pull:{Contact:"080-25639856"}} );
{ "acknowledged" : true, "matchedCount" : 5, "modifiedCount" : 1 }
> db.Bank.find({});
{ "_id" : ObjectId("625d77809329139694f188a2"), "CustID" : 1, "Name" : "Trivikram Hegde", "Type" : "Savings", "Contact" : [ "9945678231" ] }
{ "_id" : ObjectId("625d77bd9329139694f188a3"), "CustID" : 2, "Name" : "Vishvesh Bhat", "Type" : "Savings", "Contact" : [ "6325985615", "080-2
3651452" ] }
{ "_id" : ObjectId("625d77e69329139694f188a4"), "CustID" : 3, "Name" : "Vaishak Bhat", "Type" : "Savings", "Contact" : [ "8971456321", "080-33
529458" ] }
{ "_id" : ObjectId("625d78229329139694f188a5"), "CustID" : 4, "Name" : "Pramod P Parande", "Type" : "Current", "Contact" : [ "9745236589", "08
0-56324587" ] }
{ "_id" : ObjectId("625d78659329139694f188a6"), "CustID" : 4, "Name" : "Shreyas R S", "Type" : "Current", "Contact" : [ "9445678321", "044-656
11729" ] }
> db.Bank.createIndex({Name:1, Type:1},{name:});
uncaught exception: SyntaxError: expected expression, got '}' :
@(shell):1:43
> db.Bank.createIndex({Name:1, Type:1},{name:"Find current account holders"});
{
        "createdCollectionAutomatically" : false,
        "numIndexesBefore" : 1,
        "numIndexesAfter" : 2,
        "ok" : 1
}
> db.Bank.find({});
{ "_id" : ObjectId("625d77809329139694f188a2"), "CustID" : 1, "Name" : "Trivikram Hegde", "Type" : "Savings", "Contact" : [ "9945678231" ] }
{ "_id" : ObjectId("625d77bd9329139694f188a3"), "CustID" : 2, "Name" : "Vishvesh Bhat", "Type" : "Savings", "Contact" : [ "6325985615", "080-2
3651452" ] }
{ "_id" : ObjectId("625d77e69329139694f188a4"), "CustID" : 3, "Name" : "Vaishak Bhat", "Type" : "Savings", "Contact" : [ "8971456321", "080-33
529458" ] }
{ "_id" : ObjectId("625d78229329139694f188a5"), "CustID" : 4, "Name" : "Pramod P Parande", "Type" : "Current", "Contact" : [ "9745236589", "08
0-56324587" ] }
{ "_id" : ObjectId("625d78659329139694f188a6"), "CustID" : 4, "Name" : "Shreyas R S", "Type" : "Current", "Contact" : [ "9445678321", "044-656
11729" ] }
> db.Bank.getIndexes()
[
        {
                "v" : 2,
```

```
@(shell):1:20
> db.Bank.update({_id:625d78659329139694f188a6}, {$set: {CustID:5}},{upsert:true});
uncaught exception: SyntaxError: identifier starts immediately after numeric literal :
@(shell):1:20
> db.Bank.update({_id:"625d78659329139694f188a6"}, {$set: {CustID:5}},{upsert:true});
WriteResult({
        "nMatched" : 0,
        "nUpserted" : 1,
        "nModified" : 0,
        "_id" : "625d78659329139694f188a6"
})
> db.Bank.find({});
{ "_id" : ObjectId("625d77809329139694f188a2"), "CustID" : 1, "Name" : "Trivikram Hegde", "Type" : "Savings", "Contact" : [ "9945678231" ] }
{ "_id" : ObjectId("625d77bd9329139694f188a3"), "CustID" : 2, "Name" : "Vishvesh Bhat", "Type" : "Savings", "Contact" : [ "6325985615", "080-2
```



```
> db.Bank.find({});
{ "_id" : ObjectId("625d77809329139694f188a2"), "CustID" : 1, "Name" : "Trivikram Hegde", "Type" : "Savings", "Contact" : [ "9945678231" ] }
{ "_id" : ObjectId("625d77bd9329139694f188a3"), "CustID" : 2, "Name" : "Vishvesh Bhat", "Type" : "Savings", "Contact" : [ "6325985615", "080-2
3651452" ] }
{ "_id" : ObjectId("625d77e69329139694f188a4"), "CustID" : 3, "Name" : "Vaishak Bhat", "Type" : "Savings", "Contact" : [ "8971456321", "080-33
529458" ] }
{ "_id" : ObjectId("625d78229329139694f188a5"), "CustID" : 4, "Name" : "Pramod P Parande", "Type" : "Current", "Contact" : [ "9745236589", "08
0-56324587" ] }
{ "_id" : ObjectId("625d78659329139694f188a6"), "CustID" : 4, "Name" : "Shreyas R S", "Type" : "Current", "Contact" : [ "9445678321", "044-656
11729" ] }
{ "_id" : "625d78659329139694f188a6", "CustID" : 5 }
> db.Bank.update({_id:"625d78659329139694f188a6", CustID:5}, {$set: {Name:"Sumantha K S", Type:"Savings", Contact:["9856321478","011-65897458"
]}},{upsert:true});
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
> db.Bank.find({});
{ "_id" : ObjectId("625d77809329139694f188a2"), "CustID" : 1, "Name" : "Trivikram Hegde", "Type" : "Savings", "Contact" : [ "9945678231" ] }
{ "_id" : ObjectId("625d77bd9329139694f188a3"), "CustID" : 2, "Name" : "Vishvesh Bhat", "Type" : "Savings", "Contact" : [ "6325985615", "080-2
3651452" ] }
{ "_id" : ObjectId("625d77e69329139694f188a4"), "CustID" : 3, "Name" : "Vaishak Bhat", "Type" : "Savings", "Contact" : [ "8971456321", "080-33
529458" ] }
{ "_id" : ObjectId("625d78229329139694f188a5"), "CustID" : 4, "Name" : "Pramod P Parande", "Type" : "Current", "Contact" : [ "9745236589", "08
0-56324587" ] }
{ "_id" : ObjectId("625d78659329139694f188a6"), "CustID" : 4, "Name" : "Shreyas R S", "Type" : "Current", "Contact" : [ "9445678321", "044-656
11729" ] }
{ "_id" : "625d78659329139694f188a6", "CustID" : 5, "Contact" : [ "9856321478", "011-65897458" ], "Name" : "Sumantha K S", "Type" : "Savings"
}
>
```

1) Using MongoDB,
i) Create a database for Faculty and Create a Faculty Collection(Faculty_id, Name, Designation ,Department, Age, Salary, Specialization(Set)).
ii) Insert required documents to the collection.
iii) First Filter on "Dept_Name:MECH" and then group it on "Designation" and compute the Average Salary for that Designation and filter those documents where the "Avg_Sal" is greater than 650000.
iv) Demonstrate usage of import and export commands

Write MongoDB queries for the following:
1)To display only the product name from all the documents of the product collection.
2)To display only the Product ID, ExpiryDate as well as the quantity from the document of the product collection where the _id column is 1.
3)To find those documents where the price is not set to 15000.



```
}
> db.createCollection("faculty");
{ "ok" : 1 }
> db.faculty.insert({_id:1,name:"Dr. Balaraman Ravindran",designation:"Professor",department:"CSE",age:45,salary:100000,specialization:['pytho
n','mysql','sklearn', 'tensorflow']});
WriteResult({ "nInserted" : 1 })
> db.faculty.insert({_id:2,name:"Dr. Mahadev Ghorki",designation:"Assistant Professor",department:"CSE",age:35,salary:80000,specialization:['p
ython','numpy','sklearn', 'tensorflow', 'java']});
WriteResult({ "nInserted" : 1 })
> db.faculty.insert({_id:3,name:"Dr. Praveen Borade",designation:"Associate Professor",department:"ME",age:40,salary:75000,specialization:['au
tocad', 'aerodynamics', 'thermal physics']});
WriteResult({ "nInserted" : 1 })
> db.faculty.insert({_id:4,name:"Dr. Madhav Nayak",designation:"Assistant Professor",department:"ME",age:37,salary:95000,specialization:['auto
cad', 'flight-dynamics', 'Finite Element Analysis']});
WriteResult({ "nInserted" : 1 })
> db.faculty.aggregate ( {$match:{department:"ME"}}, {$group : {_id : "$designation", AverageSal :{$avg:"$salary"} } },  {$match:{AverageSal:{
$gt:50000}}});
{ "_id" : "Associate Professor", "AverageSal" : 75000 }
{ "_id" : "Assistant Professor", "AverageSal" : 95000 }
> db.createCollection("product");
{ "ok" : 1 }
> db.product.insert({pid:1,pname:"keyboard",mdate:2001,price:1800,quantity:2});
WriteResult({ "nInserted" : 1 })
> db.product.insert({pid:2,pname:"mouse",mdate:2005,price:1500,quantity:5});
WriteResult({ "nInserted" : 1 })
> db.product.insert({pid:3,pname:"monitor",mdate:2015,price:10000,quantity:9});
WriteResult({ "nInserted" : 1 })
> db.product.insert({pid:4,pname:"motherboard",mdate:2021,price:15000,quantity:4});
WriteResult({ "nInserted" : 1 })
> db.product.find({},{pname:1,_id:0})
{ "pname" : "keyboard" }
{ "pname" : "mouse" }
{ "pname" : "monitor" }
{ "pname" : "motherboard" }
> db.product.find({pid:1},{pid:1,_id:0,mdate:1,quantity:1});
{ "pid" : 1, "mdate" : 2001, "quantity" : 2 }
>  db.product.find({price:{$ne:15000}},{pname:1,_id:0});
{ "pname" : "keyboard" }
```

4)To find those documents from the Product collection where the quantity is set to 9 and the product name is set to 'monitor'.
5)To find documents from the Product collection where the Product name ends in 'd'.

3)Create a mongodb collection Hospital. Demonstrate the following by choosing fields of your choice.

1. Insert three documents
2. Use Arrays(Use Pull and Pop operation)
3. Use Index
4. Use Cursors
5. Updation

```
{ "pname" : "motherboard" }
> db.product.find({pid:1},{pid:1,_id:0,mdate:1,quantity:1});
{ "pid" : 1, "mdate" : 2001, "quantity" : 2 }
>  db.product.find({price:{$ne:15000}},{pname:1,_id:0});
{ "pname" : "keyboard" }
{ "pname" : "mouse" }
{ "pname" : "monitor" }
> db.product.find({$and:[{quantity:{$eq:9}},{pname:{$eq:"monitor"}}]},{pname:1,_id:0})
{ "pname" : "monitor" }
> db.product.find({pname:/d$/},{pname:1,quantity:1,_id:0})
{ "pname" : "keyboard", "quantity" : 2 }
{ "pname" : "motherboard", "quantity" : 4 }
> db.createCollection("hospital");
{ "ok" : 1 }
> db.hospital.insert({_id:1, Name: "Anshuman Agarwal", age:23, diseases:["fever", "diarrhoea", "wheezing", "gastritis"]});
WriteResult({ "nInserted" : 1 })
> db.hospital.insert({_id:2, Name: "Pinky Chaubey", age:35, diseases:["fever","nausea", "food infection", "indigestion", "kidney stones"]});
WriteResult({ "nInserted" : 1 })
> db.hospital.insert({_id:3, Name: "Amresh Chowpatl", age:63, diseases:["hyperglycemia", "diabetes mellitus", "food poisoning", "cold"]});
WriteResult({ "nInserted" : 1 })
> db.hospital.updateMany({},{$pull:{diseases:"fever"}});
{ "acknowledged" : true, "matchedCount" : 3, "modifiedCount" : 2 }
> db.hospital.updateOne({_id:1},{$pop:{diseases:-1}});
{ "acknowledged" : true, "matchedCount" : 1, "modifiedCount" : 1 }
> db.hospital.find({"diseases.2":"nausea"});
> db.hospital.find({"diseases.1":"nausea"});
> d.hospital.find({});
uncaught exception: ReferenceError: d is not defined :
@(shell):1:1
> db.hospital.find({});
{ "_id" : 1, "Name" : "Anshuman Agarwal", "age" : 23, "diseases" : [ "wheezing", "gastritis" ] }
{ "_id" : 2, "Name" : "Pinky Chaubey", "age" : 35, "diseases" : [ "nausea", "food infection", "indigestion", "kidney stones" ] }
{ "_id" : 3, "Name" : "Amresh Chowpatl", "age" : 63, "diseases" : [ "hyperglycemia", "diabetes mellitus", "food poisoning", "cold" ] }
> db.hospital.find({"diseases.0":"nausea"});
{ "_id" : 2, "Name" : "Pinky Chaubey", "age" : 35, "diseases" : [ "nausea", "food infection", "indigestion", "kidney stones" ] }
> db.hospital.update({_id:3},{$set:{'diseases.1':'sarscov'}});
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
>
```