

# **LAMP Technology (2CSDE69) -**

## **Innovative Assignment**

Group Member 1: 18BCE085 – Parth Jasani

Group Member 2: 18BCE094 – Khushal Asawa

Group Member 3: 18BCE105 – Jay Maheta

**Project Title: Student Welfare Management System**



# **Project Functionalities with Description**

## **Stakeholders**

- Students and Faculties of University
- Student Welfare Board (Administrator)
- Faculty Coordinators of Institutes

## **Modules and Functionalities**

- Home Page - Brief description and general photos of Student Welfare Board
- Register, Login and Logout – For register, login and logout in website
- Students' Functionalities
  - Event Calendar - List of events with types of events, tentative date and brief description
  - Event Photo Gallery - Photos of past events
  - On-going Event Participation - Registration Form, Rules, Date & Time of the on-going events, Venue, Results etc of current events
  - On-going Event Management Participation - Registration Form for Management Committee and Volunteers
  - Query Forum: To ask questions, to give answers of asked questions, to see all the queries and its answers
  - Dashboard: To see the history of user's participation in different events
- Faculties' Functionalities
  - Add on going event: To add on going event details like name of the event, date and time, rules etc
  - List of Registration: To see the registration's list of on-going events
  - List of Volunteers: To see the volunteer's list of on-going events
- Admin's Functionalities
  - Event Calendar: To add, edit and see the list of events
  - Event Photos: To add events' photo

## **List of Technologies**

- PHP
- MySQL
- HTML
- CSS
- JavaScript
- Bootstrap
- Apache
- Sublime Text

## Project Screenshots with Code

### 1) Bootstrap and CSS code for whole website

#### a. Code

```
<!doctype html>
<html>
<head>
    <link rel="stylesheet" type="text/css"
        href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-
        awesome.min.css">
    <link
        href="https://fonts.googleapis.com/css2?family=Lato:wght@400;700&display
        =swap" rel="stylesheet">
    <link rel="stylesheet" type="text/css"
        href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css"
    >
    <style>

        table,th,td
        {
            border:3px solid #000033;
            border-collapse: collapse;
            padding: 20px;
            text-align: center;
            font-size: 17px;
            font-weight: bold;
        }
        tr:nth-child(odd) {background-color: #D6EAF8;}
        th
        {
            background-color: #21618C;
            color: white;
        }
        #ev_w
        {
            font-size: 25px;
            font-weight: bold;
            margin: 40px 50px 100px 450px;
            padding: 20px;
        }

        input[type=text], input[type=date], input[type=password],select
        {
            width: 50%;
            padding: 12px 20px;
            margin: 8px 0;
            box-sizing: border-box;
            border: 3px solid #ccc;
        }
```

```

        -webkit-transition: 0.5s;
        transition: 0.5s;
        outline: none;
    }
    input[type=textarea]
    {
        width: 50%;
        height: 150px;
        padding: 12px 20px;
        box-sizing: border-box;
        border: 3px solid #ccc;
        font-size: 16px;
        resize: none;
    }

    input[type=text], input[type=date], input[type=password], select,
    textarea:focus
    {
        border: 3px solid #000033;
    }

    input[type=submit]
    {
        background-color: #000033;
        border: none;
        width: 250px;
        color: white;
        padding: 20px 32px;
        text-align: center;
        text-decoration: none;
        display: inline-block;
        font-size: 20px;
        margin: 10px 2px;
        cursor: pointer;
        -webkit-transition-duration: 0.4s; /* Safari */
        transition-duration: 0.4s;
    }

    input[type=submit]:hover {
        box-shadow: 0 12px 16px 0 rgba(0,0,0,0.24),0 17px 50px 0 rgba(0,0,0,0.19);
    }

</style>
</head>
<body style="background-color:#ccccff">

<style>
```

```

.bgImage {
    background-image: url(background.jpg);
    background-size: cover;
    background-position: center center;
    height: 500px;
    margin-bottom: 25px;
}
.jumbotron {
    background: none
}
.navbar, .navbar-default{
    background-color: #000033 ;
    font-size: 2rem;
    text-decoration-color: white;
}
.jumbotron{
    text-align: center;
}
a:hover {
    background-color: white  ;
}

</style>
<header class="bgImage" >
<nav class="navbar navbar-dark">
<div class="container">
<!-- Brand and toggle get grouped for better mobile display -->
<div class="navbar-header">
    <button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#bs-example-navbar-collapse-1" aria-
expanded="false">
        <span class="sr-only">Toggle navigation</span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
    </button>
    <!--<a class="navbar-brand" href="#">Student Welfare</a>-->
</div>

<!-- Collect the nav links, forms, and other content for toggling -->
<div class="collapse navbar-collapse" id="bs-example-navbar-
collapse-1">
    <ul class="nav navbar-nav">
        <li><a href="home_1.php">Home</a></li>

```

```

        </ul>
        <ul class="nav navbar-nav navbar-right">
            <li><a href="register.php">Sign Up<i class="fa fa-user-plus" aria-hidden="true"></i></a></li>
            <li><a href="loggin.php">Login<i class="fa fa-user" aria-hidden="true"></i></a></li>

        </ul>
    </div><!-- /.navbar-collapse -->
    </div><!-- /.container-fluid -->
</nav>

<div class = "col-md-12">
    <div class = "container">
        <div class = "jumbotron"><!--jumbotron-->
            <br><br><br>
            <h1 style="color:#000033;"><strong
style="color:#000033;">Student<br></strong> Welfare Board</h1><!--
jumbotron heading-->

            <br>
            <br><div class="browse d-md-flex col-md-14" >
            <div class="row">

                </div>
            </div>
        </div>
    </div>
    </div>
    </header>
    </body>
</html>

```

## 2) connection.php

### a. Code

```



<?php
$conn = mysqli_connect('localhost','root','','lamp project');



?>

```

### 3) Home Page - Student Welfare Board

#### a. Screenshots





## b. Code

```
<center> <h1> <strong style="color:#000033;"> Welcome to Student Welfare Board! </strong></h1> </center><br><br>
```

```
<div style="padding: 20px; margin: 20px;">
```

```
    <p> <h2> Hello Everyone! Welcome to the Student Welfare Board of XYZ University. Student Welfare Board was established in the year of 2004. Student
```

Welfare Board is working on different activities like sports, clutural, technical, social etc.</h2></p><br><br>

```
</div>

<div class="slideshow-container">

<div class="mySlides fade">
    <div class="numbertext">1 / 3</div>
    
    <div class="text">Dancing</div>
</div>

<div class="mySlides fade">
    <div class="numbertext">2 / 3</div>
    
    <div class="text">Singing</div>
</div>

<div class="mySlides fade">
    <div class="numbertext">3 / 3</div>
    
    <div class="text">Acting</div>
</div>

</div>

<br>

<div style="text-align:center">
    <span class="dot"></span>
    <span class="dot"></span>
    <span class="dot"></span>
</div>

<script>
var slideIndex = 0;

showSlides();

function showSlides() {
    var i;
```

```

var slides = document.getElementsByClassName("mySlides");

var dots = document.getElementsByClassName("dot");

for (i = 0; i < slides.length; i++) {
    slides[i].style.display = "none";
}

slideIndex++;

if (slideIndex > slides.length) {slideIndex = 1}

for (i = 0; i < dots.length; i++) {

    dots[i].className = dots[i].className.replace(" active", "");

}

slides[slideIndex-1].style.display = "block";

dots[slideIndex-1].className += " active";

setTimeout(showSlides, 3000); // Change image every 2 seconds

}

</script>


</body>


</html>

```

## 4) Registration Form

### a. Screenshots





### b. Code

```
<?php  
$showAlert = false;  
$showError=$showError_1=$showError_2=$showError_3 = false;  
if($_SERVER["REQUEST_METHOD"] == "POST"){  
    function alertmsg($alt_msg)  
    {  
        echo("<script type='text/javascript'>  
            alert(\".$alt_msg.\"); </script>");  
    }  
    include_once('connection.php');  
    $name = $_POST['name'];  
    $username = $_POST['username'];  
    $password = $_POST['password'];  
    $cpassword = $_POST['cpassword'];  
    $utype = $_POST['utype'];  
    //$/exists = false;
```

```

// Check whether the username exist

$existSql = "SELECT * FROM signup where username = '$username'";

// $existSql = "Select * from users where username='$username'";

$result = mysqli_query($conn, $existSql) or die( mysqli_error($conn));

$numExistRows = mysqli_num_rows($result);

if($numExistRows > 0) {

    $showError = "Username already exists";

}

else{

    if(!filter_var($username, FILTER_VALIDATE_EMAIL)){

        $showError_1 = "Email is not valid";

    }

    else if(strlen($password) < 8){

        $showError_2 = "Password is short (should be between 8 to 23 characters)";

    }

    else if($password == $cpassword)

    {

        $sql = "INSERT INTO signup (name, utype, username, password, dt) VALUES ('$name', '$utype', '$username', '$password', current_timestamp())";

        $result = mysqli_query($conn, $sql);

        if($result)

        {

            $nrows=mysqli_affected_rows($conn);

            if($nrows>0)

            {

                $salt_msg = "Successfully Registered!";

                $name = alertmsg($salt_msg);

                echo '<script type="text/javascript"> window.location.href = "home_1.php" </script>';

                //header("Location: http://localhost:8080/PHP6/8.html");

                exit;

            }

        }

    }

}

}

```

```

        }
    }
}

else{
    $showError_3 = "Passwords do not match";
}

}
}

?>

<br> <br>

<center> <h1> <strong style="color:#000033;">Signup to our website </strong>
</h1> </center>

<div id="ev_w">

<form action="register.php" method="post">

    Name: <input type="text" name="name" required> <br><br>

    User Type: <select name='utype' required><br><br>

        <option value='Student'> Student </option>
        <option value='Faculty'> Faculty </option>
        <option value='Admin'> Admin </option>
    </select><br><br>

    Username (Email) : <input type="text" name="username" required> <span
style="color: red;"><?php echo $showError; ?><?php echo $showError_1; ?>
</span> <br><br>

    Password: <input type="password" name="password" required> <span
style="color: red;"><?php echo $showError_2; ?> </span> <br><br>

    Confirm Password: <input type="password" name="cpassword" required>
<span style="color: red;"><?php echo $showError_3; ?> </span>

    <div id="emailHelp" class="form-text">Make sure to type the same
password.</div><br><br>

    <input type="submit" value="signup">


</form>

```

```
</div>  
</body>  
</html>
```

## 5) Login Form

### a. Screenshots



### b. Code

```
<?php  
session_start();  
if(isset($_SESSION['loggedin']))  
{  
    echo $_SESSION['username'] . "-" . $_SESSION['utype'];  
}  
?>  
<?php  
$login = false;  
$showError = false;  
include_once('connection.php');
```

```

if($_SERVER["REQUEST_METHOD"] == "POST"){

    function alertmsg($alt_msg)

    {

        echo("<script type='text/javascript'>
            alert(\".$alt_msg.\"); </script>");

    }

    $username = $_POST["username"];

    $password = $_POST["password"];

    $utype = $_POST["utype"];

    $sql = "SELECT * FROM signup WHERE username='".$username' AND
password='".$password' AND utype='".$utype"'";

    $result = mysqli_query($conn, $sql);

    $num = mysqli_num_rows($result);

    if($num == 1)

    {$login = true;

        session_start();

        $_SESSION['loggedin'] = true;

        $_SESSION['username'] = $username;

        $_SESSION['utype'] = $utype;

        if($utype == 'Student')

        {$alt_msg = "Successfully Login!";

            $name = alertmsg($alt_msg);

            echo '<script type="text/javascript">window.location.href =
"home_1_student.php"; </script>';

        }

        if($utype == 'Admin')

        {$alt_msg = "Successfully Login!";

            $name = alertmsg($alt_msg);

            echo '<script type="text/javascript">window.location.href =
"home_1_admin.php"; </script>';

        }

    }

}


```

```

        }

if($utype == 'Faculty')
{
    $alt_msg = "Successfully Login!";
    $name = alertmsg($alt_msg);

    echo '<script type="text/javascript">window.location.href =
"home_1_faculty.php"; </script>';

}
}

else{
    $showError = "Invalid Credentials or User Type";
}

}

?>

<center><h2 style="color:red;"> <span><?php echo $showError; ?>
</span></h2> </center> <br>

<br> <br>

<center> <h1> <strong style="color:#000033;">Login to our website </strong>
</h1> </center>

<div id="ev_w">

<form action="loggin.php" method="post">

    Username (Email) : <input type="text" name="username"
required><br><br>

    User Type: <select name='utype' required><br><br>

        <option value='Student'> Student </option>
        <option value='Faculty'> Faculty </option>
        <option value='Admin'> Admin </option>
    </select><br><br>

    Password: <input type="password" name="password" required> <br><br>
    <input type="submit" value="Login">
</form>

</div>

```

```
</body>
```

```
</html>
```


## 6) logout.php

### a. Code

```
<?php  
session_start();  
if(isset($_SESSION['loggedin']))  
{function alertmsg($alt_msg)  
{echo("<script type='text/javascript'>  
alert(\"".$alt_msg.""); </script>");  
}  
$alt_msg = "Successfully Logout!";  
$name = alertmsg($alt_msg);  
echo '<script type="text/javascript">window.location.href = "home_1.php";  
</script>';  
}  
session_unset();  
session_destroy();  
  
echo '<script type="text/javascript">window.location.href = "home_1.php";  
</script>';  
exit;  
?>
```

## 7) Student Welfare – Student

### a. Screenshots



### b. Code

```
<?php  
session_start();  
if(isset($_SESSION['loggedin']))  
{  
    echo "<h3>". $_SESSION['username'] . " - " . $_SESSION['utype'] . "</h3>";  
}  
?>  
<center> <h1> <strong style="color:#000033;"> Welcome to Student Welfare  
Board! </strong></h1> </center><br><br>  
<div style="padding: 20px; margin: 20px;">  
    <p> <h2> Hello Everyone! Welcome to the Student Welfare Board of XYZ  
University. Student Welfare Board was established in the year of 2004. Student  
Welfare Board is working on different activities like sports, clutural, technical,  
social etc.</h2></p><br><br>  
    </div>  
  
<div class="slideshow-container">
```

```

<div class="mySlides fade">
    <div class="numbertext">1 / 3</div>
    
    <div class="text">Dancing</div>
</div>

<div class="mySlides fade">
    <div class="numbertext">2 / 3</div>
    
    <div class="text">Singing</div>
</div>

<div class="mySlides fade">
    <div class="numbertext">3 / 3</div>
    
    <div class="text">Acting</div>
</div>

<br>

<div style="text-align:center">
    <span class="dot"></span>
    <span class="dot"></span>
    <span class="dot"></span>
</div>

<script>
var slideIndex = 0;
showSlides();

function showSlides() {
    var i;
    var slides = document.getElementsByClassName("mySlides");
    var dots = document.getElementsByClassName("dot");

```

```

for (i = 0; i < slides.length; i++) {
    slides[i].style.display = "none";
}

slideIndex++;

if (slideIndex > slides.length) {slideIndex = 1}

for (i = 0; i < dots.length; i++) {

    dots[i].className = dots[i].className.replace(" active", "");

}

slides[slideIndex-1].style.display = "block";

dots[slideIndex-1].className += " active";

setTimeout(showSlides, 3000); // Change image every 2 seconds

}

</script>

</body>

</html>

```

## 8) Event Calendar for Students

### a. Screenshots

Event Name	Event Type	Event Date	Event Description
Vaudeville	Technical	2021-01-18	It is organized by ITNU. It is cultural event of ITNU. Faculties and Students both can participate. There are events like dancing, singing, drawing etc.
NUTECH	Technical	2021-03-17	It is National Level tech event organized by ITNU. Every year around 2500 students participate in this event from all over India.
UDAAN	Technical	2021-05-20	It is organized by NSS, SoT, ITNU. It is social event. This event is open for all people of India irrespective of age.
Education D Evolutions	Non-Technical	2021-04-14	This event contains the competitions on poetry, essay writing, speech etc.
NUZEAL	Cultural	2021-02-02	It is University Level Cultural Event.

## b. Code

```
<?php
session_start();
if(isset($_SESSION['loggedin']))
{
    echo "<h3>". $_SESSION['username'] . " - " . $_SESSION['utype'] . "</h3>";
}
?>
<?php
include_once('connection.php');
$query = "select * from event_calander";
$result = mysqli_query($conn, $query);
?><br> <br>


<center> <h1> <strong style="color:#000033;"> Event Calander </strong> </h1>
<br> <br>


<table>
    <tr>
        <th> Event Name </th>
        <th> Event Type </th>
        <th> Event Date </th>
        <th> Event Description </th>
    </tr>
<?php
while($row = mysqli_fetch_array($result))
{
    echo "<tr>";
    echo "<td>" . $row['event_name'] . "</td>";
    echo "<td>" . $row['event_type'] . "</td>";
    echo "<td>" . $row['event_month'] . "</td>";
    echo "<td>" . $row['event_desc'] . "</td>";
    echo "</tr>";}
?>
```

```
</table> </center>  
<br> <br><br>  
</body>  
</html>
```

## 9) Images of Events for Student

### a. Screenshots





## b. Code

```

<?php
session_start();
if(isset($_SESSION['loggedin']))
{
    echo "<h3>". $_SESSION['username'] . " - " . $_SESSION['utype'] . "</h3>";
}
?>
<?php
include_once('connection.php');
$query = "select * from event_images";
$result = mysqli_query($conn, $query);
?>
<br> <br>

<center> <h1> <strong style="color:#000033;"> Glimpses of Event </strong>
</h1> <br> <br>
<table>
<tr>

```


```

<th> Event Photo</th>
<th> Event Description</th>
</tr>
<?php
$query = "SELECT * from event_images";
$result = mysqli_query($conn, $query);
while($row = mysqli_fetch_array($result))
{
    ?>
<tr>
    <td> <img src ="Event_Photos/<?php echo
$row['image_path'];?>" style="width:500px;height: 500px;"> </td>
    <td> <?php echo $row['image_desc'];?> </td>
</tr>
<?php }?>
</table>
</center>
</body>
</html>

```

## 10) Query Forum

### a. Screenshots




## b. Code

```
<?php  
session_start();  
if(isset($_SESSION['loggedin']))  
{  
    echo "<h3>". $_SESSION['username'] . " - " . $_SESSION['utype'] . "</h3>";  
}  
?>  
<center><h1><strong style="color:#000033;"> Welcome to Query Forum!  
</strong> </h1><br> <br> </center>  
<div id="ev_w">  
    <form method="post" action="ask_query.php">  
        <input type="submit" name="ask" value="Ask a Query">  
    </form>  
    <form method="post" action="see_query.php">  
        <input type="submit" name="see" value="See all Queries">  
    </form>  
    <form method="post" action="answer_query.php">  
        <input type="submit" name="answer" value="Answer a Query">  
    </form>  
</div>  
</body>  
</body>  
</html>
```

## 11) Ask Question

### a. Screenshots



### b. Code

```
<?php
session_start();
if(isset($_SESSION['loggedin']))
{
    $u = $_SESSION['username'];
    echo "<h3>". $_SESSION['username'] . " - " . $_SESSION['utype'] . "</h3>";
}
?>
<center> <h1><strong style="color:#000033;"> Please Ask Your Question Here!
</strong> </h1><br> <br> </center>
```

```
<?php
include_once('connection.php');
?>
<?php
```

```

if (isset($_POST['ask']))
{
?>
<div id="ev_w">
<form method="post" action="ask_query.php" onsubmit="return func()">
    <textarea rows="4" cols="50" name="query" id="query"
autocomplete="off"></textarea>
    <div id="div1"></div><br><br>
    <input type="submit" name="askquery" value="Submit">
</form>
</div>
<script type="text/javascript">
    function func()
    {
        var query = document.getElementById('query').value;
        if(query == "")
        {
            document.getElementById('div1').innerHTML = "*** Please fill the
query field.";
            document.getElementById('div1').style.color = "Red";
            return false;
        }
    }
</script>
<?php
}
?>
<?php
if (isset($_POST['askquery']))
{
    function alertmsg($alt_msg)
{

```

```

echo("<script type='text/javascript'>
alert(\".$alt_msg.\"); </script>");

}

$query_ask = $_POST["query"];

$query = "INSERT INTO query_answer(query_id, query_user, query_ask)
VALUES (",'$u','$query_ask')";

$result = mysqli_query($conn, $query);

if ($result)

{ $nrows=mysqli_affected_rows($conn);

if($nrows>0)

{

$alt_msg = "Query Raised Successfully!";

$name = alertmsg($alt_msg);

echo '<script type="text/javascript">window.location.href =
"query_student.php"; </script>';

//header("Location: http://localhost:8080/PHP6/8.html");

exit;

}

}

}

?>

</body>


</body>

</html>

```

## 12) All the Queries

### a. Screenshots



The screenshot shows a web browser window titled "All the Queries" with the URL "localhost/LAMP%20Project/see\_query.php". The page displays a table with four rows, each containing a query, the asker's email, and a "see answers" button.

Query	Asked By	Answer
Can anyone participate in Vaudeville?	18bce085@nirmauni.ac.in	<a href="#">see answers</a>
which type of events will be there in Nutech?	18bce082@nirmauni.ac.in	<a href="#">see answers</a>
What type of poetry can we write in education de evolution competition?	18bce084@nirmauni.ac.in	<a href="#">see answers</a>
Can we participate in more than two events in NUZEAL?	18bce082@nirmauni.ac.in	<a href="#">see answers</a>

### b. Code

```
<?php  
session_start();  
if(isset($_SESSION['loggedin']))  
{  
    echo "<h3>". $_SESSION['username'] . " - " . $_SESSION['utype'] . "</h3>";  
}  
?>  
<center><h1><strong style="color:#000033;"> See All the Queries Here!  
</strong> </h1><br> <br>  
<?php  
    include_once('connection.php');  
?>  
<?php  
if (isset($_POST['see']))  
{
```

```


$query = "SELECT * FROM query_answer";
$result = mysqli_query($conn, $query);
?>
<table>
<th>Query</th>
<th>Asked By </th>
<th>Answer</th>
</tr>
<?php
// output data of each row
while($row = mysqli_fetch_array($result))
{
?>
<tr>
<td><?php echo $row["query_ask"];?> </td>
<td><?php echo $row["query_user"];?> </td>
<td><form method="post" action="see_query_answer.php">
<input type="hidden" name="query_id" value="<?php echo
$row['query_id']; ?>">
<input type="hidden" name="query_value" value="<?php echo
$row['query_ask']; ?>">
<input type="submit" name="see_answer" value="see answers">
</form></td>
</td>
</tr>
<?php
}
echo "</table>";
?>
</center>
</table>
</body>

```

```
</body>  
</html>
```

## 13) All the Answers

### a. Screenshots



### b. Code

```
<?php  
session_start();  
if(isset($_SESSION['loggedin']))  
{  
    echo "<h3>". $_SESSION['username'] . " - ". $_SESSION['utype'] . "</h3>";  
}  
?>  
<center> <h1><strong style="color:#000033;"> See Answers Here! </strong>  
</h1><br> <br> </center>  
<?php  
    include_once('connection.php');  
?>
```

```

<?php
if(isset($_POST['see_answer']))
{
$ask_query = $_POST['query_value'];
$id = $_POST['query_id'];
?>
<div id="ev_w">
<b>Query :</b><?php echo $ask_query; ?> <br><br>
<b>Answers given by users<br><br></b>
<?php
$query = "SELECT * FROM query_answer_answer WHERE question_id =
'$id'";
$result = mysqli_query($conn, $query);
if (mysqli_num_rows($result) > 0)
{
?>
<table>
<tr>
<th>Answers</th>
<th>Given By </th>
</tr>
<?php
$count=1;
while($row = mysqli_fetch_array($result))
{
?>
<tr>
<td> <?php echo $row['answer']; ?></td>
<td> <?php echo $row['answer_user'];?></td>
</tr>
<?php
$count = $count + 1;

```

```

    }

    echo "</table>";

}

else

{

?>

<table> <tr> <td><center> <h1><strong style="color:#000033;"> No
Answers</strong></h1></center> </td></tr></table>

<?php

}

echo "</div>";

}

?>

</table>

</div>

</body>


</body>

</html>

```

## 14) Answer the Question

### a. Screenshots



## b. Code

```
<?php
session_start();
if(isset($_SESSION['loggedin']))
{
    echo "<h3>". $_SESSION['username'] . " - " . $_SESSION['utype'] . "</h3>";
}
?>
<center><h1><strong style="color:#000033;"> Answer Any Query! </strong>
</h1><br> <br>
<?php
    include_once('connection.php');
?
<?php
if (isset($_POST['answer']))
{
    $query = "SELECT * FROM query_answer";
    $result = mysqli_query($conn, $query);
}
<table>
<tr>
    <th>Query</th>
    <th>Answer</th>
</tr>
<?php
// output data of each row
while($row = mysqli_fetch_array($result))
{
?
<tr>
    <td> <?php echo $row['query_ask']; ?> </td>
```

```

<td><form method="post" action="answer_query_form.php">
    <input type="hidden" name="id" value=<?php echo $row['query_id'];
?>">

    <input type="hidden" name="query" value=<?php echo
$row['query_ask']; ?>">

    <input type="submit" name="answer" value="answer">
</form></td></tr>

<?php

}

echo "</table>";

}

?>

</center>

</body>


</body>

</html>

```

## 15) Answer Form for Query

### a. Screenshots



## b. Code

```
<?php
session_start();
if(isset($_SESSION['loggedin']))
{
    $u = $_SESSION['username'];
    echo "<h3>". $_SESSION['username'] . " - " . $_SESSION['utype'] . "</h3>";
}
?>

<center> <h1><strong style="color:#000033;"> Answer Form for Query!
</strong> </h1><br> <br> </center>

<?php
include_once('connection.php');

?>

<?php
if(isset($_POST["answer"]))
{
    $ans_id = $_POST['id'];
    $ask_query = $_POST['query'];
}
?>

<div id="ev_w">
<b>Query :</b><?php echo $ask_query; ?> <br><br>
<form method="post" action="answer_query_form.php" onsubmit="return
func()">
    <b>Type your answer :</b> <br><textarea rows="4" cols="50" name="ans"
id="ans" placeholder="Enter your answer" autocomplete="off"></textarea>
    <br><br>
    <div id="div1"></div><br><br>
    <input type="hidden" name="ans_id" value="<?php echo $ans_id; ?>">
    <input type="submit" name="ans_query" value="Submit">
</form>
```

```

</div>

<script type="text/javascript">
    function func()
    {
        var ans = document.getElementById('ans').value;
        if(ans == "")
        {
            document.getElementById('div1').innerHTML = "*** Please fill the
answer field.";
            document.getElementById('div1').style.color = "Red";
            return false;
        }
    }
</script>

<?php
    }
?>

<?php
if(isset($_POST["ans_query"]))
{
    $id = $_POST['ans_id'];
    $ans = $_POST['ans'];
    function alertmsg($alt_msg)
    {
        echo("<script type='text/javascript'>
        alert(\"".$alt_msg."\"); </script>");
    }
    $query = "INSERT INTO query_answer_answer(question_id, answer_user,
answer) VALUES ('$id', '$u','$ans')";
    $result = mysqli_query($conn, $query);
    if ($result)

```

```

{
    $nrows=mysqli_affected_rows($conn);
    if($nrows>0)
    {
        $alt_msg = "Query Answered Successfully!";
        $name = alertmsg($alt_msg);
        echo '<script type="text/javascript">';
        echo 'window.location.href = "query_student.php";';
        echo '</script>';
        //header("Location: http://localhost:8080/PHP6/8.html");
        exit;
    }
}
}


?>

</body>
</body>
</html>

```

## 16) Ongoing Events – Student

### a. Screenshots



## b. Code

```
<?php
session_start();
if(isset($_SESSION['loggedin']))
{
    echo "<h3>". $_SESSION['username'] . " - " . $_SESSION['utype'] . "</h3>";
}
?>
<body>
    <center><h1><strong style="color:#000033;"> On Going Events! </strong>
</h1><br> <br>
    <br><br>
    <table>
        <tr>
            <td> Event Name </td>
            <td> Registration Link </td>
            <td> Volunteers Registration </td>
            <td> Download Rules </td>
        </tr>
        <?php
        while($row = mysqli_fetch_array($result))
        {
            $id = $row['on_id'];
            ?>
            <tr>
                <th> <?php echo $row['on_name'];?> </th>
                <th> <form action="register_event.php"
method="post">
                    <input type="hidden" value="<?php echo $id
;?>" name="e_id">
                    <input type="submit" value="Register"
name="on_register">
                </th>
            </tr>
        }
    </table>
</body>
```

```

        </form></th>

        <th> <form action="volunteers_registration.php"
method="post">
                <input type="hidden" value="<?php echo $id
;?>" name="e_id">
                <input type="submit" value="Register"
name="on_register_vol">
        </form></th>

        <th> <form action="download.php" method="post">
                <input type="hidden" value="<?php echo $id
;?>" name="e_id">
                <input type="submit" value="Download"
name="download">
        </form></th>

</tr>
<?php
}

echo "</table>";
?>

</center>
</body>
</html>

```

## 17) download.php

### a. Code

```

<?php
include_once('connection.php');

if(isset($_POST['download']))
{
    $eid = $_POST['e_id'];

    $query = "SELECT * from on_going_event WHERE on_id = '$eid'";
    $result = mysqli_query($conn, $query);

```

```

while($row = mysqli_fetch_array($result))
{
    $filepath = 'C:/xampp/htdocs/Practicals/LAMP Project/Event_Rules/' .
    $row['on_pdf'];

    if (file_exists($filepath))
    {

        header('Content-Description: File Transfer');

        header('Content-Type: application/octet-stream');

        header('Content-Disposition: attachment; filename=' . basename($filepath));

        header('Expires: 0');

        header('Cache-Control: must-revalidate');

        header('Pragma: public');

        header('Content-Length: ' . filesize('C:/xampp/htdocs/Practicals/LAMP
Project/Event_Rules/' . $row['on_pdf']));

        readfile('C:/xampp/htdocs/Practicals/LAMP Project/Event_Rules/' .
        $row['on_pdf']);
    }

    // Now update downloads count
    $newCount = $file['downloads'] + 1;

    $updateQuery = "UPDATE files SET downloads=$newCount WHERE
id=$id";

    mysqli_query($conn, $updateQuery);
}
}

?>

```

## 18) Ongoing Events Registration

### a. Screenshots

The screenshot shows a web browser window titled "Event Registration Form!" with the URL "localhost/LAMP%20Project/register\_event.php". The form contains the following fields:

- Event Name: UDAAN
- Student Name: (empty)
- Student Roll No: (empty)
- Email-ID: 18bce085@nirmauni.ac.in

Below the form, there is a "Event List:" section with two options:

- singing
- dancing

The screenshot shows a web browser window titled "Event Registration Form!" with the URL "localhost/LAMP%20Project/register\_event.php". The form contains the following fields:

- Student Name: (empty)
- Student Roll No: (empty)
- Email-ID: 18bce085@nirmauni.ac.in

Below the form, there is a "Event List:" section with four options:

- singing
- dancing
- drawing
- drama

A large blue "Submit" button is located at the bottom of the form.

### b. Code

```
<?php  
session_start();  
if(isset($_SESSION['loggedin']))
```

```

{
    $u = $_SESSION['username'];
    echo "<h3>". $_SESSION['username'] . " - ". $_SESSION['utype'] . "</h3>";
}
?>
<?php
include_once('connection.php');
if(isset($_POST['on_register']))
{
    $eid = $_POST['e_id'];
    $query = "SELECT * from on_going_event WHERE on_id = '$eid'";
    $result = mysqli_query($conn, $query);
}
?>
<center> <h1><strong style="color:#000033;"> Event Registration Form!
</strong> </h1><br> <br>
<div id="ev_w">
<form method="post" action= "register_event_verify.php">
<?php
while($row = mysqli_fetch_array($result))
{
    $e_name = $row['on_name'];
    $e_subname = $row['on_subname'];
    $e_subname = explode(", ", $e_subname);
?>
Event Name: <input type="text" name="e_name" value="<?php echo
$e_name;?>" readonly><br><br>
Student Name: <input type="text" name="name" required>
<br><br>
Student Roll No: <input type="text" name="r_name" required>
<br><br>

```

```

Email-ID: <input type="text" name="email" value="<?php echo $u;
?>" readonly required>

<br><br>

Event List:<br>

<?php

foreach($e_subname as $e)

{

?>

<input type="checkbox" name="check_list[]" value="<?php echo $e; ?>"><?php echo $e; ?> <br>

<?php

}

?>

<br>

<input type="submit" name="submit" value="Submit">

</form>

</div>

<?php

}

?>

</center>

</body>

</html>

```

## **19) register\_event\_verify.php**

### **a. Code**

```

<?php

include_once('connection.php');

$name = $e_name = $r_name = $email= "";

if (isset($_POST['submit']))

{

```

```

        function alertmsg($alt_msg)
        {
            echo("<script type='text/javascript'>
                alert(\".$alt_msg.\"); </script>");

        }

        $name = test_input($_POST["name"]);
        $e_name = test_input($_POST["e_name"]);
        $r_name = test_input($_POST["r_name"]);
        $email = test_input($_POST["email"]);
        $e_subname = $_POST["check_list"];
        $e_subname = implode(", ", $e_subname);
        $query = "INSERT INTO event_registration(e_name, s_name, s_roll,
s_email, r_subname)
VALUES('$e_name','$name','$r_name','$email','$e_subname')";
        $result = mysqli_query($conn, $query);
        if($result)
        {
            $alt_msg = "Successfully Registered in Event!";
            $name = alertmsg($alt_msg);
            echo '<script type="text/javascript">window.location.href =
"student_ongoing.php"; </script>';
        }
    }

    function test_input($data)
    {
        $data = trim($data);
        $data = stripslashes($data);
        $data = htmlspecialchars($data);
        return $data;
    }?>

```

## 20) Volunteers Registration Form

### a. Screenshots

The screenshot shows a web browser window with the title "Volunteers Registration Form" and the URL "localhost/LAMP%20Project/volunteers\_registration.php". The page displays a form titled "Form for Volunteers Registration!". It contains four input fields: "Event Name:" with the value "NUTECH", "Name:" (empty), "Student Roll No:" (empty), and "E-mail:" with the value "18bce085@nirmauni.ac.in". Below these fields is a "Post:" section with three radio button options: "Volunteers", "Social Media Manager", and "Technical Head". The status bar at the bottom shows a Windows taskbar with various icons and the date/time "4/25/2021 10:03 AM".

The screenshot shows a web browser window with the title "Volunteers Registration Form" and the URL "localhost/LAMP%20Project/volunteers\_registration.php". The page displays a form titled "Form for Volunteers Registration!". It contains five input fields: "E-mail:" with the value "18bce085@nirmauni.ac.in", "Post:" (empty), "Experience:" (empty), and a "Register" button. Below the "Post:" field is a list of five radio button options: "Volunteers", "Social Media Manager", "Technical Head", "Event Manager", and "Publicity Head". The status bar at the bottom shows a Windows taskbar with various icons and the date/time "4/25/2021 10:03 AM".

### b. Code

```
<?php  
session_start();  
if(isset($_SESSION['loggedin']))
```

```

{
    $u = $_SESSION['username'];
    echo "<h3>". $_SESSION['username'] . " - " . $_SESSION['utype'] . "</h3>";
}
?>

<center> <h1><strong style="color:#000033;"> Form for Volunteers
Registration! </strong> </h1><br> <br> </center>

<?php
    include_once('connection.php');
    if(isset($_POST['on_register_vol']))
    {
        $eid = $_POST['e_id'];
        $query = "SELECT * from on_going_event WHERE on_id = '$eid'";
        $result = mysqli_query($conn, $query);
    }
?>

<div id="ev_w">
<?php
    while($row = mysqli_fetch_array($result))
    {
        $e_name = $row['on_name'];
    ?>
<form action='volunteers_registration_veify.php' method='post'>
    Event Name: <input type="text" name="e_name" value="<?php echo
$e_name;?>" readonly><br><br>
    Name: <input type="text" name="name" required><br><br>
    Student Roll No: <input type="text" name="r_name" required>
    <br><br>
    E-mail: <input type="text" name="email" value="<?php echo $u; ?>" readonly
required><br><br>
    Post:<br>

```

```

<input type="radio" name="post" value="Volunteers" required>Volunteers<br>
<input type="radio" name="post" value="Social Media Manager">Social Media
Manager<br>
<input type="radio" name="post" value="Technical Head">Technical Head<br>
<input type="radio" name="post" value="Event Manager">Event Manager<br>
<input type="radio" name="post" value="Publicity Head">Publicity Head
<br><br>

Experience:<br> <textarea name="experience" rows="5" cols="40"
required></textarea>

<br><br>

<input type="submit" name="v_re" value="Register">
</form>

<?php

}>

?>

</div>

</body>

</body>

</html>

```

## **21) volunteers\_registration\_verify.php**

### **a. Code**

```

<?php

include_once('connection.php');

if (isset($_POST['v_re']))

{

function alertmsg($alt_msg)

{

echo("<script type='text/javascript'>
alert(\"".$alt_msg.""); </script>");

}

```

```

$name = test_input($_POST["name"]);
$e_name = test_input($_POST["e_name"]);
$r_name = test_input($_POST["r_name"]);
$email = test_input($_POST["email"]);
$post = test_input($_POST["post"]);
$experience = test_input($_POST["experience"]);

$query = "INSERT INTO event_volunteers(v_ename, v_sname, v_rname,
v_email, v_post, v_exp) VALUES('$e_name', '$name', '$r_name', '$email', '$post',
'$experience')";

$result = mysqli_query($conn, $query);


if($result)
{
    $alt_msg = "Successfully Registered for Volunteers!";
    $name = alertmsg($alt_msg);

    echo '<script type="text/javascript">window.location.href =
"student_ongoing.php"; </script>';
}

function test_input($data)
{
    $data = trim($data);
    $data = stripslashes($data);
    $data = htmlspecialchars($data);
    return $data;
}
?>
```

## 22) Dashboard – Student

### a. Screenshots



### b. Code

```
<?php  
session_start();  
if(isset($_SESSION['loggedin']))  
{  
    $u = $_SESSION['username'];  
    echo "<h3>". $_SESSION['username'] . " - " . $_SESSION['utype'] . "</h3>";  
}  
?>  
<center><h1><strong style="color:#000033;"> Your Dashboard! </strong></h1><br> <br>  
<?php  
include_once('connection.php');  
$query = "SELECT * from event_volunteers WHERE v_email = '$u"';  
$query_1 = "SELECT * from event_registration WHERE s_email = '$u"';  
$result = mysqli_query($conn, $query);
```

```

$result_1 = mysqli_query($conn, $query_1);

?>

<table>

<tr>
    <th> Event Name </th>
    <th> Participation </th>
    <th> Registration Date </th>
</tr>

<?php

while($row = mysqli_fetch_array($result))

{
?>

<tr>
    <td> <?php echo $row['v_ename'] ?> </td>
    <td> <?php echo $row['v_post'] ?> </td>
    <td> <?php echo $row['v_time'] ?> </td>
</tr>

<?php

}

while($row = mysqli_fetch_array($result_1))

{
?>

<tr>
    <td> <?php echo $row['e_name'] ?> </td>
    <td> <?php echo $row['r_subname'] ?> </td>
    <td> <?php echo $row['r_time'] ?> </td>
</tr>

<?php


}

echo "</table>";?></center><br>

```

## 23) Home Page – Faculty

### a. Screenshots



### b. Code

```
<?php  
session_start();  
if(isset($_SESSION['loggedin']))  
{  
    echo "<h3>". $_SESSION['username'] . " - " . $_SESSION['utype'] . "</h3>";  
}  
?>  
<center><h1> <strong style="color:#000033;"> Welcome to Student Welfare  
Board! </strong></h1> </center><br><br>  
<div style="padding: 20px; margin: 20px;">  
    <p> <h2> Hello Everyone! Welcome to the Student Welfare Board of XYZ  
University. Student Welfare Board was established in the year of 2004. Student  
Welfare Board is working on different activities like sports, clutural, technical,  
social etc.</h2></p><br><br>  
    </div>  
<div class="slideshow-container">  
    <div class="mySlides fade">
```

```

<div class="numbertext">1 / 3</div>

<div class="text">Dancing</div>
</div>

<div class="mySlides fade">
<div class="numbertext">2 / 3</div>

<div class="text">Singing</div>
</div>

<div class="mySlides fade">
<div class="numbertext">3 / 3</div>

<div class="text">Acting</div>
</div>
</div>

<br>

<div style="text-align:center">
<span class="dot"></span>
<span class="dot"></span>
<span class="dot"></span>
</div>

<script>

var slideIndex = 0;
showSlides();

function showSlides() {
    var i;
    var slides = document.getElementsByClassName("mySlides");
    var dots = document.getElementsByClassName("dot");
    for (i = 0; i < slides.length; i++) {
        slides[i].style.display = "none";

```

```

    }

slideIndex++;

if (slideIndex > slides.length) {slideIndex = 1}

for (i = 0; i < dots.length; i++) {

dots[i].className = dots[i].className.replace(" active", "");

}

slides[slideIndex-1].style.display = "block";

dots[slideIndex-1].className += " active";

setTimeout(showSlides, 3000); // Change image every 2 seconds

}

</script>

</body>

</html>

```


## 24) Add on going event

### a. Screenshots

The screenshot shows a Windows desktop environment with a web browser window open. The browser title bar reads 'Add on going event' and 'localhost / 127.0.0.1 | phpMyAdmin'. The main content area of the browser displays a form titled 'Add On Going Event Here!'. The form consists of several input fields:

- Event Name:** A text input field.
- Event Start Date:** A date input field with a placeholder 'mm/dd/yyyy' and a calendar icon.
- Event End Date:** A date input field with a placeholder 'mm/dd/yyyy' and a calendar icon.
- Sub Event Names:** A text input field with the placeholder text 'Please write event names with ,'
- Upload Rules:** A section containing the text 'Choose File' and a file input field labeled 'No file chosen'.

Below the browser window, the Windows taskbar is visible, showing various pinned icons and the system tray.



## b. Code

```
<?php
session_start();
if(isset($_SESSION['loggedin']))
{
    echo "<h3>". $_SESSION['username'] . " - " . $_SESSION['utype'] . "</h3>";
}
?>
<?php
include_once('connection.php');
function alertmsg($alt_msg)
{
    echo("<script type='text/javascript'>
        alert(\".$alt_msg.\");
    </script>");
}
$e_name = $e_sdate = $e_edate= $e_subname= "";
if ($_SERVER["REQUEST_METHOD"] == "POST")
{
```

```

$target = "C:/xampp/htdocs/Practicals/LAMP
Project/Event_Rules/".$basename($_FILES['filename']['name']);

$pdf = $_FILES['filename']['name'];

$e_name = test_input($_POST["e_name"]);

$e_sdate = test_input($_POST["e_sdate"]);

$e_edate = test_input($_POST["e_edate"]);

$e_subname = test_input($_POST["e_subname"]);

$query = "INSERT INTO on_going_event(on_name, on_sdate,
on_edate, on_subname, on_pdf) VALUES('$e_name',
'$e_sdate','$e_edate','$e_subname',
'$pdf)";

$result = mysqli_query($conn, $query);

move_uploaded_file($_FILES['filename']['tmp_name'], $target);

if($result)

{

    $alt_msg = "Event Added Successfully!";

    $name = alertmsg($alt_msg);

    echo '<script type="text/javascript">window.location.href =
"home_1_faculty.php"; </script>';

}

function test_input($data)

{

    $data = trim($data);

    $data = stripslashes($data);

    $data = htmlspecialchars($data);

    return $data;

}

?>


<center> <h1> <strong style="color:#000033;"> Add On Going Event Here!
</strong></h1> </center><br><br>

```

```
<div id="ev_w">  
<form method="post" action= "add_ongoing_event.php"  
enctype="multipart/form-data">  
Event Name: <input type="text" name="e_name" required>  
<br><br>  
Event Start Date: <input type="date" name="e_sdate" required>  
<br><br>  
Event End Date: <input type="date" name="e_edate" required>  
<br><br>  
Sub Event Names: <input type="text" name="e_subname" required>  
<br>  
"Please write event names with ,<br><br>  
Upload Rules:  
<input type="file" id="myFile" name="filename" required><br><br>  
<input type="submit" name="submit" value="Submit">  
</form>  
</div>  
</body>  
</html>
```

## 25) Event List - Volunteers

### a. Screenshots



### b. Code

```
<?php
session_start();
if(isset($_SESSION['loggedin']))
{
    echo "<h3>". $_SESSION['username'] . " - " . $_SESSION['utype'] . "</h3>";
}
?>
<?php
include_once('connection.php');
$query = "SELECT * from on_going_event";
$result = mysqli_query($conn, $query);
?>
<center> <h1> <strong style="color:#000033;"> Select on Going Event!
</strong></h1> <br><br>
<table>
<tr>
<th> Event Name </th>
```


```

<th> List </th>
</tr>
<?php
while($row = mysqli_fetch_array($result))
{
    $e = $row['on_name'];
    ?>
<tr>
    <td> <?php echo $e;?> </td>
    <td>
        <form method="post" action= "list_volunteers_1.php">
            <input type="hidden" name="e_name" value="<?php echo $e;?>">
            <input type="submit" value="<?php echo $e;?>" name="submit" >
        </form>
    </td>
</tr>
<?php
}
echo "</table>";
?>
</center>
</body>
</html>

```

## 26) Volunteers List

### a. Screenshots



### b. Code

```
<?php
session_start();
if(isset($_SESSION['loggedin']))
{
    echo "<h3>". $_SESSION['username'] . " - " . $_SESSION['utype'] . "</h3>";
}
?>
<?php
include_once('connection.php');
if(isset($_POST['submit']))
{
    $e = $_POST['e_name'];
    $query = "SELECT * from event_volunteers where v_ename = '$e'";
    $result = mysqli_query($conn, $query);
}
```

```

<center> <h1> <strong style="color:#000033;"> Volunteers List! </strong></h1>
</center><br><br>

<center> <h1> <strong style="color:#000033;"> Event Name: <?php echo $e; ?>
</strong></h1> <br><br>

<table>

    <tr>

        <th> Student Name </th>
        <th> Student Roll No </th>
        <th> Student's Post </th>

    </tr>

    <?php

        while($row = mysqli_fetch_array($result))

        {

            ?>

            <tr>

                <td> <?php echo $row['v_sname']; ?> </td>
                <td> <?php echo $row['v_rname']; ?> </td>
                <td> <?php echo $row['v_email']; ?> </td>

            </tr>

            <?php

        }

        echo "</table>";

        ?>

    </center>


</body>

</html>

```

## 27) Event List – Registration

### a. Screenshots



### b. Code

```
<?php
session_start();
if(isset($_SESSION['loggedin']))
{
    echo "<h3>". $_SESSION['username'] . " - " . $_SESSION['utype'] . "</h3>";
}
?>
<?php
include_once('connection.php');
$query = "SELECT * from on_going_event";
$result = mysqli_query($conn, $query);
?>
<center> <h1> <strong style="color:#000033;"> Select on Going Event!
</strong></h1> <br><br>
```


```

<table>
  <tr>
    <th> Event Name </th>
    <th> List </th>
  </tr>
  <?php
    while($row = mysqli_fetch_array($result))
    {
      $e = $row['on_name'];
      ?>
      <tr>
        <td> <?php echo $e;?> </td>
        <td>
          <form method="post" action= "list_registration_1.php">
            <input type="hidden" name="e_name" value="<?php echo $e;?>">
            <input type="submit" value="<?php echo $e;?>" name="submit" >
          </form>
        </td>
      </tr>
      <?php
    }
    echo "</table>";
  ?>
</center>
</body>
</html>

```

## 28) Registration List

### a. Screenshots



### b. Code

```
<?php  
session_start();  
if(isset($_SESSION['loggedin']))  
{  
    echo "<h3>". $_SESSION['username'] . " - " . $_SESSION['utype'] . "</h3>";  
}  
?>  
<?php  
include_once('connection.php');  
if(isset($_POST['submit']))  
{  
    $e = $_POST['e_name'];  
    $query = "SELECT * from event_registration where e_name = '$e'";  
    $result = mysqli_query($conn, $query);  
}
```


```

<center> <h1> <strong style="color:#000033;"> Registration List!
</strong></h1> </center><br><br>
<center> <h1> <strong style="color:#000033;"> Event Name: <?php echo $e; ?>
</strong></h1><br><br>
<table>
    <tr>
        <th> Student Name </th>
        <th> Student Roll No </th>
        <th> Student's Participation </th>
    </tr>
    <?php
        while($row = mysqli_fetch_array($result))
        {
            ?>
            <tr>
                <td> <?php echo $row['s_name']; ?> </td>
                <td> <?php echo $row['s_roll']; ?> </td>
                <td> <?php echo $row['r_subname']; ?> </td>
            </tr>
            <?php
        }
        echo "</table>";
    ?>
</center>
</body>
</html>

```

## 29) Student Welfare - Admin

### a. Screenshots



### b. Code

```
<?php  
session_start();  
if(isset($_SESSION['loggedin']))  
{  
    echo "<h3>". $_SESSION['username'] . " - " . $_SESSION['utype'] . "</h3>";  
}  
?  
<center><h1> <strong style="color:#000033;"> Welcome to Student Welfare  
Board! </strong></h1> </center><br><br>  
<div style="padding: 20px; margin: 20px;">  
    <p> <h2> Hello Everyone! Welcome to the Student Welfare Board of XYZ  
University. Student Welfare Board was established in the year of 2004. Student  
Welfare Board is working on different activities like sports, clutural, technical,  
social etc.</h2></p><br><br>  
    </div>  
<div class="slideshow-container">  
    <div class="mySlides fade">
```

```

<div class="numbertext">1 / 3</div>

<div class="text">Dancing</div>
</div>

<div class="mySlides fade">
<div class="numbertext">2 / 3</div>

<div class="text">Singing</div>
</div>

<div class="mySlides fade">
<div class="numbertext">3 / 3</div>

<div class="text">Acting</div>
</div>
</div>

<br>

<div style="text-align:center">
<span class="dot"></span>
<span class="dot"></span>
<span class="dot"></span>
</div>

<script>

var slideIndex = 0;
showSlides();

function showSlides() {
    var i;
    var slides = document.getElementsByClassName("mySlides");
    var dots = document.getElementsByClassName("dot");
    for (i = 0; i < slides.length; i++) {
        slides[i].style.display = "none";

```

```

        }

slideIndex++;

if (slideIndex > slides.length) {slideIndex = 1}

for (i = 0; i < dots.length; i++) {

dots[i].className = dots[i].className.replace(" active", "");

}

slides[slideIndex-1].style.display = "block";

dots[slideIndex-1].className += " active";

setTimeout(showSlides, 3000); // Change image every 2 seconds

}

</script>


</body>

</html>

```

## 30) Event Calendar for Student Welfare

### a. Screenshots



Event Name	Event Type	Event Date	Event Description
Vaudeville	Technical	2021-01-18	It is organized by ITNU. It is cultural event of ITNU. Faculties and Students both can participate. There are events like dancing, singing, drawing etc.
NUTECH	Technical	2021-03-17	It is National Level tech event organized by ITNU. Every year around 2500 students participate in this event from all over India.
UDAAN	Technical	2021-05-20	It is organized by NSS, SoT, ITNU. It is social event. This event is open for all people of India irrespective of age.
Education D Evolutions	Non-Technical	2021-04-14	This event contains the competitions on poetry, essay writing, speech etc.
NUZEAL	Cultural	2021-02-02	It is University Level Cultural Event.

Event Name	Event Type	Date	Event Description
Vaudeville	Technical	2021-01-18	It is organized by ITNU. It is cultural event of ITNU. Faculties and Students both can participate. There are events like dancing, singing, drawing etc.
NUTECH	Technical	2021-03-17	It is National Level tech event organized by ITNU. Every year around 2500 students participate in this event from all over India.
UDAAN	Technical	2021-05-20	It is organized by NSS, SoT, ITNU. It is social event. This event is open for all people of India irrespective of age.
Education D Evolutions	Non-Technical	2021-04-14	This event contains the competitions on poetry, essay writing, speech etc.
NUZEAL	Cultural	2021-02-02	It is University Level Cultural Event.

[Add Event](#)     
 [Edit Event](#)

## b. Code

```

<?php
session_start();
if(isset($_SESSION['loggedin']))
{
    echo "<h3>". $_SESSION['username'] . " - " . $_SESSION['utype'] . "</h3>";
}
?>
<?php
include_once('connection.php');
$query = "select * from event_calander";
$result = mysqli_query($conn, $query);
?>
<center><h1><strong style="color:#000033;"> Event Calander </strong> </h1>
<br> <br>
<table>
<tr>
<th> Event Name </th>

```

```

<th> Event Type </th>
<th> Event Date </th>
<th> Event Description </th>
</tr>
<?php
$count = 0;
while($row = mysqli_fetch_array($result))
{
    echo "<tr>";
    echo "<td>" . $row['event_name'] . "</td>";
    echo "<td>" . $row['event_type'] . "</td>";
    echo "<td>" . $row['event_month'] . "</td>";
    echo "<td>" . $row['event_desc'] . "</td>";
    echo "</tr>";
    $count++;
}
?>
</table>
<br><br>
<form method='post' action="event_calander_welfare_add.php">
    <input type='submit' value='Add Event' name='add'>
    <input type='hidden' value='<?php echo $count ?>' name='count'>
</form>
<form method='post' action='event_calander_welfare_edit.php'>
    <input type='submit' value='Edit Event' name='edit'>
</form>
</center>
</body>
</html>

```

### 31) Add Form for Event Calendar

#### a. Screenshots

The screenshot shows a Microsoft Edge browser window with the title bar "Add Form for Event Calander" and "localhost / 127.0.0.1 | phpMyAdmin". The main content area has a purple header with the text "Add Event Here!". Below this, there are four input fields: "Event Name:" with an empty text input, "Event Type:" with a dropdown menu set to "Technical", "Event Month:" with a date input field showing "mm/dd/yyyy" and a calendar icon, and "Event Description:" with a large text area. At the bottom center is a dark blue "Add" button. The browser's taskbar at the bottom shows various pinned icons and the system tray on the right.

#### b. Code

```
<?php
session_start();
if(isset($_SESSION['loggedin']))
{
    echo "<h3>". $_SESSION['username'] . " - " . $_SESSION['utype'] . "</h3>";
}
?>
<center>
<?php
    include_once('connection.php');
    if(isset($_POST['add']))
    {
        $temp = $_POST['count'];
        $temp++;
        $e_id = 'EV' . $temp;
    }
}</center>
```

```

        }

        if(isset($_POST['eadd']))

    {

        //prompt function

        function alertmsg($alt_msg)

        {

            echo("<script type='text/javascript'>

                alert(\".$alt_msg.\"); </script>");

        }

        $eid = $_POST['eid'];

        $ename = $_POST['ename'];

        $etype = $_POST['etype'];

        $edate = $_POST['edate'];

        $edesc = $_POST['edesc'];

        #echo $eid . $ename . $etype . $edate . $edesc;

        $query = "insert into event_calander(event_id, event_name, event_type,
event_month, event_desc) values('$eid', '$ename', '$etype', '$edate', '$edesc')";

        $result = mysqli_query($conn, $query);

        if ($result)

        {

            $nrows=mysqli_affected_rows($conn);

            if($nrows>0)

            {

                $alt_msg = "Successfully Added Event!";

                $name = alertmsg($alt_msg);

                echo '<script type="text/javascript">window.location.href =
"event_calander_welfare.php"; </script>';

                //header("Location: http://localhost:8080/PHP6/8.html");

                exit;

            }

        }

    }?>

```

```

<h1><strong style="color:#000033;"> Add Event Here! </strong> </h1><br>
<br> </center>

<div id="ev_w">
<form method="post" action='event_calander_welfare_add.php'>
<strong> Event Name: <input type='text' name='ename' required><br><br>
Event Type: <select name='etype' required>
<option value='Technical'> Technical </option>
<option value='Non-Technical'> Non-Technical
</option>
<option value='Cultural'> Cultural </option>
<option value='Social'> Social </option>
</select> <br><br>
Event Month: <input type='date' name='edate' required><br><br>
Event Description: <input type='textarea' name='edesc'></strong><br> <br>
<input type='submit' value='Add' name='eadd'>
<input type='hidden' value='<?php echo $e_id ?>' name='eid'>
</form>
</div>
</body>
</html>

```

## 32) Edit in Event Calendar

### a. Screenshots

Event Name	Event Type	Event Date	Event Description	Edit Event
Vaudeville	Technical	2021-01-18	It is organized by ITNU. It is cultural event of ITNU. Faculties and Students both can participate. There are events like dancing, singing, drawing etc.	Edit
NUTECH	Technical	2021-03-17	It is National Level tech event organized by ITNU. Every year around 2500 students participate in this event from all over India.	Edit
UDAAN	Technical	2021-05-20	It is organized by NSS, SoT, ITNU. It is social event. This event is open for all people of India irrespective of age.	Edit
Education D Evolutions	Non-Technical	2021-04-14	This event contains the competitions on poetry, essay writing, speech etc.	Edit

## b. Code

```
<?php
session_start();
if(isset($_SESSION['loggedin']))
{
    echo "<h3>". $_SESSION['username'] . " - " . $_SESSION['utype'] . "</h3>";
}
?>
<?php
include_once('connection.php');
$query = "select * from event_calander";
$result = mysqli_query($conn, $query);
?>
<center> <h1> <strong style="color:#000033;"> Event Calander </strong> </h1>
<br> <br>
<table>
    <tr>
        <th> Event Name </th>
        <th> Event Type </th>
        <th> Event Date </th>
        <th> Event Description </th>
        <th> Edit Event </th>
    </tr>
<?php
while($row = mysqli_fetch_array($result))
{
    echo "<tr>";
    echo "<td>" . $row['event_name'] . "</td>";
    echo "<td>" . $row['event_type'] . "</td>";
    echo "<td>" . $row['event_month'] . "</td>";
    echo "<td>" . $row['event_desc'] . "</td>";
}
```

```

$eid = $row['event_id'];

        echo "<td>" . "<form method='post'>
action='event_calander_welfare_edit_verify.php'". "<input type='submit'>
value='Edit' name='e_edit'>". "<input type='hidden' value='$eid' name='eid'>" .
"</form>" . "</td>";

        echo "</tr>";

    }

?>

</table>

</center>


</body>

</html>

```

### 33) Edit Form for Event Calendar

#### a. Screenshots



#### b. Code

```

<?php
session_start();
if(isset($_SESSION['loggedin']))

```

```

{
    echo "<h3>". $_SESSION['username'] . " - " . $_SESSION['utype'] . "</h3>";
}
?>
<center>
<?php
include_once('connection.php');
if(isset($_POST['e_edit']))
{
$eid = $_POST['eid'];
$query = "select * from event_calander where event_id = '$eid' ";
$result = mysqli_query($conn, $query) or die( mysqli_error($conn));
while($row = mysqli_fetch_array($result))
{
$eid = $row['event_id'];
$ename = $row['event_name'];
$etype = $row['event_type'];
$edate = $row['event_month'];
$edesc = $row['event_desc'];
#echo $eid . $ename . $etype . $edate . $edesc;
}
if(isset($_POST['eedit']))
{
function alertmsg($alt_msg)
{
echo("<script type='text/javascript'>
        alert(\".$alt_msg.\"); </script>");
}
$eid = $_POST['eid'];
}
}

```

```

$ename = $_POST['ename'];
$etype = $_POST['etype'];
$edate = $_POST['edate'];
$edesc = $_POST['edesc'];
#echo $eid . $ename . $etype . $edate . $edesc;

$query = "UPDATE event_calander SET event_name='$ename',
event_type='$etype', event_month='$edate', event_desc='$edesc' WHERE
event_id='$eid'";

$result = mysqli_query($conn, $query) or die( mysqli_error($conn));
if ($result)
{
    $nrows=mysqli_affected_rows($conn);
    if($nrows>0)
    {
        $alt_msg = "Successfully Edited Event!";
        $name = alertmsg($alt_msg);
        echo '<script type="text/javascript">window.location.href =
"event_calander_welfare.php";</script>';
        //header("Location: http://localhost:8080/PHP6/8.html");
        exit;
    }
}

}

?>

<h1><strong style="color:#000033;"> Edit Event Here! </strong> </h1>
<div id="ev_w">

    <form method="post" action='event_calander_welfare_edit_verify.php'>
        Event Name: <input type='text' name='ename' value=<?php echo $ename;
?>" readonly required><br><br>
        Event Type: <select name='etype' value=<?php echo $etype; ?>" required>
                    <option value='Technical'> Technical </option>

```

```

<option value='Non-Technical'> Non-Technical
</option>

<option value='Cultural'> Cultural </option>

<option value='Social'> Social </option>

</select> <br><br>

Event Month: <input type='date' name='edate' value=<?php echo $edate; ?>" required><br><br>

Event Description: <input type='textarea' name='edesc' value=<?php echo $edesc; ?>"><br><br>

<input type='hidden' value='<?php echo $eid;?>' name='eid'>

<center> <input type='submit' value='Edit' name='eedit'> </center>

</form>

</div>

</center>


</body>

</html>

```

## 34) Edit Photos

### a. Screenshots



## b. Code

```
<?php
session_start();
if(isset($_SESSION['loggedin']))
{
    echo "<h3>". $_SESSION['username'] . " - " . $_SESSION['utype'] . "</h3>";
}
?>
<?php
include_once('connection.php');
$query_d = "SELECT * FROM event_calander";
$result = mysqli_query($conn, $query_d);
if(isset($_POST['upload']))
{
    function alertmsg($alt_msg)
    {
        echo("<script type='text/javascript'>
            alert(\"".$alt_msg."\");
        </script>");
    }
    $target = "C:/xampp/htdocs/Practicals/LAMP
Project/Event_Photos/".$_FILES['image_path']['name'];
    $image = $_FILES['image_path']['name'];
    $eid = $_POST['image_event_id'];
    $desc = $_POST['image_desc'];
    $query = "INSERT INTO event_images(image_event_id, image_path,
image_desc) VALUES('$eid', '$image', '$desc')";
    $result = mysqli_query($conn, $query);
    move_uploaded_file($_FILES['image_path']['tmp_name'], $target);
    if($result)
    {
        $alt_msg = "Successfully Uploaded Image!";
    }
}
```

```

$name = alertmsg($alt_msg);

echo '<script type="text/javascript">window.location.href =
"event_photos_welfare.php"; </script>';

}}
```

?>

```

<center> <h1> <strong style="color:#000033;"> Edit Photo </strong> </h1> <br>
<br></center>

<div id="ev_w">

    <form method="post" action="event_photos_welfare.php"
enctype="multipart/form-data">

        Event ID: <select name="image_event_id" required>

        <?php
            while($row = mysqli_fetch_array($result))
{
            $id = $row['event_id'];

            ?>
            <option value="<?php echo $id;?>"><?php echo $id;?> </option>
        <?php
}
            ?>
        </select>
        <br><br>

        Image: <input type="file" name="image_path" required><br>
        Description: <input type="textarea" name="image_desc" required> <br><br>
        <input type="submit" value="Upload Image" name="upload">

    </form>

</div>

</body>

</html>

```

## Screenshots of Data Base

### 1) event\_calander

The screenshot shows the phpMyAdmin interface for the 'event\_calander' table. The table has five columns: event\_id, event\_name, event\_type, event\_month, and event\_desc. The event\_id column is the primary key (PRIMARY). The table contains five rows with sample data.

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	event_id	varchar(4)	utf8mb4_general_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
2	event_name	varchar(30)	utf8mb4_general_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
3	event_type	varchar(20)	utf8mb4_general_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
4	event_month	date			No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
5	event_desc	text	utf8mb4_general_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>

The screenshot shows the phpMyAdmin interface displaying the results of a SELECT query on the 'event\_calander' table. The query is: `SELECT * FROM `event_calander`;`. The results show five rows of event data.

	event_id	event_name	event_type	event_month	event_desc
1	EV1	Vaudeville	Technical	2021-01-18	It is organized by ITNU. It is cultural event of I...
2	EV2	NUTECH	Technical	2021-03-17	It is National Level tech event organized by ITNU...
3	EV3	UDAAN	Technical	2021-05-20	It is organized by NSS, SoT, ITNU. It is social ev...
4	EV4	Education D Evolutions	Non-Technical	2021-04-14	This event contains the competitions on poetry, es...
5	EV5	NUZEAL	Cultural	2021-02-02	It is University Level Cultural Event

## 2) event\_images

The screenshot shows the phpMyAdmin interface for the 'event\_images' table. The table has four columns: 'image\_id' (bigint(20)), 'image\_event\_id' (varchar(4)), 'image\_path' (varchar(255)), and 'image\_desc' (text). The 'image\_id' column is set to AUTO\_INCREMENT. There is one index named 'test\_image' on the 'image\_event\_id' column.

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	image_id	bigint(20)	utf8mb4_general_ci		No	None	AUTO_INCREMENT		<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
2	image_event_id	varchar(4)	utf8mb4_general_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
3	image_path	varchar(255)	utf8mb4_general_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
4	image_desc	text	utf8mb4_general_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>

The screenshot shows the results of a SELECT query on the 'event\_images' table. The results are:

image_id	image_event_id	image_path	image_desc
1	EV1	up1.jpg	Vaudeville 2019
2	EV2	up2.jpg	Nutech 2019
3	EV5	up3.jpg	NUZEAL 2019
4	EV4	up4.jpg	Education D Evolution 2020
5	EV2	up5.jpg	Nutech 2020

### 3) event\_registration

The screenshot shows the phpMyAdmin interface for the 'event\_registration' table. The table structure is as follows:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	r_id	bigint(20)	utf8mb4_general_ci		No	None	AUTO_INCREMENT		<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
2	e_name	varchar(50)	utf8mb4_general_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
3	s_name	varchar(50)	utf8mb4_general_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
4	s_roll	varchar(50)	utf8mb4_general_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
5	s_email	varchar(50)	utf8mb4_general_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
6	r_subname	varchar(50)	utf8mb4_general_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
7	r_time	timestamp			No	current_timestamp()	ON UPDATE CURRENT_TIMESTAMP()		<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>

The table contains 3 rows of data:

- 1 NUTECH Parth Jasani 18BCE085 18bce085@nirmauni.ac.in Coding, EcoHack, Share-Bazaar 2021-04-23 00:32:10
- 2 NUTECH Ayush Jain 18BCE082 18bce082@nirmauni.ac.in Coding, Share-Bazaar 2021-04-23 00:34:17
- 3 UDAAN Ishika Shah 18BCE082 18bce081@nirmauni.ac.in singing, drawing 2021-04-23 00:37:58

The screenshot shows the phpMyAdmin interface for the 'event\_registration' table structure. The structure is defined as follows:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	r_id	bigint(20)	utf8mb4_general_ci		No	None	AUTO_INCREMENT		<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
2	e_name	varchar(50)	utf8mb4_general_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
3	s_name	varchar(50)	utf8mb4_general_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
4	s_roll	varchar(50)	utf8mb4_general_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
5	s_email	varchar(50)	utf8mb4_general_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
6	r_subname	varchar(50)	utf8mb4_general_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
7	r_time	timestamp			No	current_timestamp()	ON UPDATE CURRENT_TIMESTAMP()		<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>

The table has one index defined:

Action	Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
Edit	PRIMARY	BTREE	Yes	No	r_id	2	A	No	

No partitions are defined.

#### 4) event\_volunteers

The screenshot shows the phpMyAdmin interface for the 'event\_volunteers' table. The table has 8 columns:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	v_id	bigrint(20)	utf8mb4_general_ci	No	None		AUTO_INCREMENT		<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
2	v_ename	varchar(50)	utf8mb4_general_ci	No	None				<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
3	v_sname	varchar(50)	utf8mb4_general_ci	No	None				<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
4	v_rname	varchar(50)	utf8mb4_general_ci	No	None				<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
5	v_email	varchar(50)	utf8mb4_general_ci	No	None				<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
6	v_post	varchar(50)	utf8mb4_general_ci	No	None				<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
7	v_exp	varchar(200)	utf8mb4_general_ci	No	None				<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
8	v_time	timestamp		No	current_timestamp()		ON UPDATE CURRENT_TIMESTAMP()		<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>

Below the table structure, there is a section for 'Indexes' and 'Partitions'. The indexes section shows one primary key index named 'PRIMARY'.

The screenshot shows the phpMyAdmin interface displaying the results of a SQL query: `SELECT * FROM `event_volunteers``. The results show three rows of data:

	v_id	v_ename	v_sname	v_rname	v_email	v_post	v_exp	v_time	
1	1	UDAAN	Parth	Jasani	18BCE085	18bce085@nirmauni.ac.in	Event Manager	I had participated as volunteer in last vaudeville...	2021-04-23 00:31:35
2	2	UDAAN	Ayush	Jain	18BCE082	18bce082@nirmauni.ac.in	Social Media Manager	I had participated as volunteers in last NUZEAL...	2021-04-23 00:33:42
3	3	NUTECH	Greeva	Khant	18BCE074	18bce074@nirmauni.ac.in	Technical Head	I have experience of volunteers in Vaudeville and...	2021-04-23 00:36:30

At the bottom of the interface, there is a 'Bookmark this SQL query' section where users can save the current query for future reference.

## 5) on\_going\_event

The screenshot shows the phpMyAdmin interface for the 'on\_going\_event' table. The table has six columns: 'on\_id' (bigint(20)), 'on\_name' (varchar(50)), 'on\_sdate' (date), 'on\_edate' (date), 'on\_subname' (varchar(300)), and 'on\_pdf' (varchar(300)). A primary key 'on\_id' is defined with a cardinality of 2. The table contains two rows:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	on_id	bigint(20)	utf8mb4_general_ci		No	None	AUTO_INCREMENT		<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
2	on_name	varchar(50)	utf8mb4_general_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
3	on_sdate	date			No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
4	on_edate	date			No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
5	on_subname	varchar(300)	utf8mb4_general_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
6	on_pdf	varchar(300)	utf8mb4_general_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>

The screenshot shows the phpMyAdmin interface displaying the results of a SELECT query: 'SELECT \* FROM `on\_going\_event`'. The results show two rows of data:

	on_id	on_name	on_sdate	on_edate	on_subname	on_pdf
1	1	UDAAN	2021-04-27	2021-04-28	singing, dancing, drawing, drama	UDAAN_Rules.pdf
2	2	NUTECH	2021-05-01	2021-05-02	Coding, Robotics, Chemistry, EcoFest, Share-Bazaar	NUTECH_Rules.pdf

## 6) query\_answer

The screenshot shows the phpMyAdmin interface for the 'query\_answer' table in the 'lamp project' database. The table has three columns: 'query\_id' (bigint(20)), 'query\_user' (varchar(50)), and 'query\_ask' (varchar(250)). A primary key is defined on 'query\_id'. The table contains four rows of data.

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	query_id	bigint(20)	utf8mb4_general_ci		No	None	AUTO_INCREMENT	Change Drop More	
2	query_user	varchar(50)	utf8mb4_general_ci		No	None		Change Drop More	
3	query_ask	varchar(250)	utf8mb4_general_ci		No	None		Change Drop More	

The screenshot shows the results of a SELECT query on the 'query\_answer' table. The query returned 4 rows of data, each containing a question from a user. The questions are:

- 1 18bce065@nirmauni.ac.in Can anyone participate in Vaudeville?
- 2 18bce062@nirmauni.ac.in which type of events will be there in Nutech?
- 3 18bce064@nirmauni.ac.in What type of poetry can we write in education de e...
- 4 18bce062@nirmauni.ac.in Can we participate in more than two events in NUZE?

## 7) query\_answer\_answer

The screenshot shows the phpMyAdmin interface for the 'query\_answer\_answer' table. The table has four columns: answer\_id, question\_id, answer\_user, and answer. The 'answer\_id' column is defined as a bigint(20) with a primary key constraint and auto-increment. The 'question\_id' column is also a bigint(20). The 'answer\_user' column is a varchar(50) with a utf8mb4\_general\_ci collation. The 'answer' column is a varchar(250) with a utf8mb4\_general\_ci collation. There is one index named 'PRIMARY' on the 'answer\_id' column, which is a BTREE type. A note indicates that there is no partitioning defined.

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	answer_id	bigint(20)			No	None	AUTO_INCREMENT		<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
2	question_id	bigint(20)			No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
3	answer_user	varchar(50)	utf8mb4_general_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
4	answer	varchar(250)	utf8mb4_general_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>

The screenshot shows the phpMyAdmin interface displaying the results of a SELECT query on the 'query\_answer\_answer' table. The query is: 'SELECT \* FROM `query\_answer\_answer`'. The results show six rows of data:

	answer_id	question_id	answer_user	answer
1	1	1	18bcc082@nirmauni.ac.in	It is only for students of ITNU.
2	2	3	18bcc002@nirmauni.ac.in	The topics will be decided at time of competition....
3	3	2	18bcc074@nirmauni.ac.in	Technical events of different engineering fields w...
4	4	3	18bcc074@nirmauni.ac.in	Last year, the topic was politics and save girls ...
5	5	1	18bcc001@nirmauni.ac.in	Only Student of ITNU.
6	6	2	18bcc001@nirmauni.ac.in	Coding, Robotics, Finance etc type of events will ...

## 8) signup

The screenshot shows the phpMyAdmin interface for the 'lamp project' database. The left sidebar lists various databases and tables, including 'New', 'dms\_project\_B2\_85\_105', 'information\_schema', 'lamp project', 'lms', 'mysql', 'performance\_schema', 'phpmyadmin', 'sparks\_task\_1\_banking', and 'test'. The 'signup' table is selected under the 'lamp project' section.

**Table Structure:**

#	Name	Type	Collation	Attributes	Null	Default	Comments	Action
1	sno	bigint(20)			No	None	AUTO_INCREMENT	<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
2	name	varchar(50)	utf8mb4_general_ci		No	None		<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
3	utype	varchar(20)	utf8mb4_general_ci		No	None		<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
4	username	varchar(50)	utf8mb4_general_ci		No	None		<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
5	password	varchar(23)	utf8mb4_general_ci		No	None		<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>
6	dt	datetime			No	None		<a href="#">Change</a> <a href="#">Drop</a> <a href="#">More</a>

**Indexes:**

Action	Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
<a href="#">Edit</a> <a href="#">Drop</a>	PRIMARY	BTREE	Yes	No	sno	6	A	No	

**Partitions:**

No partitioning defined!

The screenshot shows the phpMyAdmin interface for the 'lamp project' database. The left sidebar lists various databases and tables, including 'New', 'dms\_project\_B2\_85\_105', 'information\_schema', 'lamp project', 'lms', 'mysql', 'performance\_schema', 'phpmyadmin', 'sparks\_task\_1\_banking', and 'test'. The 'signup' table is selected under the 'lamp project' section.

**Query Results:**

```
SELECT * FROM `signup`
```

Showing rows 0 - 6 (total, Query took 0.0015 seconds.)

	sno	name	utype	username	password	dt
<a href="#">Edit</a> <a href="#">Copy</a> <a href="#">Delete</a>	1	Khushal Ashawa	Admin	khushal.ashawa@nirmauni.ac.in	Khusha@1234	2021-04-22 23:08:17
<a href="#">Edit</a> <a href="#">Copy</a> <a href="#">Delete</a>	2	Jay Maheta	Faculty	jay.maheta@nirmauni.ac.in	Jay@1234	2021-04-22 23:09:24
<a href="#">Edit</a> <a href="#">Copy</a> <a href="#">Delete</a>	3	Parth Jasani	Student	18bce085@nirmauni.ac.in	Parth@1234	2021-04-22 23:10:09
<a href="#">Edit</a> <a href="#">Copy</a> <a href="#">Delete</a>	4	Ayush Jain	Student	18bce082@nirmauni.ac.in	Ayush2020@	2021-04-22 23:10:55
<a href="#">Edit</a> <a href="#">Copy</a> <a href="#">Delete</a>	5	Greeva Khand	Student	18bce074@nirmauni.ac.in	Greeva2020@	2021-04-22 23:11:57
<a href="#">Edit</a> <a href="#">Copy</a> <a href="#">Delete</a>	6	Ishika Shah	Student	18bce081@nirmauni.ac.in	Ishika2020@	2021-04-22 23:12:29
<a href="#">Edit</a> <a href="#">Copy</a> <a href="#">Delete</a>	7	Kaushal Jari	Student	18bce084@nirmauni.ac.in	Kausha@2020	2021-04-22 23:13:11

**Query results operations:**

[Print](#) [Copy to clipboard](#) [Export](#) [Display chart](#) [Create view](#)

**Bookmark this SQL query**