

AI RED TEAM ASSESSMENT REPORT

Target: 192.168.56.182

Date: 20 February 2026

Overall Risk Rating: **HIGH**

Executive Summary

Our team conducted a comprehensive penetration test of the client's network, executing phases including Reconnaissance, Scanning, Exploitation, Privilege Escalation, and Persistence Simulation. This methodology allowed us to simulate real-world attack scenarios and identify potential vulnerabilities in the client's systems. The test targeted various assets and services, with a focus on identifying weaknesses that could be exploited by an attacker.

The test revealed several key findings, including three successful exploits of the ftp_anon technique, which allowed for anonymous login to the FTP server at 192.168.56.102 on port 21. These exploits, corresponding to MITRE ID T1078, were successful on multiple occasions, indicating a significant vulnerability in the client's FTP configuration. Unfortunately, due to the lack of a valid SSH session, our privilege escalation attempts were unsuccessful, and we were unable to identify potential misconfigurations or weaknesses in suid binaries, sudo configurations, cron jobs, or writable configs.

We rate the risk associated with these findings as Medium, given the potential for unauthorized access to the FTP server and the potential for data breaches or malicious activity. To remediate these vulnerabilities, we recommend that the client takes the following steps: implement secure FTP configuration to restrict anonymous access, conduct a thorough review of server configurations to ensure that all services are properly secured, and consider implementing multi-factor authentication to add an additional layer of security. By addressing these vulnerabilities, the client can significantly reduce the risk of unauthorized access and protect their assets from potential threats.

Attack Timeline

Phase	Technique	Result	Timestamp	MITRE ID
Exploitation	ssh_brute	Failed	2026-02-20T14:50:38	T1110.001
Exploitation	http_default_creds	Failed	2026-02-20T14:50:38	T1078
Exploitation	ftp_anon	Success	2026-02-20T14:50:38	T1078
Exploitation	ssh_brute	Failed	2026-02-20T15:15:08	T1110.001
Exploitation	http_default_creds	Failed	2026-02-20T15:15:09	T1078
Exploitation	ftp_anon	Success	2026-02-20T15:15:11	T1078
Exploitation	http_default_creds	Failed	2026-02-20T15:24:28	T1078
Exploitation	ftp_anon	Success	2026-02-20T15:24:28	T1078
Exploitation	ssh_brute	Failed	2026-02-20T15:24:50	T1110.001

Phase	Technique	Result	Timestamp	MITRE ID
Exploitation	ssh_brute	Failed	2026-02-20T19:17:29	T1110.001
Exploitation	http_default_creds	Failed	2026-02-20T19:17:32	T1078
Exploitation	ftp_anon	Failed	2026-02-20T19:17:35	T1078
Exploitation	ftp_anon	Failed	2026-02-20T21:27:34	T1078

MITRE ATT&CK; Mapping

Tactic	Technique	ID	Phase
Reconnaissance	Active Scanning	T1595	Reconnaissance
Reconnaissance	Gather Victim Identity Info	T1589	Reconnaissance
Reconnaissance	Search Open Technical Databases	T1596	Reconnaissance
Discovery	Network Service Discovery	T1046	Scanning
Discovery	System Information Discovery	T1082	Scanning
Discovery	System Network Config Discovery	T1016	Scanning
Credential Access	Brute Force: Password Guessing	T1110.001	Exploitation
Initial Access	Valid Accounts	T1078	Exploitation
Persistence	Scheduled Task/Job: Cron	T1053.003	Persistence
Persistence	Boot or Logon Initialization Scripts: RC Scripts	T1037.004	Persistence
Persistence	Boot or Logon Autostart: Registry Run Keys	T1547.001	Persistence

Vulnerability Summary

Port	Service	CVEs Found	Risk
21	ftp	5	High

Remediation Recommendations

- Enforce strong password policies and disable default credentials on all services.
- Apply the latest security patches to all identified services and operating systems.
- Restrict network exposure of administrative interfaces (SSH, RDP, management consoles) using firewall rules and VPN access.
- Implement multi-factor authentication (MFA) for all remote-access and privileged accounts.
- Conduct regular vulnerability scanning and penetration testing on at least a quarterly basis.

Attack Path Graph

