

AI RED TEAM ASSESSMENT REPORT

Target: 192.168.56.102
Date: 21 February 2026
Overall Risk Rating: **HIGH**

Executive Summary

Our team conducted a comprehensive penetration test of your network, encompassing multiple phases including Reconnaissance, Scanning, Exploitation, Privilege Escalation, and Persistence Simulation. This thorough approach allowed us to simulate real-world attacks and identify potential vulnerabilities in your systems. By leveraging various techniques and tools, we aimed to assess the security posture of your network and uncover weaknesses that could be exploited by malicious actors.

The testing revealed a significant vulnerability in the FTP service running on 192.168.56.102, specifically allowing anonymous login, which is a serious security concern. This issue, categorized under MITRE ID T1078, enables unauthorized access to files and potentially allows attackers to execute malicious activities. Unfortunately, due to the lack of a valid SSH session, our privilege escalation attempts were unsuccessful, and we were unable to further exploit the system. However, the anonymous FTP login vulnerability poses a substantial risk to the security and integrity of your data.

We assign a High risk rating to this finding, as the anonymous FTP login vulnerability could be easily exploited by attackers to gain unauthorized access to sensitive files and potentially lead to further malicious activities. To mitigate this risk, we recommend immediately disabling anonymous FTP login on the affected server, implementing secure authentication mechanisms for FTP access, and conducting a thorough review of network configurations to identify and address any other potential security weaknesses. By taking these remediation steps, you can significantly reduce the risk of unauthorized access and protect your network from potential attacks.

Attack Timeline

Phase	Technique	Result	Timestamp	MITRE ID
Exploitation	ssh_brute	Failed	2026-02-21T18:50:27	T1110.001
Exploitation	ftp_anon	Success	2026-02-21T18:50:27	T1078
Exploitation	http_default_creds	Failed	2026-02-21T18:50:27	T1078
Exploitation	cve_check	Failed	2026-02-21T18:50:27	T1190

MITRE ATT&CK; Mapping

Tactic	Technique	ID	Phase
Reconnaissance	Active Scanning	T1595	Reconnaissance
Reconnaissance	Gather Victim Identity Info	T1589	Reconnaissance

Tactic	Technique	ID	Phase
Reconnaissance	Search Open Technical Databases	T1596	Reconnaissance
Discovery	Network Service Discovery	T1046	Scanning
Discovery	System Information Discovery	T1082	Scanning
Discovery	System Network Config Discovery	T1016	Scanning
Credential Access	Brute Force: Password Guessing	T1110.001	Exploitation
Initial Access	Valid Accounts	T1078	Exploitation
Initial Access	Exploit Public-Facing Application	T1190	Exploitation
Persistence	Scheduled Task/Job: Cron	T1053.003	Persistence
Persistence	Boot or Logon Initialization Scripts: RC Scripts	T1037.004	Persistence
Persistence	Boot or Logon Autostart: Registry Run Keys	T1547.001	Persistence

Vulnerability Summary

Port	Service	CVEs Found	Risk
21	ftp	1	Medium
22	ssh	0	Low
23	telnet	5	High
25	smtp	5	High
53	domain	0	Low
80	http	1	Medium
111	rpcbind	1	Medium
139	netbios-ssn	0	Low
445	netbios-ssn	0	Low
514	shell	5	High

Remediation Recommendations

- Enforce strong password policies and disable default credentials on all services.
- Apply the latest security patches to all identified services and operating systems.
- Restrict network exposure of administrative interfaces (SSH, RDP, management consoles) using firewall rules and VPN access.
- Implement multi-factor authentication (MFA) for all remote-access and privileged accounts.
- Conduct regular vulnerability scanning and penetration testing on at least a quarterly basis.
- Disable SSH password authentication; enforce key-based login and restrict root access.
- Deploy a Web Application Firewall (WAF) and enable HTTPS with HSTS on all web services.

Attack Path Graph

