

GRAPHICAL USER INTERFACE FOR



VOICE ASSISTED

TABLE OF CONTENT

1. OVERVIEW
2. MODULES USED
3. DEMONSTRATION VIDEO LINK
4. ABOUT INTERFACE

OVERVIEW

This Project makes user to write lots of code in simple and easier way. It has speech recognition and text to speech so that user can execute those commands via their voice. It stores Query and executable code in Database so that user can use those command again and again.

For Example:

```
1 from boltiot import Bolt
2 import conf
3 mybolt=Bolt(conf.api_key,conf.device_id)
4
5 ctrl=""
6 while ctrl!="exit":
7     value=input("\n Enter On or off :")
8     ctrl=value.lower()
9     if ctrl=="on":
10         response=mybolt.digitalWrite('0','HIGH')
11         print("LED is Sucessfully Turned ON")
12     elif ctrl=="off":
13         response=mybolt.digitalWrite('0','LOW')
14         print("LED is Sucessfully Turned OFF")
15     else:
16         print("Please Enter ON or OFF....or if you want to close enter exit")
```

Instead of typing all these lines of codes user just need to type the main code “digitalWrite(0,‘HIGH’)” in Executable code field, condition which is to be compared in command field and voice output when executed in output field as shown in below image.

After all these fields are filled user needs to click on add button to upload it on Database file.

User can update those queries and delete those queries from database.

Commands

Enter Your Command

turn on light

Enter Executable Code

digitalWrite(0,'HIGH')

Enter output

led turned on successfull

Add

Update

Clear

Delete

{turn on light} digitalWrite(0,'HIGH') {led turned on successfully}

{turn off light} digitalWrite(0,'LOW') {led turned off successfully}

PYTHON MODULES USED


1. boltiot
2. tkinter
3. speechrecognition
4. os
5. pyttsx3
6. urllib.request
7. sqlite3

DEMONSTRATION LINK

https://youtu.be/6F_TE54LLQ8

ABOUT INTERFACE

Settings.py



The screenshot displays a window titled "Bolt IOT With GUI and Voice Assisted". It is divided into two main sections: "Connection" and "Commands".

Connection Section:

- Inputs: "Enter Your Bolt Device ID" and "Enter Your Bolt API Key".
- Buttons: "Connect Bolt Device" and "disconnect".
- Status: "Connected Device : BOLT292522".

Commands Section:

- Inputs: "Enter Your Command" (containing "turn on light") and "Enter Executable Code" (containing "digitalWrite(0,'HIGH')").
- Input: "Enter output" (containing "led turned on successfull").
- Buttons: "Add", "Update", "Clear", and "Delete".
- List: A scrollable area showing two entries:
 - {turn on light} digitalWrite(0,'HIGH') {led turned on successfull}
 - {turn off light} digitalWrite(0,'LOW') {led turned off successfull}

In Connection Section User needs to enter their BOLT Device ID and API Key and click on Connect Bolt Device button. the program will store the information of device for further use. If the Device is already Connected the device ID will be visible on Connected device field and if user wants to connect other device then user needs to click on Disconnect button to delete Device ID and API key which is previously added to Database and another Device details can be stored.

In Commands Section User has Access to Add, Update and Delete the Command on Query Database. There are three input fields in Command Section.


command represents the query which is compared with recognized voice to perform operations.

Executable code represents when the query is successfully matched with the recognized voice, this field will be executed.

Output represents when the code is successfully executed, computer will talk back this field.

And this section has list to show all queries present in database file.

Main.py



Connected device field Shows Device ID which we added to database file.

Command field displays the recognized voice.

When user clicks on Listen button speech recognition function will be called to listen what user speaks and recognize it.

Customize settings button calls settings.py program.

Refresh Network button checks whether internet connection is active/inactive.