In [1]:
```
import openpyxl
import pandas as pd
```

In [2]:
```
workbook=openpyxl.Workbook()
sheet=workbook.active
```

In [3]:
```
data=[
    ['NAME','DOMAIN','AGE','LOCATION','SALARY','EXP'],
    ['ALEX','TESTING',25,'BNG',5000,2],
    ['BARB','JAVA',30,'CHE',10000,3],
    ['CHERRY','C',35,'PUNE',15000,4],
    ['DIPAN','DA',38,'MUMBAI',20000,5],
    ['ESWAR','DS',40,'HYD',50000,6]
]
for row in data:
    sheet.append(row)
workbook.save('data.xlsx')
```

In [4]:
```
data
```

Out[4]:
```
[['NAME', 'DOMAIN', 'AGE', 'LOCATION', 'SALARY', 'EXP'],
 ['ALEX', 'TESTING', 25, 'BNG', 5000, 2],
 ['BARB', 'JAVA', 30, 'CHE', 10000, 3],
 ['CHERRY', 'C', 35, 'PUNE', 15000, 4],
 ['DIPAN', 'DA', 38, 'MUMBAI', 20000, 5],
 ['ESWAR', 'DS', 40, 'HYD', 50000, 6]]
```

In [5]:
```
import os
os.getcwd()
```

Out[5]:
```
'E:\\data Analytics'
```

In [6]:
```
emp=pd.read_excel(r'E:\\data Analytics\data.xlsx')
emp
```

Out[6]:

	NAME	DOMAIN	AGE	LOCATION	SALARY	EXP
0	ALEX	TESTING	25	BNG	5000	2
1	BARB	JAVA	30	CHE	10000	3
2	CHERRY	C	35	PUNE	15000	4
3	DIPAN	DA	38	MUMBAI	20000	5
4	ESWAR	DS	40	HYD	50000	6

In [7]:
```
emp.shape
```

Out[7]:
```
(5, 6)
```

In [8]:
```
emp.columns
```

Out[8]:
```
Index(['NAME', 'DOMAIN', 'AGE', 'LOCATION', 'SALARY', 'EXP'], dtype='object')
```

In [9]:
```
len(emp)
```

Out[9]: 5

In [10]:
```
emp
```

Out[10]:

	NAME	DOMAIN	AGE	LOCATION	SALARY	EXP
0	ALEX	TESTING	25	BNG	5000	2
1	BARB	JAVA	30	CHE	10000	3
2	CHERRY	C	35	PUNE	15000	4
3	DIPAN	DA	38	MUMBAI	20000	5
4	ESWAR	DS	40	HYD	50000	6

In [11]:
```
emp[['SALARY','EXP']]
```

Out[11]:

	SALARY	EXP
0	5000	2
1	10000	3
2	15000	4
3	20000	5
4	50000	6

In [12]:
```
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
```

In [13]:
```
vis1=sns.displot(emp['SALARY'])
```



In [14]:
```
vis2=sns.distplot(emp['SALARY'])
```

```
C:\Users\hp\AppData\Local\Temp\ipykernel_10900\375839575.py:1: UserWarning:

`distplot` is a deprecated function and will be removed in seaborn v0.14.0.

Please adapt your code to use either `displot` (a figure-level function with
similar flexibility) or `histplot` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see
https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751

  vis2=sns.distplot(emp['SALARY'])
```



In [15]:
```
vis3=plt.hist(emp['SALARY'])
```



In [16]:
```
emp
```

Out[16]:

	NAME	DOMAIN	AGE	LOCATION	SALARY	EXP
0	ALEX	TESTING	25	BNG	5000	2
1	BARB	JAVA	30	CHE	10000	3
2	CHERRY	C	35	PUNE	15000	4
3	DIPAN	DA	38	MUMBAI	20000	5
4	ESWAR	DS	40	HYD	50000	6

In [17]:
```
plt.rcParams['figure.figsize']=5,1
```

In [18]:
```
vis4=sns.lmplot(data=emp,x='EXP',y='SALARY')
```



In [19]:
```
vis5=sns.lmplot(data=emp,x='EXP',y='SALARY',fit_reg=False)
```



In [20]:
```
vis6=sns.lmplot(data=emp,x='EXP',y='SALARY',fit_reg=True)
```



MINI PROJECT ARE COMPLETED

In [ ]: