
Meraj Appari A. I Practical - 64 Aim: Implement decision her learning algorithm Implement decision here learning algorithm for any secondary dataset es shows and and Makyos 1) Pecision hee bared learning is classification boxed learning for discrete values and regression to (on tindas values Let of values are given input to decision her and It given output based on classification a prediction 3) Decision The represents protocols swhich can be easily understood by humans- It is a classife which can be represented in the tree shirty where each node is leaf node a decision The Characteristic of decision here are a) Root node is starying node Decision note given the lest to the coursed out gr , decision Teak pode stand for probable final decision A) Every node in the heel he tuns yes (not pro 600 decision Branches of he are labyed with probable reefors

Neeroj Algorithms 2) import modules (panda sklearn tree, pydopalus , Decision Tree Classifer, matplot lib. pyplot, matplot lib. may Sklearn, Sklean tree read CSV 4/0 Converting the votes to float of csu use grahus to create graph
Show of graph in pag he

Predict here




```
The Edit Format Run Options Window Help

ar['Hungry'] = ar['Hungry'].map(a)

d = {'Yes': 1, 'No': 0}

df['Waiting'] = df['Waiting'].map(d)
d = {'Yes': 1, 'No': 0}
df['Costly'] = df['Costly'].map(d)
d = {'Yes': 1, 'No': 0}
df['Rain'] = df['Rain'].map(d)
d = {'Yes': 1, 'No': 0}
df['Reservation'] = df['Reservation'].map(d)
d = {'Yes': 1, 'No': 0}
df['Patrons'] = df['Patrons'].map(d)
d = {'Yes': 1, 'No': 0}
features = [ 'Alternate', 'Bench', 'Hungry', 'Waiting', 'Costly', 'Rain', 'Reservation', 'Patrons']
X = df[features]
y = df['Wait']
                                                                                          File Edit Shell Debug Options Window Help
                                                                                          Python 3.8.3 (tags/v3.8.3:6f8c832, May 13 2
dtree = DecisionTreeClassifier()
dtree = dtree.fit(X, y)
                                                                                          32 bit (Intel)] on win32
                                                                                          Type "help", "copyright", "credits" or "lic
data = tree.export_graphviz(dtree, out_file=None, feature_names=features)
graph = pydotplus.graph from dot data(data)
                                                                                          on.
graph.write_png('mydecisiontree.png')
                                                                                          ====== RESTART: E:\fffiiles\college pracs
                                                                                          ру =====
img=pltimg.imread('mydecisiontree.png')
imgplot = plt.imshow(img)
                                                                                          ['Yes']
                                                                                          >>>
plt.show()
print(dtree.predict([[1, 0, 1, 1, 0, 1, 1, 1]]))
Type here to search
                                 😃 🛱 🧿 🩋 🔚 艾 💃 📳 🕎 🥫 💆 🖺 🖼 💆
                                                                                                                (3) A<sup>A</sup> へ (点 中)) ENG 09:30 
02-08-2021 
電
```

p4 try 2.py - E:\fffiiles\college pracs and projects\Al\p4 try 2.py (3.8.3)



```
File Edit Format Run Options Window Help
ar['Hungry'] = ar['Hungry'].map(a)
d = {'Yes': 1, 'No': 0}
df['Waiting'] = df['Waiting'].map(d)
d = {'Yes': 1, 'No': 0}
df['Costly'] = df['Costly'].map(d)
d = {'Yes': 1, 'No': 0}
df['Rain'] = df['Rain'].map(d)
d = {'Yes': 1, 'No': 0}
df['Reservation'] = df['Reservation'].map(d)
d = {'Yes': 1, 'No': 0}
df['Patrons'] = df['Patrons'].map(d)
d = {'Yes': 1, 'No': 0}
features = [ 'Alternate', 'Bench', 'Hungry', 'Waiting', 'Costly', 'Rain', 'Reservation', 'Patrons']
X = df[features]
y = df['Wait']
dtree = DecisionTreeClassifier()
dtree = dtree.fit(X, y)
data = tree.export_graphviz(dtree, out_file=None, feature_names=features)
graph = pydotplus.graph from dot data(data)
graph.write_png('mydecisiontree.png')
img=pltimg.imread('mydecisiontree.png')
imgplot = plt.imshow(img)
plt.show()
print(dtree.predict([[1, 0, 1, 0, 0, 1, 0, 0]]))
                                                                                                                                                  Ln: 46 Col: 0
```

U H 🕠 🥷 🔚 🐯 💃 🖺 🖺 🖟 🧟 🗷 🖺 🗷 👂

🐊 \*p4 try 2.py - E:\fffiiles\college pracs and projects\AI\p4 try 2.py (3.8.3)\*

Type here to search

```
The Edit Format Run Options Window Help

ar['Hungry'] = ar['Hungry'].map(a)

d = {'Yes': 1, 'No': 0}


df['Waiting'] = df['Waiting'].map(d)
d = {'Yes': 1, 'No': 0}
df['Costly'] = df['Costly'].map(d)
d = {'Yes': 1, 'No': 0}
df['Rain'] = df['Rain'].map(d)
d = {'Yes': 1, 'No': 0}
df['Reservation'] = df['Reservation'].map(d)
d = {'Yes': 1, 'No': 0}
df['Patrons'] = df['Patrons'].map(d)
d = {'Yes': 1, 'No': 0}
features = [ 'Alternate', 'Bench', 'Hungry', 'Waiting', 'Costly', 'Rain', 'Reservation', 'Patrons']
X = df[features]
y = df['Wait']
dtree = DecisionTreeClassifier()
dtree = dtree.fit(X, y)
data = tree.export_graphviz(dtree, out_file=None, feature_names=features)
graph = pydotplus.graph from dot data(data)
graph.write_png('mydecisiontree.png')
img=pltimg.imread('mydecisiontree.png')
imgplot = plt.imshow(img)
plt.show()
print(dtree.predict([[1, 0, 1, 0, 0, 1, 0, 0]]))
                                                                                                                                                   Ln: 46 Col: 0
```

🕓 計 🧿 🙋 🤚 🐯 💃 🖺 🖼 🖫 🕝 🗷 🖭 🗃 💋

(A) A<sup>R</sup> 수 (유 다)) ENG 09:31 02-08-2021

\*p4 try 2.py - E:\fffiiles\college pracs and projects\AI\p4 try 2.py (3.8.3)\*

Type here to search





```
p4 try 2-b.py - E:/fffiiles/college pracs and projects/Al/p4 try 2-b.py (3.8.3)
File Edit Format Run Options Window Help

import pandas
from sklearn import tree
import pydotplus
from sklearn.tree import DecisionTreeClassifier
import matplotlib.pyplot as plt
import matplotlib.image as pltimg
#Neeraj Appari
df = pandas.read_csv("play.csv")
d = {'Yes': 1, 'No': 0}
df['Ground'] = df['Ground'].map(d)
d = {'Yes': 1, 'No': 0}
df['Day'] = df['Day'].map(d)
d = {'Yes': 1, 'No': 0}
df['Weekend'] = df['Weekend'].map(d)
d = {'Yes': 1, 'No': 0}
d = { les . 1, No . 0}
df['Costly'] = df['Costly'].map(d)
d = { 'Yes': 1, 'No': 0}
df['Rain'] = df['Rain'].map(d)
d = {'Yes': 1, 'No': 0}
df['Team'] = df['Team'].map(d)
d = {'Yes': 1, 'No': 0}
features = [ 'Ground', 'Day', 'Weekend', 'Costly', 'Rain', 'Team']
X = df[features]
y = df['Play']
dtree = DecisionTreeClassifier()
dtree = dtree.fit(X, y)
data = tree export graphyiz(dtree out file=None feature names=features)
                                                                                                                                                                   Ln: 7 Col: 14
```

sas

🥝 🕼 🝱 🖭 🚇 🦫

□ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □ 
 □

Type here to search

(3) x<sup>R</sup> へ (4) ENG 09:54 02-08-2021

```
GPHY2-DPY Editions Find and Mindow Help

d['Ground'] = dT['Ground'].map(d)

d = {'Yes': 1, 'No': 0}

df['Day'] = df['Day'].map(d)

d = {'Yes': 1, 'No': 0}
d = {'Yes': 1, 'No': 0}
df['Weekend'] = df['Weekend'].map(d)
d = {'Yes': 1, 'No': 0}
df['Costly'] = df['Costly'].map(d)
d = {'Yes': 1, 'No': 0}
df['Rain'] = df['Rain'].map(d)
d = {'Yes': 1, 'No': 0}
df['Team'] = df['Team'].map(d)
d = {'Yes': 1, 'No': 0}
features = [ 'Ground', 'Day', 'Weekend', 'Costly', 'Rain', 'Team']
X = df[features]
y = df['Play']
dtree = DecisionTreeClassifier()
dtree = dtree.fit(X, y)
data = tree.export_graphviz(dtree, out_file=None, feature_names=features)
graph = pydotplus.graph from dot data(data)
graph.write_png('mydecisiontree.png')
img=pltimg.imread('mydecisiontree.png')
imgplot = plt.imshow(img)
plt.show()
print(dtree.predict([[1, 0, 1, 0, 0, 0]]))
```

p4 try 2-b.py - E:/fffiiles/college pracs and projects/AI/p4 try 2-b.py (3.8.3)

Type here to search

Ln: 7 Col: 14

(3) x<sup>R</sup> へ (3 は)) ENG 09:54 02-08-2021

