

Aim: install MySQL to configure database server
install phpMyAdmin to operate MySQL on
web browser from clients

Description

- 1) Apache - Apache is the most commonly used web server on Linux system. Web servers are used to serve web pages requested by client. Typically request and view web pages using web browser applications such as Firefox, Opera, Chromium or Internet Explorer.
- 2) Phpmyadmin - phpMyAdmin is a free software for written in PHP, intended to handle the administration of MySQL over the web. phpMyAdmin supports a wide range of operations on MySQL and Maria DB.
- 3) MySQL - MySQL is Oracle backed open relational database management system (RDBMS) based on Structured Query Language (SQL). MySQL runs virtually all platforms like Linux, Unix & Windows.

x Steps - 1) sudo apt install apache2 - To install Apache & HTTP web services

1) To start/stop apache2 service

2) Create test html file

3) sudo apt-get install php - To install php

4) Create test php file

Date
06/04/21

Neerav Appai 7073

SDS	Page No.
Date	

- 6) Sudo apt install libapache2-mod-php - To install
0 partle mod php
- 7) Sudo apt get install mysql server Client - To install
MySQL
- 8) Now Apache MySQL & PHP are install - final
phy my admin
- a) Sudo apt get install phy my admin - To install
phpmyAdmin

WhatsApp

Ubuntu Gnome 16

CentOS-610-64-minimal:1 (gues

onworks.net/osessionx06/#/client/REVQVVMVABjAGRiZmF1bHQ=?username=guest01&password=server0101

HDFCLife.com

Get life cover & market-linked benefits.

HDFC Life click 2 wealth

PLAN NOW

Open Session

Save Session

Free Trial Available

Start Building With NVIDIA

Deploy AI Models from Any Framework with Triton. Try It Free

Machine View

Terminal

onworks@onworks-Standard-PC-i440FX-PIIX-1996: ~
onworks@onworks-Standard-PC-i440FX-PIIX-1996:~\$ sudo apt-get install apache2
[sudo] password for onworks:
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following packages were automatically installed and are no longer required:
linux-headers-4.15.0-45 linux-headers-4.15.0-45-generic
linux-image-4.15.0-45-generic linux-modules-4.15.0-45-generic
linux-modules-extra-4.15.0-45-generic
Use 'sudo apt autoremove' to remove them.
The following additional packages will be installed:
apache2-bin apache2-data apache2-utils libapr1 libaprutil1
libaprutil1-dbd-sqlite3 libaprutil1-ldap liblua5.1-0
Suggested packages:
apache2-doc apache2-suexec-pristine | apache2-suexec-custom
The following NEW packages will be installed:
apache2 apache2-bin apache2-data apache2-utils libapr1 libaprutil1
libaprutil1-dbd-sqlite3 libaprutil1-ldap liblua5.1-0
0 upgraded, 9 newly installed, 0 to remove and 395 not upgraded.
Need to get 1.636 kB of archives.
After this operation, 6.287 kB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://de.archive.ubuntu.com/ubuntu xenial/main i386 libapr1 i386 1.5.2-3
[95,1 kB]

Free English Writing Tool

Remove Ads

Load my files

Save my files

NVIDIA Triton Inference Server

Open Source Inference Software

Simplify and Scale

Type here to search

20:42

06-09-2021

onworks.net/osectionx06/#/client/REVGQVVMVABjAGRIzmF1bHQ=?username=guest01&password=server0101

Get life cover & market-linked benefits.

HDFC Life click 2 wealth

PLAN NOW

Open Session

Save Session

Free Trial Available

Start Building With NVIDIA

Deploy AI Models from Any Framework with Triton. Try It Free

Machine View

Terminal

onworks@onworks-Standard-PC-i440FX-PIIX-1996: ~
Setting up php-pear (1:1.10.1+submodules+notgz-6ubuntu0.3) ...
Setting up php-gettext (1.0.11-2build1) ...
Setting up php7.0-mbstring (7.0.33-0ubuntu0.16.04.16) ...
Creating config file /etc/php/7.0/mods-available/mbstring.ini with new version
Setting up php-mbstring (1:7.0+35ubuntu6.1) ...
Setting up php7.0-mcrypt (7.0.33-0ubuntu0.16.04.16) ...
Creating config file /etc/php/7.0/mods-available/mcrypt.ini with new version
Setting up php-mcrypt (1:7.0+35ubuntu6.1) ...
Setting up php7.0-mysql (7.0.33-0ubuntu0.16.04.16) ...
Creating config file /etc/php/7.0/mods-available/mysqlnd.ini with new version
Creating config file /etc/php/7.0/mods-available/mysql.ini with new version
Creating config file /etc/php/7.0/mods-available/pdo_mysql.ini with new version
Setting up php-mysql (1:7.0+35ubuntu6.1) ...
Setting up php-phpseclib (2.0.1-1build1) ...
Setting up php-tcpdf (6.0.093+dfsg-1ubuntu1) ...
Setting up phpmyadmin (4:4.5.4.1-2ubuntu2.1) ...
dbconfig-common: writing config to /etc/dbconfig-common/phpmyadmin.conf
Creating config file /etc/dbconfig-common/phpmyadmin.conf with new version
Creating config file /etc/phpmyadmin/config-db.php with new version
dbconfig-common: Flushing administrative password
apache2_invoke: Enable configuration phpmyadmin
Processing triggers for libc-bin (2.23-0ubuntu1) ...
Processing triggers for libapache2-mod-php7.0 (7.0.33-0ubuntu0.16.04.16) ...
Processing triggers for php7.0-fpm (7.0.33-0ubuntu0.16.04.16) ...
onworks@onworks-Standard-PC-i440FX-PIIX-1996:~\$ sudo service apache2 restart
onworks@onworks-Standard-PC-i440FX-PIIX-1996:~\$

Free English Writing Tool

Remove Ads

Load my files

Save my files

NVIDIA Triton Inference Server

Open Source Inference Software

Simplify and Scale

Type here to search

21:17 06-09-2021

WhatsApp

Ubuntu Gnome 16

CentOS-610-64-minimal:1 (guest)

+

onworks.net/osectionx06/#/client/REVGQVVMVABjAGRiZmF1bHQ=?username=guest01&password=server0101

☆

+

⌵

HDFCLife.com

Get life cover & market-linked benefits.

HDFC Life Click 2 Wealth

PLAN NOW

Open Session

Save Session

Free Trial Available

Start Building With NVIDIA

Deploy AI Models from Any Framework with Triton. Try It Free

Machine View

Files

onworks@onworks-Standard-PC-i440FX-PIIX-1996: ~

onworks@onworks-Standard-PC-i440FX-PIIX-1996:~\$ sudo apt-get install apache2

[sudo] password for onworks:

Recent

Home

Desktop

Documents

Downloads

Music

Pictures

Videos

Trash

Network

Computer

Floppy Disk

Connect to Server

bin

boot

cdrom

dev

etc

home

lib

media

mnt

opt

proc

root

run

sbin

snap

srv

sys

tmp

usr

var

initrd.img

initrd.img.old

vmlinuz

vmlinuz.old

"var" selected (containing 15 items)

Free English Writing Tool

Remove Ads

Load my files

Save my files

NVIDIA Triton Inference Server


Open Source Inference Software

Simplify and Scale

Type here to search

20:42

06-09-2021



WhatsApp

Ubuntu Gnome 16

CentOS-610-64-minimal:1 (gues

onworks.net/osessionx06/#/client/REVGQVVMVABjAGRIzmF1bHQ=?username=guest01&password=server0101

HDFCLife.com

Get life cover & market-linked benefits.

HDFC Life Click 2 Wealth

PLAN NOW

Free Trial Available

Start Building With NVIDIA

Deploy AI Models from Any Framework with Triton. Try It Free

Machine View

Apache2 Ubuntu Default Page: It works - Mozilla Firefox

Apache2 Ubuntu Default Page: X

file:///var/www/html/index.html

17:16

Ubuntu Logo

Apache2 Ubuntu Default Page

It works!

This is the default welcome page used to test the correct operation of the Apache2 server after installation on Ubuntu systems. It is based on the equivalent page on Debian, from which the Ubuntu Apache packaging is derived. If you can read this page, it means that the Apache HTTP server installed at this site is working properly. You should **replace this file** (located at `/var/www/html/index.html`) before continuing to operate your HTTP server.

If you are a normal user of this web site and don't know what this page is about, this probably means that the site is currently unavailable due to maintenance. If the problem persists, please contact the site's administrator.

Configuration Overview

Ubuntu's Apache2 default configuration is different from the upstream default configuration, and split into several files optimized for interaction with Ubuntu tools. The configuration system is **fully documented in `/usr/share/doc/apache2/README.Debian.gz`**. Refer to this for the full documentation. Documentation for the web server itself can be found by accessing the **manual** if the `apache2-doc` package was installed on this server.

The configuration layout for an Apache2 web server installation on Ubuntu systems is as follows:

```
/etc/apache2/  
|-- apache2.conf  
|-- ports.conf  
|-- mods-enabled  
|   |-- *.load  
|   |-- *.conf  
|-- conf-enabled  
|   |-- *.conf  
|-- sites-enabled  
|   |-- *.conf
```

Free English Writing Tool

Remove Ads

Load my files

Save my files

NVIDIA Triton Inference Server

Open Source Inference Software

Simplify and Scale

Type here to search

20:46 06-09-2021

WhatsApp

Ubuntu Gnome 16

CentOS-610-64-minimal:1 (guest)

+

onworks.net/sessionx06/#/client/REVGQVVMVABjAGRiZmF1bHQ=?username=guest01&password=server0101

☆

+

⌵

HDFCLife.com

Get life cover & market-linked benefits.

HDFC Life Click 2 Wealth

PLAN NOW

Open Session

Save Session

Free Trial Available

Start Building With NVIDIA

Deploy AI Models from Any Framework with Triton. Try It Free

Machine View

Index of /test.html - Mozilla Firefox

localhost/test.html/

Index of /test.html

Name	Last modified	Size	Description
Parent Directory	-	-	-
Apache/2.4.18 (Ubuntu) Server at localhost Port 80			

Free English Writing Tool

Remove Ads

Load my files

Save my files

NVIDIA Triton Inference Server


Open Source Inference Software

Simplify and Scale

Type here to search

20:56

06-09-2021



WhatsApp

Ubuntu Gnome 16

CentOS-610-64-minimal:1 (gues

onworks.net/osectionx06/#/client/REVGQVVMVABjAGRIzmf1bHQ=?username=guest01&password=server0101

HDFCLife.com

Get life cover & market-linked benefits.

HDFC Life click 2 wealth

PLAN NOW

Open Session

Save Session

Free Trial Available

Start Building With NVIDIA

Deploy AI Models from Any Framework with Triton. Try It Free

Machine View

Terminal

onworks@onworks-Standard-PC-i440FX-PIIX-1996: ~
onworks@onworks-Standard-PC-i440FX-PIIX-1996:~\$ sudo service apache2 start
onworks@onworks-Standard-PC-i440FX-PIIX-1996:~\$ sudo chmod -R 777 /var/www/html
onworks@onworks-Standard-PC-i440FX-PIIX-1996:~\$ sudo apt-get install php
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following packages were automatically installed and are no longer required:
linux-headers-4.15.0-45 linux-headers-4.15.0-45-generic linux-image-4.15.0-45-generic
linux-modules-4.15.0-45-generic linux-modules-extra-4.15.0-45-generic
Use 'sudo apt autoremove' to remove them.
The following additional packages will be installed:
php-common php7.0 php7.0-cli php7.0-common php7.0-fpm php7.0-json php7.0-opcache
php7.0-readline
Suggested packages:
php-pear
The following NEW packages will be installed:
php php-common php7.0 php7.0-cli php7.0-common php7.0-fpm php7.0-json php7.0-opcache
php7.0-readline
0 upgraded, 9 newly installed, 0 to remove and 395 not upgraded.
Need to get 3.674 kB of archives.
After this operation, 13.4 MB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://de.archive.ubuntu.com/ubuntu xenial-updates/main i386 php-common all 1:3Subuntu6.1 [10,8 kB]
Get:2 http://de.archive.ubuntu.com/ubuntu xenial-updates/main i386 php7.0-common i386 7.0.33-0ubun
tu0.16.04.16 [860 kB]
Get:3 http://de.archive.ubuntu.com/ubuntu xenial-updates/main i386 php7.0-json i386 7.0.33-0ubun
tu0.16.04.16 [17,1 kB]
Get:4 http://de.archive.ubuntu.com/ubuntu xenial-updates/main i386 php7.0-opcache i386 7.0.33-0ubu
ntu0.16.04.16 [84,1 kB]
Get:5 http://de.archive.ubuntu.com/ubuntu xenial-updates/main i386 php7.0-readline i386 7.0.33-0ub
untu0.16.04.16 [13,5 kB]
Get:6 http://de.archive.ubuntu.com/ubuntu xenial-updates/main i386 php7.0-cli i386 7.0.33-0ubuntu0

Free English Writing Tool

Remove Ads

Load my files

Save my files


NVIDIA Triton Inference Server


Open Source Inference Software


Simplify and Scale


Type here to search

20:58 06-09-2021









WhatsApp

Ubuntu Gnome 16

CentOS-610-64-minimal:1 (guest)

onworks.net/osessionx06/#/client/REVGQVVMVABjAGRIzmF1bHQ=?username=guest01&password=server0101

Get life cover & market-linked benefits.

HDFC Life click 2 wealth

PLAN NOW

Open Session

Save Session

Free Trial Available

Start Building With NVIDIA

Deploy AI Models from Any Framework with Triton. Try It Free

Terminal

onworks@onworks-Standard-PC-I440FX-PIIX-1996: ~

Setting up php7.0-cli (7.0.33-0ubuntu0.16.04.16) ...
update-alternatives: using /usr/bin/php7.0 to provide /usr/bin/php (php) in auto mode
update-alternatives: using /usr/bin/phar7.0 to provide /usr/bin/phar (phar) in auto mode
update-alternatives: using /usr/bin/phar.phar7.0 to provide /usr/bin/phar.phar (phar.phar) in auto mode
Creating config file /etc/php/7.0/cli/php.ini with new version
Setting up php7.0-fpm (7.0.33-0ubuntu0.16.04.16) ...
Creating config file /etc/php/7.0/fpm/php.ini with new version
Setting up php7.0 (7.0.33-0ubuntu0.16.04.16) ...
Setting up php (1:7.0+35ubuntu6.1) ...
Processing triggers for systemd (229-4ubuntu21.21) ...
Processing triggers for ureadahead (0.100.0-19) ...
onworks@onworks-Standard-PC-I440FX-PIIX-1996:~\$ sudo service apache2 restart
onworks@onworks-Standard-PC-I440FX-PIIX-1996:~\$ sudo apt install libapache2-mod-php
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following packages were automatically installed and are no longer required:
 linux-headers-4.15.0-45 linux-headers-4.15.0-45-generic linux-image-4.15.0-45-generic
 linux-modules-4.15.0-45-generic linux-modules-extra-4.15.0-45-generic
Use 'sudo apt autoremove' to remove them.
The following additional packages will be installed:
 libapache2-mod-php7.0
Suggested packages:
 php-pear
The following NEW packages will be installed:
 libapache2-mod-php libapache2-mod-php7.0
0 upgraded, 2 newly installed, 0 to remove and 395 not upgraded.
Need to get 1.285 kB of archives.
After this operation, 4.005 kB of additional disk space will be used.
Do you want to continue? [Y/n]

Free English Writing Tool

Remove Ads

Load my files

Save my files

NVIDIA Triton Inference Server

Open Source Inference Software

Simplify and Scale

Type here to search

21:09 06-09-2021

onworks.net/osessionx06/#/client/REVGQVVMVABjAGRIzmF1bHQ=?username=guest01&password=server0101

Get life cover & market-linked benefits.

HDFC Life click 2 wealth

PLAN NOW

Free Trial Available

Start Building With NVIDIA

Deploy AI Models from Any Framework with Triton. Try It Free

Machine View

Terminal

onworks@onworks-Standard-PC-I440FX-PIIX-1996: ~
php_invoke: Enable module sockets for apache2 SAPI
php_invoke: Enable module tokenizer for apache2 SAPI
php_invoke: Enable module sysvsem for apache2 SAPI
php_invoke: Enable module json for apache2 SAPI
php_invoke: Enable module sysvmsg for apache2 SAPI
php_invoke: Enable module readline for apache2 SAPI
php_invoke: Enable module sysvshm for apache2 SAPI
php_invoke: Enable module ftp for apache2 SAPI
Module mpm_event disabled.
Enabling module mpm_prefork.
apache2_switch mpm Switch to prefork
apache2_invoke: Enable module php7.0
Setting up libapache2-mod-php (1:7.0+35ubuntu6.1) ...
onworks@onworks-Standard-PC-I440FX-PIIX-1996:~\$ sudo apt-get install mysql-server mysql-client
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following packages were automatically installed and are no longer required:
linux-headers-4.15.0-45 linux-headers-4.15.0-45-generic linux-image-4.15.0-45-generic
linux-modules-4.15.0-45-generic linux-modules-extra-4.15.0-45-generic
Use 'sudo apt autoremove' to remove them.
The following additional packages will be installed:
libaio1 libhtml-template-perl mysql-client-5.7 mysql-client-core-5.7 mysql-common
mysql-server-5.7 mysql-server-core-5.7
Suggested packages:
libipc-sharedcache-perl mailx tinycd
The following NEW packages will be installed:
libaio1 libhtml-template-perl mysql-client mysql-client-5.7 mysql-client-core-5.7 mysql-common
mysql-server mysql-server-5.7 mysql-server-core-5.7
0 upgraded, 9 newly installed, 0 to remove and 395 not upgraded.
Need to get 17.7 MB of archives.
After this operation, 152 MB of additional disk space will be used.
Do you want to continue? [Y/n]

Free English Writing Tool

Remove Ads

Load my files

Save my files

NVIDIA Triton Inference Server

Open Source Inference Software

Simplify and Scale

Type here to search

21:11 06-09-2021

WhatsApp

Ubuntu GNOME 16

CentOS-610-64-minimal:1 (guest)

onworks.net/sessionx06/#/client/REVGQVVMVABjAGRiZmF1bHQ=?username=guest01&password=server0101

HDFCLife.com

Get life cover & market-linked benefits.

HDFC Life Click 2 Wealth

PLAN NOW

Open Session

Save Session

Free Trial Available

Start Building With NVIDIA

Deploy AI Models from Any Framework with Triton. Try It Free

Machine View

Terminal

onworks@onworks-Standard-PC-I440FX-PIIX-1996: ~

Package configuration

Configuring mysql-server-5.7

While not mandatory, it is highly recommended that you set a password for the MySQL administrative "root" user.

If this field is left blank, the password will not be changed.

New password for the MySQL "root" user:

<Ok>

Free English Writing Tool

Remove Ads

Load my files

Save my files

NVIDIA Triton Inference Server

Open Source Inference Software

Simplify and Scale

Type here to search

21:11

06-09-2021

onworks.net/osectionx06/#/client/REVGQVVMVABjAGRiZmF1bHQ=?username=guest01&password=server0101

Machine View

Terminal

onworks@onworks-Standard-PC-I440FX-PIIX-1996: ~
Package configuration

Configuring mysql-server-5.7

Repeat password for the MySQL "root" user:

<Ok>

HDFCLife.com

Get life cover & market-linked benefits.

HDFC Life Click 2 Wealth

PLAN NOW

Free Trial Available

Start Building With NVIDIA

Deploy AI Models from Any Framework with Triton. Try It Free

Free English Writing Tool

Remove Ads

Load my files

Save my files

NVIDIA Triton Inference Server

Open Source Inference Software

Simplify and Scale

Type here to search

21:11 06-09-2021

onworks.net/osectionx06/#/client/REVGQVVMVABjAGRiZmF1bHQ=?username=guest01&password=server0101

Get life cover & market-linked benefits.

HDFC Life Click 2 Wealth

PLAN NOW

Open Session

Save Session

Free Trial Available

Start Building With NVIDIA

Deploy AI Models from Any Framework with Triton. Try It Free

Free English Writing Tool

Remove Ads

Load my files

Save my files

NVIDIA Triton Inference Server

Open Source Inference Software

Simplify and Scale

Machine View

Terminal

onworks@onworks-Standard-PC-I440FX-PIIX-1996: ~
Package configuration

Configuring mysql-server-5.7

Repeat password for the MySQL "root" user:

<Ok>

Type here to search

21:12 06-09-2021

onworks.net/osessionx06/#/client/REVGQVVMVABjAGRIzmF1bHQ=?username=guest01&password=server0101

Get life cover & market-linked benefits.

HDFC Life Click 2 Wealth

PLAN NOW

Free Trial Available

Start Building With NVIDIA

Deploy AI Models from Any Framework with Triton. Try It Free

Machine View

Terminal

onworks@onworks-Standard-PC-i440FX-PIIX-1996: ~
Setting up mysql-common (5.7.33-0ubuntu0.16.04.1) ...
update-alternatives: using /etc/mysql/my.cnf.fallback to provide /etc/mysql/my.cnf (my.cnf) in auto mode
Selecting previously unselected package mysql-server-5.7.
(Reading database ... 249896 files and directories currently installed.)
Preparing to unpack .../mysql-server-5.7.5.7.33-0ubuntu0.16.04.1_1386.deb ...
Unpacking mysql-server-5.7 (5.7.33-0ubuntu0.16.04.1) ...
Selecting previously unselected package libhtml-template-perl.
Preparing to unpack .../libhtml-template-perl_2.95-2_all.deb ...
Unpacking libhtml-template-perl (2.95-2) ...
Selecting previously unselected package mysql-client.
Preparing to unpack .../mysql-client_5.7.33-0ubuntu0.16.04.1_all.deb ...
Unpacking mysql-client (5.7.33-0ubuntu0.16.04.1) ...
Selecting previously unselected package mysql-server.
Preparing to unpack .../mysql-server_5.7.33-0ubuntu0.16.04.1_all.deb ...
Unpacking mysql-server (5.7.33-0ubuntu0.16.04.1) ...
Processing triggers for man-db (2.7.5-1) ...
Processing triggers for systemd (229-4ubuntu21.21) ...
Processing triggers for ureadahead (0.100.0-19) ...
Setting up libaio1:amd64 (0.3.110-2) ...
Setting up mysql-client-core-5.7 (5.7.33-0ubuntu0.16.04.1) ...
Setting up mysql-client-5.7 (5.7.33-0ubuntu0.16.04.1) ...
Setting up mysql-server-core-5.7 (5.7.33-0ubuntu0.16.04.1) ...
Setting up mysql-server-5.7 (5.7.33-0ubuntu0.16.04.1) ...
update-alternatives: using /etc/mysql/mysql.cnf to provide /etc/mysql/my.cnf (my.cnf) in auto mode
Renaming removed key_buffer and myisam-recover options (if present)
Setting up libhtml-template-perl (2.95-2) ...
Setting up mysql-client (5.7.33-0ubuntu0.16.04.1) ...
Setting up mysql-server (5.7.33-0ubuntu0.16.04.1) ...
Processing triggers for libc-bin (2.23-0ubuntu1) ...
Processing triggers for systemd (229-4ubuntu21.21) ...
Processing triggers for ureadahead (0.100.0-19) ...
onworks@onworks-Standard-PC-i440FX-PIIX-1996:~\$

Free English Writing Tool

Remove Ads

Load my files

Save my files

NVIDIA Triton Inference Server

Open Source Inference Software

Simplify and Scale

Type here to search

21:12 06-09-2021

WhatsApp

Ubuntu GNOME 16

CentOS-610-64-minimal:1 (guest)

onworks.net/osessionx06/#/client/REVGQVVMVABjAGRIzmF1bHQ=?username=guest01&password=server0101

Get life cover & market-linked benefits.

HDFC Life click 2 wealth

PLAN NOW

Open Session

Save Session

Free Trial Available

Start Building With NVIDIA

Deploy AI Models from Any Framework with Triton. Try It Free

Free English Writing Tool

Remove Ads

Load my files

Save my files

NVIDIA Triton Inference Server

Open Source Inference Software

Simplify and Scale

Terminal

onworks@onworks-Standard-PC-I440FX-PIIX-1996: ~

```
Preparing to unpack .../mysql-server_5.7.33-0ubuntu0.16.04.1_all.deb ...
Unpacking mysql-server (5.7.33-0ubuntu0.16.04.1) ...
Processing triggers for man-db (2.7.5-1) ...
Processing triggers for systemd (229-4ubuntu21.21) ...
Processing triggers for ureadahead (0.100.0-19) ...
Setting up libaio1:1386 (0.3.110-2) ...
Setting up mysql-client-core-5.7 (5.7.33-0ubuntu0.16.04.1) ...
Setting up mysql-client-5.7 (5.7.33-0ubuntu0.16.04.1) ...
Setting up mysql-server-core-5.7 (5.7.33-0ubuntu0.16.04.1) ...
Setting up mysql-server-5.7 (5.7.33-0ubuntu0.16.04.1) ...
update-alternatives: using /etc/mysql/mysql.cnf to provide /etc/mysql/my.cnf (my.cnf) in auto mode
Renaming removed key buffer and myisam-recover options (if present)
Setting up libhtml-template-perl (2.95-2) ...
Setting up mysql-client (5.7.33-0ubuntu0.16.04.1) ...
Setting up mysql-server (5.7.33-0ubuntu0.16.04.1) ...
Processing triggers for libc-bin (2.23-0ubuntu1) ...
Processing triggers for systemd (229-4ubuntu21.21) ...
Processing triggers for ureadahead (0.100.0-19) ...
onworks@onworks-Standard-PC-I440FX-PIIX-1996:~$ mysql -u root -p
Enter password:
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 4
Server version: 5.7.33-0ubuntu0.16.04.1 (Ubuntu)

Copyright (c) 2000, 2021, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql>
```

Type here to search

21:12 06-09-2021

WhatsApp

Ubuntu Gnome 16

CentOS-610-64-minimal:1 (guest)

onworks.net/osessionx06/#/client/REVGQVVMVABjAGRIzmF1bHQ=?username=guest01&password=server0101

Get life cover & market-linked benefits.

HDFC Life click 2 wealth

PLAN NOW

Open Session

Save Session

Free Trial Available

Start Building With NVIDIA

Deploy AI Models from Any Framework with Triton. Try It Free

Machine View

Terminal

onworks@onworks-Standard-PC-I440FX-PIIX-1996: ~
Renaming removed key_buffer and myisam-recover options (if present)
Setting up libhtml-template-perl (2.95-2) ...
Setting up mysql-client (5.7.33-0ubuntu0.16.04.1) ...
Setting up mysql-server (5.7.33-0ubuntu0.16.04.1) ...
Processing triggers for libc-bin (2.23-0ubuntu1) ...
Processing triggers for systemd (229-4ubuntu21.21) ...
Processing triggers for ureadahead (0.100.0-19) ...
onworks@onworks-Standard-PC-I440FX-PIIX-1996:~\$ mysql -u root -p
Enter password:
Welcome to the MySQL monitor. Commands end with ; or \g.
Your MySQL connection id is 4
Server version: 5.7.33-0ubuntu0.16.04.1 (Ubuntu)
Copyright (c) 2000, 2021, Oracle and/or its affiliates.
Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
mysql> show databases;
+-----+
| Database |
+-----+
| information_schema |
| mysql |
| performance_schema |
| sys |
+-----+
4 rows in set (0.00 sec)
mysql>

Free English Writing Tool

Remove Ads

Load my files

Save my files

NVIDIA Triton Inference Server

Open Source Inference Software

Simplify and Scale

Type here to search

21:13 06-09-2021

WhatsApp

Ubuntu GNOME 16

CentOS-610-64-minimal:1 (guest)

onworks.net/osessionx06/#/client/REVQVVMVABjAGRIzmF1bHQ=?username=guest01&password=server0101

HDFCLife.com

Get life cover & market-linked benefits.

HDFC Life click 2 wealth

PLAN NOW

Open Session

Save Session

Free Trial Available

Start Building With NVIDIA

Deploy AI Models from Any Framework with Triton. Try It Free

Machine View

Terminal

onworks@onworks-Standard-PC-i440FX-PIIX-1996: ~

Database

information_schema

mysql

performance_schema

sys

4 rows in set (0.00 sec)

mysql> exit

Bye

onworks@onworks-Standard-PC-i440FX-PIIX-1996:~\$ sudo apt-get install phpmyadmin

Reading package lists... Done

Building dependency tree

Reading state information... Done

The following packages were automatically installed and are no longer required:

linux-headers-4.15.0-45 linux-headers-4.15.0-45-generic linux-image-4.15.0-45-generic

linux-modules-4.15.0-45-generic linux-modules-extra-4.15.0-45-generic

Use 'sudo apt autoremove' to remove them.

The following additional packages will be installed:

dbconfig-common dbconfig-mysql javascript-common libjs-jquery libjs-sphinxdoc libjs-underscore

libncrypt4 php-gd php-gettext php-mbstring php-mcrypt php-mysql php-pear php-phpseclib

php-tcpdf php-xml php7.0-gd php7.0-mbstring php7.0-mcrypt php7.0-mysql php7.0-xml

Suggested packages:

libncrypt-dev mcrypt php-libsodium php-gmp php-imagick

The following NEW packages will be installed:

dbconfig-common dbconfig-mysql javascript-common libjs-jquery libjs-sphinxdoc libjs-underscore

libncrypt4 php-gd php-gettext php-mbstring php-mcrypt php-mysql php-pear php-phpseclib

php-tcpdf php-xml php7.0-gd php7.0-mbstring php7.0-mcrypt php7.0-mysql php7.0-xml phpmyadmin

0 upgraded, 22 newly installed, 0 to remove and 395 not upgraded.

Need to get 14,0 MB of archives.

After this operation, 53,7 MB of additional disk space will be used.

Do you want to continue? [Y/n] y

Free English Writing Tool

Remove Ads

Load my files

Save my files

NVIDIA Triton Inference Server

Open Source Inference Software

Simplify and Scale

Type here to search

21:14

06-09-2021

onworks.net/osectionx06/#/client/REVGQVVMVABjAGRiZmF1bHQ=?username=guest01&password=server0101

Get life cover & market-linked benefits.

HDFC Life Click 2 Wealth

PLAN NOW

Open Session

Save Session

Free Trial Available

Start Building With NVIDIA

Deploy AI Models from Any Framework with Triton. Try It Free

Free English Writing Tool

Remove Ads

Load my files

Save my files

NVIDIA Triton Inference Server

Open Source Inference Software

Simplify and Scale

Machine View

Terminal

onworks@onworks-Standard-PC-I440FX-PIIX-1996: ~

Package configuration

Configuring phpmyadmin

Please choose the web server that should be automatically configured to run phpMyAdmin.

Web server to reconfigure automatically:

apache2

lighttpd

<Ok>

Type here to search

21:14

06-09-2021

onworks.net/osessionx06/#/client/REVGQVVMVABjAGRiZmF1bHQ=?username=guest01&password=server0101

Get life cover & market-linked benefits.

HDFC Life Click 2 Wealth

PLAN NOW

Open Session

Save Session

Free Trial Available

Start Building With NVIDIA

Deploy AI Models from Any Framework with Triton. Try It Free

Free English Writing Tool

Remove Ads

Load my files

Save my files

NVIDIA Triton Inference Server

Open Source Inference Software

Simplify and Scale

Machine View

Terminal

onworks@onworks-Standard-PC-I440FX-PIIX-1996: ~
Package configuration

Configuring phpmyadmin

Please choose the web server that should be automatically configured to run phpMyAdmin.
Web server to reconfigure automatically:
[*] apache2
[] lighttpd

~Ok~

Type here to search

21:15 06-09-2021

WhatsApp

Ubuntu GNOME 16

CentOS-610-64-minimal:1 (guest)

onworks.net/sessionx06/#/client/REVGQVVMVABjAGRIzmF1bHQ=?username=guest01&password=server0101

HDFCLife.com

Get life cover & market-linked benefits.

HDFC Life Click 2 Wealth

PLAN NOW

Open Session

Save Session

Free Trial Available

Start Building With NVIDIA

Deploy AI Models from Any Framework with Triton. Try It Free

Machine View

Terminal

onworks@onworks-Standard-PC-I440FX-PIIX-1996: ~

Package configuration

Configuring phpmyadmin

The phpmyadmin package must have a database installed and configured before it can be used. This can be optionally handled with dbconfig-common.

If you are an advanced database administrator and know that you want to perform this configuration manually, or if your database has already been installed and configured, you should refuse this option. Details on what needs to be done should most likely be provided in /usr/share/doc/phpmyadmin.

Otherwise, you should probably choose this option.

Configure database for phpmyadmin with dbconfig-common?

<Yes> <No>

Free English Writing Tool

Remove Ads

Load my files

Save my files

NVIDIA Triton Inference Server

Open Source Inference Software

Simplify and Scale

Type here to search

21:16 06-09-2021

WhatsApp

Ubuntu GNOME 16

CentOS-610-64-minimal:1 (guest)

onworks.net/sessionx06/#/client/REVGQVVMVABjAGRIzmF1bHQ=?username=guest01&password=server0101

HDFCLife.com

Get life cover & market-linked benefits.

HDFC Life Click 2 Wealth

PLAN NOW

Open Session

Save Session

Free Trial Available

Start Building With NVIDIA

Deploy AI Models from Any Framework with Triton. Try It Free

Free English Writing Tool

Remove Ads

Load my files

Save my files

NVIDIA Triton Inference Server

Open Source Inference Software

Simplify and Scale

Machine View

phpMyAdmin - Mozilla Firefox

localhost/phpmyadmin/

phpMyAdmin

Welcome to phpMyAdmin

Language

English

Log in

Username:

Password:

Go

Type here to search

21:17

06-09-2021

onworks.net/sessionx06/#/client/REVGQVVMVABjAGRiZmF1bHQ=?username=guest01&password=server0101

Get life cover & market-linked benefits.

HDFC Life Click 2 Wealth

PLAN NOW

Open Session

Save Session

Free Trial Available

Start Building With NVIDIA

Deploy AI Models from Any Framework with Triton. Try It Free

Free English Writing Tool

Remove Ads

Load my files

Save my files

NVIDIA Triton Inference Server

Open Source Inference Software

Simplify and Scale

Machine View

phpMyAdmin - Mozilla Firefox

localhost/phpmyadmin/

phpMyAdmin

Welcome to phpMyAdmin

Language

English

Log in

Username: root

Password: ****

Go

Type here to search

21:18 06-09-2021

onworks.net/osessionx06/#/client/REVGQVVMVABjAGRiZmF1bHQ=?username=guest01&password=server0101

Get life cover & market-linked benefits.

HDFC Life Click 2 Wealth

PLAN NOW

Free Trial Available

Start Building With NVIDIA

Deploy AI Models from Any Framework with Triton. Try It Free

Free English Writing Tool

Remove Ads

Load my files

Save my files

NVIDIA Triton Inference Server

Open Source Inference Software

Simplify and Scale

Machine View

localhost / localhost | phpMyAdmin 4.5.4.1deb2ubuntu2.1 - Mozilla Firefox

Recent | Favorites

New

information_schema

mysql

performance_schema

sys

Databases

SQL

Status

User accounts

Export

More

Create database

Database name

Collation

Create

Database	Collation
<input type="checkbox"/> information_schema	utf8_general_ci Check privileges
<input type="checkbox"/> mysql	latin1_swedish_ci Check privileges
<input type="checkbox"/> performance_schema	utf8_general_ci Check privileges
<input type="checkbox"/> sys	utf8_general_ci Check privileges
Total: 4	latin1_swedish_ci

☐ Check all With selected: [Drop](#)

Note: Enabling the database statistics here might cause heavy traffic between the web server and the MySQL server.

Enable statistics

Console

Type here to search

21:19 06-09-2021

onworks.net/osessionx06/#/client/REVGQVVMVABjAGRIzmF1bHQ=?username=guest01&password=server0101

Get life cover & market-linked benefits.

HDFC Life Click 2 Wealth

PLAN NOW

Free Trial Available

Start Building With NVIDIA

Deploy AI Models from Any Framework with Triton. Try It Free

Free English Writing Tool

Remove Ads

Load my files

Save my files

NVIDIA Triton Inference Server

Open Source Inference Software

Simplify and Scale

Machine View

localhost / localhost | phpMyAdmin 4.5.4.1deb2ubuntu2.1 - Mozilla Firefox

localhost/phpmyadmin/server_databases.php?db=&token=3

Databases

SQL

Status

User accounts

Export

More

Databases

Create database

Collation

Create

Database	Collation
<input type="checkbox"/> information_schema	utf8_general_ci Check privileges
<input type="checkbox"/> mysql	latin1_swedish_ci Check privileges
<input type="checkbox"/> performance_schema	utf8_general_ci Check privileges
<input type="checkbox"/> sys	utf8_general_ci Check privileges
Total: 4	latin1_swedish_ci

☐ Check all With selected: [Drop](#)

Note: Enabling the database statistics here might cause heavy traffic between the web server and the MySQL server.

Enable statistics

Console

Type here to search

21:19 06-09-2021

