


## AWS CloudFront:

**CDN: Content Delivery Network** (Extend ELB endpoint to CloudFront for boosting Performance).

Amazon CloudFront is a fast content delivery network (CDN) service that securely delivers data, videos and API to customers globally with low latency and high transfer speed.



**step1: Create a CloudFront distribution.**

**step1.1: Select the Origin**

#### Origin domain

Choose an AWS origin, or enter your origin's domain name.

edureka-redshift-demo-01.s3.amazonaws.com

edureka-redshift-spectrum-data-01.s3.amazonaws.com

edureka-source-code-001.s3.amazonaws.com

edureka-tcs-001.s3.amazonaws.com

elasticbeanstalk-ap-south-1-761104263507.s3.amazonaws.com

sgj-demo-bucket-large-files.s3.amazonaws.com

Elastic load balancer

No origins available.

Mediastore container

No origins available.

Media Package container

No origins available.

its availability.

☐ Yes

## step1.2: setting

### Settings

#### Price class [Info](#)

Choose the price class associated with the maximum price that you want to pay.

- ☒ Use all edge locations (best performance)
- ☐ Use only North America and Europe
- ☐ Use North America, Europe, Asia, Middle East, and Africa

#### AWS WAF web ACL - *optional*

Choose the web ACL in AWS WAF to associate with this distribution.

#### Alternate domain name (CNAME) - *optional*

Add the custom domain names that you use in URLs for the files served by this distribution.

 To add a list of alternative domain names, use the [bulk editor](#).

#### Custom SSL certificate - *optional*

Associate a certificate from AWS Certificate Manager. The certificate must be in the US East (N. Virginia) Region (us-east-1).


CDN + AnyCast (based on the location assigns the IP)

cdn.cnn.com assigns different-different IP addresses  
IP1: India  
IP2: SEA (South East Asia)  
IP3: Europe

## EC2 pricing

- Dedicated Hosts
- On-Demand
- Reserved Instances
- Spot Instances
- Scheduled Reserved Instances
  - Not available in all regions yet
- Savings Plan

Cost comparison using one EC2 Instance Type



## EC2 cost calculation:


[calculator.s3.amazonaws.com](https://calculator.s3.amazonaws.com) (**Simple Monthly Calculator**): Always be a range.

## Database Migration Service:

step1: create a RDS MySQL Database or (restore from snapshot).

OLAP- Redshift (Dataware house)

## Homogeneous Database Migration:



## DMS (Database Migration Service) 3.4.4

step1: Go to DMS, now we have source DB (running on EC2 instance), target DB (RDS Instance), and DMS.

step2: Create replication Instance

step2.1: create source endpoint and test connection.

step2.2: create target endpoint and test connection.

step3: Create Database Migration tasks

### Create database migration task

#### Task configuration

Task identifier

Descriptive Amazon Resource Name (ARN) - *optional*

A friendly name to override the default DMS ARN. You cannot modify it after creation.

Replication instance

Source database endpoint

Target database endpoint

Migration type [Info](#)

## CDC (Change Data Capture)

Migration type [Info](#)

Migrate existing data ▲

Migrate existing data

Migrate existing data and replicate ongoing changes

Replicate data changes only


database schema and Replicate data changes only  
choice. Click here to find out more. [Learn more](#)

What mandatory fields required to connect to any DB




- 1) Where is this server (IP/DNS)
- 2) What Port (3306 / MySQL)
- DB Credentials**
- 3) User Name (admin2)
- 4) Password (\*\*\*\*\*)

## Heterogeneous Database Migration: (MSSQL->MySQL)




step1: on-prem MSSQL DB on EC2(Windows).




step2: download aws SCT.

step2.1: settings->global setting->AWS Service profile




Test Connection

step2.2: Drivers



step3: file->new project




step3.1: connect to source db

step3.2: connect to target db

step4.1: uncheck everything from target db

step4.2: select the schema from source db.

step4.3: right click create report



step4.4: click on action item tab

step5: select the schema from source db.

Step5.1: convert schema

step6: select the schema from source db (remove the procedures).

step6.1: create DMS task

Create DMS task

Use SCT to create a task in your DMS instance to migrate the data for the tables converted in this project. Define an AWS service profile in the SCT global settings, and choose a default in the current project settings screen.

Task name: Heterogenous-Task-

Replication instance: [Dropdown]

Source endpoint: [Dropdown]

Target endpoint: target-mysql

Migration type: Migrate existing data

Target table preparation mode: Do nothing


Include LOB columns in replication: Don't include LOB columns

Logging: ☒ Enable ☐ Disable

Show table mapping Save table mapping


Local/Local and DMS Task: When you have huge amount of database to be migrated.





## S3-RDS Migration

UC: backup files stores in S3.





step1: create IAM role (DMS read data from S3).

step2: create a new source end point (s3)

step2.1: table structure (.json)

step3: create a DMS migration task.



Simplest



Amazon RDS  
Managed  
Server  
Backups  
AZ  
Read  
Replicas