


```
<article class="media">
  
  <h2>Left to Right!</h2>
  <p>Lorem ipsum dolor sit amet...</p>
</article>
```


```
.media img{
  float: left;
  margin-right: 20px;
}
```

```
<article class="media" dir="rtl">
  
  <h2>Left to Right!</h2>
  <p>Lorem ipsum dolor sit amet...</p>
</article>
```



## Left to Right!

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent interdum porttitor felis eget scelerisque.



## !Right to left

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent interdum porttitor felis .eget scelerisque

## Left to Right!

You'll learn how to prepare your website for RTL languages.  
You'll learn how to prepare your website for RTL languages.

## !Right to left

سوف تتعلم كيفية تحضير موقعك ليعمل باللغات من اليمين إلى اليسار.  
سوف تتعلم كيفية تحضير موقعك ليعمل باللغات من اليمين إلى اليسار.

Taken just as a reference for a standard CSS & SCSS implementation.

These are also some commonly used logical values with interoperable support on all major browsers:-

```
text-align: start | end
justify-content: flex-start | flex-end
align-content: flex-start | flex-end
grid-column-start: <value>
grid-column-end: <value>
inline-size: <width>
margin-block-start/end: <value>
margin-inline-start/end: <value>
padding-block-start/end: <value>
padding-inline-start/end: <value>
border-inline-start/end: <value>
```