

# Image Library

All images

Galleries

Search Images



☐ On/Off toggle

## Body location

- ☐ Scalp
- ☐ Ear
- ☐ Eye
- ☐ Nose
- ☐ Mouth
- ☐ Lip
- ☐ Face
- ☐ Neck



Psoriatic nail dystrophy



Vitiligo on the abdomen with follicular repigmentation



Chronic plaque psoriasis in skin of colour



SHOW FILTERS

- ☐ Shoulder
- ☐ Arm
- ☐ Hand
- ☐ Nails
- ☐ Chest
- ☐ Abdomen
- ☐ Back
- ☐ Flank
- ☐ Hip
- ☐ Buttocks
- ☐ Genitals
- ☐ Anus
- ☐ Leg
- ☐ Foot

## Age



- ☐ 0-5
- ☐ 6-9
- ☐ 10-19
- ☐ 20-29
- ☐ 30-39
- ☐ 40-49
- ☐ 50-59
- ☐ 60-69
- ☐ 70+

Lichenification and hyperpigmentation on the knees in skin of colour due to atopic eczema



Heel pits in pitted keratolysis, (PK-patient3)

Lip lickder's dermatitis



Permanent nail dystrophy following cessation of trauma, (HTD-patient1)



Vitiligo and poliosis in the beard area



Plantar Surface Superior Region Left Foot



Basal cell carcinoma affecting the face



Pigment



SHOW FILTERS

Sex



Category



Lesion Type



Colour



Distribution



Shape



Characteristics



Well-circumscribed red  
scaly plaques - central  
clearing may even  
progress to produce  
annular plaques, (PP-  
patient1)



1

2



SHOW FILTERS