



localhost:8000



YouTube



Google Translate



Java

Prim Tester

Zahl:



YouTube



Google Translate



Java Doc



GitHub



Praktikum



GPT



georgernstgraf/sj2...

DevTools

Devices

Pages

Extensions

Apps

Shared workers

Service workers

Shared storage worklets

Other

Devices



Discover USB devices

Port forwarding...



Discover network targets

Configure...

[Open dedicated DevTools for Node](#)

Remote Target #LOCALHOST

localhost:9229 (2.2.4) [trace](#)

deno - main [pid: 15418] file:///Users/neginmk/WMC/4.AKIF/1.Aufgabe/deno_server/server.ts
[inspect](#) [reload](#)

DevTools

ConsoleSourcesNetworkMemoryPerformance

Scripts>>

ext:core/01_core.jsdelay.tsserver.ts

(no domain)

deno.land

file://

Users/neginm...

server.ts

server.ts

1import { serve } from "https://deno.land/std/http/server.ts";

2import { join } from "https://deno.land/std/path/mod.ts";

3

4const PORT = 8000;

5const HOST = "0.0.0.0"; // Allow external access

6

7console.log(`Server is starting at http://\${HOST}:\${PORT}/`);

8

9serve(async (req) => { req = Request {Symbol(request): {...}, Symbol(headers cache): undefined, Symbol([[webidl. ...

10const url = new URL(req.url); url = URL {#queryObject: null, #serialization: 'http://localhost:8000/', #sche ...

11

12// Serve index.html

13if (url.pathname === "/") { url = URL {#queryObject: null, #serialization: 'http://localhost:8000/', #scheme ...

14debugger;

15const html = await Deno.readFile(join(Deno.cwd(), "index.html"));

16return new Response(html, { status: 200, headers: { "Content-Type": "text/html" } });

17}

18

19// Serve style.css

20if (url.pathname === "/style.css") {

21const css = await Deno.readFile(join(Deno.cwd(), "style.css"));

22return new Response(css, { status: 200, headers: { "Content-Type": "text/css" } });

23}

24

25// Serve script.js

26if (url.pathname === "/script.js") {

27const js = await Deno.readFile(join(Deno.cwd(), "script.js"));

28return new Response(js, { status: 200, headers: { "Content-Type": "application/javascript" } });

29}

30

31// Handle 404

32return new Response("Not Found", { status: 404 });

33}, { port: PORT, hostname: HOST });

34

Debugger paused

Watch

Breakpoints

Pause on uncaught exceptions

Pause on caught exceptions

Scope

Block

html: <value unavailable>

Local

this: Server

req: Request {Symbol(request): {...}, Symbol(headers cache): undefined, Symbol([[webidl. ...

url: URL {#queryObject: null, #serialization: 'http://localhost:8000/', #scheme ...

Module

GlobalWindow

Call Stack

serve.portserver.ts:14

#respondserver.ts:313

#serveHttpserver.ts:360

eventLoopTickext:core/01_core.js:177

await in eventLoopTick

#acceptserver.ts:445

eventLoopTickext:core/01_core.js:177

Line 14, Column 15

(From server.ts) Coverage: n/a

ConsoleAI assistance



```
Server is starting at http://0.0.0.0:8000/ server.ts:7
Listening on http://localhost:8000/ server.ts:661
> url.pathname = "/style.css"
< '/style.css'
>
```



⌕ 📄 Elements Console Sources Network Performance Memory Application >>

Page >> ⋮

script.js × (index)

📁 top

- ☁ localhost:8000
 - (index)
 - script.js

1 ▼ function isPrime(num) {
2 if (num < 2) return false;
3 ▼ | for (let i = 2; i <= Math.sqrt(num); i++) {
4 | if (num % i === 0) return false;
5 | }
6 return true;
7 }
8
9 ▼ function checkPrime() {
10 let input = document.getElementById("number").value;
11 let result = document.getElementById("result");
12

{ } Line 3, Column 1

Coverage: n/a

⏏ ⏮ ⏭ ⏪ ⏩ ⏴ ⏵

▶ Watch

▼ Breakpoints

- ☐ Pause on uncaught exceptions
- ☐ Pause on caught exceptions

▼ script.js

- ☒ for (let i = 2; i ... 3

▼ Scope

Not paused

▼ Call Stack

Not paused

⋮ Console AI assistance 📄 What's new ×

⌕ ↺

Elements Console Sources Network Performance Memory Application >>

⌕ 1 1 ⚙ ⋮ ✕

Page >> ⋮

script.js (index) ✕

⌕

▼ top

▼ localhost:8000

(index)

script.js

9 <body>

10 <div class="container">

11 <h2>Prim Tester</h2>

12 <label for="number">Zahl:</label>

13 <input type="number" id="number" placeholder="Geben Sie e

14 <button onclick="checkPrime()">Check</button>

15 <p id="result"></p>

16 </div>

17 <script src="/script.js"></script>

18

19

⌕ Debugger paused

▶ Watch

▼ Breakpoints

☐ Pause on uncaught exceptions

☐ Pause on caught exceptions

▼ Scope

▼ Local

▶ this: button

▶ event: PointerEvent {isTru

▶ With block button

{ } Line 14, Column 40

Coverage: n/a

⋮ Console AI assistance ⌕ What's new ✕

eL

در

On

Cr

روز

Ac

فرد

Ap

sj2

x

Ne

+

localhost:8000

☆

YouTube

Google Translate

Java Doc

GitHub

Praktikum

GPT

georgernstgraf/sj2...

>>

Paused in debugger

Prim Tester

Zahl:

Elements

Console

Sources

Network

Performance

Memory

Application

>>

1

1

Page

>>

script.js

(index) x

top

localhost:8000

(index)

script.js

9

<body>

10

<div class="container">

11

<h2>Prim Tester</h2>

12

<label for="number">Zahl:</label>

13

<input type="number" id="number" placeholder="Geben Sie e<

14

<button onclick="checkPrime()">Check</button>

15

<p id="result"></p>

16

</div>

17

<script src="/script.js"></script>

18

19

{ }

Line 14, Column 40

Coverage: n/a

Debugger paused

Watch

Breakpoints

Pause on uncaught exceptions

Pause on caught exceptions

Scope

Local

this: button

event: PointerEvent {isTru

With block

button

Console

AI assistance

What's new

x

eL

در

On

Cr

روز

Ac

فرد

Ap

sj2

x

Ne

+

←

→

↺

localhost:8000

☆

☰

YouTube

Google Translate

Java Doc

GitHub

Praktikum

GPT

georgernstgraf/sj2...

>>

Paused in debugger

▶

🔄

Prim Tester

Zahl:

☰

📄

Elements

Console

Sources

Network

Performance

Memory

Application

>>

🔴 1

📄 1

⚙️

⋮

✕

📄

🚫

top ▼

👁️

Filter

Default levels ▼

1 Issue: 📄 1

⚙️

🔴 GET <http://localhost:8000/styles.css> net::ERR_ABORTED 404 (Not Found) <localhost/:7> ↕

> i = 100

< 100

> num = 7

< 7

> |

⋮

Console

AI assistance 🛠️

What's new ✕

✕