


# High-Rise Cheeky Brief

A cheeky brief with a high-cut leg and good back coverage.

TECHNICAL DRAWING (from the same draft)



## BODY MEASUREMENTS FOR THIS PATTERN

|                                    |                           |
|------------------------------------|---------------------------|
| Hip (body)                         | 98 cm (38.6 in)           |
| Waist (body)                       | 70 cm (27.6 in)           |
| Top edge                           | 2 cm (0.8 in) below waist |
| Finished top-edge circumference    | 67.5 cm (26.6 in)         |
| Side height                        | 9 cm (3.5 in)             |
| Total rise (front + gusset + back) | 57.5 cm (22.6 in)         |

## PATTERN PIECES

Front — 1 fabric  
Back — 1 fabric  
Gusset — 1 fabric + 1 cotton

## MATERIALS

Fabric: lycra, microfiber or stretch lace (at least 30 % stretch across the width).  
Cotton lining for the gusset: 10 × 15 cm (4 × 6 in).  
Picot lingerie elastic, 8–10 mm (3⁄8 in): 1.5 m (1.6 yd) (legs and waist).

## HOW TO PRINT

A4: print at 100 % (“Actual size”) with “Fit to page” turned off. Follow the assembly map.  
Plotter: send the sheet at actual size as it is (the file is already at 1:1 scale).  
Before cutting, measure the test square: 10 × 10 cm (3.94 × 3.94 in).

## ORDER OF CONSTRUCTION


1. Cut with the greatest stretch of the fabric running across (horizontal on the pattern).
2. Sew the gusset: front sandwiched between the fabric and the lining (burrito method), then the back. Turn right side out.
3. Close the side seams with a serger or a narrow zigzag.
4. Apply the elastic to the legs and waist 10 % shorter than the edge, picot facing outwards; fold over and topstitch with zigzag.


Pattern drafted with classic pattern-making formulas from the measurements above (one size). A 0.6 cm (¼ in) allowance is included all round (on the legs and waist it is the elastic fold-over). Make a first sample in scrap fabric.


ASSEMBLY MAP


12 A4 sheets · 3 rows (A–C) × 4 columns (1–4).

- 1. Print every sheet at 100 % (“Actual size”). Measure the test square: 10 × 10 cm (3.94 × 3.94 in).
- 2. Trim each sheet along the gray dotted line at the top and on the left (not needed for row A or column 1).
- 3. Lay the trimmed sheet over its neighbor until the gray line and the cross marks match, then tape it down.
- 4. Assemble row by row (A1, A2, A3...), then join the rows together.












**TEST SQUARE**  
It must measure 10 × 10 cm  
(3.94 × 3.94 in). If it does not,  
check you printed at 100 %  
("Actual size", no scaling).

BRIEF 012





Seam allow



Back


Cut 1 in fabric

Seam allowance included: 0.6 cm (0.2 in)

BRIEF 012

Center back







BRIEF 012 · High-Rise Cheeky Brief · scale 1:1 · 60.2 × 52.4 cm (23.7 × 20.6 in)

