

Module 5: Modeling Data


- [Module 5: Modeling Data](#)
 - [Lab: Modeling Data](#)
 - [Lesson 1: Relationships](#)
 - [Demo 1: Working with Relationships in Power BI](#)
 - [Lesson 2: DAX Queries](#)
 - [Demo 1: Using Row and Filter Context in DAX Formulas](#)
 - [Lesson 3: Calculations and Measures](#)
 - [Demo 1: Creating Calculated Columns and Measures with DAX](#)

Lab: Modeling Data

Lesson 1: Relationships

Demo 1: Working with Relationships in Power BI

1. Connect to virtual lab environment.
2. Open the **Desktop\power-bi-quickstart\Demofiles\Mod05** folder.
3. On the Taskbar, click **Power BI Desktop**.
4. Click **New > Report**:



8. In the **Power BI Desktop** window, click **Get data**.
9. In the **Get Data** dialog box, click **Excel**, and then click **Connect**.
10. In the **Open** dialog box, navigate to **Desktop\power-bi-quickstart\Demofiles\Mod05\Demo**, click **Adventure Works Sales Data.xlsx**, and then click **Open**.
11. In the **Navigator** dialog box, select the **DimCurrency**, **DimCustomer**, **DimDate**, **DimProduct**, **DimPromotion**, **DimSalesTerritory**, and **FactInternetSales** check boxes, and then click **Load**.
12. In the views pane on the left-hand side, click **Model**.
13. Point out that Power BI has created the relationships automatically. The layout represents a star schema.
14. Maximize the tables in the relationship diagram to display all columns.
15. Point out that Power BI has not created a relationship to **DimDate** from **FactInternetSales**.
16. On the **Home** tab, click **Manage Relationships**.
17. In the **Manage relationships** dialog box, click **New**.
18. In the **New relationship** dialog box, in the top table list, click **FactInternetSales**. When the table preview appears below, click the **OrderDateKey** column.
19. In the bottom table list, click **DimDate**. When the table preview appears below, click the **DateKey** column.

20. Check that the **Cardinality** is set to **Many to one (*:1)**, the **Cross filter direction** is **Single**, and **Make this relationship active** is selected, and then click **OK**.
21. In the **Manage relationships** dialog box, click **Close**.
22. In the diagram, in the **FactInternetSales** table, click the **DueDateKey** column. Drag the **DueDateKey** column to the **DateKey** column in the **DimDate** table. Point out the dotted line to show that the relationship is inactive. This is because there is more than one related column in the two tables.
23. In the diagram, in the **FactInternetSales** table, click the **ShipDateKey** column. Drag the **ShipDateKey** column to the **DateKey** column of the **DimDate** table. Point out the dotted line to show that the relationship is inactive.
24. Point out that the relationships from **FactInternetSales** to **DimCurrency**, **DimProduct**, **DimPromotion**, and **DimSalesTerritory**, have a cross filter direction of **Single**, indicated by the single arrow icon. These are lookup tables, so should be Single.
25. On the **Home** tab, click **Manage Relationships**.
26. In the **Manage relationships** dialog box, double-click the **FactInternetSales (CurrencyKey)** relationship.
27. In the **Edit relationship** dialog box, in the **Cross filter direction** list, ensure **Single** is selected, and then click **OK**.
28. In the **Manage relationships** dialog box, double-click the **FactInternetSales (ProductKey)** relationship.
29. In the **Edit relationships** dialog box, in the **Cross filter direction** list, ensure **Single** is selected, and then click **OK**.
30. In the **Manage relationships** dialog box, double-click the **FactInternetSales (PromotionKey)** relationship.
31. In the **Edit relationships** dialog box, in the **Cross filter direction** list, ensure **Single** is selected, and then click **OK**.
32. In the **Manage relationships** dialog box, double-click the **FactInternetSales (SalesTerritoryKey)** relationship.
33. In the **Edit relationships** dialog box, in the **Cross filter direction** list, ensure **Single** is selected, and then click **OK**.
34. In the **Manage relationships** dialog box, click **Close**.
35. Click the relationship line between **FactInternetSales** and **DimCustomer**. Point out that this is a one to one relationship because the FactInternetSales table only contains an extract. Normally this would be many to one. This must be changed so it is ready for the remainder of the data to be loaded later.
36. Right-click the relationship line between **FactInternetSales** and **DimCustomer**, and then click **Delete**.
37. In the **Delete Relationship** dialog box, click **Delete**.
38. On the **Home** tab, click **Manage Relationships**.
39. In the **Manage relationships** dialog box, click **New**.
40. In the **New relationship** dialog box, in the top table list, click **FactInternetSales** and in the data preview, click the **CustomerKey** column.
41. In the bottom table list, click **DimCustomer**, and in the data preview, click **CustomerKey**.
42. In the **Cardinality** list, click **Many to one (*:1)**, and then click **OK**.

43. In the **Manage relationships** dialog box, click **Close**.
 44. In the diagram, point out that the relationship icon next to **FactInternetSales** is now a star icon.
 45. On the **File** menu, click **Save**, and save the file to the **Desktop\power-bi-quickstart\Demofiles\Mod05\Demo** folder as **Adventure Works Sales 5.pbix**.
 46. Leave Power BI Desktop open for the next demonstration.
-

Lesson 2: DAX Queries

Demo 1: Using Row and Filter Context in DAX Formulas


1. In Power BI Desktop, in the Views list on the left side of the window, click **Report**.
2. In the **Data** pane, right-click **FactInternetSales**, and then click **New measure**.
3. In the formula bar, highlight **Measure =**, type the following script, and then press Enter:

```
TotalSales = SUM(FactInternetSales[SalesAmount])
```

4. In the **Data** pane, right-click **FactInternetSales**, and then click **New column**.
5. In the formula bar, highlight **Column =**, type the following script:

```
European Sales = CALCULATE(FactInternetSales[TotalSales],  
DimSalesTerritory[SalesTerritoryGroup] = "Europe")
```

6. Point out that the **TotalSales** measure has been used in the formula, and then press Enter.
7. In the **Data** pane, select the **European Sales** check box to add it to the report.
8. In the **VISUALIZATIONS** pane, click **Gauge**, and then click **Format**.
9. Expand **Gauge axis**, in the **Max** box, type **1000000**, and in the **Target** box, type **1000000**.



10. Leave Power BI open for the next demonstration.

Lesson 3: Calculations and Measures

Demo 1: Creating Calculated Columns and Measures with DAX

1. In Power BI Desktop, in the view pane, click **Data** to open the data view.
2. In the **Data** pane, click **DimCustomer** to select the table, and preview the data.
3. Right-click **DimCustomer**, and click **New column**.
4. In the formula bar, highlight **Column =**, type the following script, and then press Enter:

```
FullName = [FirstName] & " " & [LastName]
```

1 FullName = [FirstName] & " " & [LastName]									
EnglishEducation	SpanishEducation	FrenchEducation	EnglishOccupation	SpanishOccupation	FrenchOccupation	HouseOwnerFlag	NumberCarsOwned	DateFirstPurchase	FullName
0 Bachelors	Licenciatura	Bac + 4	Management	Gestión	Direction	1	2	Monday, September 17, 2007	Lauren Walker
0 High School	Educación secundaria	Bac + 2	Skilled Manual	Obrero especializado	Technicien	1	2	Friday, July 15, 2005	Shannon Wang
0 Partial College	Estudios universitarios (en curso)	Baccalauréat	Clerical	Administrativo	Employé	1	2	Wednesday, July 20, 2005	Clarence Rai
0 High School	Educación secundaria	Bac + 2	Skilled Manual	Obrero especializado	Technicien	0	2	Thursday, August 16, 2007	Luke Lal
0 High School	Educación secundaria	Bac + 2	Skilled Manual	Obrero especializado	Technicien	0	2	Monday, July 2, 2007	Jordan King
0 Partial College	Estudios universitarios (en curso)	Baccalauréat	Skilled Manual	Obrero especializado	Technicien	1	2	Saturday, December 29, 2007	Russell Xie
0 Partial College	Estudios universitarios (en curso)	Baccalauréat	Clerical	Administrativo	Employé	0	2	Tuesday, July 26, 2005	Harold Sai
0 Partial College	Estudios universitarios (en curso)	Baccalauréat	Clerical	Administrativo	Employé	1	2	Tuesday, July 19, 2005	Jessie Zhao
0 Partial College	Estudios universitarios (en curso)	Baccalauréat	Clerical	Administrativo	Employé	1	2	Friday, July 29, 2005	Jill Jimenez
0 Partial College	Estudios universitarios (en curso)	Baccalauréat	Clerical	Administrativo	Employé	1	2	Friday, July 22, 2005	Jimmy Moreno
0 High School	Educación secundaria	Bac + 2	Skilled Manual	Obrero especializado	Technicien	1	2	Thursday, August 4, 2005	Theresa Ramos
0 High School	Educación secundaria	Bac + 2	Skilled Manual	Obrero especializado	Technicien	1	2	Sunday, August 21, 2005	Denise Stone
0 High School	Educación secundaria	Bac + 2	Skilled Manual	Obrero especializado	Technicien	1	2	Thursday, August 18, 2005	Jaime Nath
0 High School	Educación secundaria	Bac + 2	Skilled Manual	Obrero especializado	Technicien	1	2	Thursday, August 4, 2005	Ebony Gonzalez
0 Partial College	Estudios universitarios (en curso)	Baccalauréat	Skilled Manual	Obrero especializado	Technicien	1	2	Thursday, July 26, 2007	Jennifer Russell
0 Partial High School	Educación secundaria (en curso)	Niveau bac	Clerical	Administrativo	Employé	0	2	Tuesday, July 24, 2007	Chloe Garcia
0 Partial College	Estudios universitarios (en curso)	Baccalauréat	Clerical	Administrativo	Employé	1	2	Wednesday, August 10, 2005	Marc Martin
0 Partial College	Estudios universitarios (en curso)	Baccalauréat	Skilled Manual	Obrero especializado	Technicien	1	2	Friday, October 5, 2007	Jesse Murphy
0 Partial College	Estudios universitarios (en curso)	Baccalauréat	Skilled Manual	Obrero especializado	Technicien	1	2	Wednesday, July 18, 2007	Amanda Carter
0 Partial College	Estudios universitarios (en curso)	Baccalauréat	Skilled Manual	Obrero especializado	Technicien	1	2	Wednesday, July 25, 2007	Megan Sanchez
0 Partial College	Estudios universitarios (en curso)	Baccalauréat	Skilled Manual	Obrero especializado	Technicien	1	2	Friday, November 9, 2007	Nathan Simmons
0 High School	Educación secundaria	Bac + 2	Skilled Manual	Obrero especializado	Technicien	0	2	Friday, October 12, 2007	Leonard Nara
0 High School	Educación secundaria	Bac + 2	Skilled Manual	Obrero especializado	Technicien	1	2	Tuesday, August 9, 2005	Christine Yuan
0 High School	Educación secundaria	Bac + 2	Skilled Manual	Obrero especializado	Technicien	0	2	Saturday, August 6, 2005	Jachyn Lu
0 High School	Educación secundaria	Bac + 2	Skilled Manual	Obrero especializado	Technicien	1	2	Saturday, August 13, 2005	Jeremy Powell
0 Partial High School	Educación secundaria (en curso)	Niveau bac	Clerical	Administrativo	Employé	1	2	Monday, September 10, 2007	Carol Rai
0 High School	Educación secundaria	Bac + 2	Skilled Manual	Obrero especializado	Technicien	1	2	Tuesday, August 23, 2005	Alan Zheng

5. If the new column is not visible, scroll to the right of the table. Note the new **FullName** column in the table.

6. In the **Data** pane, point out the icon next to the new column, which indicates that this has been created using a DAX formula.

7. In the **Data** pane, right-click **DimCustomer**, and then click **New column**.

8. In the formula bar, highlight **Column =**, type the following script, and then press Enter:

```
MaleFemale = IF([Gender] = "M", "Male", "Female")
```

9. Note the new column at the end of the table.

10. On the **Modeling** tab, in the **Calculations** group, click **New Column**.

11. In the formula bar, highlight **Column =**, type the following script, and then press Enter:


```
Relationship = IF([MaritalStatus] = "M", "Married", "Single")
```

12. Note the new column at the end of the table.

13. On the **Modeling** tab, in the **Calculations** group, click **New Table**.

14. In the formula bar, highlight **Table =**, type the following script, and then press Enter:

```
DimCountry = DATATABLE ("Country", STRING, "Code", STRING, {"United States", "US"}, {"United Kingdom", "UK"}, {"France", "FR"}, {"Germany", "DE"}, {"Spain", "ES"}))
```



15. In the **Data** pane, note the new table.



16. On the **Modeling** tab, in the **Calculations** group, click **New Measure**.
17. In the formula bar, highlight **Measure =**, type the following script, and then press Enter:

```
MostRecentOrder = MAX (FactInternetSales [OrderDateKey])
```
18. In the **Data** pane, note the icon next to the measure, to indicate that this is a calculated field.
19. In the **Data** pane, click the **MostRecentOrder** field.
20. On the **Modeling** tab, in the **Properties** group, click **Home Table: DimCountry**, and click **FactInternetSales**. This moves the measure so that it resides in the **FactInternetSales** table.
21. In the **Data** pane, note that the **MostRecentOrder** measure now appears under **FactInternetSales**.
22. Close Power BI Desktop, saving any changes.