


Duke®

KP-YSL SERIES

SINGLE LAER CUTTING MACHINE




SINGLE LAYER CUTTER




Technical parameters:

Model No:	KP-YSL1610	KP-YSL1625	KP-YSL1825	KP-YSL2125	Customized models
Effective cutting size:	1600*1000mm	1600*2500mm	1800*2500mm	2100*2500mm	Customized size
Feeding method:	manual feeding/automatic feeding (optional)				
Working speed:	0-1500mm/s (depending on material)				
Rated voltage:	AC 220V/380V 50HZ-60HZ				
Optional knife:	Vibrating knife, round knife, pneumatic knife, drag knife, creasing, bevel cutting, punching, (optional)				
Transmission way:	Precision rack + linear guide				
Driving way	Intelligent digital control servo				
CNC panel:	Full touch LCD display				
Compatible file formats	PLT、DXF、AI				
Transmission port:	USB, USB, network port				
Safety device:	Infrared sensor + emergency stop switch (double protection)				
Visual positioning cutting:	Camera, projector (optional)				
Gantry structure:	High-strength aviation aluminum one-piece gantry structure				
Cutting platform:	aviation aluminum vacuum adsorption platform + 4mm thick fiber tablecloth				
Material fixation method:	vacuum adsorption				
Blower:	5.5KW/7.5KW/9KW (optional) three-item AC vortex vacuum adsorption blower				
Body structure:	overall precision welded one-piece.				

Configurations and advantages:

Controller system	 Fully intelligent DSP offline system (LCD touch screen without programming import graphics can be directly cut)
Automatic layout optimization path	
Safety system	 infrared induction
Driver system	X, Y, Z, C axis all from Taiwan Delta Servo driver system
Working table	 Auto feeding table (rolling)
Transmission system	 Linear guide rails & Six grinding grade Gear and rack transmission way

Linear guide rail	Linear guide rail from Italy PEK, no rusted .
Lead screw	Imported lead screw from JAPAN THK, precision is higher
The installation surface of the body structure	The installation surface of the body structure been milled by five-axis milling machine, which will make the gear and rack installation more precision.
Vacuum System	Whirlpool high-pressure adsorption fan & 42mm Aerospace aluminum vacuum adsorption bin body, Vacuum adsorption platform adopts honeycomb platform structure, conical adsorption hole, large contact area, which will ensure good vacuum suction
Transfer belt	Felt fabric Transfer belt
Electric parts	Pure copper double shielded high flexibility cable, Enhanced Nylon grooved drag chain

Body structure		Integral precision welding integrated
Gantry beam structure		CHigh strength aviation aluminum integrated gantry structure (light load, faster speed)
Linear guide rail		
Fabric stand		Customized special fabric stand
Table leveling sensor		Table leveling sensor to check if the machine is in level.
Japanese Omron limit sensor		

FURNITURE AND HOME FURNISHINGS

Duke®

Widely used Furniture and home industry, flexible fabrics such as fabric sofas, carpets, curtains, soft beds, tablecloths and table mats.



CLOTHING INDUSTRY

For the cutting of brand clothing, haute couture clothing, and fur and fur clothing, supporting the large camera vision system to achieve automatic edge cutting of digital printed fabrics.



CAR ACCESSORIES

Widely used in the cutting of personalized customized car floor mats, leather seats, steering wheel covers, car clothes, curtains and other interiors for special cars.



LEATHER SHOES AND BAGS

It is used for cutting many types of leather products such as brand bags, wallets, suitcases, men's and women's leather shoes.



FURNITURE AND HOME FURNISHINGS

Duke®

Widely used Furniture and home industry, flexible fabrics such as fabric sofas, carpets, curtains, soft beds, tablecloths and table mats.



CLOTHING INDUSTRY

For the cutting of brand clothing, haute couture clothing, and fur and fur clothing, supporting the large camera vision system to achieve automatic edge cutting of digital printed fabrics



CAR ACCESSORIES

Widely used in the cutting of personalized customized car floor mats, leather seats, steering wheel covers, car clothes, curtains and other interiors for special cars.



LEATHER SHOES AND BAGS

It is used for cutting many types of leather products such as brand bags, wallets, suitcases, men's and women's leather shoes



COMPOUND MATERIAL

Duke®

It is suitable for carbon fiber, prepreg, fiber cotton, pearl cotton, fiber board, sound insulation board, etc. Its cutting technology is mature and used in aerospace, Military industry, sound insulation and thermal insulation and other industries.



SEALING GASKET

Intelligent gasket cutting machine imports data for cutting without the need for molds. Applicable materials: graphite, asbestos, non-asbestos, rubber, PTFE, cork, silicone and other gasket materials.



ADVERTISING INDUSTRY

Using data cutting, one-click automatic loading, cutting, punching, creasing, and unloading. The cutting procedure is simple and convenient, without the need for molds. It has the characteristics of low cost, material saving, high efficiency, and high precision. It is suitable for proofing and small batches Production



CUSTOMER CASE

Duke professional technical team with self-service research and development capabilities and has applied for a number of patented products. We uphold the principle of service creation, value creation and professionalism.





Electric vibrating knife

Drive high frequency through motor Vibration, suitable for leather, soft glass, mats, etc. Air-flexible materials.



Round knife Tool

Special knife for textile cutting furniture, especially breathable fabrics, textiles, fur fabrics wait.



POT knife Tool

Suitable for cutting hard, high-density materials, such as honeycomb panels, gaskets, rubber, shoe soles,



V cut Tool

For foam, corrugated paper, soft glass V-groove cutting of other materials and cutting at various Angles.



Creasing Tool

Used to indent corrugated materials. Different crease tools can be used for different materials Perfect indentation effect.




Drag Tool

Used for through cutting of special materials, Fast and low cost.



Top camera for printed contour cutting

Used in irregular leather cutting, digital Printing, embroidery; automatic edge patrol, positioning and cutting, precision High, saving material.



Projector

Applied to irregular leather and projection cutting.

