

phpMyAdmin SQL Dump --

version 5.2.1 --

/https://www.phpmyadmin.net --

--

Host: 127.0.0.1 --

Generation Time: Jun 23, 2023 at 08:17 PM --

Server version: 10.4.28-MariaDB --

PHP Version: 8.2.4 --

;"SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO

;"START TRANSACTION

;"SET time_zone = "+00:00

SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT 40101!*/
;/*

SET 40101!*/

;/* @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS

SET 40101!*/

;/* @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION

;/* SET NAMES utf8mb4 40101!*/

--

`Database: `exam --

--

--

`Table structure for table `admin_acc` --

--

) `CREATE TABLE `admin_acc`

,admin_id` int(11) NOT NULL`

,admin_user` varchar(1000) NOT NULL`

admin_pass` varchar(1000) NOT NULL`

;ENGINE=InnoDB DEFAULT CHARSET=latin1 COLLATE=latin1_swedish_ci (

--

`Dumping data for table `admin_acc` --

--

INSERT INTO `admin_acc` (`admin_id`, `admin_user`, `admin_pass`) VALUES

;('admin@username', 'admin@password' ,1)

--

`Table structure for table `course_tbl` --

--

```
) `CREATE TABLE `course_tbl`  
,cou_id` int(11) NOT NULL`  
,cou_name` varchar(1000) NOT NULL`  
cou_created` timestamp NOT NULL DEFAULT current_timestamp() ON `(  
)UPDATE current_timestamp  
;ENGINE=InnoDB DEFAULT CHARSET=latin1 COLLATE=latin1_swedish_ci (
```

----- --

--

`Table structure for table `examinee_tbl` --

--

```
) `CREATE TABLE `examinee_tbl`  
,exmne_id` int(11) NOT NULL`  
,exmne_fullname` varchar(1000) NOT NULL`  
,exmne_course` varchar(1000) NOT NULL`  
,exmne_gender` varchar(1000) NOT NULL`  
,exmne_birthdate` varchar(1000) NOT NULL`  
,exmne_year_level` varchar(1000) NOT NULL`  
,exmne_email` varchar(1000) NOT NULL`  
,exmne_password` varchar(1000) NOT NULL`  
'exmne_status` varchar(1000) NOT NULL DEFAULT 'active`  
;ENGINE=InnoDB DEFAULT CHARSET=latin1 COLLATE=latin1_swedish_ci (
```

--

`Table structure for table `exam_answers` --

--

```
) `CREATE TABLE `exam_answers`  
,exans_id` int(11) NOT NULL`  
,axmne_id` int(11) NOT NULL`  
,exam_id` int(11) NOT NULL`  
,quest_id` int(11) NOT NULL`  
,exans_answer` varchar(1000) NOT NULL`  
,`exans_status` varchar(1000) NOT NULL DEFAULT 'new`  
exans_created` timestamp NOT NULL DEFAULT current_timestamp() ON `(  
)UPDATE current_timestamp  
;ENGINE=InnoDB DEFAULT CHARSET=latin1 COLLATE=latin1_swedish_ci (
```

--

`Table structure for table `exam_attempt` --

--

```
) `CREATE TABLE `exam_attempt`  
,examat_id` int(11) NOT NULL`  
,exmne_id` int(11) NOT NULL`  
,exam_id` int(11) NOT NULL`
```

```
'examat_status` varchar(1000) NOT NULL DEFAULT 'used`  
;ENGINE=InnoDB DEFAULT CHARSET=latin1 COLLATE=latin1_swedish_ci (
```

```
----- --
```

```
--
```

```
`Table structure for table `exam_question_tbl` --
```

```
--
```

```
) `CREATE TABLE `exam_question_tbl`  
,eqt_id` int(11) NOT NULL`  
,exam_id` int(11) NOT NULL`  
,exam_question` varchar(1000) NOT NULL`  
,exam_ch1` varchar(1000) NOT NULL`  
,exam_ch2` varchar(1000) NOT NULL`  
,exam_ch3` varchar(1000) NOT NULL`  
,exam_ch4` varchar(1000) NOT NULL`  
,exam_answer` varchar(1000) NOT NULL`  
'exam_status` varchar(1000) NOT NULL DEFAULT 'active`  
;ENGINE=InnoDB DEFAULT CHARSET=latin1 COLLATE=latin1_swedish_ci (
```

```
----- --
```

```
--
```

```
`Table structure for table `exam_tbl` --
```

```
--
```

```

) `CREATE TABLE `exam_tbl
,ex_id` int(11) NOT NULL`
,cou_id` int(11) NOT NULL`
,ex_title` varchar(1000) NOT NULL`
,ex_time_limit` varchar(1000) NOT NULL`
,ex_questlimit_display` int(11) NOT NULL`
,ex_description` varchar(1000) NOT NULL`
ex_created` timestamp NOT NULL DEFAULT current_timestamp() ON `
()UPDATE current_timestamp
;ENGINE=InnoDB DEFAULT CHARSET=latin1 COLLATE=latin1_swedish_ci (

```

```

----- --

```

```

--

```

```

`Table structure for table `feedbacks_tbl --

```

```

--

```

```

) `CREATE TABLE `feedbacks_tbl
,fb_id` int(11) NOT NULL`
,exmne_id` int(11) NOT NULL`
,fb_exmne_as` varchar(1000) NOT NULL`
,fb_feedbacks` varchar(1000) NOT NULL`
fb_date` varchar(1000) NOT NULL`
;ENGINE=InnoDB DEFAULT CHARSET=latin1 COLLATE=latin1_swedish_ci (

```

```

--

```

```

Indexes for dumped tables --

```

```

--

```

```

--

`Indexes for table `admin_acc --

--

`ALTER TABLE `admin_acc
;ADD PRIMARY KEY (`admin_id`)

--

`Indexes for table `course_tbl --

--

`ALTER TABLE `course_tbl
;ADD PRIMARY KEY (`cou_id`)

--

`Indexes for table `examinee_tbl --

--

`ALTER TABLE `examinee_tbl
;ADD PRIMARY KEY (`exmne_id`)

--

`Indexes for table `exam_answers --

--

`ALTER TABLE `exam_answers
,ADD PRIMARY KEY (`exans_id`)
,ADD KEY `f1` (`exam_id`)
,ADD KEY `f2` (`axmne_id`)
;ADD KEY `f3` (`quest_id`)

--

`Indexes for table `exam_attempt --

--

```

```
`ALTER TABLE `exam_attempt
,ADD PRIMARY KEY (`examat_id`)
,ADD KEY `b1` (`exam_id`)
;ADD KEY `b2` (`exmne_id`)

--

`Indexes for table `exam_question_tbl` --
--

`ALTER TABLE `exam_question_tbl
,ADD PRIMARY KEY (`eqt_id`)
;ADD KEY `d1` (`exam_id`)

--

`Indexes for table `exam_tbl` --
--

`ALTER TABLE `exam_tbl
,ADD PRIMARY KEY (`ex_id`)
,ADD KEY `e1` (`cou_id`)
;ADD KEY `e2` (`ex_questlimit_display`)

--

`Indexes for table `feedbacks_tbl` --
--

`ALTER TABLE `feedbacks_tbl
,ADD PRIMARY KEY (`fb_id`)
;ADD KEY `c1` (`exmne_id`)

--

AUTO_INCREMENT for dumped tables --
--
```



```
--  
  
`AUTO_INCREMENT for table `admin_acc --  
  
--  
  
`ALTER TABLE `admin_acc  
;MODIFY `admin_id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=2  
  
--  
  
`AUTO_INCREMENT for table `course_tbl --  
  
--  
  
`ALTER TABLE `course_tbl  
;MODIFY `cou_id` int(11) NOT NULL AUTO_INCREMENT  
  
--  
  
`AUTO_INCREMENT for table `examinee_tbl --  
  
--  
  
`ALTER TABLE `examinee_tbl  
;MODIFY `exmne_id` int(11) NOT NULL AUTO_INCREMENT  
  
--  
  
`AUTO_INCREMENT for table `exam_answers --  
  
--  
  
`ALTER TABLE `exam_answers  
;MODIFY `exans_id` int(11) NOT NULL AUTO_INCREMENT  
  
--  
  
`AUTO_INCREMENT for table `exam_attempt --  
  
--  
  
`ALTER TABLE `exam_attempt  
;MODIFY `examat_id` int(11) NOT NULL AUTO_INCREMENT  
  
--  
  
`AUTO_INCREMENT for table `exam_question_tbl --
```

```

--
`ALTER TABLE `exam_question_tbl
;MODIFY `eqt_id` int(11) NOT NULL AUTO_INCREMENT

--
`AUTO_INCREMENT for table `exam_tbl --
--
`ALTER TABLE `exam_tbl
;MODIFY `ex_id` int(11) NOT NULL AUTO_INCREMENT

--
`AUTO_INCREMENT for table `feedbacks_tbl --
--
`ALTER TABLE `feedbacks_tbl
;MODIFY `fb_id` int(11) NOT NULL AUTO_INCREMENT

--
Constraints for dumped tables --
--

--
`Constraints for table `exam_answers --
--
`ALTER TABLE `exam_answers
ADD CONSTRAINT `f1` FOREIGN KEY (`exam_id`) REFERENCES `exam_tbl` (`ex_id`) ON DELETE
,CASCADE ON UPDATE CASCADE
ADD CONSTRAINT `f2` FOREIGN KEY (`axmne_id`) REFERENCES `examinee_tbl` (`exmne_id`) ON
,DELETE CASCADE ON UPDATE CASCADE
ADD CONSTRAINT `f3` FOREIGN KEY (`quest_id`) REFERENCES `exam_question_tbl` (`eqt_id`) ON
;DELETE CASCADE ON UPDATE CASCADE

--
`Constraints for table `exam_attempt --

```

```

--
`ALTER TABLE `exam_attempt
ADD CONSTRAINT `b1` FOREIGN KEY (`exam_id`) REFERENCES `exam_tbl` (`ex_id`) ON DELETE
,CASCADE ON UPDATE CASCADE
;ADD CONSTRAINT `b2` FOREIGN KEY (`exmne_id`) REFERENCES `examinee_tbl` (`exmne_id`)

--
`Constraints for table `exam_question_tbl --
--
`ALTER TABLE `exam_question_tbl
;ADD CONSTRAINT `d1` FOREIGN KEY (`exam_id`) REFERENCES `exam_tbl` (`ex_id`)

--
`Constraints for table `exam_tbl --
--
`ALTER TABLE `exam_tbl
,ADD CONSTRAINT `e1` FOREIGN KEY (`cou_id`) REFERENCES `course_tbl` (`cou_id`)
ADD CONSTRAINT `e2` FOREIGN KEY (`ex_questlimit_display`) REFERENCES `exam_question_tbl`
;(`eqt_id`)

--
`Constraints for table `feedbacks_tbl --
--
`ALTER TABLE `feedbacks_tbl
;ADD CONSTRAINT `c1` FOREIGN KEY (`exmne_id`) REFERENCES `examinee_tbl` (`exmne_id`)
;COMMIT

/* SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT 40101!*/
/* SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS 40101!*/
/* SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION 40101!*/

```