

.....

"ABCDEFGHIKL"

1) CEGI

2) KJIHGFED

3) KJIHGFEDCB

4) KIGE

5) AEI

.....

s= "ABCDEFGHIKL"

CEGI

print(s[2:9:2])

print(s[-10:-3:2])

KJIHGFED

print(s[10:2:-1])

print(s[-2:-10:-1])

KJIHGFEDCB

print(s[10:0:-1])

print(s[-2:-12:-1])

KIGE

print(s[10:3:-2])

print(s[-2:-9:-2])

AEI

print(s[0:9:4])

print(s[-12:-3:4])

Output:

```
● PS D:\Internship\Day2> python task1.py
CEGI
CEGI
KJIHGFED
KJIHGFED
KJIHGFEDCB
KJIHGFEDCB
KIGE
KIGE
AEI
AEI
```

....

"Python String Slicing Example"

- 1) gnirtS nohtyP
- 2) Slicing Example
- 3) emEni iS oy
- 4) Potgigae
- 5) elpmaxE
- 6) gtoP

....

s= "Python String Slicing Example"

```
# gnirtS nohtyP
```

```
print(s[12::-1])
```

```
print(s[-17::-1])
```

```
# Slicing Example
```

```
print(s[14::1])
```

```
print(s[-15::1])
```

```
# emEni iS oy
```

```
print(s[28:0:-3])
```

```
print(s[-1:-29:-3])
```

```
# Potgigae  
print(s[0::4])  
print(s[-29::4])
```

```
# elpmaxE  
print(s[28:21:-1])  
print(s[-1:-8:-1])
```

```
# gtoP  
print(s[12::-4])  
print(s[-17::-4])
```

Output:

- PS D:\Internship\Day2> python task2.py
gnirts nohtyP
gnirts nohtyP
Slicing Example
Slicing Example
emEni iSoy
emEni iSoy
Potgigae
Potgigae
elpmaxE
elpmaxE
gtoP
gtoP

.....

"Python is easy to learn"

1) easy

2) rae

3) es ola

4) si nohtyP

5) tnsa a

6) nhý

7) easy to learn

8) ot ysaé

.....

```
s= "Python is easy to learn"
```

```
# easy
```

```
print(s[10:14:1])
```

```
print(s[-13:-9:1])
```

```
# rae
```

```
print(s[21:18:-1])
```

```
print(s[-2:-5:-1])
```

```
# es ola
```

```
print(s[10:21:2])
```

```
print(s[-13:-2:2])
```

```
# si nohtyP
```

```
print(s[8::-1])
```

```
print(s[-15::-1])
```

```
# tnsa a
```

```
print(s[2:21:3])
```

```
print(s[-21:-2:3])
```

```
# nhý  
print(s[5:0:-2])  
print(s[-18:-23:-2])
```

```
# easy to learn  
print(s[10::1])  
print(s[-13::-1])
```

```
# ot ysaé  
print(s[16:9:-1])  
print(s[-7:-14:-1])
```

Output:

```
● PS D:\Internship\Day2> python task3.py  
easy  
easy  
rae  
rae  
es ola  
es ola  
si nohtyP  
si nohtyP  
tnsa a  
tnsa a  
nhý  
nhý  
easy to learn  
easy to learn  
ot ysaé  
ot ysaé
```

"One of the world's spectacular bridge is Tower Bridge"

- 1) Tower Bridge
- 2) world's spectacular
- 3) egdirb
- 4) Ooho'paare ere
- 5) rasleo

```
s= "One of the world's spectacular bridge is Tower Bridge"
```

```
# Tower Bridge
```

```
print(s[41::1])
```

```
print(s[-12::1])
```

```
# world's spectacular
```

```
print(s[11:31])
```

```
print(s[-42:-22])
```

```
# egdirb
```

```
print(s[36:29:-1])
```

```
print(s[-17:-24:-1])
```

```
# Ooho'paare ere
```

```
print(s[0::4])
```

```
print(s[-53::4])
```

```
# rasleo
```

```
print(s[29:3:-5])
```

```
print(s[-24:-50:-5])
```

Output:

```
● PS D:\Internship\Day2> python task4.py
Tower Bridge
Tower Bridge
world's spectacular
world's spectacular
egdirb
egdirb
Ooho'paare ere
Ooho'paare ere
rasleo
rasleo
```

.....

```
s = "DATASTRUCTURESANALYSIS"
```

1. Print the first and last character using index values.
 2. Print the character at index 7.
 3. Print the character at index -5.
 4. Print characters from index 4 to 13.
 5. Print the string without the first 4 characters.
 6. Print every second character starting from index 0.
 7. Print characters at even index positions only.
 8. Print the entire string in reverse order.
 9. Print characters from index 15 to index 5 in reverse.
 10. Print the middle 6 characters using indexing.
-

```
s = "DATASTRUCTURESANALYSIS"
```

```
# Print the first and last character using index values.
```

```
print(s[0], s[21])  
print(s[-22], s[-1])
```

```
# 2.Print the character at index 7.
```

```
print(s[7])  
print(s[-15])
```

```
# Print the character at index -5.
```

```
print(s[-5])
```

```
# Print characters from index 4 to 13.
```

```
print(s[4:14:1])
```

```
# Print the string without the first 4 characters.
```

```
print(s[4::1])  
print(s[-18::-1])
```

```
# Print every second character starting from index 0.  
print(s[0::2])
```

```
# Print characters at even index positions only.  
print(s[::-2])  
print(s[-22::2])
```

```
# Print the entire string in reverse order.  
print(s[::-1])  
print(s[-1:-23:-1])
```

```
# Print characters from index 15 to index 5 in reverse.  
print(s[15:4:-1])
```

```
# Print the middle 6 characters using indexing.  
print(s[8:14:1])  
print(s[-14:-8:1])
```

Output:

- PS D:\Internship\Day2> **python task5.py**
D S
D S
U
U
L
STRUCTURES
STRUCTURESANALYSIS
STRUCTURESANALYSIS
DTSRCUEAAYI
DTSRCUEAAYI
DTSRCUEAAYI
SISYLANASERUTCURTSATAD
SISYLANASERUTCURTSATAD
NASERUTCURT
CTURES
CTURES

.....

```
s = "LogicalThinking"
```

Write Python code to get the following outputs using string slicing only.

- a) Thinking
- b) gniknihTlacigoL
- c) LgITiki
- d) lacigo
- e) giTk

Write Python code to:

- 1) Print the character at index 3
- 2) Print the character at index -4
- 3) Print characters from index 2 to index 7
- 4) Print characters from index -8 to -1
- 5) Print the string except the first 3 characters

.....

```
s = "LogicalThinking"
```

```
# Thinking
```

```
print(s[7::1])  
print(s[-8:-1])
```

```
# gnihkniTlacigoL
```

```
print(s[::-1])  
print(s[-1:-16:-1])
```

```
# LgITiki
```

```
print(s[0::2])  
print(s[-15::2])
```

```
# lacigo
```

```
print(s[6:0:-1])  
print(s[-9:-15:-1])
```

```
# giTk  
print(s[2:12:3])  
print(s[-13:-3:3])  
  
# Print the character at index 3  
print(s[3])  
  
# Print the character at index -4  
print(s[-4])  
  
# Print characters from index 2 to index 7  
print(s[2:8])  
  
# Print characters from index -8 to -1  
print(s[-8:-1])  
  
# Print the string except the first 3 characters  
print(s[3:])  
print(s[-12:])
```

Output:

- PS D:\Internship\Day2> python task6.py

```
Thinking  
Thinking  
gniknihTlacigoL  
gniknihTlacigoL  
lacigo  
lacigo  
i  
k  
gicalT  
Thinkin  
icalThinking  
icalThinking
```