

WHATSNEXT VISION MOTORS

Salesforce Developer Project Documentation

Data model • Lightning experience • Automation • Apex • Analytics

A detailed record of the project's Salesforce data model, configuration, automation, Apex work, testing evidence and analytics.

PROJECT REPOSITORY

github.com/Nehasri07/WhatNext-Vision-Motors

Documentation prepared October 2026

Contents

- Executive summary
- 1. Project purpose and scope
- 2. Solution architecture
- 3. Data model and Salesforce configuration
- 3.1 Ordered object, field and relationship evidence
- 4. Lightning app and user experience
- 5. Automation and customer communication
- 6. Apex implementation
- 7. Functional evidence and testing
- 8. Reports and dashboard
- 9. Source control, deployment and verification notes
- 10. Conclusion

Executive summary

WhatsNext Vision Motors is a Salesforce CRM project for organizing vehicle inventory, dealerships, customers, vehicle orders, test drives, and service requests. The configuration brings these records into a dedicated Lightning app and uses declarative automation and Apex to support key sales and service processes.

The supplied evidence shows six custom objects, their fields and relationships, a Lightning app, record-triggered and scheduled flows, customer email communication, Apex source artifacts, a vehicle inventory report, and a dashboard. The strongest end-to-end evidence is a confirmed vehicle order, a scheduled test-drive reminder email, and a service-request status update.

Documentation approach

This report follows the supplied reference document but gives priority to what is visible in the attached Salesforce screenshots. Where a screenshot reveals an unresolved or incomplete state, that limitation is stated rather than presented as a successful test.

1. Project purpose and scope

Business context

Vehicle sales and after-sales activity touches multiple records: stock must be available before an order is confirmed; a dealership should be associated with the sale; appointments need timely reminders; and service work needs a clear status. The project models these records in Salesforce and applies automation to reduce repetitive updates and improve visibility.

Project objectives

- Maintain a structured catalogue of vehicles and dealers, plus customer and transaction records.
- Connect orders, test drives, and service requests to the relevant customer and vehicle.
- Automate dealer assignment and order handling based on configured data and stock rules.
- Send customer communications for confirmed orders and upcoming test drives.
- Expose operational information through Salesforce reports and a dashboard.
- Maintain the Salesforce project in a source-control repository.

Scope reflected in the evidence

The documented scope covers six custom objects, lookup relationships, custom fields and picklists, the WhatsNext Vision Motors Lightning app, record-triggered flows, a scheduled test-drive reminder path, an order trigger and handler pattern, Batch Apex and a scheduler source artifact, one inventory report, and a dashboard. The report does not assume features that are not shown in the supplied screenshots.

2. Solution architecture

At a high level, Salesforce users work in the custom Lightning app, create and manage records in the custom data model, and rely on flows and Apex for repeatable business rules. Reports and a dashboard provide operational visibility.

Layer	Project component	Role
User experience	WhatsNext Vision Motors Lightning app	Navigation across vehicles, dealers, customers, orders, test drives, service requests, reports and dashboards.
Data	Six custom objects and lookup relationships	Stores master data and day-to-day sales/service transactions.
Automation	Record-triggered flows and scheduled path	Supports dealer/order processes, service request handling and test-drive reminders.
Logic	VehicleOrderTrigger and handler; batch/scheduler artifacts	Applies stock-related rules and provides an approach for processing pending orders.
Insights	Vehicle inventory report and dashboard	Summarizes stock and makes a report available from the dashboard.

Architecture at a glance

Salesforce user → Lightning app → custom records → Flow / Apex processing → reports and dashboard

3. Data model and Salesforce configuration

The model separates reusable reference records from business transactions. Vehicle, dealer, and customer records provide the context for Vehicle Orders, Vehicle Test Drives, and Vehicle Service Requests.

Custom object	Representative information	Business purpose
Vehicle__c	Vehicle name, model, stock quantity, price, status, dealer	Vehicle catalogue and inventory.
Vehicle_Dealer__c	Dealer name, location, dealer code, phone, email	Dealer directory and geographic association.
Vehicle_Customer__c	Customer name, email, phone, address, preferred vehicle type	Customer profile and contact details.
Vehicle_Order__c	Order name/number, customer, vehicle, dealer, order date, status	Vehicle purchase and reservation lifecycle.
Vehicle_Test_Drive__c	Test-drive name/number, customer, vehicle, date, status	Appointment scheduling and completion tracking.
Vehicle_Service_Request__c	Request name/number, customer, vehicle, service date, issue, status	After-sales service intake and tracking.

Relationships

Record	Lookup relationship	Purpose
Vehicle	Vehicle Dealer	Associates inventory with its dealer.
Vehicle Order	Vehicle Customer; Vehicle; Vehicle Dealer	Identifies the buyer, selected vehicle and associated dealer.
Vehicle Test Drive	Vehicle Customer; Vehicle	Associates an appointment with the customer and vehicle.
Vehicle Service Request	Vehicle Customer; Vehicle	Associates service work with the customer and vehicle.

Representative business fields

The supplied field-definition screenshots show vehicle model, stock quantity, price, status and dealer; dealer location and contact details; customer contact and preference fields; order date and related records; test-drive date and related records; and service date, issue description, status and a service-confirmation field. The evidence pages immediately following document the visible fields and relationships in this same object order.




Figure 1. Vehicle object field configuration.

Object Manager evidence for inventory-related fields; the project reference also identifies Vehicle Model, Stock Quantity, Price, Status and Dealer as key fields.





Figure 2. Vehicle Order object fields and relationships.

The order object is linked to the customer, vehicle and dealer records.

Picklists and status lifecycle

Object	Documented values / states
Vehicle	Model examples: Sedan, SUV, EV, Hatchback, Luxury. Status examples: Available, Out of Stock, Discontinued.
Vehicle Order	Pending, Confirmed, Delivered, Canceled.
Vehicle Test Drive	Scheduled, Completed, Canceled.
Vehicle Service Request	Requested, In Progress, Completed.

Picklist values are taken from the supplied reference and screenshots where visible. Confirm the final configured value set in Object Manager before using this document as a deployment specification.



The screenshot shows the Salesforce Object Manager interface for the 'Vehicle Service Request' object. The left sidebar contains navigation links: Details, Fields & Relationships (selected), Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, and Search Layouts. The main area is titled 'Fields & Relationships' and shows a list of 9 fields. The fields are: Customer (Lookup(Vehicle Customer)), Issue Description (Text(255)), Last Modified By (Lookup(User)), Owner (Lookup(User,Group)), Service Date (Date), Status (Picklist), Vehicle (Lookup(Vehicle)), and Vehicle Service Request Name (Text(80)). Each field has a checkbox indicating if it is active and a dropdown arrow for field type configuration.

Field Label	Field Name	Field Type	Active
Customer	Customer__c	Lookup(Vehicle Customer)	✓
Issue Description	Issue_Description__c	Text(255)	
Last Modified By	LastModifiedById	Lookup(User)	
Owner	OwnerId	Lookup(User,Group)	✓
Service Date	Service_Date__c	Date	
Status	Status__c	Picklist	
Vehicle	Vehicle__c	Lookup(Vehicle)	✓
Vehicle Service Request Name	Name	Text(80)	✓

Figure 3. Vehicle Service Request field configuration.

Service-request evidence includes customer/vehicle associations, service date, issue description and status.

3.1 Ordered object, field and relationship evidence

The supporting configuration captures follow the data-model order above: object setup, vehicle fields, dealer fields, customer fields, orders, test drives, and service requests. App navigation is documented in Section 4; redundant tab-setup captures are omitted here.

CONFIGURATION EVIDENCE • 01 / 16

Custom object setup

The supplied captures show the project's separate customer, order and service-request objects. The data-model table above lists all six objects in project order.




Figure 4. Vehicle Customer custom-object definition.

Evidence of a dedicated custom object for customer records.




Figure 5. Vehicle Order custom-object definition.

Evidence that order transactions are modeled separately.




Figure 6. Vehicle Service Request custom-object definition.

Evidence of a dedicated service-request object.

Vehicle attributes

These vehicle fields support catalogue classification and controlled values.




Figure 7. Vehicle Model custom field

Supports classification of the vehicle catalogue by model.




Figure 8. Vehicle validation-rule configuration list

Shows the vehicle validation-rule area; confirm rule formulas and activation status in the current org.

Inventory and pricing fields

Inventory quantity and price are central to availability and sales reporting.

SETUP > OBJECT MANAGER

Vehicle

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Vehicle Custom Field

Stock Quantity

Back to Vehicle

Validation Rules (0)

Custom Field Definition Detail

EditSet Field-Level SecurityView Field AccessibilityWhere is this used?

Field Information

Field Label	Stock Quantity	Object Name	Vehicle
Field Name	Stock_Quantity	Data Type	Number
API Name	Stock_Quantity__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Neha Sri Kommineni, 9/19/2026, 2:32 AM	Modified By	Neha Sri Kommineni, 9/19/2026, 2:32 AM

General Options

Figure 9. Stock Quantity custom field

Supports inventory quantity tracking on a vehicle record.

Vehicle Custom Field

Price

Back to Vehicle

Validation Rules (0)

Custom Field Definition Detail

EditSet Field-Level SecurityView Field AccessibilityWhere is this used?

Field Information

Field Label	Price	Object Name	Vehicle
Field Name	Price	Data Type	Currency
API Name	Price__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Neha Sri Kommineni, 9/19/2026, 2:33 AM	Modified By	Neha Sri Kommineni, 9/19/2026, 2:33 AM

Figure 10. Price custom field

Supports recording vehicle price for inventory and reporting.

CONFIGURATION EVIDENCE • 04 / 16

Vehicle status and dealer relationship

Vehicle status and dealer ownership give inventory records operational context.

Vehicle Custom Field **Status** [Help for this F](#)

[Back to Vehicle](#)

[Validation Rules \(0\)](#)

Custom Field Definition Detail [Edit](#) [Set Field-Level Security](#) [View Field Accessibility](#) [Where is this used?](#)

Field Information

Field Label	Status	Object Name	Vehicle
Field Name	Status	Data Type	Picklist
API Name	Status__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Neha Sri Kommineni, 9/19/2026, 2:36 AM	Modified By	Neha Sri Kommineni, 9/19/2026, 2:36 AM

Figure 11. Vehicle Status picklist field

Supports tracking the vehicle availability/lifecycle state.

Vehicle Custom Field **Dealer** [Help for this Page ?](#)

[Back to Vehicle](#)

[Validation Rules \(0\)](#)

Custom Field Definition Detail [Edit](#) [Set Field-Level Security](#) [View Field Accessibility](#) [Where is this used?](#)

Field Information

Field Label	Dealer	Object Name	Vehicle
Field Name	Dealer	Data Type	Lookup
API Name	Dealer__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Neha Sri Kommineni, 9/19/2026, 2:35 AM	Modified By	Neha Sri Kommineni, 9/19/2026, 2:35 AM

Figure 12. Vehicle Dealer lookup field

Links vehicle inventory to the associated dealer.

Dealer identity and location

Dealer location and code are useful for identifying and matching a sales location.




Figure 13. Dealer Location custom field

Supports dealer matching and location-based operations.




Figure 14. Dealer Code custom field

Provides a dealer identifier field for record distinction.

CONFIGURATION EVIDENCE • 06 / 16

Dealer contact details

Contact fields make dealer records usable for service and sales coordination.

Vehicle Dealer Custom Field
Phone
[Back to Vehicle Dealer](#) Help for this Page ?

Validation Rules (0)

Custom Field Definition Detail Edit Set Field-Level Security View Field Accessibility Where is this used?

Field Information	
Field Label	Phone
Field Name	Phone
API Name	Phone__c
Description	
Help Text	
Data Owner	
Field Usage	
Data Sensitivity Level	
Compliance Categorization	
Created By	Neha Sri Kommineni, 9/19/2026, 2:41 AM
Modified By	Neha Sri Kommineni, 9/19/2026, 2:41 AM

General Options

Required	☐
Default Value	

Figure 15. Dealer Phone field

Stores a dealer contact telephone number.

Vehicle Dealer Custom Field
Email
[Back to Vehicle Dealer](#) Help for this Page ?

Validation Rules (0)

Custom Field Definition Detail Edit Set Field-Level Security View Field Accessibility Where is this used?

Field Information	
Field Label	Email
Field Name	Email
API Name	Email__c
Description	
Help Text	
Data Owner	
Field Usage	
Data Sensitivity Level	
Compliance Categorization	
Created By	Neha Sri Kommineni, 9/19/2026, 2:42 AM
Modified By	Neha Sri Kommineni, 9/19/2026, 2:42 AM

General Options

Required	☐
Unique	☐

Figure 16. Dealer Email field

Stores the dealer email contact.

Dealer and customer fields

The customer email and dealer schema evidence together show contact-data configuration.

SetupHomeObject Manager

SETUP > OBJECT MANAGER

Vehicle Dealer

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Fields & Relationships

8 Items, Sorted by Field Label

Quick Find

New

Deleted Fields

Field Dependencies

Set History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Dealer Code	Dealer_Code__c	Auto Number		
Dealer Location	Dealer_Location__c	Text(255)		
Email	Email__c	Email		
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User,Group)		✓
Phone	Phone__c	Phone		
Vehicle Dealer Name	Name	Text(80)		✓

Figure 17. Vehicle Dealer field and relationship list

Summarizes configured dealer fields and related fields.

Vehicle Customer Custom Field

Email

Back to Vehicle Customer

Help

Custom Field Definition Detail

Edit

Set Field-Level Security

View Field Accessibility

Where is this used?

Field Information

Field Label	Email	Object Name	Vehicle Customer
Field Name	Email	Data Type	Email
API Name	Email__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Neha Sri Kommineni	Modified By	Neha Sri Kommineni
	9/19/2026, 2:43 AM		9/19/2026, 2:43 AM

General Options

Figure 18. Customer Email field

Stores the customer email address used for project communications.

CONFIGURATION EVIDENCE • 08 / 16

Customer contact fields

Customer phone and address fields provide additional customer context.

Vehicle Customer Custom Field
Phone
[Back to Vehicle Customer](#)

[Validation Rules \(0\)](#)

Custom Field Definition Detail [Edit](#) [Set Field-Level Security](#) [View Field Accessibility](#) [Where is this used?](#)

Field Information

Field Label	Phone	Object Name	Vehicle Customer
Field Name	Phone	Data Type	Phone
API Name	Phone__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Neha Sri Kommineni , 9/19/2026, 2:44 AM	Modified By	Neha Sri Kommineni , 9/19/2026, 2:44 AM

Figure 19. Customer Phone field

Stores a customer phone contact.

Vehicle Customer Custom Field
Address
[Back to Vehicle Customer](#)

[Validation Rules \(0\)](#)

Custom Field Definition Detail [Edit](#) [Set Field-Level Security](#) [View Field Accessibility](#) [Where is this used?](#)

Field Information

Field Label	Address	Object Name	Vehicle Customer
Field Name	Address	Data Type	Text Area
API Name	Address__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Neha Sri Kommineni , 9/19/2026, 2:45 AM	Modified By	Neha Sri Kommineni , 9/19/2026, 2:45 AM

Figure 20. Customer Address field

Stores customer address information.

Customer preferences and schema

Customer preference and the customer field listing support segmentation and record review.

Vehicle Customer Custom Field

Preferred Vehicle Type

Back to Vehicle Customer

Validation Rules (0)

Edit

Set Field-Level Security

View Field Accessibility

Where is this used?

Custom Field Definition Detail

Field Information

Field Label	Preferred Vehicle Type	Object Name	Vehicle Customer
Field Name	Preferred_Vehicle_Type	Data Type	Picklist
API Name	Preferred_Vehicle_Type__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Neha Sri Kommineni, 9/19/2020, 2:46 AM	Modified By	Neha Sri Kommineni, 9/19/2020, 2:46 AM

General Options

Required

☐

Default Value

Figure 21. Preferred Vehicle Type field

Captures the customer's preferred vehicle type.

Setup

Home

Object Manager

Search Setup

Star

Plus

Cloud

Help

Settings

Notifications

Profile

Setup > OBJECT MANAGER

Vehicle Customer

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Fields & Relationships

8 Items, Sorted by Field Label

Quick Find

New

Deleted Fields

Field Dependencies

Set History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Address	Address__c	Text Area(255)		
Created By	CreatedById	Lookup(User)		
Email	Email__c	Email		
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User,Group)		✓
Phone	Phone__c	Phone		
Preferred Vehicle Type	Preferred_Vehicle_Type__c	Picklist		
Vehicle Customer Name	Name	Text(80)		✓

Figure 22. Vehicle Customer field and relationship list

Summarizes configured customer fields and relationships.

Project documentation • Page 15

CONFIGURATION EVIDENCE • 10 / 16

Customer and vehicle relationships on orders

Lookup relationships keep order data connected to its customer and chosen vehicle.

Vehicle Order Custom Field
Customer
[Back to Vehicle Order](#)

[Validation Rules \(0\)](#)

Custom Field Definition Detail [Edit](#) [Set Field-Level Security](#) [View Field Accessibility](#) [Where is this used?](#)

Field Information

Field Label	Customer	Object Name	Vehicle Order
Field Name	Customer	Data Type	Lookup
API Name	Customer__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Neha Sri Kommineni	Modified By	Neha Sri Kommineni
	9/19/2026, 2:48 AM		9/19/2026, 2:48 AM

Lookup Options

Related To	Vehicle Customer	Child Relationship Name	Vehicle_Orders
Related List Label	Vehicle Orders		
Required	☐		

Figure 23. Customer relationship field on Vehicle Order

Associates an order with the customer who placed it.

Vehicle Order Custom Field
Vehicle
[Back to Vehicle Order](#)

[Validation Rules \(0\)](#)

Custom Field Definition Detail [Edit](#) [Set Field-Level Security](#) [View Field Accessibility](#) [Where is this used?](#)

Field Information

Field Label	Vehicle	Object Name	Vehicle Order
Field Name	Vehicle	Data Type	Lookup
API Name	Vehicle__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Neha Sri Kommineni	Modified By	Neha Sri Kommineni
	9/19/2026, 2:50 AM		9/19/2026, 2:50 AM

Lookup Options

Related To	Vehicle	Child Relationship Name	Vehicle_Orders
Related List Label	Vehicle Orders		
Required	☐		

Figure 24. Vehicle relationship field on Vehicle Order

Associates an order with the selected vehicle.

CONFIGURATION EVIDENCE • 11 / 16

Order date and lifecycle status

Order date and status provide the minimal transaction timeline and lifecycle.

Vehicle Order Custom Field
Order Date
[Back to Vehicle Order](#)

[Validation Rules \(0\)](#)

Custom Field Definition Detail [Edit](#) [Set Field-Level Security](#) [View Field Accessibility](#) [Where is this used?](#)

Field Information	
Field Label	Order Date
Field Name	Order_Date
API Name	Order_Date__c
Description	
Help Text	
Data Owner	
Field Usage	
Data Sensitivity Level	
Compliance Categorization	
Created By	Neha Sri Kommineni, 9/19/2020, 2:50 AM
Modified By	Neha Sri Kommineni, 9/19/2020, 2:50 AM

General Options

Required ☐

Default Value

Figure 25. Order Date field

Captures the order date for transaction history.

Vehicle Order
New Custom Field

Step 2. Enter the details Step 2 of 4

[Previous](#) [Next](#) [Cancel](#)

Field Label

Values

☐ Use global picklist value set

☒ Enter values, with each value separated by a new line

Pending
 Confirmed
 Delivered
 Canceled

☐ Display values alphabetically, not in the order entered

☐ Use first value as default value

☒ Restrict picklist to the values defined in the value set

Figure 26. Vehicle Order Status values

Shows status picklist setup; values are Pending, Confirmed, Delivered and Canceled per the supplied reference.

CONFIGURATION EVIDENCE • 12 / 16

Test-drive relationships

Lookup fields connect an appointment to the person and vehicle involved.

Vehicle Test Drive Custom Field
Customer
[Back to Vehicle Test Drive](#) [Help for this Page](#)

[Validation Rules \(0\)](#)

Custom Field Definition Detail [Edit](#) [Set Field-Level Security](#) [View Field Accessibility](#) [Where is this used?](#)

Field Information

Field Label	Customer	Object Name	Vehicle Test Drive
Field Name	Customer	Data Type	Lookup
API Name	Customer__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Neha Sri Kommineni, 9/19/2020, 2:55 AM	Modified By	Neha Sri Kommineni, 9/19/2020, 2:55 AM

Lookup Options

Related To	Vehicle Customer	Child Relationship Name	Vehicle_Test_Drives
Related List Label	Vehicle Test Drives		
Required	☐		

Figure 27. Customer lookup on Vehicle Test Drive

Associates a test-drive booking with its customer.

Vehicle Test Drive Custom Field
Vehicle
[Back to Vehicle Test Drive](#) [Help for this Page](#)

[Validation Rules \(0\)](#)

Custom Field Definition Detail [Edit](#) [Set Field-Level Security](#) [View Field Accessibility](#) [Where is this used?](#)

Field Information

Field Label	Vehicle	Object Name	Vehicle Test Drive
Field Name	Vehicle	Data Type	Lookup
API Name	Vehicle__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Neha Sri Kommineni, 9/19/2020, 3:00 AM	Modified By	Neha Sri Kommineni, 9/19/2020, 3:00 AM

Lookup Options

Related To	Vehicle	Child Relationship Name	Vehicle_Test_Drives
Related List Label	Vehicle Test Drives		
Required	☐		

Figure 28. Vehicle lookup on Vehicle Test Drive

Associates a test-drive booking with the vehicle being demonstrated.

CONFIGURATION EVIDENCE • 13 / 16

Test-drive scheduling and status

The test-drive date and status fields support scheduling and progress tracking.

This screenshot shows the 'Test Drive Date' custom field definition in Salesforce. The page title is 'Vehicle Test Drive Custom Field' with a sub-header 'Test Drive Date'. A 'Back to Vehicle Test Drive' link is present. A 'Help for this Page' link is in the top right. Below the title is a 'Validation Rules' link. The main section is 'Custom Field Definition Detail' with tabs for 'Edit', 'Set Field-Level Security', 'View Field Accessibility', and 'Where is this used?'. The 'Field Information' section contains a table with the following details:

Field Label	Test Drive Date	Object Name	Vehicle Test Drive
Field Name	Test_Drive_Date	Data Type	Date
API Name	Test_Drive_Date__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Neha Sri Kommineni, 9/19/2026, 3:01 AM	Modified By	Neha Sri Kommineni, 9/19/2026, 3:01 AM

The 'General Options' section includes a 'Required' checkbox (unchecked) and a 'Default Value' field.

Figure 29. Test Drive Date field

Provides the date field used for appointment scheduling and the reminder path.

This screenshot shows the 'New Custom Field' page for 'Status' in Salesforce. The page title is 'Vehicle Test Drive' with a sub-header 'New Custom Field'. A 'Help for this Page' link is in the top right. The page is in 'Step 2 of 4' with 'Previous', 'Next', and 'Cancel' buttons. The 'Field Label' is 'Status'. The 'Values' section has two options: 'Use global picklist value set' (unchecked) and 'Enter values, with each value separated by a new line' (checked). A text area contains the values: 'Scheduled', 'Completed', and 'Canceled'. Below the text area are three checkboxes: 'Display values alphabetically, not in the order entered' (unchecked), 'Use first value as default value' (unchecked), and 'Restrict picklist to the values defined in the value set' (checked). The bottom right corner shows the 'Finetain' logo.

Figure 30. Vehicle Test Drive Status values

Shows status values for test-drive tracking.

Related field lists: test drive and service request

These captures show the test-drive field list and the service-request customer relationship.

The screenshot shows the Salesforce Setup interface for the 'Vehicle Test Drive' object. The left sidebar contains a navigation menu with options like Details, Fields & Relationships (selected), Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, and Search Layouts. The main content area is titled 'Vehicle Test Drive' and shows a table of fields and relationships. The table has columns for Field Label, Field Name, Data Type, Controlling Field, and Indexed. The fields listed are Created By, Customer, Last Modified By, Owner, Status, Test Drive Date, Vehicle, and Vehicle Test Drive Name. The relationships listed are Customer, Vehicle, and Vehicle Test Drive Name.

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Customer	Customer__c	Lookup(Vehicle Customer)		✓
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User,Group)		✓
Status	Status__c	Picklist		
Test Drive Date	Test_Drive_Date__c	Date		
Vehicle	Vehicle__c	Lookup(Vehicle)		✓
Vehicle Test Drive Name	Name	Text(80)		✓

Figure 31. Vehicle Test Drive field and relationship list

Summarizes configured test-drive fields and relationships.

The screenshot shows the Salesforce Setup interface for the 'Vehicle Service Request' object, specifically the 'Customer' custom field. The left sidebar is the same as in Figure 31. The main content area is titled 'Vehicle Service Request' and shows the 'Customer' custom field. The page includes a 'Custom Field Definition Detail' section with tabs for Edit, Set Field-Level Security, View Field Accessibility, and Where is this used?. The 'Field Information' section shows the field label 'Customer', field name 'Customer', API name 'Customer__c', and data type 'Lookup'. The 'Lookup Options' section shows the field is related to 'Vehicle Customer' and the child relationship name is 'Vehicle_Service_Requests'.

Field Label	Field Name	API Name	Description	Help Text	Data Owner	Field Usage	Data Sensitivity Level	Compliance Categorization
Customer	Customer	Customer__c						

Related To	Related List Label	Required	Child Relationship Name
Vehicle Customer	Vehicle Service Requests	☐	Vehicle_Service_Requests

Figure 32. Customer lookup on Vehicle Service Request

Associates the service request with the customer receiving service.

Service-request vehicle link and date

Service requests are linked back to customers and vehicles for contextual processing.

Vehicle Service Request Custom Field

Vehicle

[Back to Vehicle Service Request](#)

Validation Rules (0)

Custom Field Definition Detail

Edit

Set Field-Level Security

View Field Accessibility

Where is this used?

Field Information

Field Label	Vehicle	Object Name	Vehicle Service Request
Field Name	Vehicle	Data Type	Lookup
API Name	Vehicle__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Neha Sri Kommineni	Modified By	Neha Sri Kommineni
	9/19/2026, 3:07 AM		9/19/2026, 3:07 AM

Lookup Options

Related To	Vehicle	Child Relationship Name	Vehicle_Service_Requests
Related List Label	Vehicle Service Requests		
Required	☐		

Figure 33. Vehicle lookup on Vehicle Service Request

Associates service work with the vehicle that requires attention.

Vehicle Service Request Custom Field

Service Date

[Back to Vehicle Service Request](#)

Validation Rules (0)

Custom Field Definition Detail

Edit

Set Field-Level Security

View Field Accessibility

Where is this used?

Field Information

Field Label	Service Date	Object Name	Vehicle Service Request
Field Name	Service_Date	Data Type	Date
API Name	Service_Date__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Neha Sri Kommineni	Modified By	Neha Sri Kommineni
	9/19/2026, 3:08 AM		9/19/2026, 3:08 AM

Figure 34. Service Date field

Captures the date associated with the service request.

CONFIGURATION EVIDENCE • 16 / 16

Service details and lifecycle

Issue details and status values support service intake and work tracking.

The screenshot shows the 'Vehicle Service Request Custom Field' configuration page for the 'Issue Description' field. The page includes a 'Field Information' section with details such as Field Label, Field Name, API Name, Description, Help Text, Data Owner, Field Usage, Data Sensitivity Level, and Compliance Categorization. It also shows the 'General Options' section with checkboxes for 'Required', 'Unique', and 'Data Sensitive'. The 'Created By' and 'Modified By' fields are both set to 'Neha Sri Kommineni' on '9/19/2026, 3:09 AM'.

Field Information	
Field Label	Issue Description
Field Name	Issue_Description
API Name	Issue_Description__c
Description	
Help Text	
Data Owner	
Field Usage	
Data Sensitivity Level	
Compliance Categorization	
Created By	Neha Sri Kommineni, 9/19/2026, 3:09 AM
Modified By	Neha Sri Kommineni, 9/19/2026, 3:09 AM

Figure 35. Issue Description field

Captures the customer-reported service issue.

The screenshot shows the 'Vehicle Service Request' configuration page for a 'New Custom Field'. The 'Field Label' is 'Status'. The 'Values' section is set to 'Enter values, with each value separated by a new line'. The values entered are 'Requested', 'In Progress', and 'Completed'. The 'Restrict picklist to the values defined in the value set' checkbox is checked.

New Custom Field	
Field Label	Status
Values	☐ Use global picklist value set ☒ Enter values, with each value separated by a new line
Values	Requested In Progress Completed
Display values alphabetically, not in the order entered	☐
Use first value as default value	☐
Restrict picklist to the values defined in the value set	☒

Figure 36. Service Request Status values

Shows service-request status configuration; confirm exact values against the active setup.

4. Lightning app and user experience

The project uses a dedicated Lightning application named WhatsNext Vision Motors. Its navigation is designed around the principal user tasks: opening vehicle and dealer records, managing customers and orders, booking test drives, processing service requests, and reviewing analytics.

Navigation area	Typical task
Vehicles / Vehicle Dealers	Review inventory and dealer information.
Vehicle Customers	Maintain customer details.
Vehicle Orders	Create and monitor vehicle purchases.
Vehicle Test Drives	Schedule and track appointments.
Vehicle Service Requests	Track service intake and resolution.
Reports / Dashboards	Review inventory and operational summaries.




Figure 37. Lightning app record workspace.

A sample vehicle record is shown within the WhatsNext Vision Motors app navigation.




Figure 38. Dealer record in the project app.

The dealer record presents location and contact information in the record detail view.

5. Automation and customer communication

Flows handle repeatable record-processing and communication steps. The supplied reference describes dealer assignment and stock-based order confirmation, while the screenshots provide direct evidence of flow canvases, a scheduled reminder path, email delivery, and service-request status handling.

5.1 Vehicle order processing

The documented process begins with a pending order. The order flow retrieves the selected vehicle, checks stock, and follows the stock-available branch to update the order to Confirmed. The project reference describes an order-confirmation email and relies on Apex to enforce stock rules and reduce inventory when the status transitions to Confirmed.

Step	Expected business action
1. Order entered	Create a Vehicle Order in Pending status and relate it to the customer and vehicle.
2. Stock evaluated	Retrieve the selected vehicle and evaluate its available stock.
3. Decision	When stock is available, proceed to confirmation; when it is unavailable, do not confirm.
4. Follow-up	Notify the customer and apply the stock update through the project's order logic.




Figure 39. Vehicle order stock-check and confirmation flow.

The visible flow sequence retrieves vehicle information, evaluates stock, and confirms an eligible order.




Figure 40. Confirmed Vehicle Order record.

A Vehicle Order record is shown with status Confirmed; this is a record-state screenshot, not a full audit log of every downstream action.

5.2 Dealer assignment

The supplied project reference describes an order-creation flow that uses customer location to find a matching dealer and writes the dealer to the order. This reduces manual dealer selection. The precise matching rule (for example, exact city matching, fallback behaviour, and handling of multiple dealers) should be confirmed in Flow Builder before treating it as a formal business rule.




Figure 41. Record-triggered flow canvas supplied with the project evidence.

The screenshot shows a record-triggered flow with record retrieval and an action. The exact flow label and full decision logic are not sufficiently legible in this capture; verify the flow name and assignments in Flow Builder.

5.3 Test-drive reminder

The test-drive reminder is configured as a scheduled path associated with a Vehicle Test Drive record. The project reference specifies that the reminder runs one day before the appointment, retrieves customer details, and sends an email to the customer.

Figure 42. Scheduled path configured for the test-drive reminder.

The screenshot shows a scheduled path using the Test Drive Date field and a one-day offset before the appointment.




Figure 43. Test-drive reminder email evidence (desktop capture).

An email titled "Reminder: Your Test Drive is Tomorrow!" is shown in the supplied screenshot collection.

Customer email received

The project owner also supplied this mobile inbox screenshot. It provides direct evidence that the test-drive reminder reached the mailbox: the subject says “Reminder: Your Test Drive is Tomorrow!” and the message asks the customer to arrive on time for the scheduled appointment.




Figure 44. Mobile screenshot of the received test-drive reminder email.

Received 22 September; the visible message body confirms the reminder text and the WhatsNext Vision Motors sign-off.

5.4 Service-request handling

The service-request evidence shows a record-triggered flow with a Confirm Service Request update action. A sample Vehicle Service Request includes a Confirm Service field and a status displayed as In Progress. This supports a service intake/confirmation process; the screenshots do not establish every possible service lifecycle branch.




Figure 45. Service-request confirmation flow.

The flow canvas shows a record-triggered process and a Confirm Service Request update element.

The screenshot displays a Salesforce record for a 'Vehicle Service Request' with ID 's1'. The record is owned by Neha Sri Kommineni. The 'Confirm Service' field is checked, and the status is 'In Progress'.

Vehicle Service Request Name	Owner
s1	Neha Sri Kommineni
Customer	sia
Confirm Service	✓
Vehicle	Honda
Service Date	9/22/2026
Issue Description	brake
Status	In Progress

Figure 46. Service request after confirmation.

The example record displays Confirm Service selected and a status of In Progress.

6. Apex implementation

The reference describes a thin `VehicleOrderTrigger` that delegates to `VehicleOrderTriggerHandler`. The intended responsibilities are to prevent an order from being confirmed when its vehicle has no stock and to reduce stock once when an order transitions into Confirmed. The documented transition check is “new status is Confirmed and old status is not Confirmed,” which is intended to avoid repeated deductions during later edits.

Design practices described in the reference

- Collect vehicle IDs and query related vehicles in bulk rather than querying in a loop.
- Use maps to associate vehicle records with order records.
- Collect updates and perform DML outside record loops.
- Separate trigger entry points from business logic in the handler.

Batch Apex and scheduler: verification required

The project reference identifies `VehicleOrderBatch` and `VehicleOrderBatchScheduler` for periodic processing of pending orders. The supplied screenshots show the batch class source and an Apex Developer Console problem at capture time: `VehicleOrderBatch` is reported as missing the required `Database.Batchable.start(Database.BatchableContext)` method. A second capture shows a scheduled job pending or in progress. Therefore, this report treats Batch Apex as an implementation artifact with verification outstanding—not as a proven successful batch run.

7. Functional evidence and testing

The screenshots contain examples of live Salesforce records and customer communication. The matrix separates visible evidence from expected behaviour so reviewers can distinguish a demonstrated state from a scenario that still needs a controlled test.

Scenario	Evidence in supplied screenshots	Assessment
Order confirmation	A Vehicle Order record is shown as Confirmed.	Record state demonstrated; capture a before/after stock pair to prove deduction.
Out-of-stock handling	An order-entry capture shows a validation/error message; separate reference text describes the expected stock rule.	Failure-path evidence present; verify exact message and status after current code changes.
Test-drive reminder	Scheduled path configuration and received reminder email are shown.	Configuration and a delivered message are evidenced.
Service request	Flow update element and record with confirmation selected / status In Progress are shown.	Record state and flow element evidenced.
Batch processing	Source code and a pending/in-progress job state appear in the Developer Console.	Successful compile and execution are not established; verification required.
Inventory report/dashboard	Inventory report lists vehicle rows; dashboard screenshot includes a New Vehicles Report component.	Report and a dashboard component are visible.

8. Reports and dashboard

The evidence includes a New Vehicles Report with vehicle name, model, stock quantity, price, status and dealer information. The dashboard screenshot displays a component based on this report, giving a compact inventory view within the app.

	Vehicle: Vehicle Name	Vehicle Model	Stock Quantity	Price	Status	Dealer
1	Honda City	Sedan	3	\$1,500,000.00	Available	Ram
2	Honda	Sedan	4	-	-	-
3	Kia	SUV	4	\$20,000.00	Available	Vijayawada Motors
4			11	\$1,520,000.00		

Figure 49. New Vehicles Report.

The report displays a small sample of vehicle records and inventory fields.




Figure 50. WhatsNext Vision Motors dashboard.

The supplied screenshot shows a dashboard with a New Vehicles Report component. Only the visible component is described here.

9. Source control, deployment and verification notes

Salesforce DX and GitHub

The project handoff describes a Salesforce DX project structure and a successful push to the GitHub repository. The shared repository reference is:

<https://github.com/Nehasri07/WhatNext-Vision-Motors>

The project reference identifies metadata under the typical Salesforce DX folders for objects, flows, Apex classes, triggers and applications. The repository link is included for traceability; repository files were not independently audited for this report.

Verification boundaries

This report is based on the supplied reference DOCX and screenshots. Screenshots are point-in-time evidence, not a fresh deployment, test run or repository audit; verify the current Salesforce configuration before using this as operational or deployment guidance.

10. Conclusion

WhatsNext Vision Motors demonstrates a Salesforce CRM implementation that connects inventory, dealer, customer, order, test-drive and service-request data. The strongest evidence in the supplied materials covers custom data configuration, the Lightning app, flow-based order and service processing, scheduled test-drive reminders, customer email, an inventory report and a dashboard view.

The project also documents an Apex trigger/handler design and an intended batch-processing pattern. The batch screenshots reveal an implementation issue at the time of capture, so compile and runtime validation should be completed before describing batch processing as operational. With that verification and a concise set of before/after test captures, this documentation can serve as a clear project-review and portfolio artifact.