Test Run Report




Test Run Overview

Started 21 Sep 2020, 14:57:30 Ended 21 Sep 2020, 14:59:37

Duration (mm:ss) 02:06.970

Test Results Summary

Passed 1 Failed 0 Skipped 0



Test Case Summary



successfulsuccessful

Merchandise.testcase

Summary

Started 21 Sep 2020, 14:57:30 Ended 21 Sep 2020, 14:59:29

Duration (mm:ss) 01:59.225
Outcome successful

Output

- Salesforce Connect: Devops (Test)
 - (i) Opening Salesforce connection Connection name: Devops
 - ① Connection details. Connection name: Devops, urlString: sf:user=test-dserkvvwmkqb@example.com;password={password};securityToken={securityToken};environment=SANDBOX, environment: <default>, userName: test-dserkvvwmkqb@example.com, password: [supplied], securityToken: [supplied]
 - ① Created Object ID log file. Path: C:\Users\Sailndira\Provar1\Workspace6\Sales\ANT\..\ANT\Results(6)\Artifacts\Devops-objectids.log Salesforce connection opened successfully. Connection name: Devops, ResultName: Devops, resultScope: Test
- On SF Merchandise Home screen
 - ① Start of With Screen. Connection Name: Devops, target: sf:ui:target?object=Merchandise__c&action=ObjectHome
 - Using executable from UserHome Provar. executable: C:\Users\Sailndira\Provar\.chromeDriver\chromedriver.exe
 - 10 Added Chrome command line switch to bypass proxy for local addresses: --proxy-bypass-list=localhost,127.0.0.1,192.168.0.109
 - (i) Added Desired Capability for chrome browser proxy: Null
 - ① Using executable from UserHome Provar. executable: C:\Users\SaiIndira\Provar\.chromeDriver\chromedriver.exe
 - ① Successfully opened Chrome WebDriver to https://test.salesforce.com/.
 - ① Opening Page context. Name: screen, data: null, frame: null
 - ① Opening Salesforce page. Object: Merchandise_c, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/a05/list?filterName=Recent, Current URL: chrome-search://local-ntp/local-ntp.html
 - ① Opening page. URL: https://test.salesforce.com/?un=test-dserkvvwmkqb%40example.com&pw={password}&startURL=%2Flightning%2Fapp%2F06mN0000000IDyBIAW
 - Start of waitForPageToLoad. Timeout(ms): 90000
 - (i) Reattempting of waitForPageToLoad. Timeout(ms): 90000
 - 1 End of waitForPageToLoad. Duration(ms): 38
 - ① Polling for field. attempt: 1, by: By.xpath: //*[(self::div and contains(@class, 'oneGlobalNav')) or (@id='oneHeader')]
 - ① Polling for field. attempt: 2, by: By.xpath: //*[(self::div and contains(@class, 'oneGlobalNav')) or (@id='oneHeader')]
 - ① Polling for field. attempt: 3, by: By.xpath: //*[(self::div and contains(@class, 'oneGlobalNav')) or (@id='oneHeader')]
 - ① Polling for field. attempt: 4, by: By.xpath: //*[(self::div and contains(@class, 'oneGlobalNav')) or (@id='oneHeader')]
 - ① Polling for field. attempt: 5, by: By.xpath: //*[(self::div and contains(@class, 'oneGlobalNav')) or (@id='oneHeader')]
 - ① Polling for field. attempt: 6, by: By.xpath: //*[(self::div and contains(@class, 'oneGlobalNav')) or (@id='oneHeader')]
 - ① Polling for field. attempt: 7, by: By.xpath: //*[(self::div and contains(@class, 'oneGlobalNav')) or (@id='oneHeader')]
 - ① Polling for field. attempt: 8, by: By.xpath: //*[(self::div and contains(@class, 'oneGlobalNav')) or (@id='oneHeader')]
 - ① Polling for field. attempt: 9, by: By.xpath: //*[(self::div and contains(@class, 'oneGlobalNav')) or (@id='oneHeader')]
 - ① Polling for field. attempt: 10, by: By.xpath: //*[(self::div and contains(@class, 'oneGlobalNav')) or (@id='oneHeader')]
 - ① Polling for field. attempt: 11, by: By.xpath: //*[(self::div and contains(@class, 'oneGlobalNav')) or (@id='oneHeader')]
 - ① Polling for field. attempt: 12, by: By.xpath: //*[(self::div and contains(@class, 'oneGlobalNav')) or (@id='oneHeader')]
 - 1 Polling for field. attempt: 13, by: By.xpath: //*[(self::div and contains(@class, 'oneGlobalNav')) or (@id='oneHeader')]
 - 1 Polling for field. attempt: 1, by: By.xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]
 - (i) Waited for lightning page to load. Attempts: 1, duration: 0.105
 - ① Qualified relative URL. URL: https://drive-efficiency-61862-dev-ed.lightning.force.com/lightning/o/a05/list?filterName=Recent

- ① Opening page. Requested URL: /lightning/o/a05/list?filterName=Recent, Absolute URL: https://drive-efficiency-61862-dev-ed.lightning.force.com/lightning/o/a05/list?filterName=Recent
- ① Polling for field. attempt: 1, by: By.xpath: //*[(self::div and contains(@class, 'oneGlobalNav')) or (@id='oneHeader')]
- 1 Polling for field. attempt: 1, by: By.xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]
- 1 Polling for field. attempt: 2, by: By.xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]
- (i) Browser window has been opened. Name: main

Click the New button

- ① Start of Interact. Connection: Devops, Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DMerchandise_c %26action%3DNew, before wait: default, after wait: default, auto retry: default
- Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DMerchandise__c%26action%3DNew
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://drive-efficiency-61862-dev-ed.lightning.force.com/lightning/o/Merchandise__c/list? filterName=Recent
- 1 Interaction: ui:interaction?name=action
- ① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]// div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | // div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '753:0')]
- (i) Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- i End of <:default>: wait.
- ① Found element: [[ChromeDriver: chrome on XP (de86de2479f934943740481eafe90c6b)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop')or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '753:0')]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]
- Doing after wait. waitUrl: default
- i End of <:default>: wait.
- (1) All Sub-Test Steps were successful.
- (1) Closing Page context. Name: screen, data: null, frame: null
- i Main window reselected. Window: main
- ① Switched focus to main window. URL: https://drive-efficiency-61862-dev-ed.lightning.force.com/lightning/o/Merchandise__c/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FMerchandise__c%2Flist%3FfilterName%3DRecent

On SF Merchandise New screen

- ⑤ Start of With Screen. Connection Name: Devops, target: sf:ui:target?object=Merchandise_c&action=New&noOverride=true
- (i) Opening Page context. Name: screen, data: null, frame: null
- 1 Hover>Clicking WebElement. WebElement [tag: h2, text: New Merchandise]

Set the Category picklist to Mens

- ① Start of Interact. Connection: Devops, Locator: ui:locator?name=Category_c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DMerchandise_c%26field%3DCategory_c, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Category__c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DMerchandise__c%26field%3DCategory__c
- i) Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://drive-efficiency-61862-dev-ed.lightning.force.com/lightning/o/Merchandise_c/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FMerchandise_c%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'active') and contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::force-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection '))][1]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'sids-form-element_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'sids-form-element_label'))) or (self::div and contains(@class,'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText'))) and (.//text()[normalize-space()='Category'] or .//text() = 'Category')]/ancestor::div[1]
- Find field using relative xpath: .//*[self::a or self::input]

- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[[[ChromeDriver: chrome on XP (de86de2479f934943740481eafe90c6b)] -> xpath: //div[contains(@class, 'active') and contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::force-record-layout-section) or ((self::section or self::div) and contains(@class, forcePageBlockSection '))][1]/*[((self::label and (contains(@class, uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide '))) or (self::spath and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText'))) and (.//text()[normalize-space()='Category'] or .//text() = 'Category')]/ancestor::div[1]] -> xpath: .//*[self::a or self::input]]
- (i) Got webElement. tagName: A, id: null, type: null, class: select
- ① Typing value. tagName: A, type: null, value: Mens, blur: false
- ① Clicking WebElement. WebElement [tag: a, text: --None--, href: javascript:void(0);]
- ① Clicking WebElement. WebElement [tag: a, text: Mens, href: javascript:void(0);]
- i Doing after wait. waitUrl: default
- i End of <default> wait.

Click the Save button

- ① Start of Interact. Connection: Devops, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DMerchandise_c %26action%3Dsave, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DMerchandise__c%26action%3Dsave
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://drive-efficiency-61862-dev-ed.lightning.force.com/lightning/o/Merchandise_c/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FMerchandise_c%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=action
- ① Find action link element using xpath: //div[contains(@class, 'active') and contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))][last()]//button[contains(@data-aura-rendered-by, '951:0')]
- ① Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[ChromeDriver: chrome on XP (de86de2479f934943740481eafe90c6b)] -> xpath: //div[contains(@class, 'active') and contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')))[[last()]//button[contains(@data-aura-rendered-by, '951:0')]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- Doing after wait. waitUrl: default
- End of <default> wait.
- All Sub-Test Steps were successful.
- ① Switched focus to main window. URL: https://drive-efficiency-61862-dev-ed.lightning.force.com/lightning/r/Merchandise__c/a05N000000AhqYFIAZ/view
- Start of waitForPageToLoad. Timeout(ms): 90000
- (i) Reattempting of waitForPageToLoad. Timeout(ms): 90000
- i End of waitForPageToLoad. Duration(ms): 24
- (i) Injecting script to get created object ID from aura component
- 1 Fetching created Id from URL
- Storing created Salesforce Object ID. Result Name: merchandise__cld, created ID: a05N000000AhqYFIAZ, location: https://drive-efficiency-61862-dev-ed.lightning.force.com/lightning/r/Merchandise__c/a05N000000AhqYFIAZ/view
- ① Logging Salesforce Object Id for clean up. Object Name: Merchandise_c, id: a05N000000AhqYFIAZ
- (i) Closing Page context. Name: screen, data: null, frame: null
- 1 Main window reselected. Window: main
- ① Switched focus to main window. URL: https://drive-efficiency-61862-dev-ed.lightning.force.com/lightning/r/Merchandise__c/a05N000000AhqYFIAZ/view