Cucumber Report

17 Dec 2024, 23:13:15

| **Start : Dec 17, 11:06:35.606 pm**	**End : Dec 17, 11:13:14.512 pm**	**Duration : 6 m 38.906 s**
Features	Scenarios	Steps
PASSED - 2 FAILED - 2 SKIPPED - 0	PASSED - 2 FAILED - 7 SKIPPED - 0	PASSED - 63 FAILED - 7 SKIPPED - 51

4

9

121

50 %

22 %

52 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Desktop Menu	4 m 42.189 s	6	0	6	0	90	48	6	36
Desktop Menu	1 m 7.362 s	1	0	1	0	25	9	1	15
My Account	3.605 s	1	1	0	0	3	3	0	0
TopMenu Feature	45.720 s	1	1	0	0	3	3	0	0

#	Feature Name	Scenario Name
1	*Desktop Menu*	*Verify Product Added To ShoppingCart SuccessFully*
2		*Verify Product Added To ShoppingCart SuccessFully*
3		*Verify Product Added To ShoppingCart SuccessFully*
4		*Verify Product Added To ShoppingCart SuccessFully*
5		*Verify Product Added To ShoppingCart SuccessFully*
6		*Verify Product Added To ShoppingCart SuccessFully*
7		*Verify That User Place Order Successfully*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@sanity	9	2	7	0	4	2	2	0

| #	Feature Name	T	P	F	S	Duration
1	Desktop Menu	6	0	6	0	4 m 42.189 s
2	Desktop Menu	1	0	1	0	1 m 7.362 s
3	My Account	1	1	0	0	3.605 s
4	TopMenu Feature	1	1	0	0	45.720 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Desktop Menu	Verify Product Added To ShoppingCart SuccessFully	15	8	1	6	47.526 s
2		Verify Product Added To ShoppingCart SuccessFully	15	8	1	6	46.379 s
3		Verify Product Added To ShoppingCart SuccessFully	15	8	1	6	47.745 s
4		Verify Product Added To ShoppingCart SuccessFully	15	8	1	6	46.169 s
5		Verify Product Added To ShoppingCart SuccessFully	15	8	1	6	45.953 s
6		Verify Product Added To ShoppingCart SuccessFully	15	8	1	6	48.342 s
7		Verify That User Place Order Successfully	25	9	1	15	1 m 7.362 s
8	My Account	Verify User Should Navigate To LoginPage Successfully	3	3	0	0	3.605 s
9	TopMenu Feature	Verify User Should Navigate To Laptops And NotebooksPage Successfully	3	3	0	0	45.720 s

Desktop Menu

FAILED	DURATION - 4 m 42.189 s		Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0	Steps Total - 90 Pass - 48 Fail - 6 Skip - 36	
/ 11:06:35.606 pm // 11:11:17.795 pm /					

Verify Product Added To ShoppingCart SuccessFully

FAILED	DURATION - 47.526 s		Steps Total - 15 Pass - 8 Fail - 1 Skip - 6	
/ 11:06:35.606 pm // 11:07:23.132 pm /				
Desktop Menu				
@sanity				

| #	Step / Hook Details	Status	Duration
1	When I Mouse hover on Currency Dropdown and click	PASSED	0.232 s
2	And I Mouse hover on £Pound Sterling and click	PASSED	0.637 s
3	When I mouse hover on "Desktops" Tab and click	PASSED	0.227 s
4	And I call selectMenu method and pass the menu = "Show All Desktops"	PASSED	21.151 s
5	And I select Sort By position "Name (A - Z)"	PASSED	0.784 s
6	And I Select product "HTC Touch HD"	PASSED	0.000 s
7	And I should see the Text "HTC Touch HD"	PASSED	0.000 s
8	And I Enter Qty 1 using Select class.	PASSED	0.001 s
9	And I Click on Add to Cart button	FAILED	20.079 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='button-cart']"} (Session info: chrome=131.0.6778.140) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.26.0', revision: '8ccf0219d7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9c3817592708e43ab3d3d4af2c01246c, findElement {value=//button[@id='button-cart'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.140, chrome: {chromedriverVersion: 131.0.6778.108 (3b014839fbc..., userDataDir: C:\Users\neelt\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61366}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61366/devtoo..., se:cdpVersion:		

#	Step / Hook Details	Status	Duration

	131.0.6778.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9c3817592708e43ab3d3d4af2c01246c
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy30.click(Unknown Source)
	  at com.tutorialsninja.demo.utilities.Utility.clickOnElement(Utility.java:49)
	  at com.tutorialsninja.demo.pages.ProductPage.clickOnTheAddToCart(ProductPage.java:51)
	  at com.tutorialsninja.demo.steps.ProductStep.iClickOnAddToCartButton(ProductStep.java:33)
	  at ?.I Click on Add to Cart button(file:///C:/Users/neelt/IdeaProjects/com-tutorialsninja-cucumber/src/test/resources/features/desktopstest.feature:24)
	* Not displayable characters are replaced by '?'.		

10	And I should see the Message Success: You have added "HTC Touch HD" to your shopping cart!	SKIPPED	0.000 s
11	And I Click on link shopping cart display into success message	SKIPPED	0.000 s
12	And I should see the text "Shopping Cart"	SKIPPED	0.000 s
13	And I should see the Product name "HTC Touch HD"	SKIPPED	0.000 s
14	And I should see the Model "Product 1"	SKIPPED	0.000 s
15	Then I should see the Total "£74.73"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.478 s
	Verify Product Added To ShoppingCart SuccessFully		

#	Step / Hook Details	Status	Duration

Verify Product Added To ShoppingCart SuccessFully

| FAILED	DURATION - 46.379 s		Steps
/ 11:07:23.186 pm // 11:08:09.565 pm /			Total - 15
			Pass - 8
Desktop Menu			Fail - 1
@sanity			Skip - 6

#	Step / Hook Details	Status	Duration
1	When I Mouse hover on Currency Dropdown and click	PASSED	0.323 s
2	And I Mouse hover on £Pound Sterling and click	PASSED	0.592 s
3	When I mouse hover on "Desktops" Tab and click	PASSED	0.229 s
4	And I call selectMenu method and pass the menu = "Show All Desktops"	PASSED	20.774 s
5	And I select Sort By position "Name (A - Z)"	PASSED	0.896 s
6	And I Select product "iPhone"	PASSED	0.001 s
7	And I should see the Text "iPhone"	PASSED	0.002 s
8	And I Enter Qty 1 using Select class.	PASSED	0.001 s
9	And I Click on Add to Cart button	FAILED	20.047 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='button-cart']"} (Session info: chrome=131.0.6778.140) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.26.0', revision: '8ccf0219d7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ee6d9ef628f47df8f09a3154681d9b24, findElement {value=//button[@id='button-cart'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.140, chrome: {chromedriverVersion: 131.0.6778.108 (3b014839fbc..., userDataDir: C:\Users\neelt\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61392/devtoo..., se:cdpVersion: 131.0.6778.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration
	ee6d9ef628f47df8f09a3154681d9b24 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy30.click(Unknown Source) at com.tutorialsninja.demo.utilities.Utility.clickOnElement(Utility.java:49) at com.tutorialsninja.demo.pages.ProductPage.clickOnTheAddToCart(ProductPage.java:51) at com.tutorialsninja.demo.steps.ProductStep.iClickOnAddToCartButton(ProductStep.java:33) at ?.I Click on Add to Cart button(file:///C:/Users/neelt/IdeaProjects/com-tutorialsninja-cucumber/src/test/resources/features/desktopstest.feature:24) * Not displayable characters are replaced by '?'.		
10	And I should see the Message Success: You have added "iPhone" to your shopping cart!	SKIPPED	0.000 s
11	And I Click on link shopping cart display into success message	SKIPPED	0.000 s
12	And I should see the text "Shopping Cart"	SKIPPED	0.000 s
13	And I should see the Product name "iPhone"	SKIPPED	0.000 s
14	And I should see the Model "product 11"	SKIPPED	0.001 s
15	Then I should see the Total "£75.46"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) Verify Product Added To ShoppingCart SuccessFully	PASSED	0.482 s

Verify Product Added To ShoppingCart SuccessFully

FAILED	DURATION - 47.745 s
/ 11:08:09.570 pm // 11:08:57.315 pm /	
Desktop Menu	
@sanity	

Steps
Total - 15
Pass - 8
Fail - 1
Skip - 6

15

#	Step / Hook Details	Status	Duration
1	When I Mouse hover on Currency Dropdown and click	PASSED	0.516 s
2	And I Mouse hover on £Pound Sterling and click	PASSED	0.965 s
3	When I mouse hover on "Desktops" Tab and click	PASSED	0.158 s
4	And I call selectMenu method and pass the menu = "Show All Desktops"	PASSED	20.980 s
5	And I select Sort By position "Name (A - Z)"	PASSED	0.737 s
6	And I Select product "iPod Classic"	PASSED	0.000 s
7	And I should see the Text "iPod Classic"	PASSED	0.000 s
8	And I Enter Qty 1 using Select class.	PASSED	0.000 s
9	And I Click on Add to Cart button	FAILED	20.067 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='button-cart']"} (Session info: chrome=131.0.6778.140) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.26.0', revision: '8ccf0219d7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9f4aa7c437c2de14bb1dc5487498ec49, findElement {value=//button[@id='button-cart'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.140, chrome: {chromedriverVersion: 131.0.6778.108 (3b014839fbc..., userDataDir: C:\Users\neelt\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61428}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61428/devtoo..., se:cdpVersion: 131.0.6778.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9f4aa7c437c2de14bb1dc5487498ec49
	
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy30.click(Unknown Source) at com.tutorialsninja.demo.utilities.Utility.clickOnElement(Utility.java:49) at com.tutorialsninja.demo.pages.ProductPage.clickOnTheAddToCart(ProductPage.java:51) at com.tutorialsninja.demo.steps.ProductStep.iClickOnAddToCartButton(ProductStep.java:33) at ?.I Click on Add to Cart button(file:///C:/Users/neelt/IdeaProjects/com-tutorialsninja-cucumber/src/test/resources/features/desktopstest.feature:24) * Not displayable characters are replaced by '?'.		
10	And I should see the Message Success: You have added "iPod Classic" to your shopping cart!	SKIPPED	0.000 s
11	And I Click on link shopping cart display into success message	SKIPPED	0.000 s
12	And I should see the text "Shopping Cart"	SKIPPED	0.000 s
13	And I should see the Product name "iPod Classic"	SKIPPED	0.000 s
14	And I should see the Model "product 20"	SKIPPED	0.000 s
15	Then I should see the Total "£74.73"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) Verify Product Added To ShoppingCart SuccessFully 	PASSED	0.459 s

Verify Product Added To ShoppingCart SuccessFully

FAILED	DURATION - 46.169 s

/ 11:08:57.331 pm // 11:09:43.500 pm /

Desktop Menu

@sanity

| Steps |
|---|
| Total - 15 |
| Pass - 8 |
| Fail - 1 |
| Skip - 6 |

15

#	Step / Hook Details	Status	Duration
1	When I Mouse hover on Currency Dropdown and click	PASSED	0.252 s
2	And I Mouse hover on £Pound Sterling and click	PASSED	0.623 s
3	When I mouse hover on "Desktops" Tab and click	PASSED	0.245 s
4	And I call selectMenu method and pass the menu = "Show All Desktops"	PASSED	20.741 s
5	And I select Sort By position "Name (A - Z)"	PASSED	0.853 s
6	And I Select product "MacBook"	PASSED	0.000 s
7	And I should see the Text "MacBook"	PASSED	0.000 s
8	And I Enter Qty 1 using Select class.	PASSED	0.000 s
9	And I Click on Add to Cart button	FAILED	20.059 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='button-cart']"}   (Session info: chrome=131.0.6778.140) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.26.0', revision: '8ccf0219d7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f9dec6e455549e7f3d867964b89d4b01, findElement {value=//button[@id='button-cart'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.140, chrome: {chromedriverVersion: 131.0.6778.108 (3b014839fbc..., userDataDir: C:\Users\neelt\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61466}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61466/devtoo..., se:cdpVersion: 131.0.6778.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f9dec6e455549e7f3d867964b89d4b01
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy30.click(Unknown Source) at com.tutorialsninja.demo.utilities.Utility.clickOnElement(Utility.java:49) at com.tutorialsninja.demo.pages.ProductPage.clickOnTheAddToCart(ProductPage.java:51) at com.tutorialsninja.demo.steps.ProductStep.iClickOnAddToCartButton(ProductStep.java:33) at ?.I Click on Add to Cart button(file:///C:/Users/neelt/IdeaProjects/com-tutorialsninja-cucumber/src/test/resources/features/desktopstest.feature:24) * Not displayable characters are replaced by '?'.		
10	And I should see the Message Success: You have added "MacBook" to your shopping cart!	SKIPPED	0.000 s
11	And I Click on link shopping cart display into success message	SKIPPED	0.000 s
12	And I should see the text "Shopping Cart"	SKIPPED	0.000 s
13	And I should see the Product name "MacBook"	SKIPPED	0.000 s
14	And I should see the Model "Product 16"	SKIPPED	0.000 s
15	Then I should see the Total "£368.73"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) Verify Product Added To ShoppingCart SuccessFully 	PASSED	0.423 s

Verify Product Added To ShoppingCart SuccessFully

FAILED	DURATION - 45.953 s
/ 11:09:43.500 pm // 11:10:29.453 pm /	
Desktop Menu	
@sanity	

Steps

Total - 15

Pass - 8

Fail - 1

Skip - 6

#	Step / Hook Details	Status	Duration
1	When I Mouse hover on Currency Dropdown and click	PASSED	0.253 s
2	And I Mouse hover on £Pound Sterling and click	PASSED	0.596 s
3	When I mouse hover on "Desktops" Tab and click	PASSED	0.231 s
4	And I call selectMenu method and pass the menu = "Show All Desktops"	PASSED	20.742 s
5	And I select Sort By position "Name (A - Z)"	PASSED	0.811 s
6	And I Select product "MacBook Air"	PASSED	0.001 s
7	And I should see the Text "MacBook Air"	PASSED	0.001 s
8	And I Enter Qty 1 using Select class.	PASSED	0.000 s
9	And I Click on Add to Cart button	FAILED	20.053 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='button-cart']"} (Session info: chrome=131.0.6778.140) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.26.0', revision: '8ccf0219d7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0ac449f68791e890c4cc2f5b283407d6, findElement {value=//button[@id='button-cart'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.140, chrome: {chromedriverVersion: 131.0.6778.108 (3b014839fbc..., userDataDir: C:\Users\neelt\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61494}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61494/devtoo..., se:cdpVersion: 131.0.6778.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0ac449f68791e890c4cc2f5b283407d6
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy30.click(Unknown Source) at com.tutorialsninja.demo.utilities.Utility.clickOnElement(Utility.java:49) at com.tutorialsninja.demo.pages.ProductPage.clickOnTheAddToCart(ProductPage.java:51) at com.tutorialsninja.demo.steps.ProductStep.iClickOnAddToCartButton(ProductStep.java:33) at ?.I Click on Add to Cart button(file:///C:/Users/neelt/IdeaProjects/com-tutorialsninja-cucumber/src/test/resources/features/desktopstest.feature:24) * Not displayable characters are replaced by '?'.		
10	And I should see the Message Success: You have added "MacBook Air" to your shopping cart!	SKIPPED	0.000 s
11	And I Click on link shopping cart display into success message	SKIPPED	0.000 s
12	And I should see the text "Shopping Cart"	SKIPPED	0.000 s
13	And I should see the Product name "MacBook Air"	SKIPPED	0.000 s
14	And I should see the Model "Product 17"	SKIPPED	0.000 s
15	Then I should see the Total "£736.23"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) Verify Product Added To ShoppingCart SuccessFully 	PASSED	0.378 s

Verify Product Added To ShoppingCart SuccessFully

FAILED	DURATION - 48.342 s
/ 11:10:29.453 pm // 11:11:17.795 pm /	
Desktop Menu	
@sanity	

Steps
Total - 15
Pass - 8
Fail - 1
Skip - 6

15

| #	Step / Hook Details	Status	Duration
1	When I Mouse hover on Currency Dropdown and click	PASSED	0.179 s
2	And I Mouse hover on £Pound Sterling and click	PASSED	0.792 s
3	When I mouse hover on "Desktops" Tab and click	PASSED	0.207 s
4	And I call selectMenu method and pass the menu = "Show All Desktops"	PASSED	21.352 s
5	And I select Sort By position "Name (A - Z)"	PASSED	0.780 s
6	And I Select product "Sony VAIO"	PASSED	0.000 s
7	And I should see the Text "Sony VAIO"	PASSED	0.000 s
8	And I Enter Qty 1 using Select class.	PASSED	0.000 s
9	And I Click on Add to Cart button	FAILED	20.072 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@id='button-cart']"}   (Session info: chrome=131.0.6778.140) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.26.0', revision: '8ccf0219d7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a3036e7594176afd0deac6a37061a423, findElement {value=//button[@id='button-cart'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.140, chrome: {chromedriverVersion: 131.0.6778.108 (3b014839fbc..., userDataDir: C:\Users\neelt\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61601}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61601/devtoo..., se:cdpVersion: 131.0.6778.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a3036e7594176afd0deac6a37061a423
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy30.click(Unknown Source) at com.tutorialsninja.demo.utilities.Utility.clickOnElement(Utility.java:49) at com.tutorialsninja.demo.pages.ProductPage.clickOnTheAddToCart(ProductPage.java:51) at com.tutorialsninja.demo.steps.ProductStep.iClickOnAddToCartButton(ProductStep.java:33) at ?.I Click on Add to Cart button(file:///C:/Users/neelt/IdeaProjects/com-tutorialsninja-cucumber/src/test/resources/features/desktopstest.feature:24) * Not displayable characters are replaced by '?'.		
10	And I should see the Message Success: You have added "Sony VAIO" to your shopping cart!	SKIPPED	0.000 s
11	And I Click on link shopping cart display into success message	SKIPPED	0.000 s
12	And I should see the text "Shopping Cart"	SKIPPED	0.000 s
13	And I should see the Product name "Sony VAIO"	SKIPPED	0.000 s
14	And I should see the Model "Product 19"	SKIPPED	0.000 s
15	Then I should see the Total "£736.23"	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) Verify Product Added To ShoppingCart SuccessFully 	PASSED	0.460 s

Desktop Menu

FAILED	DURATION - 1 m 7.362 s	Scenarios		Steps	
/ 11:11:17.815 pm // 11:12:25.177 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 25 Pass - 9 Fail - 1 Skip - 15	25

Verify That User Place Order Successfully

FAILED	DURATION - 1 m 7.362 s		Steps	
/ 11:11:17.815 pm // 11:12:25.177 pm /			Total - 25 Pass - 9 Fail - 1 Skip - 15	25
Desktop Menu				
@sanity				

| #	Step / Hook Details	Status	Duration
1	When I mouse hover on "Laptops & Notebooks" Tab and click	PASSED	20.349 s
2	And I call selectMenu method and pass the menu = "Show All Laptops & Notebooks"	PASSED	21.429 s
3	And I Select Sort By "Price (High > Low)"	PASSED	0.745 s
4	And I Select Product "MacBook"	PASSED	1.050 s
5	And I should see the text "MacBook"	PASSED	0.038 s
6	And I Click on Add to Cart button	PASSED	0.072 s
7	And I should see the message Success: You have added MacBook to your shopping cart!	PASSED	0.239 s
8	And I Click on link shopping cart display into success message	PASSED	0.001 s
9	And I should see the text "Shopping Cart"	PASSED	0.000 s
10	And I should see the Product name "MacBook"	FAILED	20.050 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='product-thumb']//h4"} (Session info: chrome=131.0.6778.140) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.26.0', revision: '8ccf0219d7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [c3b0254b1bcced27ff63880db8bb360a, findElement {value=//div[@class='product-thumb']//h4, using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.140, chrome: {chromedriverVersion: 131.0.6778.108 (3b014839fbc..., userDataDir: C:\Users\neelt\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61678}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61678/devtoo..., se:cdpVersion: 131.0.6778.140, setWindowRect: true, strictFileInteractability:		

#	Step / Hook Details	Status	Duration

	false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c3b0254b1bcced27ff63880db8bb360a
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy30.getText(Unknown Source)
	  at com.tutorialsninja.demo.utilities.Utility.getTextFromElement(Utility.java:60)
	  at com.tutorialsninja.demo.pages.DesktopPage.getProductName(DesktopPage.java:41)
	  at com.tutorialsninja.demo.steps.ShoppingCartStep.iShouldSeeTheProductName(ShoppingCartStep.java:16)
	  at ?.I should see the Product name "MacBook"(file:///C:/Users/neelt/IdeaProjects/com-tutorialsninja-cucumber/src/test/resources/features/laptopsandnotebookstest.feature:25)
	* Not displayable characters are replaced by '?'.		

11	And I Change Quantity "2"	SKIPPED	0.000 s
12	And I Click on "Update" Tab	SKIPPED	0.000 s
13	And I should see the message Success: You have modified your shopping cart!	SKIPPED	0.000 s
14	And I should see the Total £737.45	SKIPPED	0.000 s
15	And I Click on Checkout button	SKIPPED	0.000 s
16	And I should see the text "Checkout"	SKIPPED	0.000 s
17	And I should see the Text "New Customer"	SKIPPED	0.000 s
18	And I Click on Guest Checkout radio button	SKIPPED	0.000 s
19	And I Click on Continue tab	SKIPPED	0.000 s
20	And I Fill the mandatory fields	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
21	And I Click on Continue Button	SKIPPED	0.000 s
22	And I Add Comments About your order into text area	SKIPPED	0.000 s
23	And I Check the Terms & Conditions check box	SKIPPED	0.000 s
24	And I Click on the Continue button	SKIPPED	0.000 s
25	Then I should see the message Warning: Payment method required!	SKIPPED	0.000 s
	AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) Verify That User Place Order Successfully 	PASSED	0.387 s

My Account

PASSED	DURATION - 3.605 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:12:25.187 pm // 11:12:28.792 pm /			1		3

Verify User Should Navigate To LoginPage Successfully

| PASSED	DURATION - 3.605 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:12:25.187 pm // 11:12:28.792 pm / My Account @sanity				3

#	Step / Hook Details	Status	Duration
1	When I click on My Account Link.	PASSED	0.096 s
2	And I call the method "selectMyAccountOptions" method and pass the parameter "Login"	PASSED	0.386 s

#	Step / Hook Details	Status	Duration
3	Then I should see the text "Returning Customer".	PASSED	0.041 s

TopMenu Feature

PASSED	DURATION - 45.720 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 11:12:28.792 pm // 11:13:14.512 pm /					

Verify User Should Navigate To Laptops And NotebooksPage Successfully

PASSED	DURATION - 45.720 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 11:12:28.792 pm // 11:13:14.512 pm /				
TopMenu Feature				
@sanity				

#	Step / Hook Details	Status	Duration
1	When I mouse hover on "Laptops & Notebooks" Tab and click	PASSED	20.290 s
2	And I call selectMenu method and pass the menu = "Show All Laptops & Notebooks"	PASSED	21.260 s
3	Then I should see the text 'Laptops & Notebooks'	PASSED	0.046 s