# MealMate — Next.js Project Plan

Oct 15, 2026 · @Ala

## 1. Overview

MealMate is built with **Next.js (App Router) + TypeScript** as a mobile-first PWA, split into 6 modules — one per member — that share a common foundation (design system, layout, auth, API). The specification proposed Angular + Spring Boot + PostgreSQL; this plan replaces the frontend with Next.js and keeps the same REST API contracts (section 13 of the spec), so a Spring Boot backend is still possible. The database is MongoDB (Atlas, free tier) instead of PostgreSQL: the entities in section 12 become collections. The whole app is in English (screens, routes, texts, demo data).

| Layer | Choice |
|---|---|
| Frontend | Next.js (App Router), React, TypeScript, Tailwind CSS |
| Backend | Next.js Route Handlers ( `app/api/...` ) — or Spring Boot if the team keeps it |
| Database | MongoDB Atlas (free tier) + Mongoose |
| Auth | Auth.js (NextAuth) with JWT, hashed passwords (bcrypt), USER / ADMIN roles |
| Offline / PWA | Serwist (Service Worker) + IndexedDB (Dexie) + sync queue |
| Language | English (next-intl, ready to add French later) |
| Validation | Zod (client and API) |
| Tests | Vitest + Testing Library, Playwright (E2E) |
| DevOps | GitHub, GitHub Actions (lint, test, build), MongoDB Atlas, Vercel |

### Repo structure

```
mealmate/
├─ app/
|  ├─ (auth)/login, register, forgot-password     → Member 1
|  ├─ (app)/layout.tsx  (header + bottom nav)      → Shared foundation
|  ├─ (app)/page.tsx  (Home / dashboard)           → Member 3
|  ├─ (app)/profile                                → Member 1
|  ├─ (app)/recipes, recipes/[id]                  → Member 2
|  ├─ (app)/meal-plan                              → Member 3
|  ├─ (app)/shopping, shopping/inventory           → Member 4
|  ├─ (app)/community, tracking                    → Member 5
|  ├─ (app)/sport, sport/sessions/[id]             → Member 6
|  └─ api/<module>/...  (Route Handlers)
├─ components/ui/        → shared components (Button, Card, Chip…)
├─ features/<module>/    → components, hooks, services for each module
├─ lib/  (db.ts, auth.ts, offline/, i18n/)
├─ models/  (Mongoose schemas, one file per collection)
└─ public/manifest.json, icons
```

Golden rule: each member works in `app/(app)/<their-module>`, `features/<their-module>` and their own files in `models/`; shared files (`components/ui`, `lib`) change only through a Pull Request reviewed by another member.

## 2. Shared foundation (Sprints 0–1, whole team)

Before coding the modules, the team builds the design system from the mockup together, so all 12 screens look the same.

### Design tokens (taken from the mockup)

| Token | Value | Used for |
|---|---|---|
| `--color-primary` | #285E43 (dark green) | Main buttons, budget card, active chips |
| `--color-bg` | #F7F5EE (cream) | Page background |
| `--color-surface` | #FFFFFF | Cards, inputs |
| `--color-tint` | #E8EFDF (light green) | Secondary buttons, info boxes |

| Token | Value | Used for |
|---|---|---|
| `--color-warning-bg` | #F7ECD7 (beige) | Alerts (expiry, offline) |
| Radius | 12–16 px | Rounded cards and inputs |
| Font | Geometric sans-serif (e.g. Manrope / DM Sans via `next/font`) | Bold titles, 14 px body text |

## Shared components (`components/ui`)

| Component | Used in | Owner |
|---|---|---|
| `AppHeader` (logo, bell, avatar, Back button) | All screens | Member 1 |
| `BottomNav` (Home, Meals, Shopping, Sport, Community) | All signed-in screens | Member 3 |
| `Button` (primary / secondary / ghost, icon) | Everywhere | Member 1 |
| `Input`, `Select`, `PasswordInput` | Login, Profile, forms | Member 1 |
| `Card`, `StatCard`, `InfoBanner` | Home, Tracking, Inventory, Sport | Member 5 |
| `Chip` / `FilterChip` / `SegmentedTabs` | Recipes, Meal plan, Shopping, Community | Member 2 |
| `WeekStrip` (Mon→Sun picker) | Meal plan, Sport | Member 3 |
| `RecipeCard`, `MealRow` | Recipes, Home, Meal plan | Member 2 |
| `CheckItem` (checkbox + price) | Shopping | Member 4 |
| `ProgressBar` | Home, Shopping, Tracking, Sport | Member 6 |

### Figma Code Connect

Code Connect links each Figma component to its React component, so the Figma inspector shows the real code (`<Button variant="primary">`). It needs three things we don't have yet: the **Figma link** to the file (with `node-id`), **published components** in a team library, and a Figma **Organization or Enterprise** plan. The PDF alone is not enough.

Once those are in place, each component owner adds a `components/ui/<Name>.figma.ts` file next to the component:

```
// url=https://www.figma.com/design/<fileKey>/MealMate?node-id=<id>
// source=components/ui/Button.tsx
// component=Button
import figma from 'figma'
const instance = figma.selectedInstance

const label = instance.getString('Label')
const variant = instance.getEnum('Variant', {
  'Primary': 'primary',
  'Secondary': 'secondary',
})

export default {
  example: figma.code`<Button variant="${variant}">${label}</Button>`,
  imports: ['import { Button } from "@/components/ui/Button"'],
  id: 'button',
  metadata: { nestable: true },
}
```

The property names above (`Label`, `Variant`…) are examples: use exactly the ones in the Figma file.

- [ ] Share the Figma link of the mockup (with `node-id`)
- [ ] Publish the components (Button, Card, Chip, BottomNav…) to a team library
- [ ] Add `@figma/code-connect/figma-types` to `tsconfig.json`

## 3. Modules per member

Each member owns one module end to end: screens, components, API, Mongoose models and tests. The 12 mockup screens are split as below; Home and Nutrition & budget tracking, which combine several modules, go to the members with the fewest screens. The mockup is in French, but every text in the app must be written in English (e.g. « Bonjour Ahmed » → “Hello Ahmed”, « Mes courses » → “Shopping list”).


| Member | Module | Screens | Next.js routes |
|---|---|---|---|
| Member 1 | Authentication + profile | Login, My profile | `/login`, `/register`, `/forgot-password`, `/profile` |
| Member 2 | Recipes + ingredients | Recipes, Recipe detail | `/recipes`, `/recipes/[id]` |
| Member 3 | Meal planning + Home | Meal plan, Home | `/meal-plan`, `/` |
| Member 4 | Shopping + inventory | Shopping list, Inventory | `/shopping`, `/shopping/inventory` |
| Member 5 | Community + nutrition & budget tracking | Community, Nutrition & budget | `/community`, `/tracking` |
| Member 6 | Workout plan + sessions | My sport, Session detail | `/sport`, `/sport/sessions/[id]` |

## Member 1 — Authentication and profile


**Goal:** create the account, sign the user in and collect their profile (body measurements, diet, allergies, goal, budget, workout rhythm), which feeds every other module.


- Pages: Login, Register, Forgot password, My profile (form in 3 blocks: Personal information, Diet, Your workout rhythm).
- API: `POST /api/auth/register|login|logout|forgot-password`, `GET/PUT /api/users/me`, `GET/PUT /api/users/preferences`.
- Mongoose models: `User` (with embedded preferences).
- Tech: Auth.js + bcrypt, `middleware.ts` protecting the `(app)` group and ADMIN routes, login attempt limiting.
- Shared components to deliver: `AppHeader`, `Button`, `Input`, `Select`, `PasswordInput`.

**Screens:**


9:41
MealMate
FR
Bien manger. À votre rythme.
Le bon équilibre, au quotidien.
Vos repas, votre budget et vos objectifs.
Heureux de vous retrouver !
Adresse e-mail
ahmed.benali@mail.com
Mot de passe
Mot de passe oublié ?
Se connecter
Vous découvrez MealMate ?
Créer un compte
Vos habitudes vous appartiennent.


En continuant, vous acceptez nos conditions d'utilisation
et notre politique de confidentialité.


9:41
Retour
AB
MON PROFIL
Tout part de vous.
AB
Ahmed Benali
24 ans · Étudiant · Tunis
Un profil à votre image, pour des propositions vraiment adaptées.
Informations personnelles
Prénom et nom
Ahmed Benali
Âge
Taille
Poids
24 ans
178 cm
70 kg
Niveau d'activité
Modéré · 3 séances par semaine
Alimentation
Régime alimentaire
Aucun · Je mange de tout
Aucun, végétarien, vegan, sans gluten, sans lactose ou low-carb : choisissez selon vos habitudes.
Allergies et intolérances
Aucune déclarée
Objectif nutritionnel






## Member 2 — Recipes and ingredients

**Goal:** a searchable, filterable and admin-managed catalogue, with nutrition values and cost per serving.

- Pages: Recipes (search, Diet / Calories / Protein / Cost / Difficulty / Time filters, “Relevance” sort, favourites) and Recipe detail (cost, macros, ingredients “in stock / to buy”, servings +/−, steps, “Add to meal plan”).
- API: `GET/POST /api/recipes`, `GET/PUT/DELETE /api/recipes/[id]` (writes ADMIN only), ingredients and favourites.
- Mongoose models: `Recipe` (embedded ingredients and steps), `Ingredient`, `Favorite`.
- Tech: filters in the URL ( `searchParams` ), Server Components for the list, `next/image` for photos, seed script with ~20 recipes.
- Shared components to deliver: `Chip`, `FilterChip`, `SegmentedTabs`, `RecipeCard`, `MealRow`.

**Screens:**


9:41
MealMate
AB
LES RECETTES
L'inspiration au menu.
Une recette, un ingrédient...
Régime
Calories
Protéines
≤ 7 DT
Facile
≤ 30 min
4 recettes pour vous
Pertinence ↓
Avec votre stock
Bowl poulet citronné
6,40 DT / portion
25 min
620 kcal · 42 g de protéines · Facile
Anti-gaspi
Omelette aux tomates
3,20 DT / portion
15 min
560 kcal · 30 g de protéines · Facile


Végétarien
Porridge banane & amandes
2,80 DT / portion
10 min
480 kcal · 22 g de protéines · Facile
Petit budget
Pâtes pois chiches & basilic
4,50 DT / portion
20 min
650 kcal · 24 g de protéines · Facile
Voir mes recettes favorites
Accueil
Repas
Courses
Sport
Communauté

9:41

Retour

AB

SIMPLE, FRAIS, RASSASIANT

# Bowl poulet citronné



Du poulet doré, du riz moelleux et des légumes ensoleillés. Un déjeuner complet avec les ingrédients de votre placard.

25 min | Facile | 1 portion

**Coût estimé / portion** **6,40 DT**

| 620 | 42 g | 68 g | 20 g |
|---|---|---|---|
| kcal | Protéines | Glucides | Lipides |

Valeurs indicatives par portion.

## Dans votre cuisine

Quantités pour 1 personne — 1

| | |
|---|---|
| Poulet<br>En stock | 150 g |
| Riz cru | 80 g |




## Member 3 — Meal planning and Home


**Goal:** plan the week (manually or automatically from budget and stock) and show the daily dashboard.

- Pages: Meal plan (week of Oct 12–18, Plan / Recipes / Favourites tabs, “Generate from my criteria” card, meals by type with Edit / Move / Remove, Duplicate day / week) and Home (budget left, average kcal and protein, shortcuts, today’s menu, items to buy, expiry alert, next workout).
- API: `GET/POST /api/meal-plans`, `PUT/DELETE /api/meal-plans/[id]`, `POST /api/meal-plans/generate`, `GET /api/dashboard`.
- Mongoose models: `MealPlan`, `Meal`.
- Tech: rule-based generator (budget, diet, stock, kcal target), offline cache of the plan (IndexedDB).
- Shared components to deliver: `BottomNav`, `WeekStrip`.
- Depends on: recipes (Member 2), inventory and shopping (Member 4), workouts (Member 6) for Home.

**Screens:**


9:41
MealMate
AB
MON PLANNING
Une semaine à savourer.
Planning
Recettes
Favoris
12 – 18 octobre 2026
L 12
M 13
M 14
J 15
V 16
S 17
D 18
5 jours, votre budget, vos goûts.
Du 12 au 16 octobre · 1 personne. Utilisez votre riz, vos œufs, votre poulet, vos tomates et vos pâtes.
50 DT supplémentaires
15 repas
Générer à partir de mes critères
Jeudi 15 octobre
Dupliquer le jour
PETIT-DÉJEUNER · 08:00
Porridge banane & amandes
480 kcal · 22 g protéines
1 portion
Modifier
Déplacer
Retirer
DÉJEUNER · 13:00
Bowl poulet citronné
620 kcal · 42 g protéines


1 portion
Modifier
Déplacer
Retirer
DÎNER · 20:00
Omelette aux tomates
560 kcal · 30 g protéines
1 portion
Modifier
Déplacer
Retirer
+ Collations prévues : 520 kcal · 24 g protéines. Total du jour : 2 180 kcal · 118 g protéines.
Ajouter un repas
Dupliquer la semaine
Voir ma liste de courses · 12 articles
Accueil
Repas
Courses
Sport
Communauté


9:41
MealMate
AB
JEUDI 15 OCTOBRE
Bonjour Ahmed
Un peu d'organisation, beaucoup de bien-être.
Votre budget · 12–18 oct.
50 DT restants
30 DT utilisés
sur 80 DT
2 180
kcal / jour
Moyenne cette semaine
118 g
protéines / jour
Objectif : 130 g
Repas
Courses
Sport
Communauté
Au menu aujourd'hui
Planning →
PETIT-DÉJEUNER · 08:00
Porridge banane & amandes
480 kcal · 22 g de protéines
DÉJEUNER · 13:00
Bowl poulet citronné
620 kcal · 42 g de protéines
DÎNER · 20:00




## Member 4 — Shopping and inventory

**Goal:** turn the meal plan into a shopping list minus what is already in stock, and track the inventory with expiry dates. This is also the pilot module for offline mode.

- Pages: Shopping list (List / Inventory tabs, “Offline” banner, 2 of 12 checked progress, items grouped by aisle with prices, add item manually, total vs budget, last sync) and Inventory (cook first, counters, ingredients sorted by expiry date, add / edit).
- API: `GET/POST /api/shopping-lists`, `POST /api/shopping-lists/generate`, `PUT/DELETE /api/shopping-items/[id]`, `GET/POST/PUT/DELETE /api/inventory`.
- Mongoose models: `ShoppingList`, `ShoppingItem`, `Inventory`, `Budget`.
- Tech: Service Worker (Serwist), IndexedDB (Dexie), action queue replayed when the network is back, documented conflict strategy (e.g. “last write wins” per item).
- Shared components to deliver: `CheckItem`, `lib/offline/` (reused by Members 3 and 6).

**Screens:**


9:41
MealMate
AB
MES COURSES
Le nécessaire, rien de plus.
Liste de courses
Mon inventaire
Hors connexion · vous pouvez cocher
2 modifications enregistrées sur cet appareil. Synchronisation en attente, automatique au retour du réseau.
Planning du 12 au 16 oct.
12 articles · 2 cochés · 10 à acheter
Votre stock est déjà déduit
Riz 500 g, œufs ×6, poulet 400 g, tomates 600 g et pâtes 500 g : pas de doublons.
Fruits & légumes
Bananes
1 kg
3,60 DT
Citrons
2 pièces
1,20 DT
Courgettes
600 g
2,40 DT
Salade verte
1 pièce
1,80 DT
Persil
1 botte
0,80 DT
Frais & protéines


Poulet
600 g · complément au stock
12,00 DT
Œufs
6 pièces · complément au stock
3,20 DT
Yaourt nature
4 pots
4,80 DT
Épicerie
Flocons d'avoine
500 g
4,00 DT
Pois chiches
400 g
3,00 DT
Amandes
100 g
5,00 DT
Huile d'olive
250 ml
5,00 DT
+ Ajouter un article manuellement
Total de la liste
46,80 DT
Sur 50 DT disponibles · 3,20 DT de marge
Prix indicatifs. Les cases cochées restent incluses dans le total. Les dépenses sont validées séparément.
Dernière synchronisation : aujourd'hui à 08:32
Accueil
Repas
Courses
Sport
Communauté


9:41
MealMate
AB
MON INVENTAIRE
Déjà dans vos placards.
Liste de courses
Mon inventaire
À cuisiner en priorité
Vos tomates arrivent à échéance demain. Elles sont prévues dans votre omelette de ce soir.
5
ingrédients disponibles
1
produit à utiliser vite
Mes ingrédients
Date d'expiration ↓
Tomates
600 g
16 oct. · Demain
Poulet
400 g
17 oct. · Dans 2 jours
Œufs
6 pièces
22 oct. · Dans 7 jours
Riz
500 g
15 avr. 2027
Pâtes




## Member 5 — Community and nutrition & budget tracking

**Goal:** a moderated forum with categories, and the tracking screen showing the week's calories, macros and budget.

- Pages: Community (create a post, All / Nutrition / Weight loss / Muscle gain / Training / Motivation filters, likes, comments, report, edit / delete own posts) and Nutrition & budget (This week / This month tabs, kcal per day chart, protein / carbs / fat bars, budget spent / left by category, add an expense).
- API: `GET/POST /api/forum/posts`, `PUT/DELETE /api/forum/posts/[id]`, `POST /api/forum/posts/[id]/comments|reports|likes`, `GET /api/stats/nutrition`, `GET/POST /api/budget`.
- Mongoose models: `ForumPost`, `ForumComment`, `ForumLike`, `ForumReport`, `Notification`.
- Tech: ADMIN role for moderation (hide a reported post), charts with Recharts, notifications (meal reminder, budget almost reached, expiry).
- Shared components to deliver: `Card`, `StatCard`, `InfoBanner`.

**Screens:**


9:41
MealMate
AB
LE FORUM MEALMATE
On avance ensemble.
Des idées, des petits déclics et de vrais échanges.
AB
Une recette, une victoire, une question ?
+ Créer une publication
Tout
Nutrition
Perte de poids
Prise de masse
Entraînement
Motivation
Un espace bienveillant
Partagez votre expérience, pas des prescriptions médicales. Notre charte protège les échanges.
Les échanges du moment
Récents ↓
YK
Yasmine K.
Il y a 25 min · Nutrition
Vos déjeuners à moins de 7 DT ?
Mon combo de la semaine : riz, poulet citronné et légumes. Je prépare deux portions d'un coup pour gagner du temps. Et vous ?


24
8 commentaires
SB
Sami B. · Il y a 10 min
J'ajoute des pois chiches quand j'en ai. Simple et ça se conserve bien !
Écrire un commentaire...
Signaler cette publication
AB
Ahmed Benali · Vous
Il y a 1 h · Prise de masse
Deux séances cette semaine ✓
Je débute et j'essaie surtout d'être régulier. Lundi et mercredi, c'est fait ! Prêt pour vendredi.
12
3 commentaires
Modifier ma publication
Supprimer
LM
Lina M.
Il y a 2 h · Motivation
Une petite habitude à garder ?
Pour moi, vérifier le frigo avant les courses. Moins de doublons et enfin des tomates utilisées à temps !
18
6 commentaires
Charte de la communauté · Signaler un contenu
Les signalements sont examinés par la modération.
Accueil
Repas
Courses
Sport
Communauté


9:41
Retour
AB
NUTRITION & BUDGET
Vos efforts prennent forme.
Cette semaine
Ce mois
12–18 oct.
Moyenne du 12 au 15 octobre
2 180 kcal / jour
Objectif personnel : 2 400 kcal / jour
Lun
Mar
Mer
Jeu
Ven
Sam
Dim
Jours à venir non inclus dans la moyenne.
L'équilibre de la semaine
Protéines
118 / 130 g
Glucides
269 / 290 g
Lipides
70 / 80 g
Moyennes quotidiennes · repères personnels




## Member 6 — Personalised workout plan

**Goal:** generate a weekly programme from the goal, level, days, duration and equipment entered in the profile, then track completed sessions.

- Pages: My sport (programme card “Muscle gain · Beginner · 3 days”, week strip, 2 of 3 sessions progress, session list with Edit / Move / Delete, consistency and history) and Session detail (duration, warm-up, exercises with sets / reps / rest, cool-down, “Mark as done”).
- API: `GET/POST /api/sport-plans`, `PUT/DELETE /api/sport-plans/[id]`, `POST /api/workout-sessions`, `PUT /api/workout-sessions/[id]`.
- Mongoose models: `SportPlan`, `WorkoutSession` (embedded exercises).

- Tech: rule-based generator (e.g. 3 beginner days = Full body A / B / C), “not medical advice” note on each screen, session available offline.
- Shared components to deliver: `ProgressBar`.

**Screens:**


9:41
MealMate
AB
MON SPORT
Votre rythme, vos progrès.
Prise de masse
Débutant · 3 jours / semaine
45 min / séance · Salle de sport
Personnaliser mon programme
12 – 18 octobre
L 12
M 13
M 14
J 15
V 16
S 17
D 18
Déjà 2 séances sur 3
90 minutes réalisées cette semaine. Prochaine séance vendredi : gardez ce bel élan.
Vos séances de la semaine
+ Ajouter
LUN 12
Full body A
Jambes, dos & gainage
✓ Terminée · 45 min
MER 14
Full body B
Poitrine, jambes & dos
✓ Terminée · 45 min



VEN
16
Full body C
Jambes, épaules & gainage
18:00 · 45 min · À venir
Modifier
Déplacer
Supprimer
La régularité avant tout
Semaine dernière : 3 / 3 séances réalisées. Cette semaine : 2 / 3, encore une à venir.
Consulter mon historique →
Propositions informatives, adaptées à vos préférences déclarées. Elles ne remplacent pas un avis médical ou l'accompagnement d'un professionnel du sport.
Accueil
Repas
Courses
Sport
Communauté


9:41
Retour
AB
VENDREDI 16 OCTOBRE · 18:00
Full body C
45 minutes
Jambes, épaules & gainage
Prise de masse · Débutant · Salle de sport
À venir
4 exercices
45 min
D'abord, on s'échauffe · 7 min
4 min de marche active ou vélo doux, puis 3 min de mobilité des épaules, hanches et genoux.
Votre séance pas à pas
≈ 33 min
EXERCICE 1
Presse à cuisses
3 séries × 12 répétitions
Repos 90 s
Dos en appui, mouvement contrôlé.
EXERCICE 2
Tirage vertical
3 séries × 12 répétitions
Repos 90 s
Tirez vers le haut de la poitrine, sans élan.
EXERCICE 3
Développé épaules assis




## 4. Schedule and conventions

The specification runs the modules one sprint after another; with 6 members it is faster to build the foundation together, then develop the 6 modules in parallel.




Roadmap · 4 phases, 9 sprints

Each milestone (diamond) is a demo where every module runs on the `main` branch.

### Team conventions

- Branches: `feat/<module>-<topic>` (e.g. `feat/shopping-offline`), Pull Request into `develop`, reviewed by 1 other member.
- Commits: Conventional Commits (`feat:`, `fix:`, `chore:`).
- Quality: ESLint + Prettier + `tsc` in GitHub Actions, no merge if the build fails.
- Mongoose models: each member only edits their own module's models; a shared model (e.g. Ingredient) changes through a reviewed PR.
- Texts: all UI text in English, through `next-intl` keys in `messages/en.json`, never hard-coded.
- Test data: the Ahmed persona (24 years old, 80 TND weekly budget, 3 workouts a week) in the seed, so every demo matches the mockup.

### First tasks (Sprint 0)

- [ ] Create the Next.js + Tailwind + Mongoose + Auth.js repo
- [ ] Set up the design tokens and the `(app)` layout with `BottomNav`
- [ ] Write all the `models/` (entities from section 12 of the spec)
- [ ] Set up GitHub Actions and the MongoDB Atlas cluster
- [ ] Each member creates the empty page of their module and its API route

## 5. Setting up the GitHub repo

The project lead creates the empty repo, Claude Code (in VS Code) generates the skeleton, then the team is invited and everyone clones it. Allow about 1 hour.

## Tools to install (every member)

| Tool | Why | Where |
|---|---|---|
| Node.js (LTS version) | Runs Next.js, includes `npm` | nodejs.org |
| Git | Version and push the code | git-scm.com |
| VS Code | Editor (+ Claude Code extension for the project lead) | code.visualstudio.com |
| GitHub account | Access to the repo | github.com |
| MongoDB Atlas (nothing to install) | Free online MongoDB database (M0 cluster, 512 MB), shared by the team | mongodb.com/atlas |
| MongoDB Compass (optional) | View and edit the data in a graphical interface | mongodb.com/products/compass |

Check in a terminal: `node -v` (20 or higher) and `git --version`. Then, once:

```
git config --global user.name "First Last"
git config --global user.email "your-github-email@example.com"
```

No Docker and no local MongoDB install: Atlas hosts the database. Student tip: the GitHub Student Developer Pack gives GitHub Pro for free.

## Step 1 — Create the repo (project lead)

1. On github.com: **+** → **New repository** → name `mealmate`, visibility **Private**, check **neither README nor .gitignore** (the repo must be empty).
2. In a terminal:

```
git clone https://github.com/<your-username>/mealmate.git
cd mealmate
mkdir docs
```

3. Copy the mockup (`maquette.pdf`) and the specification (`cahier-des-charges.docx`) into `docs/`, so Claude Code can refer to them.
4. Open the folder in VS Code (`code .`).

## Step 2 — Generate the project with Claude Code

First, create the database on MongoDB Atlas (project lead, once):

1. Create an account on mongodb.com/atlas → **Create cluster** → **Free (M0)** tier.
2. **Database Access** → add one user per member (username + password).
3. **Network Access** → **Add IP Address** → **Allow access from anywhere** (0.0.0.0/0): fine for a student project.
4. **Connect** → **Drivers** → copy the `mongodb+srv://...` URI.

Each member puts their own database name in the URI (`...mongodb.net/mealmate_<firstname>?...`), so nobody overwrites the others' data during development.

Then paste this prompt into Claude Code:

```
You are setting up the skeleton of "MealMate", a student team project: a
mobile-first PWA for meal planning, shopping lists, nutrition tracking, a
community forum and a personalised workout plan. 6 developers will work in
parallel, one module each. The current folder is an empty cloned GitHub repo;
docs/ contains the mockup (maquette.pdf) and the specification (cahier-des-
charges.docx). Read them first. Do NOT build full features: build a clean,
compiling skeleton that each member can start from.

Language: the mockup and the specification are in French, but the APP MUST BE
IN ENGLISH. Translate every UI text, label, route, folder name, enum value
and demo data into English (e.g. "Bonjour Ahmed" -> "Hello Ahmed", "Mes
courses" -> "Shopping list", "Prise de masse" -> "Muscle gain"). Code,
comments and docs are in English too.

Stack (keep it simple, latest stable versions, npm):
- Next.js (App Router) + TypeScript + Tailwind CSS + ESLint, created with
create-next-app in THIS folder (no src dir, import alias @/*)
- MongoDB with Mongoose (MONGODB_URI from .env, hosted on MongoDB Atlas free
tier). lib/db.ts = a cached Mongoose connection that survives Next.js hot
reload. Everything that uses Mongoose runs on the Node.js runtime; middleware
must only read the JWT and never import Mongoose.
- Auth.js (next-auth) with Credentials provider, bcryptjs, JWT sessions (no
database adapter), roles USER / ADMIN
- zod for validation, Prettier
- next-intl with English as the default and only active locale
(messages/en.json); keep the setup ready to add French later
- PWA: web manifest + service worker with Serwist; Dexie (IndexedDB) for
offline storage
- recharts for charts

Design system (from the mockup):
- Colors as CSS variables + Tailwind theme: primary #285E43, background
#F7F5EE, surface #FFFFFF, tint #E8EFDF, warning-bg #F7ECD7. Rounded cards
(12-16px). Font: Manrope via next/font.
```

```
- Shared components in components/ui: Button (primary/secondary/ghost,
optional icon), Input, PasswordInput, Select, Card, StatCard, InfoBanner,
Chip, FilterChip, SegmentedTabs, WeekStrip, ProgressBar, CheckItem,
RecipeCard, MealRow, AppHeader (logo, bell, avatar, optional back button),
BottomNav (Home, Meals, Shopping, Sport, Community; active tab highlighted).
Use lucide-react icons. Keep each component small and typed.

Routes (placeholder pages with the screen title and the right header/nav,
matching the mockup layout):
- app/(auth): /login, /register, /forgot-password  (Member 1)
- app/(app) with layout = AppHeader + BottomNav, mobile width centred on
desktop:
  /  (Home dashboard, Member 3), /profile (Member 1), /recipes and
/recipes/[id] (Member 2), /meal-plan (Member 3), /shopping and
/shopping/inventory (Member 4), /community and /tracking (Member 5), /sport
and /sport/sessions/[id] (Member 6)
- middleware.ts: protect the (app) group, redirect to /login if not signed
in.
- Fully implement ONLY login/register/logout so the team can sign in; the
other pages show static content.

Folders: features/<module>/ (auth, recipes, meal-plan, shopping, community,
sport) each with components/, services/, types.ts and a README.md naming the
owner and the module scope; lib/ (db.ts, auth.ts, offline/, i18n/); models/;
messages/en.json.

Mongoose models in models/ (one file per collection, TypeScript-typed, with
timestamps) for all entities of the specification: User (role USER/ADMIN,
with an embedded preferences object: diet, allergies, intolerances, goal,
activity level, weekly budget, sport goal, level, available days, session
duration, equipment), Recipe (embedded ingredients list with quantity/unit
and embedded steps), Ingredient, Favorite, MealPlan, Meal, ShoppingList,
ShoppingItem, Inventory, Budget, Notification, SportPlan, WorkoutSession
(embedded exercises: name, sets, repetitions, restSeconds), ForumPost,
ForumComment, ForumLike, ForumReport. Use English enum values (e.g. diet:
none/vegetarian/vegan/gluten_free/lactose_free/low_carb; goal:
maintenance/weight_loss/muscle_gain/balanced; forum categories:
nutrition/weight_loss/muscle_gain/training/motivation). Use ObjectId
references between collections (e.g. Meal.recipe -> Recipe,
ShoppingItem.ingredient -> Ingredient, ForumComment.post -> ForumPost) and
add useful indexes (User.email unique). Add scripts/seed.ts (run with tsx)
that clears the database and inserts the persona Ahmed Benali
(ahmed.benali@mail.com / password123, 24 y, 178 cm, 70 kg, goal muscle_gain,
weekly budget 80 TND, 3 workouts/week) and the 4 recipes from the mockup with
English names (Lemon chicken bowl, Tomato omelette, Banana almond porridge,
Chickpea basil pasta).
```

```
API: route handler stubs under app/api for every endpoint in section 13 of
the spec (return 501 with a TODO naming the owner), plus working /api/auth.

Team tooling:
- .env.example (MONGODB_URI, AUTH_SECRET), .gitignore excluding .env
- package.json scripts: dev, build, lint, typecheck, format, db:seed
- .github/workflows/ci.yml: npm ci, lint, typecheck, build on every push and
pull request (the build must not need a database connection)
- .github/pull_request_template.md, CONTRIBUTING.md (branches feat/<module>-
<topic>, PRs into develop reviewed by one teammate, Conventional Commits,
each member only edits the models of their own module, no hard-coded UI text:
use next-intl keys in messages/en.json)
- README.md: project description, module/owner table, setup steps for a new
member (clone, npm install, copy .env.example to .env and paste their own
MongoDB Atlas URI, npm run db:seed, npm run dev).

When done: run npm run lint, npm run typecheck and npm run build and fix
every error. Then commit with message "chore: initial project skeleton" and
stop. Do not push. Summarise what you created and anything I must do by hand.
```

Claude Code will probably ask for the MongoDB URI for the `.env` file; never put it in a committed file.

## Step 3 — Push and create the `develop` branch

```
git push -u origin main
git checkout -b develop
git push -u origin develop
```

On GitHub: **Settings → General → Default branch** → choose `develop`.

## Step 4 — Invite the team

1. **Settings → Collaborators → Add people** → enter the GitHub username of each of the 5 members.
2. Each member accepts the invitation they receive by email.
3. Share this document with the team.

## Step 5 — Each member gets started

```
git clone https://github.com/<lead-username>/mealmate.git
cd mealmate
npm install
cp .env.example .env        # then paste your MongoDB Atlas URI (with your mealmate_<firstname> database)
npm run db:seed
npm run dev                 # http://localhost:3000
git checkout develop
git checkout -b feat/<module>-<topic>
```

Sign in with `ahmed.benali@mail.com` / `password123`, then work only in your route and your `features/<module>` folder.

- [ ] Every member has installed Node.js and Git
- [ ] Repo created, skeleton generated and pushed
- [ ] `develop` is the default branch
- [ ] 5 members invited and invitations accepted
- [ ] Every member sees the app running locally