OUTCROP SILVER INTERCEPTS ONE OF THE BEST HOLES TO-DATE AT THE RECENTLY DISCOVERED LOS MANGOS VEIN: 18.30 METRES AT 992 G/T SILVER EQUIVALENT

May 6, 2025 – Outcrop Silver & Gold Corporation (TSXV:OCG, OTCQX:OCGSF, DE:MRG) ("Outcrop Silver") is pleased to announce a major high-grade silver drill result at the Los Mangos vein, part of its 100%-owned Santa Ana high-grade silver project in Colombia. Follow-up drilling has delivered the widest and highest-grade intercept to date from the Los Mangos target, located more than 8 kilometres south of the current resource area, reinforcing the system's scale and continuity.

Highlights

- **Hole DH459 result represents one of the best drill results in the history of the Santa Ana project on a silver equivalent grade-metres basis with 18,157 gm/t AgEq (Table 2).**
- **Hole DH459 intersected 18.30 metres grading 992 grams per tonne of silver equivalent (736 g/t Ag and 3.41 g/t Au) in the Los Mangos vein (Table 1). Mineralization was intercepted at 193 metres down hole below the historic mine.**
- **Recently announced additional high-grade drill results along strike at Los Mangos below the historic mine include:**
    - **DH457: 8.20 metres at 669 g/t AgEq (News Release dated April 22, 2025)**
    - **DH451: 7.18 metres at 358 g/t AgEq (News Release dated April 1, 2025)**
    - **DH444: 1.92 metres at 586 g/t AgEq (News Release dated March 12, 2025)**
- **The Las Maras vein with comparable grades and widths to Los Mangos was the largest contributor to the initial indicated resource (refer to News Release dated April 26, 2023).**

The exceptional width and grade intercepted in drill hole DH459 confirm the presence of a substantial and continuous high-grade mineralized zone at the intersection of the Los Mangos and Mangos SE veins. The intercept also demonstrates the strong vertical continuity of the vein system at depth, with silver mineralization hosted in quartz-sulfide breccias and veins within altered green schists and intrusive dikes.

Target	Hole ID	From (m)	To (m)	Length (m)	Estimated True Width (m)	Au g/t	Ag g/t	AgEq[1] g/t
Los Mangos	DH459	193.75	212.05	**18.30**	**12.03**	3.41	**736**	**992**
	Including	193.75	198.99	**5.24**	**3.44**	**9.69**	**1,809**	**2,537**
	And	200.12	201.46	1.34	0.88	4.35	**532**	**859**
	And	205.56	206.66	1.10	0.72	2.65	**1,138**	**1,337**

Table 1. Drill hole assay results reported in this release.

"This is a transformational intercept for the Los Mangos system," commented Ian Harris, President and CEO. "Drilling 18.30 metres at nearly 1 kilogram per tonne silver equivalent is extraordinary. It shows the exceptional grade and the system's structural robustness and width potential. With results like these continually to systematically step out more than 8 kilometres south of our current resource, we're confident we are increasing our understanding of the scale of Santa Ana. As we continue testing priority targets across the district, we're well-positioned to deliver further high-grade discoveries ahead of our next resource update."

The Los Mangos vein system, located in the central corridor of the Santa Ana Project, has now been confirmed over a strike length exceeding 350 metres (Figure 1) and to vertical depths greater than 200 metres (Figure 2). Drilling and surface sampling have outlined structurally controlled, high-grade silver-gold mineralization hosted in altered green schists and granodioritic dikes. The vein system is associated with strong alteration halos and historic workings, including the El 20 old mine workings, as previously reported (refer to News Release dated November 12, 2024).

Previously announced high-grade drill results include:

- DH457: 8.20 metres at 669 g/t AgEq, including 2.35 metres at 1,336 g/t AgEq **(News Release dated April 22, 2025)**.
- DH451: 7.18 metres at 358 g/t AgEq, including 3.40 metres at 671 g/t AgEq **(News Release dated April 1, 2025)**.
- DH444: 1.92 metres at 586 g/t AgEq, including 0.80 metres at 1,360 g/t AgEq **(News Release dated March 12, 2025)**.

With multiple high-grade intercepts now confirmed, the Los Mangos vein system is emerging as a significant contributor to Outcrop Silver's near-term resource expansion strategy at the Santa Ana Project. Its rapid evolution from discovery to multiple mineralized intercepts highlights the effectiveness of Outcrop Silver's systematic exploration approach and underscores the broader potential of the fully permitted, 17-kilometres mineralized corridor that extends across the Santa Ana district.

Hole ID	From (m)	To (m)	Vein	Length (m)	Estimated True Width (m)	Au g/t	Ag g/t	AgEq[1] g/t	AgEq gm/t*	Release Date
DH317	254.72	260.00	El Dorado	**5.28**	3.05	**16.08**	**2,719**	**3,927**	**20,734**	January 30, 2023
DH459	193.75	212.05	Los Mangos	**18.30**	**12.03**	3.41	**736**	**992**	**18,157**	Current Release
DH270	197.48	204.41	Los Naranjos	**6.93**	**5.82**	4.27	**1,770**	**2,090**	**14,485**	July 27, 2022
DH249	132.59	136.10	Las Maras	3.51	1.86	1.04	**3,973**	**4,050**	**14,217**	June 13, 2022
DH274	231.75	239.89	Las Maras	**8.14**	3.53	2.90	**1,491**	**1,709**	**13,910**	August 9, 2022
DH294	209.70	217.30	Las Maras	**7.60**	**6.88**	2.01	**855**	**1,006**	**7,644**	October 27, 2022

DH297	249.01	252.20	Las Maras	3.19	1.46	4.76	**1,941**	**2,298**	**7,332**	October 27, 2022
DH457	214.00	222.20	Los Mangos	**8.20**	**5.32**	**5.58**	250	**669**	**5,484**	April 22, 2025
DH369	158.11	164.63	Aguilar	**6.52**	**5.22**	3.14	**592**	**828**	**5,400**	July 17, 2024

*Table 2. Selected side-by-side drill results comparison at the Santa Ana project with intercept lengths over 3 metres. * Based on silver equivalent grade-metres (AgEq gm/t), which reflect the product of grade multiplied by the mineralized lenght. Length does not represent an estimated true width.*



Figure 1. The plan view of the Los Mangos vein target shows the drill hole reported in this release (Table 1), previously reported holes, and surface exploration samples (Table 3). Coordinates are UTM system, zone 18N and WGS84 projection.



Figure 2. Geological cross-section showing the Los Mangos vein system. The section width is 75 metres. Hole DH449 encountered a void.

Sample	Easting (m)	Northing (m)	Elevation (m)	Sample Type	Au g/t	Ag g/t	AgEq[1] g/t	Release Date
15491	501854.0	556550.0	866.08	Dump Grab	**8.07**	234	**840**	August 23, 2023
17351	501681.0	556466.0	1012.00	Chip	0.22	297	314	March 12, 2025
17528	501846.0	556532.2	875.00	Dump Grab	**8.04**	301	**905**	March 12, 2025
17531	501847.0	556533.2	875.00	Dump Grab	**7.15**	81	**618**	March 12, 2025
17532	501844.0	556530.2	875.00	Dump Grab	0.56	**3,019**	**3,061**	March 12, 2025
17687	501659.0	556484.0	1028.00	Chip	3.73	**907**	**1,187**	March 12, 2025
17688	501660.0	556474.0	1035.00	Chip	3.04	344	**572**	March 12, 2025
17765	501754.0	556392.0	987.00	Dump Grab	**12.57**	215	**1,159**	March 12, 2025
17766	501742.0	556411.0	974.00	Chip	**6.22**	122	**589**	March 12, 2025

Table 3. Surface chip and grab sample results in the Los Mangos vein target from the regional exploration program, including those previously reported and referred to in Figure 1 (see News Releases dated August 23, 2023, and March 12, 2025). By their nature, grab samples are selective, and the assay results may not necessarily represent true underlying mineralization. Coordinates are UTM system, zone 18N and WGS84 projection.

Hole ID	Hole Code	Easting (m)	Northing (m)	Elevation (m)	Depth (m)	Azimuth (°)	Dip (°)
DH420	SALM24HD420	501916.349	556451.154	915.18	200.25	303	-45
DH423	SALM24DH423	501917.600	556451.345	915.19	164.71	333	-45
DH425	SALM24DH425	501915.818	556450.553	914.73	215.49	285	-55
DH428	SALM24DH428	501915.742	556450.146	915.19	227.99	273	-55
DH432	SALM24DH432	501881.348	556447.027	921.96	131.46	321	-45
DH434	SALM25DH434	501881.468	556446.758	922.44	151.66	310	-45
DH436	SALM25DH436	501797.491	556358.423	989.71	179.22	315	-51
DH438	SALM25DH438	501796.942	556358.077	989.68	210.61	298	-50
DH440	SALM25DH440	501796.528	556357.559	989.84	190.19	286	-45
DH442	SALM25DH442	501796.528	556357.559	989.84	201.47	335	-49
DH444	SALM25DH444	501796.901	556358.092	989.81	200.55	306	-58
DH447	SALM25DH447	501766.685	556378.891	998.44	120.09	325	-51
DH449	SALM25DH449	501797.565	556358.288	989.73	163.98	325	-58
DH451	SALM25DH451	501796.972	556357.896	989.75	250.24	302	-65
DH453	SALM25DH453	501796.830	556357.426	989.55	242.62	286	-59
DH454	SALM25DH454	501796.932	556357.896	989.59	286.20	305	-69
DH457	SALM25DH457	501797.401	556358.269	989.55	248.71	324	-65
DH459	SALM25DH459	501797.979	556358.194	989.86	229.39	346	-60

Table 4. Collar and survey table for drill holes reported and referred to in this release. All coordinates are UTM system, Zone 18N, and WGS84 projection.

[1]Silver Equivalent

Metal prices used for equivalent calculations were US$1,800/oz for gold, and US$25/oz for silver. Metallurgical recoveries based on Outcrop Silver's metallurgical test work are 97% for gold and 93% for silver (see news release dated August 23, 2023). The equivalency formula is as follows:

$$\mathrm{AgEq\ (g/t)} = \mathrm{Ag\ (g/t)} + \left(\frac{\mathrm{Au\ (g/t)} \times \text{Price of Au per ounce} \times \text{Recovery of Au}}{\text{Price of Ag per ounce} \times \text{Recovery of Ag}}\right)$$

QA/QC

Outcrop Silver applied its standard protocols for sampling and assay for exploration activities. Underground channel samples were taken perpendicular to the vein and sample length was broken by geology. Core diameter is a mix of HTW and NTW depending on the depth of the drill hole. Diamond drill core boxes were photographed, sawed, sampled and tagged. Samples were bagged, tagged and packaged for shipment by truck from Santa Ana's core logging facilities in Falan, Colombia to the Actlabs certified sample preparation facility in Medellin, Colombia. ActLabs is an accredited laboratory independent of the Company. HQ-NTW core is sawn with one-half shipped. Samples delivered to Actlabs were AA assayed on Au, Ag, Pb, and Zn at Medellin using 1A2Au, 1A3Au, Multi-elements AR (Ag Cu Pb Zn), and Code 8 methods. Then, samples were sent to Actlabs Mexico for ICP-multi-elemental analysis with code 1E3. In line with QA/QC best practices, blanks, duplicates, and certified reference materials are inserted at approximately three control samples every twenty samples into the sample stream, monitoring laboratory performance. A comparison of control samples and their standard deviations indicates acceptable accuracy of the assays and no detectible contamination. No material QA/QC issues have been identified with respect to sample collection, security and assaying. The samples are analyzed for gold and silver using a standard fire assay on a 30-gram sample with a gravimetric finish for over-limits. Multi-element geochemistry was determined by ICP-MS using either aqua regia or four acid digestions. Crush rejects, pulps, and the remaining core are stored in a secured facility at Santa Ana for future assay verification.

Qualified Person

Edwin Naranjo Sierra is the designated Qualified Person within the meaning of the National Instrument 43-101 and has reviewed and verified the technical information in this news release. Mr. Naranjo holds a MSc. in Earth Sciences, and is a Fellow of the Australasian Institute of Mining and Metallurgy (FAusIMM). Mr. Naranjo Sierra is a consultant to the company and is therefore independent for the purposes of NI 43-101.

About Santa Ana

The 100% owned Santa Ana project covers 27,000 hectares within the Mariquita District, through titles and applications, known as the largest and highest-grade primary silver district in Colombia with mining records dating back to 1585.

Santa Ana's maiden resource estimate, detailed in the NI 43-101 Technical Report titled "Santa Ana Property Mineral Resource Estimate," dated June 8, 2023, prepared by AMC Mining Consultants, indicates an estimated indicated resource of 24.2 million ounces silver equivalent at a grade of 614 grams per tonne and an inferred resource of 13.5 million ounces at a grade of 435 grams per tonne. The identified resources span seven major vein systems that include multiple parallel veins and ore shoots: Santa Ana (San Antonio, Roberto Tovar, San Juan shoots); La Porfia (La Ivana); El Dorado (El Dorado, La Abeja shoots); Paraiso (Megapozo); Las Maras; Los Naranjos, and La Isabela.

The drilling campaign aims to extend known mineralization and test new high-potential areas along the permitted section of the project's extensive 30 kilometres of mineralized trend. This year's exploration strategy aims to demonstrate a clear pathway to substantially expand the resource. These efforts underscore the scalability of Santa Ana and its potential for substantial resource growth, positioning the project to develop into a high-grade, economically viable, and environmentally responsible silver mine.

About Outcrop Silver

Outcrop Silver is a leading explorer and developer focused on advancing its flagship Santa Ana high-grade silver project in Colombia. Leveraging a disciplined and seasoned team of professionals with decades of experience in the region. Outcrop Silver is dedicated to expanding current mineral resources through strategic exploration initiatives.

At the core of our operations is a commitment to responsible mining practices and community engagement, underscoring our approach to sustainable development. Our expertise in navigating complex geological and market conditions enables us to consistently identify and capitalize on opportunities to enhance shareholder value. With a deep understanding of the Colombian mining landscape and a track record of successful exploration, Outcrop Silver is poised to transform the Santa Ana project into a significant silver producer, contributing positively to the local economy and setting new standards in the mining industry.

ON BEHALF OF THE BOARD OF DIRECTORS

Ian Harris
Chief Executive Officer
+1 604 638 2545
harris@outcropsilver.com
www.outcropsilver.com

Kathy Li
Vice President of Investor Relations
+1 778 783 2818
li@outcropsilver.com

Certain information contained herein constitutes "forward-looking information" under Canadian securities legislation. Generally, forward-looking information can be identified by the use of forward-looking terminology such as "potential," "we believe," or variations of such words and phrases or statements that certain actions, events or results "will" occur. Forward-looking statements are based on the opinions and estimates of management as of the date such statements are made and they are subject to known and unknown risks, uncertainties and other factors that may cause the actual results, level of activity, performance or achievements of Outcrop Silver to be materially different from those expressed or implied by such forward-looking statements or forward-looking information, including: the receipt of all necessary regulatory approvals, capital expenditures and other costs, financing and additional capital requirements, completion of due diligence, general economic, market and business conditions, new legislation, uncertainties resulting from potential delays or changes in plans, political uncertainties, and the state of the securities markets generally. Although management of Outcrop Silver have attempted to identify important factors that could cause actual results to differ materially from those contained in forward-looking statements or forward-looking information, there may be other factors that cause results not to be as anticipated, estimated or intended. There can be no assurance that such statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Accordingly, readers should not place undue reliance on forward-looking statements and forward-looking information. Outcrop Silver will not update any forward-looking statements or forward-looking information that are incorporated by reference.