

Libero Expands Discovery at Big Red Intersecting 120 M of 0.41% Cueq. From Surface, Including 12 M of 1.18% Cueq

VANCOUVER, BC, Jan. 19, 2021 /CNW/ - **Libero Copper & Gold Corporation** (TSXV: LBC) (OTCQB: LBCMF) (DE: 29H) is pleased to announce final assay results for the initial holes from the new Terry porphyry copper discovery at the Big Red project in BC's Golden Triangle.

Highlights

- **120 m of 0.41% Cueq (0.34% Cu, 2.47 g/t Ag, 0.06 g/t Au) intercepted including 70 m of 0.49% Cueq (0.41% Cu, 2.93 g/t Ag, 0.07 g/t Au) from surface.**
- **12 m of 1.18% (1.02% Cu, 7.23 g/t Ag, 0.11 g/t Au) and 13 m of 0.81% (0.71% Cu, 4.32 g/t Ag, 0.08 g/t Au).**
- **Greenfield porphyry copper discovery at surface and just 8 km from road access. All holes mineralized from surface to end of hole. Reverse circulation drill had limited depth capabilities and will be followed by diamond drilling to test depth extent.**
- **Drilling is focused on the periphery of a greater than one kilometre in diameter porphyry footprint including high-grade copper and gold surface rock samples and potassic alteration within a magnetic low and conductivity high.**
- **GT Gold's Saddle North deposit and Newcrest's Red Chris mine share a similar geological setting to Terry with average copper grades comparable to initial drill results at Terry.**

"It is great to see that the technical team's hard work this summer paid off with such strong drill results produced from a true greenfield discovery," comments Ian Slater, Chief Executive Officer. "Broad intervals of copper-silver-gold mineralization coupled with locally very high-grade porphyry-style copper mineralization is a testament to the metal endowment at Terry and increases the project's overall potential. We look forward to extending these holes to depth with diamond drilling and stepping out over the greater than one kilometre diameter target."

Drill Hole		From (m)	To (m)	Interval (m)	Cu (%)	Ag (g/t)	Au (g/t)	CuEq (%)
BR-20-22*		0	34.38 (EOH)	34.38	0.38	2.22	0.06	0.45
	including	12.19	34.38	12.19	0.56	3.10	0.06	0.64
BR-20-23		0	120.4 (EOH)	120.4	0.34	2.47	0.06	0.41
	including	3.05	73.15	70.1	0.41	2.93	0.07	0.49
	and including	69.96	73.15	12.19	1.02	7.23	0.11	1.18
BR-20-24*		0	102.88 (EOH)	102.88	0.16	1.21	0.03	0.19
	including	0	102.11	102.11	0.21	1.54	0.04	0.36
	and including	0	42.67	42.67	0.29	2.23	0.06	0.36
	and including	7.62	34.38	16.76	0.34	2.35	0.07	0.42
BR-20-25*		1.52	179.74 (EOH)	178.22	0.24	1.52	0.04	0.29
	including	4.57	85.34	80.77	0.36	2.45	0.06	0.43
	and including	68.36	82.5	13.72	0.71	4.32	0.08	0.81
BR-20-26		0	7.32 (EOH)	7.32	0.35	2.73	0.08	0.44
BR-20-27		0	76.2 (EOH)	76.2	0.19	1.18	0.05	0.24
	including	0	19.81	19.81	0.31	2.09	0.07	0.39

Table 1: Select intervals from drill holes at the Terry target. *Previously released (Dec 22, 2020, Jan 12, 2021) **The prices used to calculate CuEq are: Cu: \$3.50/lb, Au: \$1,850/oz, Ag: \$25/oz. All values are reported in USD and do not consider metal recoveries. (CNW Group/Libero Copper & Gold Corporation.)




Figure 1: Cross-section of drill holes BR-20-23 and BR-20-27 (CNW Group/Libero Copper & Gold Corporation.)

The initial targeting at the Terry target was based on its geophysical signature and its location relative to the Limpoke pluton, an intrusion phase with high mineralization potential (Jurassic aged Texas Creek Plutonic Suite). The pronounced magnetic low (Figure 2) coinciding with a conductive electromagnetic (ZTEM) anomaly (Figure 3) are consistent with the presence of a copper porphyry mineralizing system. Mineralization at the Terry porphyry copper target was confirmed in 2020 after a reconnaissance scale sampling program revealed high-grade copper and anomalous gold values extending over an area of greater than one kilometre in diameter. Previously reported grab sample grades range up to 5.54% Cu and 0.53 g/t Au (see release on [July 27, 2020](#)). A mapped outcrop over 300 metres by 200 metres consists of a porphyritic feldspar dyke swarm intruding plagioclase-phyric intermediate composition volcanic host rocks. Chalcopyrite mineralization occurs as fine disseminations within the porphyritic dykes and volcanic host rocks, with higher concentrations along the margins of dykes. Malachite mineralization is present locally along fracture surfaces (Photo 1).

The strong initial surficial results were received late in the 2020 season and were subsequently followed up with a total of 585 metres in six reverse-circulation (RC) holes (holes BR-20-22 to 27) off a single drill pad. Drill holes 22 (24 metres) and 26 (7 metres) were abandoned due to poor ground and re-drilled. The ultimate depth of the RC holes was limited by water issues. All the holes drilled at Terry are mineralized from surface to the end of the hole. The drill program in 2021 will utilize a diamond drill to test the depth of the newly discovered copper mineralization. Early season detailed mapping, surficial geochemistry, and ground based geophysics will be used to the refine expansionary drill targets on the Terry target. Terry's elevation of 760 metres allows for a longer field season compared to other targets in the area.

The Terry target is located approximately 100 kilometres due west of GT Gold's Saddle North deposit and 120 kilometres due west Newcrest's Red Chris Mine, both which share a similar geological setting to Terry. The average copper grades for the two deposits (Saddle - 0.25% Cu, Red Chris - 0.36% Cu) are comparable to the initial drill results at Terry.

Quality Assurance

All sample assay results have been monitored through a quality control / quality assurance (QA/QC) program including the insertion of blind standards, coarse blanks, and pulp reject duplicate samples. Monitoring of the QA/QC program has determined that the analytical results are of acceptable quality. RC drilling provides a continuous sample stream which passes through a cyclone and is collected. The sample is then passed through an RC sampler where it is subdivided

SOURCE Libero Copper & Gold Corporation.

 View original content to download multimedia: <http://www.newswire.ca/en/releases/archive/January2021/19/c4946.html>

%SEDAR: 00027216E

For further information: Ian Slater, Chief Executive Officer, +1 604 638 2545, info@liberocopper.com; Tetiana Konstantynivska, Investor Relations, +1 778 372 0179, konstantynivska@liberocopper.com

CO: Libero Copper & Gold Corporation.

CNW 01:01e 19-JAN-21