

BUILDING A **COPPER GIANT**®

PROPERTY - PEOPLE - SPONSORSHIP - TIMING

**A massive system. Built on
responsibility. Guided by
experience.**

**CORPORATE PRESENTATION
SEPTEMBER 2026**



TSXV: CGNT



OTCQX: CGNRF



FRA: 29H0


FORWARD LOOKING STATEMENT



Certain statements included in this presentation are forward-looking statements within the meaning of Canadian securities laws, including the following statements: the ability of Copper Giant (or the "Company") to develop resources and then further develop reserves and resources; the anticipated economic potential of the concessions; the availability of capital and finance for the Company to execute its commitments and strategy going forward. Forward-looking statements are based on estimates and assumptions made by the Company in light of its experience and perception of current conditions and expected future developments, as well as other factors that the Company believes are appropriate in the circumstances. Many factors could cause the Company's results, performance or achievements to differ materially from those expressed or implied by the forward looking statements, including: discrepancies between actual and estimated results from exploration and development and operating risks, dependence on early exploration stage concessions; political and foreign risks; uninsurable risks; competition; regulatory restrictions, including environmental regulatory restrictions and liability; currency fluctuations; defective title to mineral claims or property and dependence on key employees. Persons reviewing this presentation are cautioned not to place undue reliance

on forward-looking statements due to inherent uncertainty therein. The Company disclaims any intention or obligation to update or revise any forward-looking statements, whether as a result of new information, future events or otherwise, except as required by law.

The scientific and technical information contained in this presentation has been derived from the National Instrument 43-101 ("NI 43-101") Technical Report, entitled "Technical Report and Updated Mineral Resource Estimate for The Mocoa Project, Putumayo Department, Colombia", dated January 8, 2026, prepared by Michael Dufresne (P.Geo, P.Geol, MSc), Warren Black (MSc, P.Geo), Kevin Hon (BSc, P.Geo) and Chester de Leon (P.Eng), with an effective date of December 23, 2025. The Technical Report can be found under the Company's profile on SEDAR (www.sedarplus.ca) and is also available on the Company's website (www.coppergiant.co). The scientific and technical information contained in this presentation has been reviewed and approved by Edwin Naranjo Sierra, Vice-President of Exploration (MSc and FAusIMM), who is a "Qualified Person" as defined under National Instrument 43-101. Mr. Naranjo is not independent of the company.




MD-043@271.19 m
2.3% Cu / 0.7% Mo

WHO WE ARE



PROPERTY

**ONE
BILLION**
TONNE INFERRED
RESOURCE



SPONSORSHIP


FRANK GIUSTRA
PRINCIPAL
SHAREHOLDER
CEO, FIORE GROUP

TEAM LEADERSHIP

2 OF 6

**LARGE COPPER MINES
BUILT IN PAST 10 YEARS**

Mirador (Ecuador)
Cobre Panama (Panama)



*Mirador and Cobre Panama are independent of Copper Giant and are no guarantee of the future performance of Copper Giant projects and no inference can be made of mineral resources or reserves from adjacent deposits
(*) For further technical information about the mineral resource estimate, see slide 27



TSXV: CGNT



OTCQX: CGNRF



FRA: 29H0

SPONSORSHIP



FRANK GIUSTRA


PRINCIPAL SHAREHOLDER

- CEO, **Fiore Group** 40+ years
- Built Wheaton River, merged it into Goldcorp
- Co-founder, Silver Wheaton (Wheaton Precious Metals)
- Founder Endeavour Mining & former Chairman Endeavour Financial
- Former Chairman, Leagold merged into Equinox Gold
- Founder, Aris Gold (Aris Mining) Colombia's second-largest gold producer
- Pacific Stratus (Pacific Rubiales Energy)
- Canadian Mining Hall of Fame, 2025



➤ "The reason I love copper is because **we're facing a supply cliff, a deficit.** And it's upon us. It's happening now."

➤ "If you can find a copper deposit that is **large enough, really good grade,** near surface, near infrastructure — **buy that and hold it.**"



🇨🇦 TSXV: CGNT 🇺🇸 OTCQX: CGNRF 🇩🇪 FRA: 29H0

MEET THE TEAM






Ernest Mast
DIRECTOR
Former CEO, Cobre Panama (Inmet Mining):
Led advancement to construction of Panama's first largescale mine



Frank Balint
STRATEGIC ADVISOR
30-year tenure at Inmet, including roles as VP Exploration and VP Corporate Development



Ian Harris
PRESIDENT & CEO
Advanced to construction first large-scale mine in Ecuador – Mirador, Corriente (sold for \$690 M)





Frank Giustra
PRINCIPAL SHAREHOLDER
CEO, FIORE GROUP
Co-founder of Aris Mining



Mark Gibson
DIRECTOR
Former COO at Ivanhoe Electric and Cordoba Minerals



Thyana Alvarez
VP & COUNTRY MANAGER
Secured Colombia's 1st new mining permit in 20 years. One of the most influential women in Colombia (Semana 2024 & 2025)



Edwin Naranjo Sierra
VP EXPLORATION
Fundamentally reshaped geological understanding of the Mocoa system.

*Mirador and Cobre Panama are independent of Copper Giant and are no guarantee of the future performance of Copper Giant projects and no inference can be made of mineral resources or reserves from adjacent deposits

10 YEARS, FEW NEW MINES

+0.25M < **+1M**
TONNES / YEAR BUILT TONNES / YEAR NEEDED

MAJOR COPPER MINES BUILT IN THE LAST 10 YEARS

LAS BAMBAS PERU

2016
PRODUCTION START

450,000
TONNE PER YEAR

COMPANY

MMG
62.5%

SENTINEL ZAMBIA

2016
PRODUCTION START

300,000
TONNE PER YEAR

COMPANY

FIRST QUANTUM
MINERALS

MIRADOR ECUADOR

2019
PRODUCTION START

250,000
AFTER EXPANSION
TONNE PER YEAR

COMPANY

CORRIENTE
(CRCC & TONGLING)

COBRE PANAMA PANAMA

2021
PRODUCTION START

400,000
BEFORE SHUTDOWN
TONNE PER YEAR

COMPANY

FIRST QUANTUM
MINERALS
90%

KAMOA-KAKULA DRC

2021
PRODUCTION START

>600,000
BY 2026
TONNE PER YEAR

COMPANY

IVANHOE 39.6%
ZIJIN 39.6%
DRC Gov 20%

QUELLAVECO PERU

2022
PRODUCTION START

350,000
BY 2026
TONNE PER YEAR

COMPANY

ANGLO
AMERICAN 60%
MITSUBISHI 40%

Kamoa-Kakula Copper Mine: Ivanhoe Mines, Kamoa-Kakula Copper Complex (<https://www.ivanhoemines.com/what-we-do/operations-projects/kamoa-kakula-mining-complex/>). Cobre Panama Mine: Mining Technology, Cobre Panama Profile (<https://www.mining-technology.com/projects/cobre-panama-mine/>). Sentinel Mine: First Quantum Minerals Operational Updates (<https://www.first-quantum.com/our-business/operating-mines/sentinel/>). Las Bambas: AidData, Chinese Mining Investments in Peru (<https://www.aiddata.org/>), MMG Official Reports Quellaveco Copper Mine: Anglo American, Quellaveco Project Updates (<https://www.angloamerican.com/>), Global Business Reports Mirador Copper Mine: Ecuadorian Mining Overviews, Industry Analyses (<https://www.mining.com/>)

 TSXV: CGNT  OTCQX: CGNRF  FRA: 29H0



MOCO A

COLOMBIA

1°14'41"N 76°40'30" W

PROLIFIC JURISDICTION



LARGE LAND HOLDING

1,283 Km² property
100%-owned

MOCO A

MOCO A

THE EMERGING GIANT
OF THE JURASSIC BELT

LOCATION

Andean Cordillera
Southern, Colombia

DEPOSIT

Porphyry
Copper – Molybdenum

*Segovia, Marmato, Alacrán, Mirador, Panantza, San Carlos and Warintza are independent of Copper Giant and are no guarantee of the future performance of Copper Giant projects and no inference can be made of mineral resources or reserves from adjacent deposits.


MIRADOR

WARINTZA

🇨🇦 TSXV: CGNT 🇺🇸 OTCQX: CGNRF 🇩🇪 FRA: 29H0


TAILS OF AN ELEPHANT

THE FOOTPRINTS OF A GIANT




JURASSIC BELT

MOCO A



MIRADOR





PANANTZA



SAN CARLOS

WARINTZA




*Based on geochemistry, mapping and/or geophysics

*Size and Scale approximately, based on public information and technical reports

EVOLUTION OF A GIANT

10 MILLION YEARS IN THE MAKING THE EMERGING GIANT OF THE JURASSIC BELT



GIANTS TAKE TIME

LONG - LIVE FERTILE WINDOWS BUILD THE BIGGEST PORPHYRIES

MOCO A SYSTEM

**10 MILLION YEARS
OF FERTILE WINDOW**

COMPARABLE TO THE GIANTS'
DEPOSITS ON THE MIOCENE –
EOCENE BELT IN THE ANDES

Notes:

The Fertile Period represents the duration of magmatichydrother malactivity associated with copper mineralization, based on radiometric dating methods such as U-Pb, Re-Os, and K-Ar.


- Drobe, J., Lindsay, D., Stein, H., & Gabites, J. (2013). Geology, mineralization, and geochronological constraints of the Mirador Cu–Au porphyry district, southeast Ecuador. Economic Geology, 108(1), 11–35. <https://doi.org/10.2113/econgeo.108.1.11>.

- Barra, F., Alcota, H., Rivera, S., et al. (2013). Timing and formation of porphyry Cu–Mo mineralization in the Chuquicamata district, northern Chile: New constraints from the Toki cluster. Mineralium Deposita, 48, 629–651. <https://doi.org/10.1007/s00126-012-0452-1>.

- Cajal, Y., Campbell, I. H., Carrasco-Godoy, C., & Martínez, C. (2025). Magmatic evolution of the supergiant Río Blanco–Los Bronces porphyry Cu deposit, central Chile: Implications for oreforming processes. Journal of Petrology, 66(6), egaf056. <https://doi.org/10.1093/petrology/egaf056>.


FERTILE WINDOW (Ma)

+Bar length based on the fertile window in Millon of Years (Ma).
Source: Public information and technical reports



THE MOCO A PORPHYRY

ONE-BILLION TONNE CLUB



*Copper equivalent (CuEq) for drill hole interceptions is calculated as: $\text{CuEq} (\%) = \text{Cu} (\%) + 5.278 \times \text{Mo} (\%)$, utilizing metal prices of Cu - US\$4.00/lb and Mo - US\$20.00/lb and metal recoveries of 90% Cu and 95% Mo.*For further information about MRE, refer to slide 27



TSXV: CGNT



OTCQX: CGNRF



FRA: 29H0

MOLYBDENUM

MOCOA ONE OF THE WORLD'S RICHEST MOLYBDENUM-COPPER PORPHYRIES.



Deposit	Owner	Cu:Mo Ratio	Mo%
Mocoa	Copper Giant	7.95	0.039%
Casino	Western Copper & Gold	8.11	0.0185%
Berg	Surge Copper	8.40	0.0250%
Pebble	Northern Dynasty	14.70	0.0232%

CATEGORY
Inferred¹

MILLION
TONNES
1,120

Mo (%)
0.039%

Mo (Mt)
0.45

MOCOA
MOLYBDENUM
POTENTIAL

- The U.S. holds no stockpile and the NDAA has added molybdenum to the defense covered-materials list, joining rare-earth magnets, tantalum and tungsten. Colombia is a Major Non-NATO Ally.
- China restricts exports, ~40% of world supply now behind export licenses.
- Irreplaceable, no substitute in superalloys or high-temperature steels.



Source: Corporate Websites
*Pebble, Malmbjerg and Rugby Creek are Independent of Copper Giant and are No Guarantee of the Future Performance of The Company.
¹Further Technical information about the Mineral Resource Estimate, see slide 27

THE COPPER GIANT WAY

/ COPPER OUTLOOK




LOCAL STRENGTH

- 178 EMP. (89% PUTUMAYO)
- 230 LOCAL SUPPLIERS
- 527 JOBS CREATED
- LOCAL MANUFACTURING
- STRONG COMMUNICATION
- WATER BASELINE: UNIVERSITY/COMMUNITY
- MONTCLAR AGREEMENT
- INGA CONDAGUA AGREEMENT

NATIONAL REPUTATION

- INSTITUTO TECNOLÓGICO PUTUMAYO
- UNIVERSIDAD NACIONAL DE COLOMBIA
- UNIVERSIDAD DEL ROSARIO
- UNIVERSIDAD DE CALDAS
- PACTO GLOBAL RED COLOMBIA
- IFC-SOURCING2EQUAL
- "BRÚJULA MNERA" REPUTATION RANKING (2024-2025)



POLITICAL WILL

- NATIONAL STRATEGIC PLAN (MAY 4, 2024)
- PUTUMAYO DEVELOPMENT PLAN (MAY 31, 2024)
- MOCOA DEVELOPMENT PLAN (MAY 27, 2024)
- FORESTRY RESERVE UPDATE (NOVEMBER 12, 2024)
- MONTCLAR BRIDGE (FEBRUARY 12, 2025)
- UNIFIED CONCESSION SECURED (APRIL 28, 2026)

TSXV: CGNT OTCQX: CGNRF FRA: 29H0

LOCAL STRENGTH



PACIFIC
OCEAN

ECUADOR



CUARAN VÉLEZ

Supplies safety boots to Copper Giant — the first time these essential items have been manufactured locally in Putumayo.



MONTCLAR COOPERATION AGREEMENT

Nov. 21, 2022: Cooperation Framework Agreement signed with Montclar, the community closest to the Mocoa Project, with 95% family support.



DIVERSO MOCOA

Supplies Copper Giant's uniforms; expanded from 3 to 15 jobs, empowering women heads of household and strengthening local capacity.



WATER SAMPLING

Partnered with SENA to train communities in water sampling and monitoring.



IFC'S SOURCING2EQUAL

Selected as one of 15 companies in Colombia recognized for fostering equality in supply chains and empowering local communities.



CONDAGUA

Oct 9, 2025: Copper Giant Completes prior consultation with Inga Condagua, establishing the firsts full social license for and exploration-stage project in Colombia



COLOMBIA'S MOST INFLUENTIAL WOMEN

July 2024: Thyana Alvarez, Copper Giant's VP & Country Manager, was recognized by Semana as one of Colombia's Most Influential Women.



TSXV: CGNT



OTCQX: CGNRF



FRA: 29H0

NATIONAL REPUTATION

MINING COMPANIES WITH THE BEST REPUTATION



ACCORDING TO GOVERNMENT AUTHORITIES 2024

01	Drummond Ltd. Colombia.	02
02	Cerrejón	01
03	South32 - Cerro Matoso	03
04	Argos	04
05	Mineros Colombia	06
06	PazdelRío	09
07	AngloGold AshantiE	07
08	Cemex	12
09	C.I. Milpa S.A.	05
10	Zijin / Continental Gold	08
11	Aris Mining	10
12	Holcim	30

13   **25**

14	Gramalote Colombia	16
15	Cooprocabon	0

Reputación en Municipios Mineros: Clasificada en el puesto 13, la empresa de exploración con el rango más alto en Colombia.

Reputation in Mining Municipalities: Ranked 12th, the highest-ranked exploration company in Colombia.

ACCORDING TO GOVERNMENT AUTHORITIES 2025

01	Drummond Ltd. Colombia.	01
02	Cerrejón	02
03	South32 - Cerro Matoso	03
04	Mineros Colombia	05
05	Argos	04
06	PazdelRío	06
07	AngloGold AshantiE	07
08	Aris Mining	11
09	C.I. Milpa S.A.	09
10	Zijin / Continental Gold	10
11	Grupo Coquecol	20
12	Holcim	12
13	Miner S.A. / Minera El Roble	30

14   **13**

15	Cemex	08
----	-------	----

Reputación ante las Autoridades Gubernamentales: Clasificada en el puesto 14, la segunda empresa de exploración con el rango más alto después de AngloGold Ashanti.

Reputation with Government Authorities: Ranked 13th, the second-highest exploration company after AngloGold Ashanti.

ACCORDING TO GOVERNMENT AUTHORITIES 2026

01	Drummond Ltd. Colombia.	01
02	Cerrejón	02
03	Mineros Colombia	04
04	South32 - Cerro Matoso	03
05	Argos	05
06	Aris Mining	08
07	C.I. Milpa S.A.	09
08	Zijin / Continental Gold	10
09	PazdelRío	06
10	Grupo Coquecol	11
11	AngloGold AshantiE	07
12	Gramalote	16
13	Cemex	15
14	Antioquia Gold LTD	43

15   **14**

Reputación ante las Autoridades Gubernamentales: Clasificada en el puesto 15, la ÚNICA EMPRESA DE EXPLORACIÓN con el rango más alto.

Reputation with Government Authorities: Ranked 15th—the highest-ranked exploration company.



10TH ANNUAL
BRÚJULA MINERA

“Mining Compass” at the National Mining Conference Ranking of Mining Company Reputation

3RD
CONSECUTIVE YEAR

In the ranking of best reputation among mining companies in Colombia.



TSXV: CGNT




OTCQX: CGNRF



FRA: 29H0

POLITICAL WILL

Nov 12, 2024




➤ "Copper giant announces update to Colombia's cadastral records enhancing Mocoa project potential".

Feb 12, 2025



➤ "Copper giant completes montclar bridge, supporting expanded exploration at mocoa porphyry Copper-molybdenum project, Colombia".

Apr 28, 2026



➤ "Unified concession secured long term development at Mocoa".

May 26, 2026

COLOMBIA DELIVERS ON ITS COPPER COMMITMENT



AN INDUSTRY
MILESTONE
ALACRÁN
RECEIVES
ENVIRONMENTAL
LICENSE

➤ An Industry Milestone.

June 21, 2026




Sept 03, 2026



Sept 08, 2026



SOLID PATHWAY CREATED




IDEAL EXISTING INFRASTRUCTURE

HIGH TENSION POWER / NATIONAL ROAD / SKILLED LABOR / PORT, AIRPORT





STARTER PIT POTENTIAL


NEAR SURFACE, HIGH-GRADE CORE & TOPOGRAPHY ADVANTAGE



CROSS SECTION:
WEST TO EAST



CROSS SECTION:
SOUTH-NORTH



*Copper equivalent (CuEq) for drill hole interceptions is calculated as: $\text{CuEq (\%)} = \text{Cu (\%)} + 5.278 \times \text{Mo (\%)}$, utilizing metal prices of Cu - US\$4.00/lb and Mo - US\$20.00/lb and metal recoveries of 90% Cu and 95% Mo. For further information about MRE, refer to slide 27



TSXV: CGNT



OTCQX: CGNRF



FRA: 29H0

METALLURGY RESULTS

HIGH COPPER AND MOLYBDENUM RECOVERIES

/ COPPER OUTLOOK



INITIAL BENCH-SCALE
ROUGHER FLOTATION
LABORATORY TEST
RESULTS SHOW
STRONG RECOVERIES

UP TO
92%
COPPER

AND
97%
MOLYBDENUM

EXCEEDING THE
ASSUMPTIONS (90% CU,
75% MO) USED IN THE
CURRENT RESOURCE MODEL¹.

**COPPER MINERALIZATION
IS DOMINATED BY
CHALCOPYRITE,**
A PROCESSING FRIENDLY
MINERAL.

ASSAYS INDICATE VIRTUAL
ABSENCE OF DELETERIOUS
ELEMENTS.

**97% OF MOLYBDENITE
REPORTED AS FREE
GRAINS.**

ALL RESULTS SUPPORT THE
POTENTIAL FOR CLEAN,
HIGH-RECOVERY
CONCENTRATES.

*For further details on metallurgical recoveries,
refer to news release dated October 2, 2025

¹For further details on the resource model,
refer to slide 27



TSXV: CGNT





OTCQX: CGNRF



FRA: 29H0

SUMMARY

WHAT MAJORS WANT



RESOURCE QUALITY & SCALE

HIGH GRADE
+1BN TONNES¹

1 BN TONNES @ 0.51%
(BULK SCALE POTENTIAL)

INCLUDING 190 MT @ 0.94%
(STARTER POTENTIAL)

**MINERALIZATION FROM
SURFACE
CLEAN METALLURGY**

LOW ELEVATION & ACCESSIBLE

ELEVATION
1,300 -1,600 m.a.s.l

INFRASTRUCTURE & ACCESS
5 KM TO NATIONAL ROAD & TWO 230 kVA

POWER LINES
- 10 KM TO THE CITY OF MOCO
- 50 KM TO VILLAGARZÓN AIRPORT
- ~426 KM TO TUMACO PORT (PACIFIC)
- ~531 KM TO BUENAVENTURA PORT (PACIFIC)

LOCAL WORKFORCE & RESPONSIBLE WATER MANAGEMENT

85% LOCAL WORKFORCE
WATER SUPPLY SUPPORTED BY
RAINWATER HARVESTING
OPERATIONAL WATER NEEDS MET
WITHOUT **EXTRACTING OR
IMPACTING NEARBY WATER
SOURCES**

¹ Further Technical information about the Mineral Resource Estimate, see slide 27

2026 EXPLORATION PLAN

FULLY FUNDED, BALANCED, FLEXIBLE AND COST



23,000M
OF DRILLING

+80% INCREASE

COMPARED TO THE 2025
DRILLING CAMPAIGN. THE
COMPANY'S LARGEST
EXPLORATION PROGRAM
TO DATE.

30 TO 50%

POTENTIAL RESOURCES
CONVERSION

HIGH-IMPACT
& COST-EFFECTIVE
DIRECTIONAL DRILLING

AZIWELL

DRILL TESTING

OTHER TARGETS


MULTIPLE PRIORITY TARGETS
SURROUNDING THE MOCOA
PORPHYRY TO **EVALUATE**
DISTRICT-SCALE
GROWTH POTENTIAL

**ONGOING
DERISKING**

EXPANDED BASELINE SECOND
STAGE OF METALLURGICAL
TESTING, INITIAL
GEOTECHNICAL AND
HYDROLOGICAL STUDIES

CURRENT LENGTH OF THE SYSTEM 2.5km X 1.5km X 1.0km

STILL OPEN IN ALL DIRECTIONS



*Copper equivalent (CuEq) for drill hole interceptions is calculated as: $CuEq (\%) = Cu (\%) + 5.278 \times Mo (\%)$, utilizing metal prices of Cu - US\$4.00/lb and Mo - US\$20.00/lb and metal recoveries of 90% Cu and 95% Mo.

*Based on geochemistry, mapping and/or geophysics



TSXV: CGNT



OTCQX: CGNRF



FRA: 29H0



COPPER GIANT

COLOMBIA

1°14'41"N 76°40'30" W



FUNDED & ALIGNED OWNERSHIP



CAPITAL STRUCTURE

As of Aug 25, 2026



Issued and outstanding	Warrants
260,676,681	83,726,290
Options	CASH
17,535,000	C\$ 45M

WARRANTS

Expiring	C\$ M	Strike
2026	C\$ 2.78	0.50
2027	C\$ 14.09	0.31
2028	C\$ 16.25	0.49
TOTAL	C\$ 33.13	0.40

PIE CHART

72% FLOAT



 **TSXV: CGNT**  **OTCQX: CGNRF**  **FRA: 29H0**



PROPERTY - PEOPLE - SPONSORSHIP - TIMING

RISE WITH COPPER



TSXV: CGNT



OTCQX: CGNRF



FRA: 29H0

TOTAL INFERRED RESOURCES



1. The MRE was completed by Kevin Hon, B. Sc. , P. Geo. , Senior Resource Geologist, and Warren Black, M. Sc. , P. Geo. , Senior Consultant: Mineral Resources and Geostatistics, both of APEX. Mr. Hon and Mr. Black are independent Qualified Persons, as defined by NI 43-101, and are responsible for the completion of the Mineral Resource Estimate, with an effective date of November 18, 2025. Michael Dufresne, M. Sc. , P. Geo. , President & CEO of APEX, completed a peer review of the estimate.

2. Mineral Resources that are not Mineral Reserves do not have demonstrated economic viability.

3. The estimate of Mineral Resources may be materially affected by environmental, permitting, legal, title, taxation, socio-political, marketing, or other relevant issues.

4. The Inferred Mineral Resource in this estimate has a lower level of confidence than that applied to an Indicated Mineral Resource and must not be converted to a Mineral Reserve. It is reasonably expected that the majority of the Inferred Mineral Resource could potentially be upgraded to an Indicated Mineral Resource with continued exploration.

5. The Mineral Resources were estimated in accordance with the Canadian Institute of Mining, Metallurgy and Petroleum (CIM), CIM Standards on Mineral Resources and Reserves, Definitions (2014) and Best Practices Guidelines (2019) prepared by the CIM Standing Committee on Reserve Definitions and adopted by the CIM Council.

6. Economic assumptions used include US\$4. 00/lb Cu, US\$20. 00/lb Mo, process recoveries of 90% for Cu and 95% for Mo, a US\$10/t processing cost, G&A costs of US\$1. 00/t, and a 3% NSR royalty

7. CuEq* values are calculated using a Cu-to-Mo value ratio of 1: 5. 278, incorporating both metal prices and metallurgical recoveries.

8. The constraining pit optimization parameters include a US\$2. 5/t mining cost for both mineralized and waste material and a 45° pit slopes. Pit-constrained Mineral Resources are reported at a cutoff of 0. 25% CuEq*.

*For further information refer to NI 43-101 Technical Report, entitled "Technical Report and Updated Mineral Resource Estimate for The Mocoa Project, Putumayo Department, Colombia", dated January 8, 2026, prepared by Michael Dufresne (P. Geo, P. Geol, MSc), Warren Black (MSc, P. Geo), Kevin Hon (BSc, P. Geo) and Chester deLeon (P. Eng), with an effective date of December 23, 2025.

NOTES ON DRILL RESULTS

Copper equivalent (CuEq) for drill hole interceptions is calculated as: $\text{CuEq (\%)} = \text{Cu (\%)} + 5.278 \times \text{Mo (\%)}$, utilizing metal prices of Cu - US\$4.00/lb and Mo - US\$20.00/lb and metal recoveries of 90% Cu and 95% Mo. Mineralized zones at Mocoa are bulk porphyry-style zones and drilled widths are interpreted to be very close to true widths.

QUALIFIED PERSON (QP)

Edwin Naranjo Sierra, MSc and FAusIMM, registered with the Australasian Institute of Mining and Metallurgy, is the Qualified Person, as defined by the Canadian Securities National Instrument 43-101 Standard for Disclosure for Mineral Projects, for the Mocoa Cu-Mo porphyry project. Mr. Naranjo Sierra is the Vice-President of Exploration of Copper Giant. He has reviewed and approved the disclosure of the scientific and technical information contained in this presentation. Mr. Naranjo is not independent of the company.

NOTES ON QA/QC PROCEDURES

Copper Giant operates according to a rigorous Quality Assurance and Quality Control (QA/QC) protocol consistent with industry best practices. Core diameter is a mix of HQ and NQ depending on the depth of the drill hole. Diamond drill core boxes were photographed, sawed, sampled and tagged in maximum 2-metre intervals, stopping in geological boundaries. Samples were bagged, tagged and packaged for shipment by truck from Copper Giant's core logging facilities in Mocoa, Colombia to the Actlabs certified sample preparation facility in Medellin, Colombia. ActLabs is an accredited laboratory independent of the company. Samples are processed in the Medellin facilities where they are analyzed for copper and molybdenum by 4-Acid digest Atomic Absorption (AA) analysis. The sample pulps are air freighted from Medellin to the ActLabs certified laboratory in Guadalajara, Mexico, where they are analyzed for a suite of 57 elements using 4-Acid digest and ICP-MS. In order to monitor the ongoing quality of assay data and the database, Copper Giant has implemented QA/QC protocols which include standard sampling methodologies, the insertion of certified copper and molybdenum standard materials, blanks, duplicates (field, preparation and analysis) randomly inserted into the sampling sequence. QA/QC program also include the ongoing monitoring of data entry, QA/QC reporting and data validation. No material QA/QC issues have been identified with respect to sample collection, security and assaying.



ADDITIONAL INFORMATION

IAN HARRIS

President & CEO
+1 303 956 2944
harris@coppergiant.co

TETIANA KONSTANTYNIVSKA

VP Investor Relations
+1 778 829 8455
tk@coppergiant.co

Follow us:   @Cu_Giant -    @CopperGiant

Coppergiant.com

info@coppergiant.co



THE STANDOUTS

TOP FIVE INTERCEPTS — AND THE RECORDS BEHIND THEM



TOP FIVE INTERCEPTS

Headline intercept of each hole, ranked by Grade × Length

Grade × Length (%·M)

1	MD-043	1,229 m @ 0.68% CuEq 0.42% Cu · 0.050% Mo · from 7 m		841
2	MD-047	1,004 m @ 0.60% CuEq 0.39% Cu · 0.040% Mo · from 0 m		603
3	MD-044	1,141 m @ 0.48% CuEq 0.27% Cu · 0.040% Mo · from 0 m		549
4	MD-045	1,166 m @ 0.47% CuEq 0.31% Cu · 0.030% Mo · from 0 m		546
5	MD-064	1,206 m @ 0.42% CuEq 0.30% Cu · 0.022% Mo · from 0 m		502

All five carry more than a kilometre of continuous mineralization

THE RECORD BOARD


The best single samples, and the programme's extremes

HIGHEST SINGLE SAMPLES — NO LENGTH RESTRICTION		
COPPER 5.08% MD-058, 599.4 m	MOLYBDENUM 0.74% MD-043, 269.8 m	CuEq 6.23% MD-043, same sample
LONGEST DRILL HOLE 1,235m MD-043		BEST 250 METRES 1.32% CuEq MD-043 · 0.74% Cu, 0.110% Mo
LONGEST ABOVE 0.70% CuEq 840 m MD-043, averaging 0.84% CuEq		HIGHEST COPPER INTERVAL 0.75 % Cu MD-045, over 50 m
DEEPEST POINT REACHED 623 m Above sea level · MD-063		GREATEST VERTICAL DEPTH 1,051 m MD-049, collar to end of hole

6.31 → 12.7 Blb CuEq

The contained metal doubled from 2022 to 2025 MRE update

WHERE MOCOAS METRES CAME FROM



671,000 lb CuEq per metre

Added by the 9,525 m drilled since the 2022 MRE.

Company drilling results. CuEq (%) = Cu (%) + 5.278 × Mo (%), at US\$4.00/lb Cu and US\$20.00/lb Mo with recoveries of 90% Cu and 95% Mo; copper equivalent values are calculated by the Company from the reported grades. Grade × length is the reported grade multiplied by the reported interval length, in percent-metres—a comparative measure of intercept quality only, not a resource or metal-content estimate. The top five are each hole's headline intercept; nested sub-intervals are not listed separately. Single-sample records are the highest individual assays in the Company's database from the 2022–2026 drill programmes, over sample lengths. Individual high-grade samples are selective in nature and are not necessarily representative of the mineralization on the property. See the QA/QC and Technical Notes slide for sampling, analytical in slide 28.



TSXV: CGNT




OTCQX: CGNRF



FRA: 29H0


ARQUITECTURE OF A GIANT

THE SHAPE OF A PORPHYRY



PARAGENESIS — WHERE THE METAL ACTUALLY ARRIVES

Schematic vein sequence and phase assignment, after Mocoa core logging




Sections constructed in Leapfrog from the Company's drillhole database with a 100 m section buffer; downhole bars are coloured by CuEq (%) on the scale used for the Mineral Resource Estimate. $\text{CuEq (\%)} = \text{Cu (\%)} + 5.278 \times \text{Mo (\%)}$, at US\$4.00/lb Cu and US\$20.00/lb Mo with recoveries of 90% Cu and 95% Mo.

TSXV: CGNT OTCQX: CGNRF FRA: 29H0

A KILOMETRE OF COPPER

DRILL HIGHLIGHTS



HOLES OVER A KILOMETRE

Eight of the twenty holes with reported results cross the one kilometre mark

Company drilling results. $\text{CuEq (\%)} = \text{Cu (\%)} + 5.278 \times \text{Mo (\%)}$, using US\$4.00/lb Cu and US\$20.00/lb Mo and metallurgical recoveries of 90% Cu and 95% Mo; copper equivalent values shown are calculated by the Company from the reported Cu and Mo grades. Bars show the reported mineralised interval measured along the hole, drawn to true downhole depth, with the reported higher-grade sub-intervals nested inside at their reported depths. Mineralized zones at Mocoa are bulk porphyry-style and drilled widths are interpreted to be very close to true widths. Refer to the QA/QC and Technical Notes for sampling, analytical in slide 28.



TSXV: CGNT



OTCQX: CGNRF



FRA: 29H0