

Escenarios implementados en Serenity BDD (Java)

Ubicación: SauceDemo_Serenity_BDD_JAVA

- Login → Agregar productos → Checkout
- Validación de precios en el carrito

```
1 @Purchase
2 Feature: Product Checkout
3   As a SauceDemo customer
4   I want to buy products from the catalog
5   So that I can validate their prices and complete my purchase successfully
6
7   Scenario: Customer adds 2 products to the cart, validates their prices and completes the purchase.
8     Given the user accesses the SauceDemo login page
9     When the user with the username "standard_user" and the password "secret_sauce" logs in
10    Then the user should see products dashboard with the title "Products"
11    And the user adds the first product "Sauce Labs Backpack" to the cart
12    And the user adds the second product "Sauce Labs Onesie" to the cart
13    And the user goes to the shopping cart
14
15    Then the user validates that the product "Sauce Labs Backpack" has the price "$29.99"
16    Then the user validates that the product "Sauce Labs Onesie" has the price "$7.99"
17
18    And the user starts the checkout
19    And the user fills checkout information with the First Name "Nelson" Last Name "QA" and postcode "0000"
20    And the user continues the checkout
21    And the user finishes the order
22    Then the user should see the order confirmation message "Thank you for your order!"
```

Escenarios implementados en Playwright (Python)

Ubicación: SauceDemo_Playwright_python

- Login con usuario bloqueado


```
1 Feature: Blocked user Authentication
2   As a blocked customer
3   I want to be prevented from logging into the store
4   So that the system displays an error message
5
6   Scenario: Attempting to log in with a blocked account
7     Given the user wants to access the store from login page
8     When he logs in with username "locked_out_user" and password "secret_sauce"
9     Then he should see an error message saying "Epic sadface: Sorry, this user has been locked out."
```

- Ordenamiento de productos

```
1 Feature: Sort products in Product page
2   As a customer of the store
3   I want to sort products
4   So that I can search a product faster
5
6 Scenario: Sort products by name and price
7   Given the user wants to access the store from login page
8   When he logs in with username "standard_user" and password "secret_sauce"
9   When he sorts the products by "Name (Z to A)"
10  Then the product should be sorted by "Name (Z to A)"
11  When he sorts the products by "Price (low to high)"
12  Then the product should be sorted by "Price (low to high)"
13  When he sorts the products by "Price (high to low)"
14  Then the product should be sorted by "Price (high to low)"
15  When he sorts the products by "Name (A to Z)"
16  Then the product should be sorted by "Name (A to Z)"
```


Evidencias de ejecución de Serenity BDD (Java)

Test exitoso:



Product Checkout		1 To 10 Seconds (Duration)
Customer adds 2 products to the cart, validates their prices and completes the purchase.		
Cast		
Steps	Outcome	
▶ Given the user accesses the SauceDemo login page	SUCCESS	5s 553ms
▶ When the user with the username "standard_user" and the password "secret_sauce" logs in	SUCCESS	1s 008ms
▶ Then the user should see products dashboard with the title "Products"	SUCCESS	196ms
▶ And the user adds the first product "Sauce Labs Backpack" to the cart	SUCCESS	138ms
▶ And the user adds the second product "Sauce Labs Onesie" to the cart	SUCCESS	134ms
▶ And the user goes to the shopping cart	SUCCESS	237ms
▶ Then the user validates that the product "Sauce Labs Backpack" has the price "\$29.99"	SUCCESS	081ms
▶ Then the user validates that the product "Sauce Labs Onesie" has the price "\$7.99"	SUCCESS	066ms
▶ And the user starts the checkout	SUCCESS	313ms
▶ And the user fills checkout information with the First Name "Nelson" Last Name "QA" and postalcode "0000"	SUCCESS	378ms
▶ And the user continues the checkout	SUCCESS	156ms
▶ And the user finishes the order	SUCCESS	136ms
▶ Then the user should see the order confirmation message "Thank you for your order!"	SUCCESS	054ms
	SUCCESS	8.55s

Test Fallido



Overall Test Results

Requirements

Features

Report generated 07-07-2026 22:06

Product Checkout

1 To 10 Seconds (Duration)

Customer adds 2 products to the cart, validates their prices and completes the purchase.

Cast

Steps	Screenshots	Outcome	
▶ Given the user accesses the SauceDemo login page		SUCCESS	3s 460ms
▶ When the user with the username "standard_user" and the password "secret_sauce" logs in		SUCCESS	720ms
▶ Then the user should see products dashboard with the title "Products"		SUCCESS	161ms
▶ And the user adds the first product "Sauce Labs Backpack" to the cart		SUCCESS	146ms
▶ And the user adds the second product "Sauce Labs Onesie" to the cart		SUCCESS	144ms
▶ And the user goes to the shopping cart		SUCCESS	255ms
▶ Then the user validates that the product "Sauce Labs Backpack" has the price "\$29.99"		SUCCESS	080ms
▶ Then the user validates that the product "Sauce Labs Onesie" has the price "\$7.98"		FAILURE	333ms
⌕ And the user starts the checkout		SKIPPED	
⌕ And the user fills checkout information with the First Name "Nelson" Last Name "QA" and postalcode "0000"		SKIPPED	
⌕ And the user continues the checkout		SKIPPED	
⌕ And the user finishes the order		SKIPPED	
⌕ Then the user should see the order confirmation message "Thank you for your order!"		SKIPPED	
			FAILURE 5.43s

Evidencias de ejecución de Playwright (Python)

 Overview Categories Suites Behaviors Packages Graphs Timeline	ALLUREREPORT 6/30/2026 9:36:26 - 9:36:32 (4s 569ms)		TREND	
	2 test cases		100%	
	SUITES 1 item total		There is nothing to show	
	ENVIRONMENT There are no environment variables		CATEGORIES 0 items total Show all	
	404 Not Found		EXECUTORS Jenkins Reto 2 - Playwright (python) - Screenplay #13	

- Login con usuario bloqueado

Overview

Categories

Suites

Behaviors

Packages

Graphs

Timeline

Suites

order

name

duration

status

Status: 0 0 2 0 0

Marks:

tests

2

test_login_with_blocked_user

1

#1 test_attempting_to_log_in_with_a_blocked_account

2s 511ms

test_sort_products

1

tests.test_login_with_blocked_user#test_attempting_to_log_in_with_a_blocked_account

Passed

test_attempting_to_log_in_with_a_blocked_account

OverviewHistoryRetries

Severity: normal

Duration: 2s 511ms

Description

C:\Users\Nelson\Documents\GitHub\Reto-2_SauceDemo-Playwright-python-features\login_with_blocked_user.feature: Attempting to log in with a blocked account

Execution

Set up

Test body

Navigate to1s 810ms

Login as locked_out_user 3 sub-steps107ms

Get the login error message text21ms

Tear down

- Ordenamiento de productos

Overview

Categories

Suites

Behaviors

Packages

Graphs

Timeline

Suites

order

name

duration

status

Status: 0 0 2 0 0

Marks:

tests

2

test_login_with_blocked_user

1

test_sort_products

1

#1 test_sort_products_by_name_and_price

2s 038ms

tests.test_sort_products#test_sort_products_by_name_and_price

Passed

test_sort_products_by_name_and_price

OverviewHistoryRetries

Severity: normal

Duration: 2s 038ms

Description

C:\Users\Nelson\Documents\GitHub\Reto-2_SauceDemo-Playwright-python-features\sort_products.feature: Sort products by name and price

Execution

Set up

Test body

Navigate to1s 740ms

Login as standard_user 3 sub-steps123ms

Sort products by Name (Z to A) 1 sub-step15ms

Get the list of displayed product names32ms

Sort products by Price (low to high) 1 sub-step11ms

Get the list of displayed product prices15ms

Sort products by Price (high to low) 1 sub-step9ms

Get the list of displayed product prices12ms

Sort products by Name (A to Z) 1 sub-step10ms

Get the list of displayed product names11ms

Tear down

Evidencias de ejecución en Jenkins

👤 Jenkins

Reto-2-Estrategia-de-auto... / #3

🔍

⚙️

☰

👤

Status

Changes

Console Output

Edit Build Information

Delete build '#3'

Timings

Git Build Data

Reporte Serenity

Ver firmas

Allure Report

Pipeline Overview

Open Blue Ocean

Restart from Stage

Replay

Pipeline Steps

Workspaces

Previous Build

✅ #3 (7 jul de 2026, 10:30:06 p. m.)

📦

Artefactos Generados

🕒

Iniciado por el usuario Nelson Flores Fernandez

🕒

This run spent:

- 10 Ms waiting;
- 2 Min 24 Seg build duration;
- 2 Min 24 Seg total from scheduled to completion.

📄 git

Revision: e77298268cabfb0a085a2e80eb18aaabfb120d04

Repository: <https://github.com/NelsonFlores1/Reto-2-Estrategia-de-automatizacion-End-to-End>

- refs/remotes/origin/main

📄 Allure Report

🔗 Expand README with installation and execution instructions

b80b0c3

🕒 noreply at 9:46 a. m. 7/7/26

🔗 Add Playwright installation instructions to README

e072cfb

🕒 noreply at 9:53 a. m. 7/7/26

🔗 Update README.md

fef0255

🕒 noreply at 8:01 p. m. 7/7/26

🔗 Update installation instructions formatting in README

9a7f9c0

🕒 noreply at 8:02 p. m. 7/7/26

🔗 Update README.md

54bded5

🕒 noreply at 8:05 p. m. 7/7/26

🔗 Update README.md

044c73b

🕒 noreply at 8:05 p. m. 7/7/26

📄

Comenzó hace 9 Min 16 Seg

Tardó 2 Min 24 Seg

ejecución de Serenity BDD (Java)

← → ↺ 📄 🌐 localhost:8080/job/Reto-2-Estrategia-de-automatizacion-End-to-End/3/Reporte_20Serenity/

Back to #3 index

🌀 Serenity BDD

Home

📄 Overall Test Results

📄 Requirements

🗨 Features

Report generated 07-07-2026 22:31:20

Test Results: All Tests

1 test

📄 Summary

📄 Test Results

🕒 Overview

📄 Test Outcomes

📄 Test Performance

100%

100%

Passing Test Cases

Pending Test Cases

Ignored Test Cases

Skipped Test Cases

Aborted Test Cases

Failed Test Cases

Broken Test Cases

Compromised Test Cases

Undefined Test Cases

📄 Key Statistics

📄 Number of Scenarios	1
📄 Total Number of Test Cases	1
📄 Tests Started	jul 07, 2026 22:31:06
📄 Tests Finished	jul 07, 2026 22:31:15

Test Outcomes

Outcome	Count
Passing	1
Pending	0
Ignored	0
Skipped	0
Aborted	0
Failed	0
Broken	0
Compromised	0

Test Performance

Duration	Count
Under 1 second	0
1 to 10 seconds	1
10 to 30 seconds	0
30 to 60 seconds	0
1 to 2 minutes	0
2 to 5 minutes	0
5 to 10 minutes	0
10 minutes or over	0

Back to #3

index

Report generated 07-07-2026 22:31

Product Checkout

1 To 10 Seconds (Duration)

Customer adds 2 products to the cart, validates their prices and completes the purchase.

Cast

Steps	Outcome	
▶ Given the user accesses the SauceDemo login page	SUCCESS	6s 535ms
▶ When the user with the username "standard_user" and the password "secret_sauce" logs in	SUCCESS	749ms
▶ Then the user should see products dashboard with the title "Products"	SUCCESS	198ms
▶ And the user adds the first product "Sauce Labs Backpack" to the cart	SUCCESS	165ms
▶ And the user adds the second product "Sauce Labs Onesie" to the cart	SUCCESS	143ms
▶ And the user goes to the shopping cart	SUCCESS	271ms
▶ Then the user validates that the product "Sauce Labs Backpack" has the price "\$29.99"	SUCCESS	085ms
▶ Then the user validates that the product "Sauce Labs Onesie" has the price "\$7.99"	SUCCESS	058ms
▶ And the user starts the checkout	SUCCESS	241ms
▶ And the user fills checkout information with the First Name "Nelson" Last Name "QA" and postalcode "0000"	SUCCESS	364ms
▶ And the user continues the checkout	SUCCESS	157ms
▶ And the user finishes the order	SUCCESS	161ms
▶ Then the user should see the order confirmation message "Thank you for your order!"	SUCCESS	062ms
	SUCCESS	9.3s

ejecución de Playwright (Python)

Allure

Overview

Categories

Suites

Behaviors

Packages

Graphs

Timeline

ALLUREREPORT 7/7/2026
22:31:43 - 22:31:54 (11s 310ms)

2

test cases

100%

SUITES1 item total

tests

2

Show all

ENVIRONMENT

There are no environment variables

500

Unexpected token '<', "<IDOC"TYPE "... is not valid JSON

TREND



CATEGORIES0 items total

Show all

EXECUTORS

Jenkins

Reto-2-Estrategia-de-automatizacion-End-to-End #3

