Blog

Oil and gas infrastructure at risk in the face of cyber warfare

Mar 15, 2022



The first cyber warfare against Ukraine that is considered to be related to the current conflict with Russia was a “fake” ransomware attack on Jan. 13, 2022 – a ransomware attack with no ransom. The set of malware tools used, ‘WhisperGate’, is designed to

look like ransomware but has no recovery feature. The attackers instead used the ransomware's encryption to cause as much destruction as possible with no possibility of recovering data.

The next day on January 14th, hackers posted the message "*be afraid and wait for the worst*" on about 70 Ukrainian government websites. The messages were immediately taken down and the websites were restored, but forensic investigators believe that the hackers purposely limited the initial damage and installed a more destructive trigger that will fire later.



A laptop showing the message left by attackers on the Ministry of Foreign Affairs of Ukraine in Ukrainian, Russian, and Polish – image courtest of NPR(National Public Radio).

February 15th saw the beginning of three DDoS attacks that brought down several Ukrainian banking websites, mobile apps, and ATMs. According to ComputerWeekly, the

malware was compiled in October of 2021, suggesting that this cyber attack may be part of a larger operation. In March, network traffic experts noticed that Ukrainian civilians were being bombarded with significantly more phishing emails than usual.

Critical infrastructure related to natural resources has been a major target of cyber warfare related to this conflict, but these attacks have not all been regionally focused on Ukraine. For example, some sources are reporting that a “pre-positioning” campaign of cyber attacks targeting USA natural gas producers began about two weeks before the invasion of Ukraine. These tactics show what critical infrastructure organizations worldwide could be doing to protect critical services from disruption by cyber attack.

- Segment the network into zones so that attackers cannot move easily within the OT environment and threats can’t spread
- Lock down endpoints to be unable to run programs that are not on a trust list, blocking malware from executing
- Secure vulnerabilities in legacy assets with virtual patching – attackers can exploit vulnerabilities in a variety of ways including using them as illicit onramps to work site networks

Previous Article

‹ Safeguarding OT environments against the LockBit 2.0 ransomware

Next Article

Modern warfare weaponizes hackers against critical infrastructure ›

More resources




White Papers

May 26, 2022 • 1 min read

Supply Chain Security: Are SBOMs Ready?


Best Practices endpoint protection OT health check OT zero trust supply chain security



May 23, 2022 • 9 min read

Analysis of the PIPEDREAM Local Exploit

endpoint protection INCONTROLLER MITRE ATT&CK PIPEDREAM Threat Research



May 23, 2022 • 1:27 watch

Edge Series video

network defense

View all resources

Need assistance?

TXOne's global teams are here to help!

Select inquiry type

or

Find support



Mission-critical OT cybersecurity news and threat mitigation straight to your inbox

Enter email address

Subscribe

By submitting this form you confirm that you agree to the storing and processing of your personal data by TXOne Networks as described in our Privacy Policy

Products

Trend Micro Portable Security™ 3

Trend Micro Portable Security™ 3 Pro

StellarProtect™

StellarEnforce™

OT Defense Console™

EdgeIPS™

EdgeIPS™ Pro

EdgeFire™

Industry Solutions

Smart Factory

Healthcare

Oil & Gas

Resources

Getting Started

Videos

Blog

Security Reports

White Papers

Case Studies

Data Sheets

Company

Why TXOne

Partners

Events

News

Contact



Get in touch

© 2022 TXOne Networks. All rights reserved. Privacy Policy | Terms of use

Honored Member of ISA GLOBAL CYBERSECURITY ALLIANCE