Visoka škola za informacione i komunikacione tehnologije

Web programiranje PHP 2, sajt:

Feliciano

Nemanja Kašanov, 79/18

Internet tehnologije

Beograd, 12.03.2022.

Sadržaj:

4. Korišćene tehnologije i opis sajta

5. Stranice sajta sa opisom funkcionalnosti

18. Prikaz strukture baze podataka

21. Kodovi

KODOVI:

CONTROLLERS:
22. FirstController
23. HomeController
24. OsnovniController
26. AuthController
29. OrderController
32. DishController
38. AdminController

MODELS:
41. Account
41. Cart
42. CartExtra
42. Category
43. Comment
43. Extra
43. HomeSlider
44. Ingredient
44. Like
44. Link
45. MasterChef
45. Nav
46. Order
47. OrderExtra
47. OrderProduct
48. Price
49. Product
50. ProductsExtra
50. ProductsIngredient
50. SliderDish
51. Testimony

MIDDLEWARE:
52. AdminMiddleware
52. AuthenticateMiddleware
53. EmployeeMiddleware
53. LoggedInMiddleware
54. LoggedOutMiddleware
54. RedirectIfAuthenticated

REQUESTS:
55. AddPriceRequest
56. AddProductRequest
57. ChangeAccountInfoRequest
57. ChangeProductRequest
58. LoginRequest

59. RegisterRequest

MIGRATIONS:
60. CreatePasswordResetsTable
61. CreateFailedJobsTable
62. HomeSlider
63. Links
64. Navs
65. SliderDishes
66. MasterChefs
67. Testimonies
68. Accounts
69. Categories
70. Ingredients
71. ProductsIngredients
72. Prices
73. Extras
74. ProductExtras
75. Products
76. ProductsExtras
77. Orders
78. OrderExtras
79. Carts
80. CartExtras
81. OrderProducts
82. Comments
83. Likes
84. UpdateTablesTimestamps

JS:
85. _main.js

93. **web.php**

VIEWS (.blade.php files):
layouts:
96. layout
97. admin
partials:
98. bottom
99. footer
100. header
106. navigation
107. top
108. footer
110. head
111. nav
113. scripts
113. title
114. register
pages:
118. about_author
120. add_product
124. change_product
128. dish
134. dishes
137. my_account
138. home
145. login
147. my_account
150. no_access
151. order_submitted
152. order
155. orders
158. register
admin panel pages:
159. accounts
161. admin
165. categories
167. comments
169. extras
171. ingredients
173. links
175. navs
177. orders
181. products

Korišćene tehnologije:

Laravel, PHP, MVC, OOP, jQuery, AJAX, JSON

Opis sajta:

Ovaj projekat pretstavlja sajt restorana koji omogućava pregled menija i poručivanje hrane online.

Postoje tri vrste korisnika; mušterije, radnici restorana i admini, isvakoj grupi je dostupan određeni skup funkcionalnosti.

Korisnici mogu pregledati meni, stavljatiizabrana jela u korpu i potvrditi porudžbinu. Zaposleni vide porudžbine i mogu njima upravljati, dok admin ima pristup admin panel-u, sa koga se može upravljati podacima iz baze podataka.

Za dizajn sajta je korišćen template.

Stranice sajta sa opisom funkcionalnosti:

HOME

Početna stranica sadrži informacije o restoranu koje su dinamički ispisane i sekciju za registraciju novog korisnika.







Sekcija za registraciju korisnika sadrži registracionu formu sa validacijom.



NAV MENU

Navigacioni meni je dinamički ispisan i linkovi koji se prikazuju se menjaju u zavisnosti od toga koji tip korisnika je ulogovan:

neulogovan korisnik

ulogovana mušterija

radnik restorana



admin



FOOTER

Footer sadrži dinamički ispisane korisne linkove.



REGISTRATION

Stranica za registraciju sadrži formu za unos podataka o korisniku i back-end validaciju, čije se poruke, ukoliko ima grešaka, prikazuju desno od forme.



LOG IN



Stranica za prijavu korisnika koja prikazuje poruke u slučaju neuspešnog pokušaja prijave.

Stranice za registraciju i logovanje se prikazuju samo neulogovanim korisnicima.

MENU



Stranica sa prikazom ponude jela i pića.

Na njoj se nalazi polje za pretragu jela u okviru izabrane kategorije i polja za odabir kategorije (doručak, ručak, pića...).

Ponude su dinamički ispisane i svaka sadrži dugme Add to order, klikom na koje se korisnik šalje na stranicu sa detaljima izabranog jela/pića.

STRANICA JELA



Stranica jela/pića sadrži pregled svih informacija o jelu, sliku, formu za dodavanje jela u porudžbinu (odabir dodataka i veličine porcije, na osnovu koje se prikazuje cena), broj lajkova i dugme za lajkovanje jela, forma za unos komentara i prikaz postojećih komentara.

Kada je korisnik ulogovan kao zaposleni, prikazuje se i forma u kojoj se može uneti nova količina u ponudi i cena za nju.

PORUDŽBINA / ORDER





Stranica porudžbine prikazuje sva jela i pića koja je korisnik ubacio u korpu i svako od njih može izbaciti iz porudžbine klikom na dugme za brisanje.

Ispod prikaza predmeta u porudžbini nalazi se ukupna cena i dugme kojim se potvrđuje porudžbina.

Nakon što se potvrdi porudžbina korisnik se šalje na stranicu na kojoj se prikazuje statički tekst koji potvrđuje da je porudžbina uspešno podneta.

ACCOUNT



Account Information:

Name: Nikola Nikolic

Email: niknik@gmail.com

Phone number: +381615896324

Address: Moja Ulica 12

Municipality: Stari Grad

Role: Customer / User

Change Information:

Phone Number

+381615896324

Address

Moja Ulica 12

Municipality

Stari Grad

Register

Ova stranica omogućava korisniku da promeni podatke svog naloga.

ADD PRODUCT



Ova stranica je dostupna samo zaposlenima i na njoj se nalazi forma za pravljenje novog jela/pića.

Forma ima validaciju i upload slike.

ORDERS



Stranica za porudžbine sadrži spisak porudžbina i može joj pristupiti samo zaposleni.

Svaka porudžbina se može označiti kao poslata ili kao odbijena.

ADMIN PANEL

Na admin panel-u se može upravljati sadržajem baze podataka i mogu se pregledati informacije koje sadrži početna stranica panel-a. Može mu pristupiti samo admin.

Dole su slike nekih od stranica na kojima su prikazane mogućnosti admin panel-a:






Feliciano
John Doe
Dashboard
Database
Extras:
Id
Name
Delete
1 Ketchup Delete
2 Tartar Sauce Delete
3 Burger Sauce Delete
4 Mustard Delete
5 Mayonaise Delete
6 Cheese Delete
7 Mushrooms Delete
8 Sour Cream Delete
9 Chili Sauce Delete
12 Oregano Delete
Add Extra:
Extra name...
Submit


Feliciano
John Doe
Dashboard
Database
Products:
Id
Name
Change
Delete
1 Omelete Change Delete
2 Beacon and Egg Change Delete
3 Steak Sandwitch and Fries Change Delete
4 Steak Lunch with Fries Change Delete
5 Fried Chicken Change Delete
6 Breakfast Noodles Change Delete
7 Pizza Margarita Change Delete
9 Wok Noodles Change Delete
10 Beacon Sandwitch Change Delete
11 Full Breakfast Change Delete
13 Egg Sandwich Change Delete
14 Easy Chicken Dinner Change Delete
29 Chicken Breast With Green Salad Change Delete
31 An Entire Chicken Change Delete
Add Product:
Add a New Product


Feliciano
John Doe
Dashboard
Database
Accounts
Categories
Extras
Ingredients
Products
Comments
Navigations
Navigation Elements:
Id
Name
Route
Position
LogIn Status
1 Home home 0 0
2 Menu dishes 0 0
3 Register register.form 98 1
4 Log In login.form 99 1
6 Log Out logout 99 2
7 Account myAccount 50 2
8 Add Product addProductForm 30 3
9 Orders orders 40 3
10 Admin Panel admin 97 4
Update Navigation Element Position:
Navigation Element Id
New Position Value
Submit
Copyright © 2021 Feliciano. All rights reserved.

Prikaz strukture baze podataka:


feliciano accounts
id : bigint(20) unsigned
name : varchar(50)
last_name : varchar(50)
email : varchar(100)
phone : varchar(20)
address : varchar(100)
municipality : varchar(50)
password : varchar(500)
role : int(11)
remember_token : varchar(100)
created_at : timestamp
updated_at : timestamp
feliciano products
id : bigint(20) unsigned
name : varchar(255)
description : varchar(255)
image : varchar(255)
category : int(11)
time_to_make : int(11)
created_at : timestamp
updated_at : timestamp
feliciano products_extras
id : bigint(20) unsigned
product : int(11)
extra : int(11)
created_at : timestamp
updated_at : timestamp
feliciano extras
id : bigint(20) unsigned
name : varchar(255)
created_at : timestamp
updated_at : timestamp
feliciano order_extras
id : bigint(20) unsigned
order : int(11)
extra : int(11)
created_at : timestamp
updated_at : timestamp
feliciano prices
id : bigint(20) unsigned
product : int(11)
quantity : varchar(255)
price : decimal(5,2)
created_at : timestamp
updated_at : timestamp
feliciano categories
id : bigint(20) unsigned
name : varchar(50)
created_at : timestamp
updated_at : timestamp
feliciano cart_extras
id : bigint(20) unsigned
cart : int(11)
extra : int(11)
created_at : timestamp
updated_at : timestamp
feliciano products_ingredients
id : bigint(20) unsigned
product : int(11)
ingredient : int(11)
created_at : timestamp
updated_at : timestamp
feliciano likes
id : bigint(20) unsigned
product : int(11)
user : int(11)
time : timestamp
created_at : timestamp
updated_at : timestamp
feliciano orders
id : bigint(20) unsigned
user : int(11)
active : int(11)
time : timestamp
created_at : timestamp
updated_at : timestamp
feliciano carts
id : bigint(20) unsigned
user : int(11)
product : int(11)
price : int(11)
created_at : timestamp
updated_at : timestamp
feliciano ingredients
id : bigint(20) unsigned
name : varchar(255)
created_at : timestamp
updated_at : timestamp
feliciano comments
id : bigint(20) unsigned
product : int(11)
user : int(11)
content : varchar(300)
time : timestamp
created_at : timestamp
updated_at : timestamp
feliciano order_products
id : bigint(20) unsigned
order : int(11)
product : int(11)
price : int(11)
created_at : timestamp
updated_at : timestamp


feliciano navs
id : bigint(20) unsigned
name : varchar(50)
href : varchar(150)
parent : int(11)
position : int(11)
login_status : int(11)
created_at : timestamp
updated_at : timestamp
feliciano links
id : bigint(20) unsigned
name : varchar(100)
href : varchar(200)
image : varchar(100)
social : int(11)
created_at : timestamp
updated_at : timestamp
feliciano testimonies
id : bigint(20) unsigned
name : varchar(100)
content : varchar(300)
role : varchar(100)
image : varchar(100)
order : int(11)
created_at : timestamp
updated_at : timestamp
feliciano master_chefs
id : bigint(20) unsigned
name : varchar(100)
title : varchar(100)
image : varchar(100)
order : int(11)
created_at : timestamp
updated_at : timestamp
feliciano migrations
id : int(10) unsigned
migration : varchar(255)
batch : int(11)
feliciano slider_dishes
id : bigint(20) unsigned
title : varchar(100)
description : varchar(100)
image : varchar(100)
order : int(11)
created_at : timestamp
updated_at : timestamp
feliciano failed_jobs
id : bigint(20) unsigned
connection : text
queue : text
payload : longtext
exception : longtext
failed_at : timestamp
feliciano home_sliders
id : bigint(20) unsigned
content : varchar(100)
image : varchar(200)
order : int(11)
created_at : timestamp
updated_at : timestamp
feliciano password_resets
email : varchar(255)
token : varchar(255)
created_at : timestamp

Kodovi:

CONTROLLERS

```php
<?php


namespace App\Http\Controllers;


use Illuminate\Database\Eloquent\Factories\HasFactory;
use App\Models\Link;
use App\Models\Nav;
use Illuminate\Http\Request;

class FirstController extends Controller
{
    protected $data;

    public function __construct(Request $request)
    {
        $this->data['links'] = Link::all();
        $this->data['navs'] = Nav::getNavs($request);
    }

}
```

```php
<?php

namespace App\Http\Controllers;

use App\Models\HomeSlider;
use App\Models\SliderDish;
use App\Models\MasterChef;
use App\Models\Testimony;

class HomeController extends FirstController
{
    public function index() {
        $this->data['home_slider'] = HomeSlider::getHomeSliders();
        $this->data['slider_dishes'] = SliderDish::getSliderDishes();
        $this->data['chefs'] = MasterChef::getChefs();
        $this->data['testimonies'] = Testimony::getTestimonies();
        return view('pages.home', $this->data);
    }

    public function error_page(){
        return view('pages.error', $this->data);
    }

    public function no_access(){
        return view('pages.no_access', $this->data);
    }

    public function about_author(){
        return view('pages.about_author', $this->data);
    }
}
```

```php
<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;

class OsnovniController extends Controller
{
    protected $data;

    public function __construct(){
        $this->data["menu"] = [
            [
                "name" => "Home",
                "route" => "home"
            ],
            [
                "name" => "Products",
                "route" => "products"
            ],
            [
                "name" => "Contact",
                "route" => "contact"
            ]
        ];

        $this->data["products"] = [
            [
                "name" => "Item One",
                "price" => "24.99",
                "description" => "Lorem ipsum dolor sit amet, consectetur
adipisicing elit. Amet numquam aspernatur!",
                "image" => "700x400.png"
            ],
            [
                "name" => "Item Two",
                "price" => "24.99",
                "description" => "Lorem ipsum dolor sit amet, consectetur
adipisicing elit. Amet numquam aspernatur!",
                "image" => "700x400.png"
            ],
            [
                "name" => "Item Three",
                "price" => "24.99",
```

```
                "description" => "Lorem ipsum dolor sit amet, consectetur
adipisicing elit. Amet numquam aspernatur!",
                "image" => "700x400.png"
            ],
            [
                "name" => "Item Four",
                "price" => "24.99",
                "description" => "Lorem ipsum dolor sit amet, consectetur
adipisicing elit. Amet numquam aspernatur!",
                "image" => "700x400.png"
            ],
            [
                "name" => "Item Five",
                "price" => "24.99",
                "description" => "Lorem ipsum dolor sit amet, consectetur
adipisicing elit. Amet numquam aspernatur!",
                "image" => "700x400.png"
            ],
            [
                "name" => "Item Six",
                "price" => "24.99",
                "description" => "Lorem ipsum dolor sit amet, consectetur
adipisicing elit. Amet numquam aspernatur!",
                "image" => "700x400.png"
            ]
        ];
    }
}
```

```php
<?php

namespace App\Http\Controllers;

use App\Http\Requests\ChangeAccountInfoRequest;
use App\Http\Requests\LoginRequest;
use Illuminate\Contracts\Session\Session;
use Illuminate\Http\Request;
use App\Http\Requests\RegisterRequest;
use App\Models\Account;
use Illuminate\Support\Facades\Auth;
use Illuminate\Support\Facades\DB;
use Illuminate\Support\Facades\Hash;
use Illuminate\Support\MessageBag;

class AuthController extends FirstController
{
    public function register_form(){
        return view('pages.register', $this->data);
    }

    public function login_form(){
        return view('pages.login', $this->data);
    }

    public function myAccount(Request $request){
        $this->data['user'] = Account::where('id', $request->session()->get('user')->id)->first();
        return view('pages.my_account', $this->data);
    }

    public function register(RegisterRequest $request){
        $validated = $request->validated();

        try{
            Account::insert([
                'name' => $validated['name'],
                'last_name' => $validated['last_name'],
                'email' => $validated['email'],
                'phone' => $validated['phone'],
                'address' => $validated['address'],
                'municipality' => $validated['municipality'],
                'password' => md5($validated['password'])
            ]);
            return redirect()->route('login.form');
```

```
        }
        catch (\Exception $e){
            return redirect()->route('error');
        }
    }

    public function login(LoginRequest $request){
        $email = $request->input('email');
        $password = md5($request->input('password'));

        try{
            $errors = [];
            $email_exists = Account::where('email', $email)->exists();
            $pass_right = Account::where('email', $email)->where('password',
$password)->exists();

            if(!$email_exists) array_push($errors, "This email doesn't exist in
the database");
            if($email_exists AND !$pass_right) array_push($errors, "Wrong
password.");

            $user = DB::table('accounts')
                    ->where('email', '=', $email)
                    ->where('password', '=', $password)
                    ->first();
            if($user){
                $request->session()->put('user', $user);
                return redirect()->route('home');
            }
            else{
                return redirect()->route('login.form')->withErrors($errors);
            }
        }
        catch(\Exception $e){
            return redirect()->route('error');
        }
    }

    public function logout(Request $request){
        $request->session()->remove('user');
        return redirect()->route('home');
    }

    public function changeAccountInfo(ChangeAccountInfoRequest $request){
        $validated = $request->validated();
```

```
        $id = $request->session()->get('user')->id;

        try{
            DB::table('accounts')
                ->where('id', $id)
                ->update([
                    'phone' => $validated['phone'],
                    'address' => $validated['address'],
                    'municipality' => $validated['municipality']
                ]);
            $user = Account::where('id', $id)->first();
            $request->session()->put('user', $user);
            return redirect()->route('myAccount');
        }
        catch(\Exception $e){
            return redirect()->route('error');
        }
    }
}
```

```php
<?php

namespace App\Http\Controllers;

use App\Models\CartExtra;
use App\Models\OrderProduct;
use Illuminate\Http\Request;
use App\Models\Order;
use App\Models\OrderExtra;
use App\Models\Cart;
use App\Models\Extra;

class OrderController extends FirstController
{
    public $userId;
    public function __construct(Request $request){
        parent::__construct($request);
        if($request->session()->has('user'))
            $this->userId = $request->session()->get('user')->id;
    }

    public function order(){
        $this->data['cart_products'] = Cart::where('user', $this->userId)->with('productObj', 'priceObj', 'extras')->get();
        $this->data['total'] = 0;
        foreach($this->data['cart_products'] as $el) $this->data['total'] += $el->priceObj->price;
        return view('pages.order', $this->data);
    }

    public function submitOrderSuccess(){
        return view('pages.order_submitted', $this->data);
    }

    public function orders(){
        $this->data['orders'] = Order::where('active', '1')->orderBy('time', 'DESC')->with('order_user', 'products')->get();
        $this->data['products'] = OrderProduct::with('product_data', 'price_data', 'order', 'extras')->get();
        return view('pages.orders', $this->data);
    }

    public function insertIntoCart(Request $request){
        $product = $request->product;
        $price = $request->price;
```

```
        $extras = $request->extras;

        try{
            $cart_id = Cart::insertGetId([
                'user' => $this->userId,
                'product' => $product,
                'price' => $price
            ]);

            if($extras){
                foreach($extras as $extra){
                    CartExtra::insert([
                        'cart' => $cart_id,
                        'extra' => $extra
                    ]);
                }
            }
        }
        catch(\Exception $e){
            return $e->getMessage();
        }

        return response()->json(1);
    }

    public function getItemsInCartNumber(Request $request){
        $number = Cart::where('user', $this->userId)->count();
        return response()->json($number);
    }

    public function deleteSelectedOrder(Request $request){
        Cart::where('id', $request->id)->delete();
        CartExtra::where('cart', $request->id)->delete();
        return redirect()->route('order');
    }

    public function submitOrder(Request $request){
        $user = $request->session()->get('user')->id;
        $orders = Cart::where('user', $this->userId)->with('productObj',
'priceObj', 'extras')->get();

        if(count($orders) < 1) return redirect()->route('order');

        try{
            $order_id = Order::insertGetId(['user' => $user]);
```

```
            foreach($orders as $el){
                $product_id = OrderProduct::insertGetId([
                    'order' => $order_id,
                    'product' => $el->product,
                    'price' => $el->price
                ]);
                foreach($el->extras as $extra){
                    OrderExtra::insert([
                        'order' => $product_id,
                        'extra' => $extra->id
                    ]);
                }
            }

            $carts = Cart::where('user', $this->userId)->get();
            foreach($carts as $el){
                foreach($el->extras as $x){
                    CartExtra::where('cart', $el->id)->delete();
                }
                Cart::where('id', $el->id)->delete();
            }

            return redirect()->route('submitOrderSuccess');
        }
        catch (\Exception $e){
            return redirect()->route('error');
        }
    }

    public function shipOrRefuseOrder(Request $request){
        if($request->submit == 1){
            Order::where('id', $request->order)->update(['active' => 0]);
            return redirect()->route('orders');
        }
        else if($request->submit == 2){
            Order::where('id', $request->order)->delete();
            return redirect()->route('orders');
        }
        else{
            return redirect()->route('error');
        }
    }
}
```

```php
<?php

namespace App\Http\Controllers;

use App\Http\Requests\AddPriceRequest;
use App\Http\Requests\AddProductRequest;
use App\Http\Requests\ChangeProductRequest;
use Illuminate\Support\Facades\File;
use App\Models\Cart;
use App\Models\Comment;
use App\Models\Like;
use App\Models\OrderProduct;
use App\Models\Price;
use App\Models\ProductsExtra;
use App\Models\ProductsIngredient;
use Illuminate\Http\Request;
use App\Models\Category;
use App\Models\Product;
use App\Models\Ingredient;
use App\Models\Extra;

class DishController extends FirstController
{
    public function index(){
        $this->data['categories'] = Category::getCategories();
        $this->data['breakfast'] = Product::getBreakfastDishes();
        return view('pages.dishes', $this->data);
    }

    public function dish(Product $product){
        $this->data['product'] = Product::where('id', $product->id)-
>with('category_name', 'ingredients', 'prices', 'extras')->first();
        $this->data['first_price'] = Price::where('product', $product->id)-
>first();
        return view('pages.dish', $this->data);
    }

    public function changeProductForm(Product $product){
        $this->data['product'] = Product::where('id', $product->id)-
>with('category_name', 'ingredients', 'prices', 'extras')->first();
        $this->data['categories'] = Category::getCategories();
        $this->data['ingredients'] = Ingredient::all();
        $this->data['extras'] = Extra::all();
        $this->data['ingredients_selected'] = [];
        $this->data['extras_selected'] = [];
```

```
        $ingredients = ProductsIngredient::where('product', $product->id)->get();
        $extras = ProductsExtra::where('product', $product->id)->get();
        foreach($ingredients as $el){ array_push($this-
>data['ingredients_selected'], $el->ingredient); }
        foreach($extras as $el){ array_push($this->data['extras_selected'], $el-
>extra); }
        return view('pages.change_product', $this->data);
    }

    public function addProductForm(){
        $this->data['categories'] = Category::getCategories();
        $this->data['ingredients'] = Ingredient::all();
        $this->data['extras'] = Extra::all();
        return view('pages.add_product', $this->data);
    }

    public function search(Request $request){
        $category = $request->category;
        $search = $request->search;

        $products = Product::with('category_name', 'ingredients');
        $products = $products->where('category', $category);
        if($search != ''){
            $products = $products->where('name', 'like', '%'.$search.'%');
        }
        $products = $products->get();

        return response()->json($products);
    }

    public function getPrice(Request $request){
        $id = $request->id;
        $price = Price::where('id', $id)->first()->price;
        return response()->json($price);
    }

    public function likeProduct(Request $request){
        $product = $request->product;
        $user = $request->session()->get('user')->id;

        try{
            $check = Like::where('product', $product)->where('user', $user)-
>first();
            if(!$check) Like::insert(['product' => $product, 'user' => $user]);
```

```
            else Like::where('product', $product)->where('user', $user)-
>delete();
        }
        catch(\Exception $e){
            return $e->getMessage();
        }

        return response()->json([
            'product' => $product,
            'user' => $user,
            'check' => $check
        ]);
    }

    public function getLikesNumber(Request $request){
        $product = $request->product;
        try{
            $number = Like::where('product', $product)->count();
        }
        catch(\Exception $e){
            return $e->getMessage();
        }
        return response()->json($number);
    }

    public function commentProduct(Request $request){
        $product = $request->product;
        $comment = $request->comment;
        $user = $request->session()->get('user')->id;
        try{
            if($comment != '') Comment::insert(['product' => $product, 'user' =>
$user, 'content' => $comment]);
        }
        catch(\Exception $e){
            return $e->getMessage();
        }
        return response()->json(1);
    }

    public function getProductComments(Request $request){
        $product = $request->product;
        try{
            $comments = Comment::where('product', $product)->orderBy('id',
'DESC')->with('user')->get();
        }
```

```
        catch(\Exception $e){
            return $e->getMessage();
        }
        return response()->json($comments);
    }

    public function deleteProduct(Request $request){
        try{
            $id = $request->product;
            $image = Product::where('id', $id)->first()->image;

            Comment::where('product', $id)->delete();
            Like::where('product', $id)->delete();
            Price::where('product', $id)->delete();
            ProductsIngredient::where('product', $id)->delete();
            ProductsExtra::where('product', $id)->delete();
            Cart::where('product', $id)->delete();
            OrderProduct::where('product', $id)->delete();
            Product::where('id', $id)->delete();
            File::delete(public_path('assets/img/'.$image));
        }
        catch(\Exception $e){
            return redirect()->route('error');
        }
        return redirect()->route('dishes');
    }

    public function addProduct(AddProductRequest $request){
        $validated = $request->validated();
        try{
            //Insert Product
            $id = Product::insertGetId([
                'name' => $validated['name'],
                'description' => $validated['description'],
                'image' => $request->file('image')->getClientOriginalName(),
                'category' => $validated['category'],
                'time_to_make' => $validated['time_to_make']
            ]);

            // Image Upload
            $image_name = $request->file('image')->getClientOriginalName();
            $request->image->storeAs('img', $image_name, 'upload_image');

            // Insert Product Ingredients
            foreach($validated['ingredients'] as $el) {
```

```
                ProductsIngredient::insert([
                    'product' => $id,
                    'ingredient' => $el
                ]);
            }

            // Insert Product Extras
            if(isset($validated['extras'])){
                foreach($validated['extras'] as $el){
                    ProductsExtra::insert([
                        'product' => $id,
                        'extra' => $el
                    ]);
                }
            }

            return redirect()->route('dish', ['product' => $id]);
        }
        catch(\Exception $e){
            return redirect()->route('error');
        }
    }

    public function changeProduct(ChangeProductRequest $request){
        $validated = $request->validated();
        try{
            $id = $validated['id'];
            ProductsIngredient::where('product', $id)->delete();
            ProductsExtra::where('product', $id)->delete();

            Product::where('id', $id)->update([
                'name' => $validated['name'],
                'description' => $validated['description'],
                'category' => $validated['category'],
                'time_to_make' => $validated['time_to_make']
            ]);

            if($request->image){
                $image = Product::where('id', $id)->first()->image;
                File::delete(public_path('assets/img/'.$image));
                $image_name = $request->file('image')->getClientOriginalName();
                $request->image->storeAs('img', $image_name, 'upload_image');
                Product::where('id', $id)->update([
                    'image' => $request->file('image')->getClientOriginalName(),
                ]);
```

```
            }

            foreach($validated['ingredients'] as $el) {
                ProductsIngredient::insert([
                    'product' => $id,
                    'ingredient' => $el
                ]);
            }

            if(isset($validated['extras'])){
                foreach($validated['extras'] as $el){
                    ProductsExtra::insert([
                        'product' => $id,
                        'extra' => $el
                    ]);
                }
            }

            return redirect()->route('dish', ['product' => $id]);
        }
        catch(\Exception $e){
            return redirect()->route('error');
        }

    }

    public function addPrice(AddPriceRequest $request){
        $validated = $request->validated();
        Price::insert([
            'product' => $validated['product'],
            'quantity' => $validated['quantity'],
            'price' => $validated['price']
        ]);
        return redirect()->route('dish', ['product' => $validated['product']]);
    }

    public function deletePrice(Request $request){
        Price::where('id', $request->id)->delete();
        return redirect()->route('dish', ['product' => $request->product]);
    }
}
```

```php
<?php

namespace App\Http\Controllers;

use App\Models\Category;
use App\Models\Comment;
use App\Models\Ingredient;
use App\Models\Nav;
use App\Models\OrderProduct;
use App\Models\Product;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\DB;
use App\Models\Account;
use App\Models\Extra;

class AdminController extends FirstController
{
    public function __construct(Request $request)
    {
        parent::__construct($request);
        $this->data['user'] = $request->session()->get('user');
    }

    public function admin(Request $request)
    { // Dashboard - Home page for admin
        $this->data['active_orders'] = DB::select('SELECT COUNT(*) AS
active_orders FROM orders WHERE active=1')[0]->active_orders;
        $this->data['inactive_orders'] = DB::select('SELECT COUNT(*) AS
inactive_orders FROM orders WHERE active=0')[0]->inactive_orders;
        $this->data['all_orders'] = $this->data['active_orders'] + $this-
>data['inactive_orders'];
        $this->data['in_carts'] = DB::table('carts')->count();
        $this->data['all_users'] = DB::table('accounts')->count();
        $this->data['newest_users'] = Account::select('name', 'last_name', 'id',
'municipality')->orderBy('id', 'DESC')->limit(7)->get();
        $order_products = OrderProduct::with('order_data', 'price_data')->get();
        $current_orders_value = 0;
        foreach ($order_products as $el)
            // if($el->order_data->active == 1) $current_orders_value += $el-
>price_data->price;
            $current_orders_value += $el->price_data->price;
        $this->data['current_orders_value'] = $current_orders_value;
        $this->data['categories_popularity'] = Category::with('products')->get();

        return view('pages.admin.admin', $this->data);
```

```
    }

    // Show Admin Table Pages
    public function admin_accounts()
    {
        $this->data['table'] = Account::all();
        return view('pages.admin.accounts', $this->data);
    }
    public function admin_categories()
    {
        $this->data['table'] = Category::all();
        return view('pages.admin.categories', $this->data);
    }
    public function admin_extras()
    {
        $this->data['table'] = Extra::all();
        return view('pages.admin.extras', $this->data);
    }
    public function admin_ingredients()
    {
        $this->data['table'] = Ingredient::all();
        return view('pages.admin.ingredients', $this->data);
    }
    public function admin_products()
    {
        $this->data['table'] = Product::all();
        return view('pages.admin.products', $this->data);
    }
    public function admin_comments()
    {
        $this->data['table'] = Comment::all();
        return view('pages.admin.comments', $this->data);
    }
    public function admin_navs()
    {
        $this->data['table'] = Nav::all();
        return view('pages.admin.navs', $this->data);
    }

    // Update Data in Tables
    public function admin_accounts_update(Request $request)
    {
        Account::where('id', $request->get('user_id'))->update(['role' =>
$request->get('role')]);
        return redirect()->route('admin_accounts');
```

```
    }
    public function admin_categories_update(Request $request)
    {
        Category::where('id', $request->get('category_id'))->update(['name' =>
$request->get('name')]);
        return redirect()->route('admin_categories');
    }
    public function admin_extras_update(Request $request)
    {
        Extra::insert(['name' => $request->get('name')]);
        return redirect()->route('admin_extras');
    }
    public function admin_extras_delete(Request $request)
    {
        Extra::where('id', $request->get('extra_id'))->delete();
        return redirect()->route('admin_extras');
    }
    public function admin_ingredients_update(Request $request)
    {
        Ingredient::insert(['name' => $request->get('name')]);
        return redirect()->route('admin_ingredients');
    }
    public function admin_ingredients_delete(Request $request)
    {
        Ingredient::where('id', $request->get('ing_id'))->delete();
        return redirect()->route('admin_ingredients');
    }
    public function admin_comments_delete(Request $request)
    {
        Comment::where('id', $request->get('comment_id'))->delete();
        return redirect()->route('admin_comments');
    }
    public function admin_navs_update(Request $request)
    {
        Nav::where('id', $request->get('nav_id'))->update(['position' =>
$request->get('position')]);
        return redirect()->route('admin_navs');
    }
}
```

MODELS

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Account extends Model
{
    use HasFactory;
}
```

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Cart extends Model
{
    use HasFactory;

    public function productObj(){
        return $this->hasOne(Product::class, 'id', 'product');
    }

    public function priceObj(){
        return $this->hasOne(Price::class, 'id', 'price');
    }

    public function extras(){
        return $this->hasManyThrough(
            Extra::class,
            CartExtra::class,
            'cart',
            'id',
            'id',
            'extra'
        );
    }
}
```

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class CartExtra extends Model
{
    use HasFactory;
}
```

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Category extends Model
{
    use HasFactory;

    public static function getCategories(){
        return Category::all();
    }

    public function products(){
        return $this->hasMany(Product::class, 'category', 'id');
    }
}
```

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Comment extends Model
{
    use HasFactory;

    public function user(){
        return Comment::hasOne(Account::class, 'id', 'user');
    }
}
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Extra extends Model
{
    use HasFactory;
}
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Support\Facades\Storage;

class HomeSlider extends Model
{
    use HasFactory;

    public static function getHomeSliders(){
        return HomeSlider::orderBy('order')->get();
    }
}
```

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Ingredient extends Model
{
    use HasFactory;
}
```

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Like extends Model
{
    use HasFactory;
}
```

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;
use Illuminate\Database\Eloquent\Factories\HasFactory;

class Link extends Model
{
    use HasFactory;
}
```

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class MasterChef extends Model
{
    use HasFactory;

    public static function getChefs(){
        return MasterChef::orderBy('order')->get();
    }
}
```

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\DB;


class Nav extends Model
{
    use HasFactory;

    public static function getNavs($request){
        if($request->session()->has('user')){
            switch($request->session()->get('user')->role){
                case 0: // User
                    return self::getNavLoggedIn(2);
                case 1: // Employee
                    return self::getNavLoggedIn(3);
                case 2: // Admin
                    return self::getNavLoggedIn(4);
            }
        }
        else{
            return Nav::getNavLoggedOut();
        }
```

```
    }

    public static function getNavLoggedOut(){
        return DB::table('navs')
            ->where('login_status', '0')
            ->orWhere('login_status', '1')
            ->orderBy('position')
            ->get();
    }

    public static function getNavLoggedIn($role){
        return DB::table('navs')
            ->where('login_status', $role)
            ->orWhere('login_status', '0')
            ->orWhere('login_status', '2')
            ->orderBy('position')
            ->get();
    }
}
```

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Order extends Model
{
    use HasFactory;

    public function order_user(){
        return $this->hasOne(Account::class, 'id', 'user');
    }

    public function products(){
        return $this->hasMany(OrderProduct::class, 'order', 'id');
    }
}
```

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class OrderExtra extends Model
{
    use HasFactory;

    public function extras(){
        return $this->hasMany(Extra::class, 'id', 'extra');
    }
}
```

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class OrderProduct extends Model
{
    use HasFactory;

    public function product_data(){
        return $this->hasOne(Product::class, 'id', 'product');
    }

    public function price_data(){
        return $this->hasOne(Price::class, 'id', 'price');
    }

    public function order(){
        return $this->hasOne(Order::class, 'id', 'order');
    }

    public function extras(){
        return $this->hasManyThrough(
            Extra::class,
            OrderExtra::class,
```

```
            'order',
            'id',
            'id',
            'extra'
        );
    }

    public function order_data(){
        return $this->hasOne(Order::class, 'id', 'order');
    }
}
```

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Price extends Model
{
    use HasFactory;
}
```

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Product extends Model
{
    use HasFactory;

    public static function getBreakfastDishes(){
        return Product::where('category', 1)
                        ->with('category_name', 'ingredients')
                        ->get();
    }

    public function category_name(){
        return $this->belongsTo(Category::class, 'category', 'id');
    }

    public function ingredients(){
        return $this->hasManyThrough(
            Ingredient::class,
            ProductsIngredient::class,
            'product',
            'id',
            'id',
            'ingredient'
        );
    }

    public function prices(){
        return $this->hasMany(Price::class, 'product', 'id');
    }

    public function extras(){
        return $this->hasManyThrough(
            Extra::class,
            ProductsExtra::class,
            'product',
            'id',
            'id',
            'extra'
        );
```

```
    }
}
```

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class ProductsExtra extends Model
{
    use HasFactory;
}
```

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class ProductsIngredient extends Model
{
    use HasFactory;
}
```

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class SliderDish extends Model
{
    use HasFactory;

    public static function getSliderDishes(){
        return SliderDish::orderBy('order')->get();
    }
}
```

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Testimony extends Model
{
    use HasFactory;

    public static function getTestimonies(){
        return Testimony::orderBy('order')->get();
    }
}
```

MIDDLEWARES

```php
<?php

namespace App\Http\Middleware;

use Closure;

class AdminMiddleware
{
    public function handle($request, Closure $next)
    {
        if($request->session()->get('user')->role < 2)
            return redirect()->route('no_access');
        return $next($request);
    }
}
```

```php
<?php

namespace App\Http\Middleware;

use Illuminate\Auth\Middleware\Authenticate as Middleware;

class Authenticate extends Middleware
{
    protected function redirectTo($request)
    {
        if (! $request->expectsJson()) {
            return route('login');
        }
    }
}
```

```php
<?php

namespace App\Http\Middleware;

use Closure;

class EmployeeMiddleware
{
    public function handle($request, Closure $next)
    {
        if($request->session()->get('user')->role < 1)
            return redirect()->route('no_access');
        return $next($request);
    }
}
```

```php
<?php

namespace App\Http\Middleware;

use Closure;

class LoggedInMiddleware
{
    public function handle($request, Closure $next)
    {
        if(!$request->session()->has('user'))
            return redirect()->route('no_access');
        return $next($request);
    }
}
```

```php
<?php

namespace App\Http\Middleware;

use Closure;

class LoggedOutMiddleware
{
    public function handle($request, Closure $next)
    {
        if($request->session()->has('user'))
            return redirect()->route('no_access');
        return $next($request);
    }
}
```

```php
<?php

namespace App\Http\Middleware;

use App\Providers\RouteServiceProvider;
use Closure;
use Illuminate\Support\Facades\Auth;

class RedirectIfAuthenticated
{
    public function handle($request, Closure $next, $guard = null)
    {
        if (Auth::guard($guard)->check()) {
            return redirect(RouteServiceProvider::HOME);
        }

        return $next($request);
    }
}
```

REQUESTS

```php
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class AddPriceRequest extends FormRequest
{
    public function rules()
    {
        return [
            'product' => 'required',
            'quantity' => 'required',
            'price' => 'required'
        ];
    }

    public function messages(){
        return [
            'product.required' => 'Id is required.',
            'quantity.required' => 'Quantity is required.',
            'price.required' => 'Price is required.',
        ];
    }
}
```

```php
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class AddProductRequest extends FormRequest
{
    public function rules()
    {
        return [
            'name' => 'required|max:255',
            'category' => 'required',
            'description' => 'required|max:255',
            'image' => 'required|image|mimes:jpeg,png,jpg,gif,svg|max:2048',
            'time_to_make' => 'required|integer',
            'ingredients' => 'required',
            'extras' => 'nullable'
        ];
    }

    public function messages(){
        return [
            'name.required' => 'Name is required.',
            'category.required' => 'Category is required.',
            'description.required' => 'Description is required.',
            'image.required' => 'Image is required.',
            'time_to_make.required' => 'Time to make is required.',
            'ingredients.required' => 'At least one ingredient is required.'
        ];
    }
}
```

```php
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class ChangeAccountInfoRequest extends FormRequest
{
    public function rules()
    {
        return [
            'phone' => 'required|max:20',
            'address' => 'required|max:100',
            'municipality' => 'required|max:50'
        ];
    }

    public function messages(){
        return [
            'phone.required' => 'Phone number is required.',
            'address.required' => 'Address is required.',
            'municipality.required' => 'Municipality is required.'
        ];
    }
}
```

```php
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class ChangeProductRequest extends FormRequest
{
    public function rules()
    {
        return [
            'id' => 'required',
            'name' => 'required|max:255',
            'category' => 'required',
            'description' => 'required|max:255',
            'image' => 'nullable|image|mimes:jpeg,png,jpg,gif,svg|max:2048',
            'time_to_make' => 'required|integer',
```

```
            'ingredients' => 'required',
            'extras' => 'nullable'
        ];
    }

    public function messages(){
        return [
            'id.required' => 'Id is required',
            'name.required' => 'Name is required.',
            'category.required' => 'Category is required.',
            'description.required' => 'Description is required.',
            'time_to_make.required' => 'Time to make is required.',
            'ingredients.required' => 'At least one ingredient is required.'
        ];
    }
}
```

```
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class LoginRequest extends FormRequest
{
    public function rules()
    {
        return [
            'email' => 'required|exists:accounts,email',
            'password' => 'required'
        ];
    }

    public function messages(){
        return [
            'email.required' => 'Email is required to log in.',
            'password.required' => 'Password is required to log in.'
        ];
    }
}
```

```php
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class RegisterRequest extends FormRequest
{
    public function rules()
    {
        return [
            'name' => 'required|max:50',
            'last_name' => 'required|max:50',
            'email' => 'required|unique:accounts,email|email|max:100',
            'phone' => 'required|max:20',
            'address' => 'required|max:100',
            'municipality' => 'required|max:50',
            'password' => 'required|confirmed|regex:/^(?=.*\d)(?=.*[a-z])(?=.*[A-
Z]).{6,20}$/'
        ];
    }

    public function messages(){
        return [
            'name.required' => 'Name is required.',
            'last_name.required' => 'Last name is required.',
            'email.required' => 'Email is required.',
            'phone.required' => 'Phone number is required.',
            'address.required' => 'Address is required.',
            'municipality.required' => 'Municipality is required.',
            'password.required' => 'Password is required.',
            'password.regex' => 'Password must have at least one upper case
letter, one lower case letter and one digit.'
        ];
    }
}
```

MIGRATIONS

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class CreatePasswordResetsTable extends Migration
{
    public function up()
    {
        Schema::create('password_resets', function (Blueprint $table) {
            $table->string('email')->index();
            $table->string('token');
            $table->timestamp('created_at')->nullable();
        });
    }

    public function down()
    {
        Schema::dropIfExists('password_resets');
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class CreateFailedJobsTable extends Migration
{
    public function up()
    {
        Schema::create('failed_jobs', function (Blueprint $table) {
            $table->id();
            $table->text('connection');
            $table->text('queue');
            $table->longText('payload');
            $table->longText('exception');
            $table->timestamp('failed_at')->useCurrent();
        });
    }

    public function down()
    {
        Schema::dropIfExists('failed_jobs');
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class HomeSlider extends Migration
{
    public function up()
    {
        Schema::create('home_sliders', function(Blueprint $table){
            $table->id();
            $table->string('content', 100);
            $table->string('image', 200);
            $table->integer('order');
        });
    }

    public function down()
    {
        Schema::dropIfExists('home_slider');
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class Links extends Migration
{
    public function up()
    {
        Schema::create('links', function(Blueprint $table){
            $table->id();
            $table->string('name', 100);
            $table->string('href', 200);
            $table->string('image', 100);
            $table->integer('social');
        });
    }

    public function down()
    {
        Schema::dropIfExists('links');
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class Navs extends Migration
{
    public function up()
    {
        Schema::create('navs', function(Blueprint $table){
            $table->id();
            $table->string('name', 50);
            $table->string('href', 150);
            $table->integer('parent');
            $table->integer('position');
            $table->integer('login_status');
        });
    }

    public function down()
    {
        Schema::dropIfExists('home_slider');
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class SliderDishes extends Migration
{
    public function up()
    {
        Schema::create('slider_dishes', function(Blueprint $table){
            $table->id();
            $table->string('title', 100);
            $table->string('description', 100);
            $table->string('image', 100);
            $table->integer('order');
        });
    }

    public function down()
    {
        Schema::dropIfExists('slider_dishes');
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class MasterChefs extends Migration
{
    public function up()
    {
        Schema::create('master_chefs', function(Blueprint $table){
            $table->id();
            $table->string('name', 100);
            $table->string('title', 100);
            $table->string('image', 100);
            $table->integer('order');
        });
    }

    public function down()
    {
        Schema::dropIfExists('master_chefs');
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class Testimonies extends Migration
{
    public function up()
    {
        Schema::create('testimonies', function(Blueprint $table){
            $table->id();
            $table->string('name', 100);
            $table->string('content', 300);
            $table->string('role', 100);
            $table->string('image', 100);
            $table->integer('order');
        });
    }

    public function down()
    {
        Schema::dropIfExists('testimonies');
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class Accounts extends Migration
{
    public function up()
    {
        Schema::create('accounts', function(Blueprint $table){
            $table->id();
            $table->string('name', 50);
            $table->string('last_name', 50);
            $table->string('email', 100)->unique();
            $table->string('phone', 20);
            $table->string('address', 100);
            $table->string('municipality', 50);
            $table->string('password', 500);
            $table->integer('role')->default(0);
            $table->rememberToken();
            $table->timestamps();
        });
    }

    public function down()
    {
        Schema::dropIfExists('accounts');
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class Categories extends Migration
{
    public function up()
    {
        Schema::create('categories', function(Blueprint $table){
            $table->id();
            $table->string('name', 50);
            $table->timestamps();
        });
    }

    public function down()
    {
        Schema::dropIfExists('categories');
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class Ingredients extends Migration
{
    public function up()
    {
        Schema::create('ingredients', function (Blueprint $table) {
            $table->id();
            $table->string('name');
            $table->timestamps();
        });
    }

    public function down()
    {
        Schema::dropIfExists('ingredients');
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class ProductsIngredients extends Migration
{
    public function up()
    {
        Schema::create('products_ingredients', function (Blueprint $table) {
            $table->id();
            $table->integer('product');
            $table->integer('ingredient');
            $table->timestamps();
        });
    }

    public function down()
    {
        Schema::dropIfExists('products_ingredients');
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class Prices extends Migration
{
    public function up()
    {
        Schema::create('prices', function (Blueprint $table) {
            $table->id();
            $table->integer('product');
            $table->string('quantity');
            $table->decimal('price', 5, 2);
            $table->timestamps();
        });
    }

    public function down()
    {
        Schema::dropIfExists('prices');
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class Extras extends Migration
{
    public function up()
    {
        Schema::create('extras', function (Blueprint $table) {
            $table->id();
            $table->string('name');
            $table->timestamps();
        });
    }

    public function down()
    {
        Schema::dropIfExists('extras');
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class ProductsExtras extends Migration
{
    public function up()
    {
        //
    }

    public function down()
    {
        //
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class Products extends Migration
{
    public function up()
    {
        Schema::create('products', function (Blueprint $table) {
            $table->id();
            $table->string('name');
            $table->string('description');
            $table->string('image');
            $table->integer('category');
            $table->integer('time_to_make');
            $table->timestamps();
        });
    }

    public function down()
    {
        Schema::dropIfExists('products');
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class ProductsExtras extends Migration
{
    public function up()
    {
        Schema::create('products_extras', function (Blueprint $table) {
            $table->id();
            $table->integer('product');
            $table->integer('extra');
            $table->timestamps();
        });
    }

    public function down()
    {
        Schema::dropIfExists('products_extras');
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class Orders extends Migration
{
    public function up()
    {
        Schema::create('orders', function (Blueprint $table) {
            $table->id();
            $table->integer('user');
            $table->integer('active')->default(1);
            $table->timestamp('time')->useCurrent = true;
        });
    }

    public function down()
    {
        Schema::dropIfExists('orders');
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class OrderExtras extends Migration
{
    public function up()
    {
        Schema::create('order_extras', function (Blueprint $table) {
            $table->id();
            $table->integer('order');
            $table->integer('extra');
            $table->timestamps();
        });
    }

    public function down()
    {
        Schema::dropIfExists('order_extras');
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class Carts extends Migration
{
    public function up()
    {
        Schema::create('carts', function (Blueprint $table) {
            $table->id();
            $table->integer('user');
            $table->integer('product');
            $table->integer('price');
            $table->timestamps();
        });
    }

    public function down()
    {
        Schema::dropIfExists('carts');
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class CartExtras extends Migration
{
    public function up()
    {
        Schema::create('cart_extras', function (Blueprint $table) {
            $table->id();
            $table->integer('cart');
            $table->integer('extra');
            $table->timestamps();
        });
    }

    public function down()
    {
        Schema::dropIfExists('cart_extras');
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class OrderProducts extends Migration
{
    public function up()
    {
        Schema::create('order_products', function (Blueprint $table) {
            $table->id();
            $table->integer('order');
            $table->integer('product');
            $table->integer('price');
            $table->timestamps();
        });
    }

    public function down()
    {
        Schema::dropIfExists('order_products');
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class Comments extends Migration
{
    public function up()
    {
        Schema::create('comments', function (Blueprint $table) {
            $table->id();
            $table->integer('product');
            $table->integer('user');
            $table->string('content', 300);
            $table->timestamp('time')->useCurrent = true;
        });
    }

    public function down()
    {
        Schema::dropIfExists('comments');
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class Likes extends Migration
{
    public function up()
    {
        Schema::create('likes', function (Blueprint $table) {
            $table->id();
            $table->integer('product');
            $table->integer('user');
            $table->timestamp('time')->useCurrent = true;
        });
    }

    public function down()
    {
        Schema::dropIfExists('likes');
    }
}
```

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class UpdateTablesTimestamps extends Migration
{
    public function up()
    {
        Schema::table('home_sliders', function(Blueprint $table){
            $table->timestamps();
        });
        Schema::table('comments', function(Blueprint $table){
            $table->timestamps();
        });
        Schema::table('likes', function(Blueprint $table){
            $table->timestamps();
        });
        Schema::table('links', function(Blueprint $table){
            $table->timestamps();
        });
        Schema::table('master_chefs', function(Blueprint $table){
            $table->timestamps();
        });
        Schema::table('navs', function(Blueprint $table){
            $table->timestamps();
        });
        Schema::table('orders', function(Blueprint $table){
            $table->timestamps();
        });
        Schema::table('slider_dishes', function(Blueprint $table){
            $table->timestamps();
        });
        Schema::table('testimonies', function(Blueprint $table){
            $table->timestamps();
        });
    }

    public function down()
    {
        //
    }
}
```

JavaScript

_main.js

```
$(document).ready(function(){
    // Initial
    $('.preventDefault').click(function(e){ e.preventDefault(); });
    $('#itemAddedToCart').hide();
    getItemsInCartNumber();
    getLikesNumber();
    getProductComments();

    // Events For Search, Order By and Category
    $('.category, #search_btn').click(function(e){
        e.preventDefault();

        let category;
        if($(this).attr('id') == 'search_btn')
            category = $('.category.active').attr('id');
        else
            category = $(this).attr('id');
        let search = $('#search').val();

        getDishes(category, search);
    });

    // Get Price of Size
    $('#size').change(function(){
        let _token = $("input[name='_token']").val();
        let id = $(this).val();

        $.ajaxSetup({
            headers: {
                'X-CSRF-TOKEN': jQuery('meta[name="csrf-token"]').attr('content')
            }
        });

        $.ajax({
            'url': '/laravel-Feliciano/public/getSizePrice',
            'type': 'POST',
            'dataType': 'json',
            'data': {
                _token: _token,
                id: id
            },
            success: function(price){
```

```
            $('#product_price').html(price);
        },
        error: function(err){
            console.log(err);
        }
    });
});

// Add Item to Cart
$('#submit_order_btn').click(function(){
    let _token = $("input[name='_token']").val();
    let product = $('#product_id').val();
    let price = $('#size').val();
    let extras = [];

    $("input:checkbox[name='extras']:checked").each(function(){
        extras.push($(this).val());
    });

    $.ajaxSetup({
        headers: {
            'X-CSRF-TOKEN': jQuery('meta[name="csrf-token"]').attr('content')
        }
    });

    $.ajax({
        'url': '/laravel-Feliciano/public/add_to_cart',
        'type': 'POST',
        'dataType': 'json',
        'data': {
            _token: _token,
            product: product,
            price: price,
            extras: extras
        },
        success: function(data){
            getItemsInCartNumber();
            $('#itemAddedToCart').show();
        },
        error: function(err){
            console.log(err);
        }
    });
});
```

```
// Like Product
$('#like').click(function(){
    let _token = $("input[name='_token']").val();
    let product = $('#product_id').val();

    $.ajaxSetup({
        headers: {
            'X-CSRF-TOKEN': jQuery('meta[name="csrf-token"]').attr('content')
        }
    });

    $.ajax({
        'url': '/laravel-Feliciano/public/like_product',
        'type': 'POST',
        'dataType': 'json',
        'data': {
            _token: _token,
            product: product
        },
        success: function(data){
            getLikesNumber(data);
        },
        error: function(err){
            console.log(err);
        }
    });
});

// Comment Product
$('#submit_comment_btn').click(function(){
    let _token = $("input[name='_token']").val();
    let product = $('#product_id').val();
    let comment = $('#comment').val();

    $.ajaxSetup({
        headers: {
            'X-CSRF-TOKEN': jQuery('meta[name="csrf-token"]').attr('content')
        }
    });

    $.ajax({
        'url': '/laravel-Feliciano/public/comment_product',
        'type': 'POST',
        'dataType': 'json',
        'data': {
```

```
                _token: _token,
                product: product,
                comment: comment
            },
            success: function(data){
                getProductComments();
                $('#comment').val("");
            },
            error: function(err){
                console.log(err);
            }
        });
    });

});

function getProductComments(){
    let _token = $("input[name='_token']").val();
    let product = $('#product_id').val();

    $.ajaxSetup({
        headers: {
            'X-CSRF-TOKEN': jQuery('meta[name="csrf-token"]').attr('content')
        }
    });

    $.ajax({
        'url': '/laravel-Feliciano/public/get_comments',
        'type': 'POST',
        'dataType': 'json',
        'data': {
            _token: _token,
            product: product
        },
        success: function(data){
            displayComments(data);
        },
        error: function(err){
            console.log(err);
        }
    });
}

function displayComments(data){
    let html = '';
```

```
    if(data.length != 0) {
        data.forEach(el => {
            html += `
                <li class="comment border-top pt-2">
                    <div class="comment">
                        <h3>${el.user.name} ${el.user.last_name}</h3>
                        <div class="meta mb-2">${el.time}</div>
                        <p>${el.content}</p>
                    </div>
                </li>
            `;
        });
    }
    else{
        html += `
            <li>
                <p class="h4">No comments so far.</p>
            </li>`;
    }
    $('#comments_display').html(html);
}

function getLikesNumber(){
    let _token = $("input[name='_token']").val();
    let product = $('#product_id').val();

    $.ajaxSetup({
        headers: {
            'X-CSRF-TOKEN': jQuery('meta[name="csrf-token"]').attr('content')
        }
    });

    $.ajax({
        'url': '/laravel-Feliciano/public/get_likes_number',
        'type': 'POST',
        'dataType': 'json',
        'data': {
            _token: _token,
            product: product
        },
        success: function(data){
            $('#likes_number').html(data);
        },
        error: function(err){
            console.log(err);
```

```
        }
    });
}

function getItemsInCartNumber(){
    let _token = $("input[name='_token']").val();

    $.ajaxSetup({
        headers: {
            'X-CSRF-TOKEN': jQuery('meta[name="csrf-token"]').attr('content')
        }
    });

    $.ajax({
        'url': '/laravel-Feliciano/public/get_cart_items_number',
        'type': 'POST',
        'dataType': 'json',
        'data': {
            _token: _token
        },
        success: function(data){
            $('#orderItemsNumber').html(data);
        },
        error: function(err){
            console.log(err);
        }
    });
}

function getDishes(category, search){
    let _token = $("input[name='_token']").val();

    $.ajaxSetup({
        headers: {
            'X-CSRF-TOKEN': jQuery('meta[name="csrf-token"]').attr('content')
        }
    });

    $.ajax({
        'url': '/laravel-Feliciano/public/search',
        'type': 'POST',
        'dataType': 'json',
        'data': {
            _token: _token,
            category: category,
```

```
            search: search
        },
        success: function(data){
            showDishes(data);
        },
        error: function(err){
            console.log(err);
        }
    });
}

function showDishes(data){
    let html = '';

    data.forEach(el => {
        html += `
            <div class="col-md-4">
                <div class="blog-entry">
                    <a href="/laravel-Feliciano/public/dish/${el.id}"
class="block-20" style="background-image: url('/laravel-
Feliciano/public/assets/img/${el.image}')"></a>
                    <div class="text pt-3 pb-4 px-4">
                        <h3 class="heading"><a href="/laravel-
Feliciano/public/dish/${el.id}">${el.name}</a></h3>
                        <p>${el.description}</p>
                        <p>`;

        el.ingredients.forEach(ing => {
            if(ing == el.ingredients[el.ingredients.length - 1])
                html += `<span>${ing.name}</span>`;
            else
                html += `<span>${ing.name}, </span>`;
        });

        html += `       </p>
                        <div class="col-12 d-flex">
                            <p><a href="/laravel-Feliciano/public/dish/${el.id}"
class="btn btn-primary">Add to order</a></p>
                        </div>
                    </div>
                </div>
            </div>
        `;
    });
```

```
    if(html == ''){
        html += `
            <div class="col-12 text-center mt-5 mb-5">
                <p class="h1">Nothing to display.</p>
                <p>We have found nothing according to the input.</p>
            </div>
        `;
    }

    $('#productsDisplay').html(html);
}
```

web.php

```php
<?php

use Illuminate\Support\Facades\Route;
use App\Http\Controllers\HomeController;
use App\Http\Controllers\AuthController;
use App\Http\Controllers\DishController;
use App\Http\Controllers\OrderController;
use App\Http\Controllers\AdminController;

Route::middleware(['web'])->group(function () {
    Route::get('/', [HomeController::class, 'index'])->name('home');
    Route::get('/about_author', [HomeController::class, 'about_author'])-
>name('aboutAuthor');
    Route::get('/dishes', [DishController::class, 'index'])->name('dishes');
    Route::get('/dish/{product}', [DishController::class, 'dish'])->name('dish');
    Route::post('/search', [DishController::class, 'search'])->name('search');
    Route::post('/get_likes_number', [DishController::class, 'getLikesNumber'])-
>name('getLikesNumber');
    Route::post('/get_comments', [DishController::class, 'getProductComments'])-
>name('getProductComments');

    Route::middleware(['logged_in'])->group(function () {
        Route::get('/logout', [AuthController::class, 'logout'])->name('logout');
        Route::post('/getSizePrice', [DishController::class, 'getPrice'])-
>name('getSizePrice');
        Route::post('/add_to_cart', [OrderController::class, 'insertIntoCart'])-
>name('insertIntoCart');
        Route::post('/get_cart_items_number', [OrderController::class,
'getItemsInCartNumber'])->name('getItemsInCartNumber');
        Route::post('/like_product', [DishController::class, 'likeProduct'])-
>name('likeProduct');
        Route::post('/comment_product', [DishController::class,
'commentProduct'])->name('commentProduct');
        Route::get('/my_account', [AuthController::class, 'myAccount'])-
>name('myAccount');
        Route::post('/change_account_info', [AuthController::class,
'changeAccountInfo'])->name('changeAccountInfo');
        Route::get('/order', [OrderController::class, 'order'])->name('order');
        Route::delete('/delete_selected_order', [OrderController::class,
'deleteSelectedOrder'])->name('deleteSelectedOrder');
        Route::post('/submit_order', [OrderController::class, 'submitOrder'])-
>name('submitOrder');
```

```
        Route::get('/order_submit_success', [OrderController::class,
'submitOrderSuccess'])->name('submitOrderSuccess');

        Route::middleware(['employee'])->group(function () {
            Route::get('/change_product/{product}', [DishController::class,
'changeProductForm'])->name('changeProduct.form');
            Route::post('/change_product', [DishController::class,
'changeProduct'])->name('changeProduct');
            Route::delete('/delete_product/{product}', [DishController::class,
'deleteProduct'])->name('deleteProduct');
            Route::get('/add_product_form', [DishController::class,
'addProductForm'])->name('addProductForm');
            Route::post('/add_product', [DishController::class, 'addProduct'])-
>name('addProduct');
            Route::post('/add_price', [DishController::class, 'addPrice'])-
>name('addPrice');
            Route::delete('/delete_price', [DishController::class,
'deletePrice'])->name('deletePrice');
            Route::get('/orders', [OrderController::class, 'orders'])-
>name('orders');
            Route::post('shipOrRefuse', [OrderController::class,
'shipOrRefuseOrder'])->name('shipOrRefuse');

            Route::middleware(['admin'])->group(function () {
                Route::get('/admin', [AdminController::class, 'admin'])-
>name('admin');

                Route::get('/admin_accounts', [AdminController::class,
'admin_accounts'])->name('admin_accounts');
                Route::get('/admin_categories', [AdminController::class,
'admin_categories'])->name('admin_categories');
                Route::get('/admin_extras', [AdminController::class,
'admin_extras'])->name('admin_extras');
                Route::get('/admin_ingredients', [AdminController::class,
'admin_ingredients'])->name('admin_ingredients');
                Route::get('/admin_products', [AdminController::class,
'admin_products'])->name('admin_products');
                Route::get('/admin_comments', [AdminController::class,
'admin_comments'])->name('admin_comments');
                Route::get('/admin_navs', [AdminController::class,
'admin_navs'])->name('admin_navs');

                Route::post('/admin_accounts_update', [AdminController::class,
'admin_accounts_update'])->name('admin_accounts_update');
```

```
                Route::post('/admin_categories_update', [AdminController::class,
'admin_categories_update'])->name('admin_categories_update');
                Route::post('/admin_extras_update', [AdminController::class,
'admin_extras_update'])->name('admin_extras_update');
                Route::delete('/admin_extras_delete', [AdminController::class,
'admin_extras_delete'])->name('admin_extras_delete');
                Route::post('/admin_ingredients_update', [AdminController::class,
'admin_ingredients_update'])->name('admin_ingredients_update');
                Route::delete('/admin_ingredients_delete',
[AdminController::class, 'admin_ingredients_delete'])-
>name('admin_ingredients_delete');
                Route::post('/admin_products_update', [AdminController::class,
'admin_products_update'])->name('admin_products_update');
                Route::delete('/admin_comments_delete', [AdminController::class,
'admin_comments_delete'])->name('admin_comments_delete');
                Route::post('/admin_navs_update', [AdminController::class,
'admin_navs_update'])->name('admin_navs_update');
            });
        });
    });

    Route::middleware(['logged_out'])->group(function () {
        Route::get('/register_form', [AuthController::class, 'register_form'])-
>name('register.form');
        Route::post('/register', [AuthController::class, 'register'])-
>name('register');
        Route::get('/login_form', [AuthController::class, 'login_form'])-
>name('login.form');
        Route::post('/login', [AuthController::class, 'login'])->name('login');
    });

    Route::get('/error', [HomeController::class, 'error_page'])->name('error');
    Route::get('/no_access', [HomeController::class, 'no_access'])-
>name('no_access');
});
```

VIEWS

LAYOUTS:

layout.blade.php

```
<!DOCTYPE html>
<html lang="en">

@include('fixed.head')

<body>

<!-- Navigation -->
@include('fixed.nav')

<!-- Page Content -->
@yield('content')

<!-- Footer -->
@include('fixed.footer')

<!-- Bootstrap core JavaScript -->
@include('fixed.scripts')

</body>

</html>
```

admin.blade.php

```
{{-- Head --}}
@include('fixed.admin.top')

{{-- Top Header --}}
@include('fixed.admin.header')

{{-- Left Navigation --}}
@include('fixed.admin.navigation')

{{-- Inside Page Content / Changeable --}}
@yield('content')

{{-- Page Footer --}}
@include('fixed.admin.footer')

{{-- Page Bottom Scripts --}}
@include('fixed.admin.bottom')
```

PARTIALS

bottom.blade.php

```
<!-- plugins:js -->
<script src="{{ asset('assets/admin/vendors/js/vendor.bundle.base.js')
}}"></script>
<!-- endinject -->
<!-- Plugin js for this page -->
<script src="{{ asset('assets/admin/vendors/chart.js/Chart.min.js') }}"></script>
<script src="{{ asset('assets/admin/vendors/datatables.net/jquery.dataTables.js')
}}"></script>
<script src="{{ asset('assets/admin/vendors/datatables.net-
bs4/dataTables.bootstrap4.js') }}"></script>
<script src="{{ asset('assets/admin/js/dataTables.select.min.js') }}"></script>

<!-- End plugin js for this page -->
<!-- inject:js -->
<script src="{{ asset('assets/admin/js/off-canvas.js') }}"></script>
<script src="{{ asset('assets/admin/js/hoverable-collapse.js') }}"></script>
<script src="{{ asset('assets/admin/template.js') }}"></script>
<script src="{{ asset('assets/admin/settings.js') }}"></script>
<script src="{{ asset('assets/admin/todolist.js') }}"></script>
<!-- endinject -->
<!-- Custom js for this page-->
<script src="{{ asset('assets/admin/js/dashboard.js') }}"></script>
<script src="{{ asset('assets/admin/js/Chart.roundedBarCharts.js') }}"></script>
<!-- End custom js for this page-->
</body>

</html>
```

footer.blade.php

```
<!-- partial:partials/_footer.html -->
<footer class="footer">
    <div class="d-sm-flex justify-content-center justify-content-sm-between">
        <span class="text-muted text-center text-sm-left d-block d-sm-inline-
block">Copyright © 2021 <a href="https://www.bootstrapdash.com/"
target="_blank">Feliciano</a>. All rights reserved.</span>
        <span class="float-none float-sm-right d-block mt-1 mt-sm-0 text-
center">Made with <i class="ti-heart text-danger ml-1"></i></span>
    </div>
</footer>
<!-- partial -->
</div>
<!-- main-panel ends -->
</div>
<!-- page-body-wrapper ends -->
</div>
<!-- container-scroller -->
```

header.blade.php

```
<!-- partial:partials/_navbar.html -->
<nav class="navbar col-lg-12 col-12 p-0 fixed-top d-flex flex-row">
    <div class="text-center navbar-brand-wrapper d-flex align-items-center
justify-content-center">
        <a class="navbar-brand brand-logo mr-5" href="{{ route('home')
}}">Feliciano</a>
    </div>
    <div class="navbar-menu-wrapper d-flex align-items-center justify-content-
end">
        <ul class="navbar-nav navbar-nav-right">
            <li class="nav-item nav-profile dropdown">
                <a class="nav-link dropdown-toggle" href="#" data-
toggle="dropdown" id="profileDropdown">
                    {{ $user->name }} {{ $user->last_name }}
                </a>
                <div class="dropdown-menu dropdown-menu-right navbar-dropdown"
aria-labelledby="profileDropdown">
                    <a class="dropdown-item" href="{{ route('myAccount') }}">
                        <i class="ti-settings text-primary"></i>
                        Account
                    </a>
                    <a class="dropdown-item" href="{{ route('logout') }}">
                        <i class="ti-power-off text-primary"></i>
                        Logout
                    </a>
                </div>
            </li>
        </ul>
        <button class="navbar-toggler navbar-toggler-right d-lg-none align-self-
center" type="button" data-toggle="offcanvas">
            <span class="icon-menu"></span>
        </button>
    </div>
</nav>
<!-- partial -->

<div class="container-fluid page-body-wrapper">
    <!-- partial:partials/_settings-panel.html -->
    <div class="theme-setting-wrapper">
        <div id="settings-trigger"><i class="ti-settings"></i></div>
        <div id="theme-settings" class="settings-panel">
            <i class="settings-close ti-close"></i>
            <p class="settings-heading">SIDEBAR SKINS</p>
```

```
            <div class="sidebar-bg-options selected" id="sidebar-light-
theme"><div class="img-ss rounded-circle bg-light border mr-3"></div>Light</div>
            <div class="sidebar-bg-options" id="sidebar-dark-theme"><div
class="img-ss rounded-circle bg-dark border mr-3"></div>Dark</div>
            <p class="settings-heading mt-2">HEADER SKINS</p>
            <div class="color-tiles mx-0 px-4">
                <div class="tiles success"></div>
                <div class="tiles warning"></div>
                <div class="tiles danger"></div>
                <div class="tiles info"></div>
                <div class="tiles dark"></div>
                <div class="tiles default"></div>
            </div>
        </div>
    </div>

    <div id="right-sidebar" class="settings-panel">
        <i class="settings-close ti-close"></i>
        <ul class="nav nav-tabs border-top" id="setting-panel" role="tablist">
            <li class="nav-item">
                <a class="nav-link active" id="todo-tab" data-toggle="tab"
href="#todo-section" role="tab" aria-controls="todo-section" aria-
expanded="true">TO DO LIST</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" id="chats-tab" data-toggle="tab"
href="#chats-section" role="tab" aria-controls="chats-section">CHATS</a>
            </li>
        </ul>
        <div class="tab-content" id="setting-content">
            <div class="tab-pane fade show active scroll-wrapper" id="todo-
section" role="tabpanel" aria-labelledby="todo-section">
                <div class="add-items d-flex px-3 mb-0">
                    <form class="form w-100">
                        <div class="form-group d-flex">
                            <input type="text" class="form-control todo-list-
input" placeholder="Add To-do">
                            <button type="submit" class="add btn btn-primary
todo-list-add-btn" id="add-task">Add</button>
                        </div>
                    </form>
                </div>
                <div class="list-wrapper px-3">
                    <ul class="d-flex flex-column-reverse todo-list">
                        <li>
```

```
                            <div class="form-check">
                                <label class="form-check-label">
                                    <input class="checkbox" type="checkbox">
                                    Team review meeting at 3.00 PM
                                </label>
                            </div>
                            <i class="remove ti-close"></i>
                        </li>
                        <li>
                            <div class="form-check">
                                <label class="form-check-label">
                                    <input class="checkbox" type="checkbox">
                                    Prepare for presentation
                                </label>
                            </div>
                            <i class="remove ti-close"></i>
                        </li>
                        <li>
                            <div class="form-check">
                                <label class="form-check-label">
                                    <input class="checkbox" type="checkbox">
                                    Resolve all the low priority tickets due
today
                                </label>
                            </div>
                            <i class="remove ti-close"></i>
                        </li>
                        <li class="completed">
                            <div class="form-check">
                                <label class="form-check-label">
                                    <input class="checkbox" type="checkbox"
checked>
                                    Schedule meeting for next week
                                </label>
                            </div>
                            <i class="remove ti-close"></i>
                        </li>
                        <li class="completed">
                            <div class="form-check">
                                <label class="form-check-label">
                                    <input class="checkbox" type="checkbox"
checked>
                                    Project review
                                </label>
                            </div>
```

```
                            <i class="remove ti-close"></i>
                        </li>
                    </ul>
                </div>
                <h4 class="px-3 text-muted mt-5 font-weight-light mb-
0">Events</h4>
                <div class="events pt-4 px-3">
                    <div class="wrapper d-flex mb-2">
                        <i class="ti-control-record text-primary mr-2"></i>
                        <span>Feb 11 2018</span>
                    </div>
                    <p class="mb-0 font-weight-thin text-gray">Creating component
page build a js</p>
                    <p class="text-gray mb-0">The total number of sessions</p>
                </div>
                <div class="events pt-4 px-3">
                    <div class="wrapper d-flex mb-2">
                        <i class="ti-control-record text-primary mr-2"></i>
                        <span>Feb 7 2018</span>
                    </div>
                    <p class="mb-0 font-weight-thin text-gray">Meeting with
Alisa</p>
                    <p class="text-gray mb-0 ">Call Sarah Graves</p>
                </div>
            </div>
            <!-- To do section tab ends -->
            <div class="tab-pane fade" id="chats-section" role="tabpanel" aria-
labelledby="chats-section">
                <div class="d-flex align-items-center justify-content-between
border-bottom">
                    <p class="settings-heading border-top-0 mb-3 pl-3 pt-0
border-bottom-0 pb-0">Friends</p>
                    <small class="settings-heading border-top-0 mb-3 pt-0 border-
bottom-0 pb-0 pr-3 font-weight-normal">See All</small>
                </div>
                <ul class="chat-list">
                    <li class="list active">
                        <div class="profile"><img
src="../../images/faces/face1.jpg" alt="image"><span class="online"></span></div>
                        <div class="info">
                            <p>Thomas Douglas</p>
                            <p>Available</p>
                        </div>
                        <small class="text-muted my-auto">19 min</small>
                    </li>
```

```
                    <li class="list">
                        <div class="profile"><img
src="../../images/faces/face2.jpg" alt="image"><span
class="offline"></span></div>
                        <div class="info">
                            <div class="wrapper d-flex">
                                <p>Catherine</p>
                            </div>
                            <p>Away</p>
                        </div>
                        <div class="badge badge-success badge-pill my-auto mx-
2">4</div>
                        <small class="text-muted my-auto">23 min</small>
                    </li>
                    <li class="list">
                        <div class="profile"><img
src="../../images/faces/face3.jpg" alt="image"><span class="online"></span></div>
                        <div class="info">
                            <p>Daniel Russell</p>
                            <p>Available</p>
                        </div>
                        <small class="text-muted my-auto">14 min</small>
                    </li>
                    <li class="list">
                        <div class="profile"><img
src="../../images/faces/face4.jpg" alt="image"><span
class="offline"></span></div>
                        <div class="info">
                            <p>James Richardson</p>
                            <p>Away</p>
                        </div>
                        <small class="text-muted my-auto">2 min</small>
                    </li>
                    <li class="list">
                        <div class="profile"><img
src="../../images/faces/face5.jpg" alt="image"><span class="online"></span></div>
                        <div class="info">
                            <p>Madeline Kennedy</p>
                            <p>Available</p>
                        </div>
                        <small class="text-muted my-auto">5 min</small>
                    </li>
                    <li class="list">
                        <div class="profile"><img
src="../../images/faces/face6.jpg" alt="image"><span class="online"></span></div>
```

```
                    <div class="info">
                        <p>Sarah Graves</p>
                        <p>Available</p>
                    </div>
                    <small class="text-muted my-auto">47 min</small>
                </li>
            </ul>
        </div>
        <!-- chat tab ends -->
    </div>
</div>
<!-- partial -->
```

navigation.blade.php

```
{{-- LEFT MENU --}}
<!-- partial:partials/_sidebar.html -->
<nav class="sidebar sidebar-offcanvas" id="sidebar">
    <ul class="nav">
        <li class="nav-item">
            <a class="nav-link" href="{{ route('admin') }}">
                <i class="icon-grid menu-icon"></i>
                <span class="menu-title">Dashboard</span>
            </a>
        </li>
        <li class="nav-item">
            <a class="nav-link" data-toggle="collapse" href="#ui-basic" aria-
expanded="false" aria-controls="ui-basic">
                <i class="icon-layout menu-icon"></i>
                <span class="menu-title">Database</span>
                <i class="menu-arrow"></i>
            </a>
            <div class="collapse" id="ui-basic">
                <ul class="nav flex-column sub-menu">
                    <li class="nav-item"> <a class="nav-link" href="{{
route('admin_accounts') }}">Accounts</a></li>
                    <li class="nav-item"> <a class="nav-link" href="{{
route('admin_categories') }}">Categories</a></li>
                    <li class="nav-item"> <a class="nav-link" href="{{
route('admin_extras') }}">Extras</a></li>
                    <li class="nav-item"> <a class="nav-link" href="{{
route('admin_ingredients') }}">Ingredients</a></li>
                    <li class="nav-item"> <a class="nav-link" href="{{
route('admin_products') }}">Products</a></li>
                    <li class="nav-item"> <a class="nav-link" href="{{
route('admin_comments') }}">Comments</a></li>
                    <li class="nav-item"> <a class="nav-link" href="{{
route('admin_navs') }}">Navigations</a></li>
                </ul>
            </div>
        </li>
    </ul>
</nav>

<!-- partial -->
<div class="main-panel">
```

top.blade.php

```
<!DOCTYPE html>
<html lang="en">

<head>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-
to-fit=no">
    <title>Feliciano Admin</title>
    <!-- plugins:css -->
    <link rel="stylesheet" href="{{ asset('assets/admin/vendors/ti-
icons/css/themify-icons.css') }}">
    <link rel="stylesheet" href="{{
asset('assets/admin/vendors/feather/feather.css') }}">
    <link rel="stylesheet" href="{{
asset('assets/admin/vendors/css/vendor.bundle.base.css') }}">
    <!-- endinject -->
    <!-- Plugin css for this page -->
    <link rel="stylesheet" href="{{ asset('assets/admin/vendors/datatables.net-
bs4/dataTables.bootstrap4.css') }}">
    <link rel="stylesheet" href="{{ asset('assets/admin/vendors/ti-
icons/css/themify-icons.css') }}">
    <link rel="stylesheet" type="text/css" href="{{
asset('assets/admin/js/select.dataTables.min.css') }}">
    <!-- End plugin css for this page -->
    <!-- inject:css -->
    <link rel="stylesheet" href="{{ asset('assets/admin/css/vertical-layout-
light/style.css') }}">
    <!-- endinject -->
    <link rel="shortcut icon" href="{{ asset('assets/admin/images/favicon.png')
}}" />
</head>

<body>
<div class="container-scroller">
```

footer.blade.php

```
<footer class="ftco-footer ftco-bg-dark ftco-section">
    <div class="container">
        <div class="row mb-5">
            <div class="col-md-6 col-lg-3">
                <div class="ftco-footer-widget mb-4">
                    <h2 class="ftco-heading-2">Feliciano</h2>
                    <p>Feliciano Restaurant is founded on the idea that in the
atmosphere of modern, busy life, everyone should have an option to eat healthy
and delicious food without cooking for hours.</p>
                    <ul class="ftco-footer-social list-unstyled float-md-left
float-lft mt-3">
                        @foreach($links as $link)
                            @if($link->image != NULL)
                                <li class="ftco-animate"><a href="{{ $link->href
}}" target="_blank"><span class="{{ $link->image }}"></span></a></li>
                            @endif
                        @endforeach
                    </ul>
                </div>
            </div>
            <div class="col-md-6 col-lg-3">
                <div class="ftco-footer-widget mb-4">
                    <h2 class="ftco-heading-2">Open Hours</h2>
                    <ul class="list-unstyled open-hours">
                        <li class="d-flex"><span>Monday</span><span>9:00 -
23:00</span></li>
                        <li class="d-flex"><span>Tuesday</span><span>9:00 -
23:00</span></li>
                        <li class="d-flex"><span>Wednesday</span><span>9:00 -
23:00</span></li>
                        <li class="d-flex"><span>Thursday</span><span>9:00 -
23:00</span></li>
                        <li class="d-flex"><span>Friday</span><span>9:00 -
23:00</span></li>
                        <li class="d-flex"><span>Saturday</span><span>9:00 -
23:00</span></li>
                        <li class="d-flex"><span>Sunday</span><span> 9:00 -
23:00</span></li>
                    </ul>
                </div>
            </div>
            <div class="col-md-6 col-lg-3">
                <div class="ftco-footer-widget mb-4">
```

```
                    <h2 class="ftco-heading-2">Links</h2>
                    <ul class="list-unstyled open-hours">
                        @foreach($links as $link)
                            <li class="d-flex"><a href="{{ $link->href }}"
target="_blank">{{ $link->name }}</a></li>
                        @endforeach
                    </ul>
                </div>
            </div>
            <div class="col-md-6 col-lg-3">
                <div class="ftco-footer-widget mb-4">
                    <h2 class="ftco-heading-2">Home Delivery</h2>
                    <p>We provide fast and easy home delivery for everyone. Just
fill in the form and your order will be on it's way to you.</p>
                    <p>We deliver only in Belgrade, Serbia.</p>
                </div>
            </div>
        </div>
    </div>
</footer>

<!-- loader -->
<div id="ftco-loader" class="show fullscreen"><svg class="circular" width="48px"
height="48px"><circle class="path-bg" cx="24" cy="24" r="22" fill="none" stroke-
width="4" stroke="#eeeeee"/><circle class="path" cx="24" cy="24" r="22"
fill="none" stroke-width="4" stroke-miterlimit="10"
stroke="#F96D00"/></svg></div>
```

head.blade.php

```
<head>

    <title>@yield('title')</title>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-
to-fit=no"/>
    <meta name="description" content="@yield('description')"/>
    <meta name="keywords" content="@yield('keywords')"/>

    <link rel="shortcut icon" type="image/x-icon" href="{{
asset('assets/img/icon.ico') }}"/>

    <link
href="https://fonts.googleapis.com/css?family=Poppins:100,200,300,400,500,600,700
,800,900" rel="stylesheet"/>
    <link href="https://fonts.googleapis.com/css?family=Great+Vibes&display=swap"
rel="stylesheet"/>

    <link rel="stylesheet" href="{{ asset('assets/css/open-iconic-
bootstrap.min.css') }}"/>
    <link rel="stylesheet" href="{{ asset('assets/css/animate.css') }}"/>
    <link rel="stylesheet" href="{{ asset('assets/css/owl.carousel.min.css')
}}"/>
    <link rel="stylesheet" href="{{ asset('assets/css/owl.theme.default.min.css')
}}"/>
    <link rel="stylesheet" href="{{ asset('assets/css/magnific-popup.css') }}"/>
    <link rel="stylesheet" href="{{ asset('assets/css/aos.css') }}"/>
    <link rel="stylesheet" href="{{ asset('assets/css/ionicons.min.css') }}"/>
    <link rel="stylesheet" href="{{ asset('assets/css/bootstrap-datepicker.css')
}}"/>
    <link rel="stylesheet" href="{{ asset('assets/css/jquery.timepicker.css')
}}"/>
    <link rel="stylesheet" href="{{ asset('assets/css/flaticon.css') }}"/>
    <link rel="stylesheet" href="{{ asset('assets/css/icomoon.css') }}"/>
    <link rel="stylesheet" href="{{ asset('assets/css/style.css') }}"/>

</head>
```

nav.blade.php

```
<div class="py-1 bg-black top">
    <div class="container">
        <div class="row no-gutters d-flex align-items-start align-items-center
px-md-0">
            <div class="col-lg-12 d-block">
                <div class="row d-flex">
                    <div class="col-md pr-4 d-flex topper align-items-center">
                        <div class="icon mr-2 d-flex justify-content-center
align-items-center"><span class="icon-phone2"></span></div>
                        <span class="text">+ 1-978-123-4567</span>
                    </div>
                    <div class="col-md pr-4 d-flex topper align-items-center">
                        <div class="icon mr-2 d-flex justify-content-center
align-items-center"><span class="icon-paper-plane"></span></div>
                        <span class="text">feliciano_restaurant@gmail.com</span>
                    </div>
                    <div class="col-md-5 pr-4 d-flex topper align-items-center
text-lg-right justify-content-end">
                        <p class="mb-0 register-link"><span>Open hours:</span>
<span>Monday - Sunday</span> <span>9:00AM - 11:00PM</span></p>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

<nav class="navbar navbar-expand-lg navbar-dark ftco_navbar bg-dark ftco-navbar-
light" id="ftco-navbar">
    <div class="container">
        <a class="navbar-brand" href="{{ route('home') }}">Feliciano</a>
        @if(session()->has('user'))
            <span> | {{ session()->get('user')->name }} {{ session()-
>get('user')->last_name }}</span>
        @endif
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#ftco-nav" aria-controls="ftco-nav" aria-expanded="false" aria-
label="Toggle navigation">
            <span class="oi oi-menu"></span> Menu
        </button>

        <div class="collapse navbar-collapse" id="ftco-nav">
                <ul class="navbar-nav ml-auto">
```

```
                    @foreach($navs as $nav)
                        <li class="nav-item"><a href="{{ route($nav->href) }}"
class="nav-link">{{ $nav->name }}</a></li>
                    @endforeach

                    @if(session()->has('user'))
                        <li class="nav-item cta">
                                @csrf
                                <a href="{{ route("order") }}" class="nav-
link">Your Order (<span id="orderItemsNumber">0</span>)</a>
                        </li>
                    @else
                        <li class="nav-item cta"><a href="#" class="nav-link
disabled">Feliciano</a></li>
                    @endif
                </ul>
        </div>
    </div>
</nav>
```

scripts.blade.php

```
<script src="{{ asset('assets/js/jquery.min.js') }}"></script>
<script src="{{ asset('assets/js/jquery-migrate-3.0.1.min.js') }}"></script>
<script src="{{ asset('assets/js/popper.min.js') }}"></script>
<script src="{{ asset('assets/js/bootstrap.min.js') }}"></script>
<script src="{{ asset('assets/js/jquery.easing.1.3.js') }}"></script>
<script src="{{ asset('assets/js/jquery.waypoints.min.js') }}"></script>
<script src="{{ asset('assets/js/jquery.stellar.min.js') }}"></script>
<script src="{{ asset('assets/js/owl.carousel.min.js') }}"></script>
<script src="{{ asset('assets/js/jquery.magnific-popup.min.js') }}"></script>
<script src="{{ asset('assets/js/aos.js') }}"></script>
<script src="{{ asset('assets/js/jquery.animateNumber.min.js') }}"></script>
<script src="{{ asset('assets/js/bootstrap-datepicker.js') }}"></script>
<script src="{{ asset('assets/js/jquery.timepicker.min.js') }}"></script>
<script src="{{ asset('assets/js/scrollax.min.js') }}"></script>
<script
src="https://maps.googleapis.com/maps/api/js?key=AIzaSyBVWaKrjvy3MaE7SQ74_uJiULgl
1JY0H2s&sensor=false"></script>
<script src="{{ asset('assets/js/google-map.js') }}"></script>
<script src="{{ asset('assets/js/main.js') }}"></script>
<script src="{{ asset('assets/js/_main.js') }}"></script>
<script src="https://use.fontawesome.com/e6f781c2f5.js"></script>
```

title.blade.php

```
<section class="hero-wrap hero-wrap-2" style="background-image: url({{
asset('assets/img/bg_3.jpg') }});" data-stellar-background-ratio="0.5">
    <div class="overlay"></div>
    <div class="container">
        <div class="row no-gutters slider-text align-items-end justify-content-
center">
            <div class="col-md-9 ftco-animate text-center mb-4">
                <h1 class="mb-2 bread">{{ $title }}</h1>
{{--                <p class="breadcrumbs"><span class="mr-2"><a
href="index.html">Home <i class="ion-ios-arrow-forward"></i></a></span>
<span>About <i class="ion-ios-arrow-forward"></i></span></p>--}}
                <p class="breadcrumbs"><span class="mr-2">{{ $subtitle
}}</span></p>

            </div>
        </div>
    </div>
```

register.blade.php

```
<section class="ftco-section img"
    @if($image_exists == 'yes')
        style="background-image: url({{ asset('assets/img/bg_3.jpg') }})"
    @endif
    data-stellar-background-ratio="0.5">

    <div class="container">
        @if(!session()->has('user'))
        <div class="row d-flex">
            <div class="col-md-7 ftco-animate makereservation p-4 px-md-5 pb-md-
5">
                <div class="heading-section ftco-animate mb-5 text-center">
                    <span class="subheading">Register</span>
                    <h2 class="mb-4">to order online</h2>
                </div>
                <form action="{{ route('register') }}" method="POST">
                    @csrf
                    <div class="row">
                        <div class="col-md-6">
                            <div class="form-group">
                                <label for="name">Name</label>
                                <input type="text" name="name" class="form-
control" placeholder="Your Name"/>
                            </div>
                        </div>
                        <div class="col-md-6">
                            <div class="form-group">
                                <label for="last_name">Last Name</label>
                                <input type="text" name="last_name" class="form-
control" placeholder="Your Last Name"/>
                            </div>
                        </div>
                        <div class="col-md-6">
                            <div class="form-group">
                                <label for="email">Email</label>
                                <input type="text" name="email" class="form-
control" placeholder="Your Email"/>
                            </div>
                        </div>
                        <div class="col-md-6">
                            <div class="form-group">
                                <label for="phone">Phone</label>
```

```
                                <input type="text" name="phone" class="form-
control" placeholder="Your Phone"/>
                            </div>
                        </div>
                        <div class="col-md-6">
                            <div class="form-group">
                                <label for="address">Address</label>
                                <input type="text" name="address" class="form-
control" placeholder="Your Address"/>
                            </div>
                        </div>
                        <div class="col-md-6">
                            <div class="form-group">
                                <label for="municipality">Municipality</label>
                                <input type="text" name="municipality"
class="form-control" placeholder="Voždovac, Stari Grad, etc."/>
                            </div>
                        </div>
                        <div class="col-md-6">
                            <div class="form-group">
                                <label for="password">Password</label>
                                <input type="password" name="password"
class="form-control" placeholder="Password"/>
                            </div>
                        </div>
                        <div class="col-md-6">
                            <div class="form-group">
                                <label for="password_confirmation">Repeat
Password</label>
                                <input type="password"
name="password_confirmation" class="form-control" placeholder="Repeat Password"/>
                            </div>
                        </div>
                        <div class="col-md-12 mt-3">
                            <div class="form-group text-center">
                                <input type="submit" name="submit"
value="Register" class="btn btn-primary py-3 px-5">
                            </div>
                        </div>
                    </div>
                </form>
            </div>
            @if($errors->any())
                <div class="col-md-5 ftco-animate makereservation p-4 px-md-5 pb-
md-5">
```

```
                    <div class="alert alert-danger">
                        <ul>
                            @foreach ($errors->all() as $error)
                                <li>{{ $error }}</li>
                            @endforeach
                        </ul>
                    </div>
                </div>
            @endif
        </div>
        @else
            <div class="col-md-12 ftco-animate makereservation p-4 px-md-5 pb-md-
5">
                <div class="heading-section ftco-animate mb-5 text-center">
                    <span class="subheading">Oops!</span>
                    <h2 class="mb-4">You must be logged out to register.</h2>
                </div>
            </div>
        @endif
    </div>
</section>



{{--                            <div class="col-md-6">--}}
{{--                                <div class="form-group">--}}
{{--                                    <label for="">Phone</label>--}}
{{--                                    <input type="text" class="form-control"
id="book_date" placeholder="Date">--}}
{{--                                </div>--}}
{{--                            </div>--}}
{{--                            <div class="col-md-6">--}}
{{--                                <div class="form-group">--}}
{{--                                    <label for="">Time</label>--}}
{{--                                    <input type="text" class="form-control"
id="book_time" placeholder="Time">--}}
{{--                                </div>--}}
{{--                            </div>--}}
{{--                            <div class="col-md-6">--}}
{{--                                <div class="form-group">--}}
{{--                                    <label for="">Person</label>--}}
{{--                                    <div class="select-wrap one-third">--}}
{{--                                        <div class="icon"><span class="ion-
ios-arrow-down"></span></div>--}}
```

```
{{--                                        <select name="" id="" class="form-
control">--}}
{{--                                            <option value="">Person</option>-
-}}
{{--                                            <option value="">1</option>--}}
{{--                                            <option value="">2</option>--}}
{{--                                            <option value="">3</option>--}}
{{--                                            <option value="">4+</option>--}}
{{--                                        </select>--}}
{{--                                    </div>--}}
{{--                                </div>--}}
{{--                            </div>--}}
```

PAGES

about_author.blade.php

```
@extends('layouts.layout')

@section('title')
    About Author
@endsection

@section('description')
    Feliciano, About Author.
@endsection

@section('keywords')
    Feliciano,restaurant,food,order,online,delivery
@endsection

@section('content')
    @include('fixed.title', ['title' => 'Nemanja Kašanov', 'subtitle' => 'About
author page'])

    <section class="ftco-section img" data-stellar-background-ratio="0.5">
        <div class="container">
            <div class="row d-flex justify-content-center">

                <div class="row d-flex justify-content-center align-items-
center">
                    <div class="col-lg-6 col-sm-12">
                        <div class="col-12 text-center">
                            <img class="img-fluid col-lg-8 col-sm-12" src="{{
asset('assets/img/about_author.jpg') }}"/>
                        </div>
                        <div class="col-12 text-center mt-4">
                            <h3>About me:</h3>
                            <p>My name is Nemanja Kašanov (79/18). I am a final
year student at the College for Information and Communication Technologies (ICT),
studying Web Programming as a part of the Internet Technologies study program in
Belgrade, Serbia.</p>
                            <p>My passion is creating applications and solving
problems using programming languages and technologies I learned, and I strive to
obtain more knowledge and master the skills I already have.</p>
                            <p>I am fluent in written and spoken English.</p>
                            <p>Currently working at EXTREMUM.</p>
                            <a href="documentation.pdf">DOCUMENTATION</a>
                        </div>
```

```
                    </div>
                </div>

            </div>
        </div>
    </section>
@endsection
```

add_product.blade.php

```
@extends('layouts.layout')

@section('title')
    Feliciano | Add Product
@endsection

@section('description')
    Add a product into the database.
@endsection

@section('keywords')
    Feliciano,restaurant,food,order,online,delivery
@endsection

@section('content')
    @include('fixed.title', ['title' => 'Add Product', 'subtitle' => 'Form for
adding a new product into the database.'])

    <section class="ftco-section img" data-stellar-background-ratio="0.5">
        <div class="container">
            <div class="row d-flex">
                <div class="col-md-12 ftco-animate makereservation p-4 px-md-5
pb-md-5">
                    <div class="heading-section ftco-animate mb-5 text-center">
                        <p class="mb-4 h2">Add a product into the database:</p>
                    </div>
                    <div class="col-12 border-top pt-5 d-flex justify-content-
center">
                        <form action="{{ route('addProduct') }}" method="POST"
class="col-lg-8 col-sm-12" enctype="multipart/form-data">
                            @if($errors->any())
                                <div class="col-md-12 ftco-animate
makereservation p-4 px-md-5 pb-md-5">
                                    <div class="alert alert-danger">
                                        <ul>
                                            @foreach ($errors->all() as $error)
                                                <li>{{ $error }}</li>
                                            @endforeach
                                        </ul>
                                    </div>
                                </div>
                            @endif
                            @csrf
```

```
                            <div class="col-12 mb-4">
                                <div class="form-group">
                                    <label for="name">Product Name:</label>
                                    <input type="text" class="form-control"
id="name" name="name" placeholder="Product Name"/>
                                </div>
                            </div>
                            <div class="col-12 mb-4">
                                <div class="form-group">
                                    <div class="form-group">
                                        <label for="category">Product
Category:</label>
                                        <select class="form-control"
id="category"  name="category">
                                            @foreach($categories as $ctg)
                                                <option value="{{ $ctg->id }}">{{
$ctg->name }}</option>
                                            @endforeach
                                        </select>
                                    </div>
                                </div>
                            </div>
                            <div class="col-12 mb-4">
                                <div class="form-group">
                                    <label for="description">Product
Description:</label>
                                    <textarea class="form-control"
id="description" name="description" rows="3" maxlength="255"></textarea>
                                </div>
                            </div>
                            <div class="col-12 mb-4">
                                <div class="form-group">
                                    <label for="image">Product Image:</label>
                                    <input type="file" class="form-control-file"
id="image" name="image" accept="image/*"/>
                                </div>
                            </div>
                            <div class="col-12 mb-4">
                                <div class="form-group">
                                    <label for="time_to_make">Time to Make (in
MINUTES):</label>
                                    <input type="text" class="form-control"
id="time_to_make" name="time_to_make" placeholder="Time to Make">
                                </div>
                            </div>
```

```
                            <div class="col-12 mb-4">
                                <div class="form-group">
                                    <label>Product Ingredients:</label>
                                </div>
                                <div class="col-12 d-flex flex-wrap">
                                    @foreach($ingredients as $el)
                                        <div class="form-check col-lg-4 col-md-
6">
                                            <input class="form-check-input"
type="checkbox" value="{{ $el->id }}" id="ing-{{ $el->id }}"
name="ingredients[]"/>
                                            <label class="form-check-label"
for="ing-{{ $el->id }}">
                                                {{ $el->name }}
                                            </label>
                                        </div>
                                    @endforeach
                                </div>
                            </div>
                            <div class="col-12 mb-4">
                                <div class="form-group">
                                    <label>Product Extras:</label>
                                </div>
                                <div class="col-12 d-flex flex-wrap">
                                    @foreach($extras as $el)
                                        <div class="form-check col-lg-4 col-md-
6">
                                            <input class="form-check-input"
type="checkbox" value="{{ $el->id }}" id="ext-{{ $el->id }}" name="extras[]"/>
                                            <label class="form-check-label"
for="ext-{{ $el->id }}">
                                                {{ $el->name }}
                                            </label>
                                        </div>
                                    @endforeach
                                </div>
                            </div>
                            <div class="form-group text-center pt-3">
                                <input type="submit" value="Add Product"
class="btn btn-primary py-3 px-5 col-12" name="submit"/>
                            </div>
                        </form>
                    </div>
                </div>
            </div>
```

```
        </div>
    </section>
@endsection
```

change_product.blade.php

```
@extends('layouts.layout')

@section('title')
    Feliciano | Change Product
@endsection

@section('description')
    Feliciano, Change Product Page.
@endsection

@section('keywords')
    Feliciano,restaurant,order,online,delivery,product
@endsection

@section('content')
    @include('fixed.title', ['title' => 'Change Product:', 'subtitle' => 'Change
Product Information for '.$product->name])

    <section class="ftco-section img" data-stellar-background-ratio="0.5">
        <div class="container">
            <div class="row d-flex">
                <div class="col-md-12 ftco-animate makereservation p-4 px-md-5
pb-md-5">
                    <div class="heading-section ftco-animate mb-5 text-center">
                        <p class="mb-4 h2">{{ $product->name }}</p>
                    </div>
                    <div class="col-12 border-top pt-5 d-flex justify-content-
center">
                        <form action="{{ route('changeProduct') }}" method="POST"
class="col-lg-8 col-sm-12" enctype="multipart/form-data">
                            @if($errors->any())
                                <div class="col-md-12 ftco-animate
makereservation p-4 px-md-5 pb-md-5">
                                    <div class="alert alert-danger">
                                        <ul>
                                            @foreach ($errors->all() as $error)
                                                <li>{{ $error }}</li>
                                            @endforeach
                                        </ul>
                                    </div>
                                </div>
                            @endif
                            @csrf
```

```
                            <input type="hidden" name="id" value="{{ $product->id
}}"/>
                            <div class="col-12 mb-4">
                                <div class="form-group">
                                    <label for="name">Product Name:</label>
                                    <input type="text" class="form-control"
id="name" name="name" placeholder="Product Name" value="{{ $product->name }}"/>
                                </div>
                            </div>
                            <div class="col-12 mb-4">
                                <div class="form-group">
                                    <div class="form-group">
                                        <label for="category">Product
Category:</label>
                                        <select class="form-control"
id="category"  name="category">
                                            @foreach($categories as $ctg)
                                                <option value="{{ $ctg->id }}"
@if($ctg->id == $product->category) selected="selected" @endif>{{ $ctg->name
}}</option>
                                            @endforeach
                                        </select>
                                    </div>
                                </div>
                            </div>
                            <div class="col-12 mb-4">
                                <div class="form-group">
                                    <label for="description">Product
Description:</label>
                                    <textarea class="form-control"
id="description" name="description" rows="3" maxlength="255">{{ $product-
>description }}</textarea>
                                </div>
                            </div>
                            <div class="col-12 mb-4">
                                <div class="form-group">
                                    <label for="image">Product Image:</label>
                                    <p>Upload an image to change it or leave
empty.</p>
                                    <input type="file" class="form-control-file"
id="image" name="image" accept="image/*"/>
                                </div>
                            </div>
                            <div class="col-12 mb-4">
                                <div class="form-group">
```

```
                                    <label for="time_to_make">Time to Make (in
MINUTES):</label>
                                    <input type="text" class="form-control"
id="time_to_make" name="time_to_make" placeholder="Time to Make" value="{{
$product->time_to_make }}"/>
                                </div>
                            </div>
                            <div class="col-12 mb-4">
                                <div class="form-group">
                                    <label>Product Ingredients:</label>
                                </div>
                                <div class="col-12 d-flex flex-wrap">
                                    @foreach($ingredients as $el)
                                        <div class="form-check col-lg-4 col-md-
6">
                                            <input class="form-check-input"
type="checkbox" value="{{ $el->id }}" id="ing-{{ $el->id }}" name="ingredients[]"
@if(in_array($el->id, $ingredients_selected)) checked @endif/>
                                            <label class="form-check-label"
for="ing-{{ $el->id }}">
                                                {{ $el->name }}
                                            </label>
                                        </div>
                                    @endforeach
                                </div>
                            </div>
                            <div class="col-12 mb-4">
                                <div class="form-group">
                                    <label>Product Extras:</label>
                                </div>
                                <div class="col-12 d-flex flex-wrap">
                                    @foreach($extras as $el)
                                        <div class="form-check col-lg-4 col-md-
6">
                                            <input class="form-check-input"
type="checkbox" value="{{ $el->id }}" id="ext-{{ $el->id }}" name="extras[]"
@if(in_array($el->id, $extras_selected)) checked @endif/>
                                            <label class="form-check-label"
for="ext-{{ $el->id }}">
                                                {{ $el->name }}
                                            </label>
                                        </div>
                                    @endforeach
                                </div>
                            </div>
```

```
                            <div class="form-group text-center pt-3">
                                <input type="submit" value="Change Product"
class="btn btn-primary py-3 px-5 col-12" name="submit"/>
                            </div>
                        </form>
                    </div>
                </div>
            </div>
        </div>
    </section>
@endsection
```

dish.blade.php

```
@extends('layouts.layout')

@section('title')
    Feliciano | {{ $product->name }}
@endsection

@section('description')
    {{ $product->name }} | {{ $product->description }}
@endsection

@section('keywords')
    Feliciano,restaurant,food,order,online,delivery
@endsection

@section('content')
    @include('fixed.title', ['title' => "$product->name", 'subtitle' => "Product
> " . $product->category_name->name . " > $product->name"])

    <section class="ftco-section">
        <div class="container">
            <div class="ftco-search">
                <div class="row d-flex flex-wrap">
                    <div class="col-lg-6 col-sm-12">
                        <p class="h1">{{ $product->name }}</p>
                        <p class="h3 border-bottom mb-3 pb-3">Category: {{
$product->category_name->name }}</p>
                        <p>{{ $product->description }}</p>
                        <p>
                            Ingredients:
                            @foreach($product->ingredients as $ing)
                                @if($loop->last)
                                    <span>{{ $ing->name }}</span>
                                @else
                                    <span>{{ $ing->name }}, </span>
                                @endif
                            @endforeach
                        </p>
                        <p>Time to make: <span class="font-weight-bold">{{
$product->time_to_make }} min.</span></p>
                        @if(session()->has('user'))
                            <div class="col-12 mb-3 pt-3 border-top">
                                <form action="#" method="POST" class="col-12">
                                    @csrf
```

```
                                    <input type="hidden" name="product_id"
id="product_id" value="{{ $product->id }}"/>
                                    @if(count($product->extras) != 0)
                                        <div class="col-12">
                                            <p class="label">Extras (FREE):</p>
                                        </div>
                                        <div class="col-12 d-flex flex-wrap mb-
4">
                                            @foreach($product->extras as $el)
                                                <div class="form-check col-lg-4
col-md-6">
                                                    <input class="form-check-
input" type="checkbox" value="{{ $el->id }}" id="{{ $el->id }}" name="extras"/>
                                                    <label class="form-check-
label" for="{{ $el->id }}">
                                                        {{ $el->name }}
                                                    </label>
                                                </div>
                                            @endforeach
                                        </div>
                                    @endif
                                    @if(count($product->prices) != 0)
                                        <div class="form-group">
                                            <label for="size">Portion
Size:</label>
                                            <div class="select-wrap one-third">
                                                <select name="size" id="size"
class="form-control">
                                                    @foreach($product->prices as
$el)
                                                        <option value="{{ $el->id
}}">{{ $el->quantity }}</option>
                                                    @endforeach
                                                </select>
                                            </div>
                                            <div class="col-12">
                                                <p class="h5 mt-2">Price: <span
id="product_price">{{ $first_price->price }}</span>&euro;</p>
                                            </div>
                                        </div>
                                        <div class="col-12" id="itemAddedToCart">
                                            <p class="h4">Product Added to
Order.</p>
                                        </div>
                                        <div class="form-group text-center pt-3">
```

```
                                        <input type="submit" value="Add to
Order" class="btn btn-primary py-3 px-5 col-12 preventDefault" name="submit"
id="submit_order_btn"/>
                                    </div>
                                @endif
                            </form>
                        </div>
                    @else
                        <div class="col-12 mb-3 pt-3 border-top">
                            <p class="h5"><a href="{{ route('login.form')
}}">Log In</a> to Add to Order</p>
                        </div>
                    @endif
                    @if(session()->has('user') && session()->get('user')-
>role > 0)
                        <div class="col-12 mt-5 border-top">
                            <p class="h4 mt-5 mb-3">Add/Remove Size and
Price:</p>
                            <div class="col-12 pb-5">
                                <p class="h5">Remove Existing Price and
Quantity:</p>
                                <form action="{{ route('deletePrice') }}"
method="POST">
                                    @csrf
                                    @method('DELETE')
                                    <input type="hidden" name="product"
value="{{ $product->id }}"/>
                                    <ul class="list-group">
                                        @foreach($product->prices as $el)
                                            <li class="list-group-item">
                                                <button type="submit"
class="btn btn-danger" name="id" value="{{ $el->id }}">Delete</button> <i
class="fa fa-long-arrow-right" aria-hidden="true"></i> {{ $el->quantity }} | {{
$el->price }}
                                            </li>
                                        @endforeach
                                    </ul>
                                </form>
                            </div>
                            <div class="col-12 border-top pt-5">
                                <p class="h5">Add Price and Quantity:</p>
                                <form class="col-12" action="{{
route('addPrice') }}" method="POST">
                                    @if($errors->any())
```

```
                                        <div class="col-md-12 ftco-animate
makereservation p-4 px-md-5 pb-md-5">
                                            <div class="alert alert-danger">
                                                <ul>
                                                    @foreach ($errors->all()
as $error)
                                                        <li>{{ $error }}</li>
                                                    @endforeach
                                                </ul>
                                            </div>
                                        </div>
                                    @endif
                                    @csrf
                                    <input type="hidden" name="product"
value="{{ $product->id }}"/>
                                    <div class="form-group">
                                        <label for="quantity">Size/Quantity
with measure unit:</label>
                                        <input type="text" class="form-
control" id="quantity" name="quantity" placeholder="Size/Quantity"/>
                                    </div>
                                    <div class="form-group">
                                        <label for="price">Price in
EURO:</label>
                                        <input type="number" step="any"
class="form-control" id="price" name="price" placeholder="Price"/>
                                    </div>
                                    <div class="form-group text-center pt-3">
                                        <input type="submit" value="Submit"
class="btn btn-primary py-3 px-5 col-12" name="submit_price"/>
                                    </div>
                                </form>
                            </div>
                        </div>
                    @endif
                </div>

                <div class="col-lg-6 col-sm-12">
                    <div class="col-12">
                        @if(session()->has('user') && session()->get('user')-
>role > 0)
                            <form action="{{ route('deleteProduct',
['product' => $product->id]) }}" method="POST">
                                @csrf
                                @method('DELETE')
```

```
                                    <input type="hidden" value="{{ $product->id
}}" name="product"/>
                                    <p class="mb-5 h4 font-weight-bold p-4 bg-
light d-flex justify-content-center">
                                        <a href="{{ route('changeProduct.form',
['product' => $product->id]) }}" class="">Change Product</a>
                                        <button type="submit" class="btn btn-
danger ml-3">Delete Product</button>
                                    </p>
                                </form>
                            @endif
                            <a href="#" class="block-20 preventDefault"
style="background-image: url({{ asset('assets/img/'.$product->image) }});"></a>
                        </div>
                        <div class="col-12 mb-5">
                            <form>
                                @csrf
                                <input type="hidden" name="product_id"
id="product_id" value="{{ $product->id }}"/>
                                <p class="mb-5 h4 font-weight-bold p-4 bg-
light"><span id="likes_number">0</span> likes @if(session()->has('user'))| <a
href="#" class="preventDefault" id="like">LIKE</a>@endif</p>
                            </form>
                            @if(session()->has('user'))
                                <div class="comment-form-wrap">
                                    <form action="{{ route('commentProduct') }}"
method="POST" class="p-4 p-md-5 bg-light">
                                        @csrf
                                        <input type="hidden" name="product_id"
id="product_id" value="{{ $product->id }}"/>
                                        <div class="form-group">
                                            <label for="comment">Post a
Comment</label>
                                            <textarea name="comment" id="comment"
name="comment" cols="30" rows="5" class="form-control"
maxlength="300"></textarea>
                                        </div>
                                        <div class="form-group">
                                            <input type="submit" value="Comment"
class="btn py-3 px-4 btn-primary preventDefault" id="submit_comment_btn"
name="submit_comment_btn"/>
                                        </div>
                                    </form>
                                </div>
                            @else
```

```
                            <p class="h3">Comments:</p>
                        @endif
                    </div>
                    <div class="col-12">
                        <ul class="comment-list" id="comments_display">
                            {{-- COMMENT SECTION --}}
                        </ul>
                    </div>
                </div>
            </div>
        </div>
    </section>
@endsection
```

dishes.blade.php

```
@extends('layouts.layout')

@section('title')
    Feliciano
@endsection

@section('description')
    Feliciano, a simple way of ordering high quality food.
@endsection

@section('keywords')
    Feliciano,restaurant,food
@endsection

@section('content')
    @include('fixed.title', ['title' => 'Our Menu', 'subtitle' => 'Create your
order, fast and easy.'])

    <section class="ftco-section">
        <div class="container">
            <div class="ftco-search">
                <div class="row">
                    <div class="col-12 d-flex flex-wrap mb-5 border-bottom">
                        <form action="#" method="POST" class="col-12 d-flex
justify-content-center">
                            <div class="col-lg-6 col-sm-12 col-12">
                                @csrf
                                <div class="form-group">
                                    <input type="text" name="search" id="search"
class="form-control" placeholder="Search within selected category..."/>
                                </div>
                                <div class="form-group">
                                    <input type="submit" name="search_btn"
id="search_btn" class="btn btn-primary py-3 px-5 col-12" value="Search"/>
                                </div>
                            </div>
                        </form>
                    </div>

                    <div class="col-md-12 nav-link-wrap">
                        <div class="nav nav-pills d-flex text-center" id="v-
pills-tab" role="tablist" aria-orientation="vertical">
                            @foreach($categories as $el)
```

```
                                <a class="nav-link ftco-animate category @if($el-
>name == 'Breakfast') active @endif" id="{{ $el->id }}" data-toggle="pill"
href="#v-pills-1" role="tab" aria-controls="v-pills-1" aria-selected="true">{{
$el->name }}</a>
                            @endforeach
                        </div>
                    </div>

                    <div class="col-md-12 tab-wrap d-flex flex-wrap"
id="productsDisplay">
                        @foreach($breakfast as $el)
                            <div class="col-md-4 ftco-animate">
                                <div class="blog-entry">
                                    <a href="{{ route('dish', ['product' => $el-
>id]) }}" class="block-20" style="background-image: url({{
asset('assets/img/'.$el->image) }});"></a>
                                    <div class="text pt-3 pb-4 px-4">
                                        <h3 class="heading"><a href="{{
route('dish', ['product' => $el->id]) }}">{{ $el->name }}</a></h3>
                                        <p>{{ $el->description }}</p>
                                        <p>
                                            @foreach($el->ingredients as $ing)
                                                @if($loop->last)
                                                    <span>{{ $ing->name }}</span>
                                                @else
                                                    <span>{{ $ing->name }},
</span>
                                                @endif
                                            @endforeach
                                        </p>
                                        <p>Time to make: <span class="font-
weight-bold">{{ $el->time_to_make }} min.</span></p>
                                        <div class="col-12 d-flex">
                                            <p><a href="{{ route('dish',
['product' => $el->id]) }}" class="btn btn-primary">Add to order</a></p>
                                        </div>
                                    </div>
                                </div>
                            </div>
                        @endforeach
                    </div>
                </div>
            </div>
        </div>
    </section>
```

```
@endsection
```

error.blade.php

```
@extends('layouts.layout')

@section('title')
    Feliciano
@endsection

@section('description')
    Feliciano, Error page.
@endsection

@section('keywords')
    Feliciano,restaurant,food,order,online,delivery
@endsection

@section('content')
    @include('fixed.title', ['title' => 'Error!', 'subtitle' => 'An error occured
in the process.'])

    <section class="ftco-section img" data-stellar-background-ratio="0.5">
        <div class="container">
            <div class="row d-flex">
                <div class="col-md-12 ftco-animate makereservation p-4 px-md-5
pb-md-5">
                    <div class="heading-section ftco-animate mb-5 text-center">
                        <span class="subheading">Error!</span>
                        <h2 class="mb-4">An error has happened.</h2>
                    </div>
                </div>
                @if($errors->any())
                    <div class="col-md-12 ftco-animate makereservation p-4 px-md-
5 pb-md-5">
                        <div class="alert alert-danger">
                            <ul>
                                @foreach ($errors->all() as $error)
                                    <li>{{ $error }}</li>
                                @endforeach
                            </ul>
                        </div>
                    </div>
                @endif
            </div>
        </div>
    </section> @endsection
```

home.blade.php

```
@extends('layouts.layout')

@section('title')
    Feliciano
@endsection

@section('description')
    Feliciano, a simple way of ordering high quality food.
@endsection

@section('keywords')
    Feliciano,restaurant,food
@endsection

@section('content')
    <section class="home-slider owl-carousel js-fullheight">
        @foreach($home_slider as $el)
            <div class="slider-item js-fullheight" style="background-image:
url({{ asset('assets/img/' . $el->image) }});">
                <div class="overlay"></div>
                <div class="container">
                    <div class="row slider-text js-fullheight justify-content-
center align-items-center" data-scrollax-parent="true">

                        <div class="col-md-12 col-sm-12 text-center ftco-
animate">
                            <span class="subheading">Feliciano</span>
                            <h1 class="mb-4">{{ $el->content }}</h1>
                        </div>

                    </div>
                </div>
            </div>
        @endforeach
    </section>

    <section class="ftco-section ftco-no-pt ftco-no-pb">
        <div class="container-fluid">
            <div class="row">
                <div class="col-md-12">
                    <div class="featured">
                        <div class="row">
                            @foreach($slider_dishes as $el)
```

```
                                <div class="col-md-3">
                                    <div class="featured-menus ftco-animate">
                                        <div class="menu-img img"
style="background-image: url({{ asset('assets/img/'.$el->image) }});"></div>
                                        <div class="text text-center">
                                            <h3>{{ $el->title }}</h3>
                                            <p>{{ $el->description }}</p>
                                        </div>
                                    </div>
                                </div>
                            @endforeach
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </section>

    <section class="ftco-section ftco-wrap-about">
        <div class="container">
            <div class="row">
                <div class="col-md-7 d-flex">
                    <div class="img img-1 mr-md-2" style="background-image:
url({{ asset('assets/img/about.jpg') }})"></div>
                    <div class="img img-2 ml-md-2" style="background-image:
url({{ asset('assets/img/about-1.jpg') }})"></div>
                </div>
                <div class="col-md-5 wrap-about pt-5 pt-md-5 pb-md-3 ftco-
animate">
                    <div class="heading-section mb-4 my-5 my-md-0">
                        <span class="subheading">About</span>
                        <h2 class="mb-4">Feliciano Restaurant</h2>
                    </div>
                    <p>Feliciano Restaurant is founded on the idea that in the
atmosphere of modern, busy life, everyone should have an option to eat healthy
and delicious food without cooking for hours.</p>
                    <p class="time">
                        <span>Mon - Fri <strong>9 AM - 11 PM</strong></span>
                        <span><a href="#">+ 1-978-123-4567</a></span>
                    </p>
                </div>
            </div>
        </div>
    </section>
```

```
    <section class="ftco-section ftco-counter img ftco-no-pt" id="section-
counter">
        <div class="container">
            <div class="row d-md-flex">
                <div class="col-md-9">
                    <div class="row d-md-flex align-items-center">
                        <div class="col-md-6 col-lg-3 mb-4 mb-lg-0 d-flex
justify-content-center counter-wrap ftco-animate">
                            <div class="block-18">
                                <div class="text">
                                    <strong class="number" data-
number="18">0</strong>
                                    <span>Years of Experienced</span>
                                </div>
                            </div>
                        </div>
                        <div class="col-md-6 col-lg-3 mb-4 mb-lg-0 d-flex
justify-content-center counter-wrap ftco-animate">
                            <div class="block-18">
                                <div class="text">
                                    <strong class="number" data-
number="30">0</strong>
                                    <span>Dishes</span>
                                </div>
                            </div>
                        </div>
                        <div class="col-md-6 col-lg-3 mb-4 mb-lg-0 d-flex
justify-content-center counter-wrap ftco-animate">
                            <div class="block-18">
                                <div class="text">
                                    <strong class="number" data-
number="20">0</strong>
                                    <span>Staff Members</span>
                                </div>
                            </div>
                        </div>
                        <div class="col-md-6 col-lg-3 mb-4 mb-lg-0 d-flex
justify-content-center counter-wrap ftco-animate">
                            <div class="block-18">
                                <div class="text">
                                    <strong class="number" data-
number="3000">0</strong>
                                    <span>Happy Customers</span>
                                </div>
                            </div>
```

```
                    </div>
                </div>
            </div>
            <div class="col-md-3 text-center text-md-left">
                <p>Our cooks are aspiring to make cooking an art!</p>
            </div>
        </div>
    </div>
</section>

<section class="ftco-section bg-light">
    <div class="container">
        <div class="row justify-content-center mb-5 pb-2">
            <div class="col-md-12 text-center heading-section ftco-animate">
                <span class="subheading">Services</span>
                <h2 class="mb-4">What We Do</h2>
            </div>
        </div>
        <div class="row">
            <div class="col-md-4 d-flex align-self-stretch ftco-animate text-
center">
                <div class="media block-6 services d-block">
                    <div class="icon d-flex justify-content-center align-
items-center">
                        <span class="flaticon-meeting"></span>
                    </div>
                    <div class="media-body p-2 mt-3">
                        <h3 class="heading">Cook Breakfast</h3>
                        <p>Our breakfast dishes are specially nutritive and
delicious, great for people on the run who don't have time to make their own
breakfast.</p>
                    </div>
                </div>
            </div>
            <div class="col-md-4 d-flex align-self-stretch ftco-animate text-
center">
                <div class="media block-6 services d-block">
                    <div class="icon d-flex justify-content-center align-
items-center">
                        <span class="flaticon-tray"></span>
                    </div>
                    <div class="media-body p-2 mt-3">
                        <h3 class="heading">Make Best Lunches</h3>
```

```
                        <p>Our lunch dishes are appreciated everywhere.
Families order them, business people for the office, fitness and sports
practitioners and many others.</p>
                    </div>
                </div>
            </div>
            <div class="col-md-4 d-flex align-self-stretch ftco-animate text-
center">
                <div class="media block-6 services d-block">
                    <div class="icon d-flex justify-content-center align-
items-center">
                        <span class="flaticon-cake"></span>
                    </div>
                    <div class="media-body p-2 mt-3">
                        <h3 class="heading">Event Preparation</h3>
                        <p>Events often need food, desert and drinks
supplied, so we offer event packages for birthday parties, weddings etc...</p>
                    </div>
                </div>
            </div>
        </div>
    </section>

    <section class="ftco-section">
        <div class="container">
            <div class="row justify-content-center mb-5 pb-2">
                <div class="col-md-12 text-center heading-section ftco-animate">
                    <span class="subheading">Chef</span>
                    <h2 class="mb-4">Our Master Chef</h2>
                </div>
            </div>
            <div class="row">
                @foreach($chefs as $el)
                    <div class="col-md-6 col-lg-3 ftco-animate">
                        <div class="staff">
                            <div class="img" style="background-image: url({{
asset('assets/img/'.$el->image) }});"></div>
                            <div class="text pt-4">
                                <h3>{{ $el->name }}</h3>
                                <span class="position mb-2">{{ $el->title
}}</span>
                                <div class="faded">
                                    <ul class="ftco-social d-flex">
                                        @foreach($links as $el)
```

```
                                        @if($el->image)
                                            <li class="ftco-animate"><a
href="{{ $el->href }}" target="_blank"><span class="{{ $el->image
}}"></span></a></li>
                                        @endif
                                    @endforeach
                                </ul>
                            </div>
                        </div>
                    </div>
                @endforeach
            </div>
        </div>
    </section>

    {{-- Register Form --}}
    @if(!session()->has('user'))
        @include('partials.register', ['image_exists' => 'yes'])
    @endif

    <section class="ftco-section testimony-section img">
        <div class="overlay"></div>
        <div class="container">
            <div class="row justify-content-center mb-5">
                <div class="col-md-12 text-center heading-section ftco-animate">
                    <span class="subheading">Testimony</span>
                    <h2 class="mb-4">of Happy Customers</h2>
                </div>
            </div>
            <div class="row ftco-animate justify-content-center">
                <div class="col-md-12">
                    <div class="carousel-testimony owl-carousel ftco-owl">
                        @foreach($testimonies as $el)
                            <div class="item">
                                <div class="testimony-wrap text-center pb-5">
                                    <div class="user-img mb-4" style="background-
image: url({{ asset('assets/img/'.$el->image) }})">
                                        <span class="quote d-flex align-items-
center justify-content-center">
                                            <i class="icon-quote-left"></i>
                                        </span>
                                    </div>
                                    <div class="text p-3">
                                        <p class="name">{{ $el->name }}</p>
```

```
                                        <span class="position">{{ $el->role
}}</span>
                                        <p class="mb-4">{{ $el->content }}</p>
                                    </div>
                                </div>
                            </div>
                        @endforeach
                    </div>
                </div>
            </div>
        </div>
    </section>
@endsection
```

login.blade.php

```
@extends('layouts.layout')

@section('title')
    Feliciano Log In Form
@endsection

@section('description')
    Feliciano, Log In to order online.
@endsection

@section('keywords')
    Feliciano,restaurant,food,order,online,delivery
@endsection

@section('content')
    @include('fixed.title', ['title' => 'Log In', 'subtitle' => 'to an existing
account to order online.'])

    <section class="ftco-section img" data-stellar-background-ratio="0.5">
        <div class="container">
            @if(!session()->has('user'))
            <div class="row d-flex">
                <div class="col-md-12 ftco-animate makereservation p-4 px-md-5
pb-md-5">
                    <div class="heading-section ftco-animate mb-5 text-center">
                        <span class="subheading">Feliciano</span>
                        <h2 class="mb-4">Log In Form</h2>
                    </div>
                    <form action="{{ route('login') }}" method="POST">
                        @csrf
                        <div class="row">
                            <div class="col-md-6">
                                <div class="form-group">
                                    <label for="email">Email</label>
                                    <input type="text" name="email" class="form-
control" placeholder="Your Email"/>
                                </div>
                            </div>
                            <div class="col-md-6">
                                <div class="form-group">
                                    <label for="password">Password</label>
                                    <input type="password" name="password"
class="form-control" placeholder="Password"/>
```

```
                            </div>
                        </div>
                        <div class="col-md-12 mt-3">
                            <div class="form-group text-center">
                                <input type="submit" name="submit" value="Log
In" class="btn btn-primary py-3 px-5">
                            </div>
                        </div>
                    </div>
                </form>
            </div>

            @if($errors->any())
                <div class="col-md-12 ftco-animate makereservation p-4 px-md-
5 pb-md-5">
                    <div class="alert alert-danger">
                        <ul>
                            @foreach ($errors->all() as $error)
                                <li>{{ $error }}</li>
                            @endforeach
                        </ul>
                    </div>
                </div>
            @endif
        </div>
        @else
        <div class="col-md-12 ftco-animate makereservation p-4 px-md-5 pb-md-
5">
            <div class="heading-section ftco-animate mb-5 text-center">
                <span class="subheading">Oops!</span>
                <h2 class="mb-4">You are already logged in.</h2>
            </div>
        </div>
        @endif
    </div>
</section>
@endsection
```

my_account.blade.php

```
@extends('layouts.layout')

@section('title')
    Feliciano | {{ session()->get('user')->name }} {{ session()->get('user')-
>last_name }}
@endsection

@section('description')
    Feliciano, My Account Page | {{ session()->get('user')->name }} {{ session()-
>get('user')->last_name }}
@endsection

@section('keywords')
    Feliciano,restaurant,food,order,online,account,Account
@endsection

@section('content')
    @include('fixed.title', ['title' => session()->get('user')->name.'
'.session()->get('user')->last_name, 'subtitle' => 'View and Change Your Account
Settings.'])

    <section class="ftco-section img" data-stellar-background-ratio="0.5">
        <div class="container">
            <div class="row d-flex">
                <div class="col-md-12 ftco-animate makereservation p-4 px-md-5
pb-md-5 d-flex flex-wrap">
                    <div class="col-lg-6 col-sm-12">
                        <div class="col-12">
                            <div class="about-author d-flex p-4 bg-light">
                                <div class="desc">
                                    <h3>Account Information:</h3>
                                    <p>Name: {{ $user->name }} {{ $user-
>last_name }}</p>
                                    <p>Email: {{ $user->email }}</p>
                                    <p>Phone number: {{ $user->phone }}</p>
                                    <p>Address: {{ $user->address }}</p>
                                    <p>Municipality: {{ $user->municipality
}}</p>
                                    <p> Role:
                                        @if($user->role == 0) Customer / User
                                        @elseif($user->role == 1) Employee
                                        @else Admin
                                        @endif
```

```
                                    </p>
                                </div>
                            </div>
                        </div>
                        <div class="col-lg-6 col-sm-12">
                            <form action="{{ route('changeAccountInfo') }}"
method="POST" class="col-12">
                                <p class="h4 mb-4">Change Information:</p>
                                @csrf
                                <div class="col-12">
                                    <div class="form-group">
                                        <label for="phone">Phone Number</label>
                                        <input type="text" name="phone" class="form-
control" placeholder="Your Phone" value="{{ $user->phone }}"/>
                                    </div>
                                </div>
                                <div class="col-12">
                                    <div class="form-group">
                                        <label for="address">Address</label>
                                        <input type="text" name="address"
class="form-control" placeholder="Your Address" value="{{ $user->address }}"/>
                                    </div>
                                </div>
                                <div class="col-12">
                                    <div class="form-group">
                                        <label
for="municipality">Municipality</label>
                                        <input type="text" name="municipality"
class="form-control" placeholder="Voždovac, Stari Grad, etc." value="{{ $user-
>municipality }}"/>
                                    </div>
                                </div>
                                <div class="col-12 mt-4">
                                    <div class="form-group text-center">
                                        <input type="submit" name="submit"
value="Register" class="btn btn-primary py-3 px-5 col-12">
                                    </div>
                                </div>
                                @if($errors->any())
                                    <div class="col-12 ftco-animate makereservation
p-4 px-md-5 pb-md-5">
                                        <div class="alert alert-danger">
                                            <ul>
                                                @foreach ($errors->all() as $error)
```

```
                                        <li>{{ $error }}</li>
                                    @endforeach
                                </ul>
                            </div>
                        </div>
                    @endif
                </form>
            </div>
        </div>
    </div>
</section>
@endsection
```

no_access.blade.php

```
@extends('layouts.layout')

@section('title')
    Feliciano
@endsection

@section('description')
    Feliciano, No access.
@endsection

@section('keywords')
    Feliciano,restaurant,food,order,online,delivery
@endsection

@section('content')
    @include('fixed.title', ['title' => 'No Access!', 'subtitle' => 'Sorry.'])

    <section class="ftco-section img" data-stellar-background-ratio="0.5">
        <div class="container">
            <div class="row d-flex">
                <div class="col-md-12 ftco-animate makereservation p-4 px-md-5
pb-md-5">
                    <div class="heading-section ftco-animate mb-5 text-center">
                        <span class="subheading">No Access!</span>
                        <h2 class="mb-4">You don't have a permission to access
this page.</h2>
                    </div>
                </div>
                @if($errors->any())
                    <div class="col-md-12 ftco-animate makereservation p-4 px-md-
5 pb-md-5">
                        <div class="alert alert-danger">
                            <ul>
                                @foreach ($errors->all() as $error)
                                    <li>{{ $error }}</li>
                                @endforeach
                            </ul>
                        </div>
                    </div>
                @endif
            </div>
        </div>
    </section>@endsection
```

order_submitted.blade.php

```
@extends('layouts.layout')

@section('title')
    Feliciano
@endsection

@section('description')
    Feliciano, Order Submitted Successfully.
@endsection

@section('keywords')
    Feliciano,restaurant,food,order,online,delivery
@endsection

@section('content')
    @include('fixed.title', ['title' => 'Order Submitted!', 'subtitle' => ''])

    <section class="ftco-section img" data-stellar-background-ratio="0.5">
        <div class="container">
            <div class="row d-flex">
                <div class="col-md-12 ftco-animate makereservation p-4 px-md-5
pb-md-5">
                    <div class="heading-section ftco-animate mb-5 text-center">
                        <span class="subheading">Thank You!</span>
                        <h2 class="mb-4">You have successfully submitted your
order.</h2>
                    </div>
                    <div class="col-12 d-flex justify-content-center border-top">
                        <div class="col-lg-8 col-sm-12 text-center pt-5">
                            @include('partials.order_delivery_info')
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </section>
@endsection
```

order.blade.php

```
@extends('layouts.layout')

@section('title')
    Feliciano | Your Order
@endsection

@section('description')
    Feliciano, Products in your cart/order currently.
@endsection

@section('keywords')
    Feliciano,restaurant,food,order,online,order
@endsection

@section('content')
    @include('fixed.title', ['title' => 'Your Order:', 'subtitle' => 'Preview and
submit your final order.'])

    <section class="ftco-section img" data-stellar-background-ratio="0.5">
        <div class="container">
            <div class="row d-flex">
                <div class="col-md-12 ftco-animate p-2 px-md-5 pb-md-5">
                    <div class="col-md-12 tab-wrap d-flex flex-wrap border-
bottom">
                        @if(count($cart_products) > 0)
                            @foreach($cart_products as $el)
                                <div class="col-md-4 ftco-animate">
                                    <div class="blog-entry">
                                        <a href="{{ route('dish', ['product' =>
$el->productObj->id]) }}" class="block-20" style="background-image: url({{
asset('assets/img/'.$el->productObj->image) }});"></a>
                                        <div class="text pt-3 pb-4 px-4">
                                            <h3 class="heading"><a href="{{
route('dish', ['product' => $el->productObj->id]) }}">{{ $el->productObj->name
}}</a></h3>
                                            @if(!empty($el->extras))
                                                <p>With:
                                                    @foreach($el->extras as
$extra)

                                                        @if($loop->last)
                                                            <span>{{ $extra->name
}}</span>

                                                        @else
```

```
                                                    <span>{{ $extra->name
}}, </span>
                                                @endif
                                            @endforeach
                                        </p>
                                    @endif
                                    <p>Size: <span class="font-weight-
bold">{{ $el->priceObj->quantity }}</span></p>
                                    <p>Price: <span class="font-weight-
bold">{{ $el->priceObj->price }}&euro;</span></p>
                                    <div class="col-12 d-flex">
                                        <form action="{{
route('deleteSelectedOrder') }}" method="POST">
                                            @csrf
                                            @method('DELETE')
                                            <input type="hidden"
name="id" value="{{ $el->id }}"/>
                                            <button type="submit"
name="submit" class="btn btn-danger">Remove</button>
                                        </form>
                                    </div>
                                </div>
                            </div>
                        </div>
                    @endforeach
                @else
                    <div class="col-12">
                        <p class="h2">Your Order Cart Is Empty.</p>
                    </div>
                @endif
            </div>
            <div class="col-12 pt-5 d-flex flex-wrap">
                <div class="col-lg-6 col-sm-12">
                    <p class="h3 mb-4">Total Price: <span class="font-
weight-bold">{{ $total }}&euro;</span></p>
                    <form action="{{ route('submitOrder') }}"
method="POST">
                        @csrf
                        @if(count($cart_products) > 0)
                            <div class="form-group">
                                <input type="submit" name="submit"
value="Submit Order" class="btn btn-primary py-3 px-5">
                            </div>
                        @else
                            <div class="form-group">
```

```
                                        <input type="submit" name="submit"
value="Submit Order" class="btn btn-primary py-3 px-5 preventDefault">
                                    </div>
                                @endif
                            </form>
                        </div>
                        <div class="col-lg-6 col-sm-12">
                            @include('partials.order_delivery_info')
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </section>
@endsection
```

orders.blade.php

```
@extends('layouts.layout')

@section('title')
    Feliciano
@endsection

@section('description')
    Feliciano, Pending Orders.
@endsection

@section('keywords')
    Feliciano,restaurant,food,order,online,delivery,orders
@endsection

@section('content')
    @include('fixed.title', ['title' => 'Pending Orders:', 'subtitle' => 'Manage
orders here'])

    <section class="ftco-section img" data-stellar-background-ratio="0.5">
        <div class="container">
            <div class="row d-flex">
                <div class="col-md-12 ftco-animate makereservation p-4 px-md-5
pb-md-5">
                    <div class="col-12">
                        @if(count($orders) != 0)
                            @foreach($orders as $order)
                                <div class="col-12 d-flex flex-wrap border-bottom
pb-5 mb-5">
                                    <div class="col-lg-6 col-sm-12 border-right">
                                        <p class="h3 mb-4">User Data:</p>
                                        <p class="h4 border-top">{{ $order-
>order_user->name }} {{ $order->order_user->last_name }}</p>
                                        <p>Address: <b>{{ $order->order_user-
>address }}</b></p>
                                        <p>Municipality: <b>{{ $order-
>order_user->municipality }}</b></p>
                                        <p>Email: <b>{{ $order->order_user->email
}}</b></p>
                                        <p>Phone: <b>{{ $order->order_user->phone
}}</b></p>
                                        <p>At: {{ $order->time }}</p>
                                        <form action="{{ route('shipOrRefuse')
}}" method="POST" class="pt-4">
```

```
                                        @csrf
                                        <input type="hidden" name="order"
value="{{ $order->id }}"/>
                                        <button type="submit" class="btn btn-
primary" name="submit" value="1">Ship Order</button>
                                        <button type="submit" class="btn btn-
danger" name="submit" value="2">Refuse Order</button>
                                    </form>
                                </div>
                                <div class="col-lg-6 col-sm-12 d-flex flex-
wrap">
                                    <div class="col-12">
                                        <p class="h3 mb-4">Order
Products:</p>
                                    </div>
                                    <div class="col-12">
                                    @foreach($products as $product)
                                        @if($order->id == $product->order)
                                            <div class="col-12 mb-4">
                                                <p class="h4 border-top">{{
$product->product_data->name }}</p>
                                                @if(count($product->extras)
!= 0)
                                                    <p><b>Extras:</b></p>
                                                    <ul class="d-flex flex-
wrap">
                                                        @foreach($product-
>extras as $extra)
                                                            <li class="col-
lg-6 col-sm-12">{{ $extra->name }}</li>
                                                        @endforeach
                                                    </ul>
                                                @endif
                                                <p><b>Quantity:</b> {{
$product->price_data->quantity }}</p>
                                                <p><b>Price:</b> {{ $product-
>price_data->price }}&euro;</p>
                                            </div>
                                        @endif
                                    @endforeach
                                    </div>
                                </div>
                            </div>
                        @endforeach
                    @else
```

```
                            <div class="col-12 d-flex flex-wrap border-bottom pb-
5 mb-5">
                                <p class="h2">There are no orders at the
moment.</p>
                            </div>
                        @endif
                    </div>
                </div>
            </div>
        </div>
    </section>
@endsection
```

register.blade.php

```
@extends('layouts.layout')

@section('title')
    Feliciano Registration Form
@endsection

@section('description')
    Feliciano, Register to order online.
@endsection

@section('keywords')
    Feliciano,restaurant,food,order,online,delivery
@endsection

@section('content')
    @include('fixed.title', ['title' => 'Register', 'subtitle' => 'Register a new
account'])

    @include('partials.register', ['image_exists' => 'no'])
@endsection
```

ADMIN PANEL PAGES

accounts.blade.php

```
@extends('layouts.admin')

@section('content')

<div class="content-wrapper">
    <div class="row">
        <div class="col-md-7 grid-margin stretch-card">
            <div class="card">
                <div class="card-body">
                    <p class="card-title mb-0">Users:</p>
                    <div class="table-responsive">
                        <table class="table table-striped table-borderless">
                            <thead>
                            <tr>
                                <th>Id</th>
                                <th>Full Name</th>
                                <th>Email</th>
                                <th>Phone</th>
                                <th>Address</th>
                                <th>Role</th>
                            </tr>
                            </thead>
                            <tbody>
                                @foreach($table as $el)
                                    <tr>
                                        <th>{{ $el->id }}</th>
                                        <th>{{ $el->name }} {{ $el->last_name
}}</th>
                                        <th>{{ $el->email }}</th>
                                        <th>{{ $el->phone }}</th>
                                        <th>{{ $el->address }}</th>
                                        <th>{{ $el->role }}</th>
                                    </tr>
                                @endforeach
                            </tbody>
                        </table>
                    </div>
                </div>
            </div>
        </div>

        <div class="col-md-5 grid-margin stretch-card">
```

```
            <div class="card">
                <div class="card-body">
                    <h4 class="card-title">Update User Role:</h4>
                    <div class="pt-2">
                        <form class="col-12" action="{{
route('admin_accounts_update') }}" method="POST">
                            <div class="form-group">
                                <label for="user_id">User Id</label>
                                <select class="form-control" id="user_id"
name="user_id">
                                    @foreach($table as $el)
                                        <option value="{{ $el->id }}">{{ $el->id
}}</option>
                                    @endforeach
                                </select>
                            </div>

                            <div class="form-group">
                                <label for="role">New User Role</label>
                                <select class="form-control" id="role"
name="role">
                                    <option value="0">User</option>
                                    <option value="1">Employee</option>
                                    <option value="2">Admin</option>
                                </select>
                            </div>

                            @csrf
                            <button type="submit" class="btn btn-
primary">Submit</button>
                        </form>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

@endsection
```

admin.blade.php

```
@extends('layouts.admin')

@section('content')

<div class="content-wrapper">
    <div class="row">
        <div class="col-md-12 grid-margin">
            <div class="row">
                <div class="col-12 col-xl-8 mb-4 mb-xl-0">
                    <h3 class="font-weight-bold">Welcome {{ $user->name }}</h3>
                    <h6 class="font-weight-normal mb-0">All systems are running
smoothly!</h6>
                </div>
            </div>
        </div>
    </div>
    <div class="row">
        <div class="col-md-6 grid-margin stretch-card">
            <div class="card tale-bg">
                <div class="card-people mt-auto">
                    <img src="{{
asset('assets/admin/images/dashboard/people.svg') }}" alt="people">
                    <div class="weather-info">
                        <div class="d-flex">
                            <div>
                                <h2 class="mb-0 font-weight-normal">{{
$active_orders }}</h2>
                            </div>
                            <div class="ml-2">
                                <h4 class="location font-weight-normal">Active
Orders</h4>
                                <h6 class="font-weight-normal">Right Now</h6>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>

        <div class="col-md-6 grid-margin transparent">
            <div class="row">
                <div class="col-md-6 mb-4 stretch-card transparent">
                    <div class="card card-tale">
```

```
                    <div class="card-body">
                        <p class="mb-4">Total Orders</p>
                        <p class="fs-30 mb-2">{{ $all_orders }}</p>
                        <p>Active and Inactive Orders Total</p>
                    </div>
                </div>
            </div>
            <div class="col-md-6 mb-4 stretch-card transparent">
                <div class="card card-dark-blue">
                    <div class="card-body">
                        <p class="mb-4">Inactive Orders</p>
                        <p class="fs-30 mb-2">{{ $inactive_orders }}</p>
                        <p>Shipped Orders Total</p>
                    </div>
                </div>
            </div>
        </div>
        <div class="row">
            <div class="col-md-6 mb-4 mb-lg-0 stretch-card transparent">
                <div class="card card-light-blue">
                    <div class="card-body">
                        <p class="mb-4">Products in Carts</p>
                        <p class="fs-30 mb-2">{{ $in_carts }}</p>
                        <p>All Items in User Carts Currently</p>
                    </div>
                </div>
            </div>
            <div class="col-md-6 stretch-card transparent">
                <div class="card card-light-danger">
                    <div class="card-body">
                        <p class="mb-4">Number of Users</p>
                        <p class="fs-30 mb-2">{{ $all_users }}</p>
                        <p>Total Registered Accounts</p>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>



<div class="row">
    <div class="col-md-4 stretch-card grid-margin">
        <div class="card">
```

```
                <div class="card-body">
                    <p class="card-title mb-0">Latest Registered Users</p>
                    <div class="table-responsive">
                        <table class="table table-borderless">
                            <thead>
                            <tr>
                                <th class="pl-0  pb-2 border-bottom">Name</th>
                                <th class="border-bottom pb-2">Id</th>
                                <th class="border-bottom pb-2">Municipality</th>
                            </tr>
                            </thead>
                            <tbody>
                                @foreach($newest_users as $user)
                                    <tr>
                                        <td class="pl-0">{{ $user->name }} {{
$user->last_name }}</td>
                                        <td><p class="mb-0"><span class="font-
weight-bold mr-2">{{ $user->id }}</span></p></td>
                                        <td class="text-muted">{{ $user-
>municipality }}</td>
                                    </tr>
                                @endforeach
                            </tbody>
                        </table>
                    </div>
                </div>
            </div>
        </div>

        <div class="col-md-4 stretch-card grid-margin">
            <div class="card">
                <div class="card-body">
                    <p class="card-title">Categories By Popularity</p>
                    <ul class="icon-data-list">
                        @foreach($categories_popularity as $el)
                            <li class="mb-4">
                                <div class="d-flex">
                                    <div>
                                        <p class="text-info mb-1 h5">Category: {{
$el->name }}</p>
                                        <p class="mb-0">Total Number of Products
Bought: {{ $el->products->count() }}</p>
                                    </div>
                                </div>
                            </li>
```

```
                        @endforeach
                    </ul>
                </div>
            </div>
        </div>

        <div class="col-md-4 stretch-card grid-margin">
            <div class="row">
                <div class="col-md-12 stretch-card grid-margin grid-margin-md-0">
                    <div class="card data-icon-card-primary">
                        <div class="card-body">
                            <p class="card-title text-white">Current Orders
Value</p>
                            <div class="row">
                                <div class="col-8 text-white">
                                    <h3>{{ $current_orders_value }}&euro;</h3>
                                    <p class="text-white font-weight-500 mb-
0">The total sum of all currently active orders price.</p>
                                </div>
                                <div class="col-4 background-icon">
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>

    </div>

</div>
<!-- content-wrapper ends -->

@endsection
```

categories.blade.php

```
@extends('layouts.admin')

@section('content')

    <div class="content-wrapper">
        <div class="row">
            <div class="col-md-7 grid-margin stretch-card">
                <div class="card">
                    <div class="card-body">
                        <p class="card-title mb-0">Categories:</p>
                        <div class="table-responsive">
                            <table class="table table-striped table-borderless">
                                <thead>
                                <tr>
                                    <th>Id</th>
                                    <th>Name</th>
                                </tr>
                                </thead>
                                <tbody>
                                @foreach($table as $el)
                                    <tr>
                                        <th>{{ $el->id }}</th>
                                        <th>{{ $el->name }}</th>
                                    </tr>
                                @endforeach
                                </tbody>
                            </table>
                        </div>
                    </div>
                </div>
            </div>

            <div class="col-md-5 grid-margin stretch-card">
                <div class="card">
                    <div class="card-body">
                        <h4 class="card-title">Update Category Name:</h4>
                        <div class="pt-2">
                            <form class="col-12" action="{{
route('admin_categories_update') }}" method="POST">
                                <div class="form-group">
                                    <label for="category_id">Category Id</label>
                                    <select class="form-control" id="category_id"
name="category_id">
```

```
                                        @foreach($table as $el)
                                            <option value="{{ $el->id }}">{{ $el-
>id }}</option>
                                        @endforeach
                                    </select>
                                </div>

                                <input class="form-control form-control-lg mb-3"
type="text" name="name" placeholder="Enter new name here."/>

                                @csrf
                                <button type="submit" class="btn btn-
primary">Submit</button>
                            </form>
                        </div>
                    </div>
                </div>
            </div>
        </div>

@endsection
```

comments.blade.php

```
@extends('layouts.admin')

@section('content')

    <div class="content-wrapper">
        <div class="row">
            <div class="col-md-7 grid-margin stretch-card">
                <div class="card">
                    <div class="card-body">
                        <p class="card-title mb-0">Comments:</p>
                        <div class="table-responsive">
                            <table class="table table-striped table-borderless">
                                <thead>
                                <tr>
                                    <th>Id</th>
                                    <th>Product Id</th>
                                    <th>User Id</th>
                                    <th>Content</th>
                                    <th>Delete</th>
                                </tr>
                                </thead>
                                <tbody>
                                @foreach($table as $el)
                                    <tr>
                                        <th>{{ $el->id }}</th>
                                        <th>{{ $el->product }}</th>
                                        <th>{{ $el->user }}</th>
                                        <th>{{ $el->content }}</th>
                                        <th>
                                            <form action="{{
route('admin_comments_delete') }}" method="POST">
                                                @csrf
                                                @method('DELETE')
                                                <input type="hidden"
name="comment_id" value="{{ $el->id }}"/>
                                                <button type="submit" class="btn
btn-danger btn-sm">Delete</button>
                                            </form>
                                        </th>
                                    </tr>
                                @endforeach
                                </tbody>
                            </table>
```

```
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

@endsection
```

extras.blade.php

```
@extends('layouts.admin')

@section('content')

    <div class="content-wrapper">
        <div class="row">
            <div class="col-md-7 grid-margin stretch-card">
                <div class="card">
                    <div class="card-body">
                        <p class="card-title mb-0">Extras:</p>
                        <div class="table-responsive">
                            <table class="table table-striped table-borderless">
                                <thead>
                                <tr>
                                    <th>Id</th>
                                    <th>Name</th>
                                    <th>Delete</th>
                                </tr>
                                </thead>
                                <tbody>
                                @foreach($table as $el)
                                    <tr>
                                        <th>{{ $el->id }}</th>
                                        <th>{{ $el->name }}</th>
                                        <th>
                                            <form action="{{
route('admin_extras_delete') }}" method="POST">
                                                @csrf
                                                @method('DELETE')
                                                <input type="hidden"
name="extra_id" value="{{ $el->id }}"/>
                                                <button type="submit" class="btn
btn-danger btn-sm">Delete</button>
                                            </form>
                                        </th>
                                    </tr>
                                @endforeach
                                </tbody>
                            </table>
                        </div>
                    </div>
                </div>
            </div>
```

```
            <div class="col-md-5 grid-margin stretch-card">
                <div class="card">
                    <div class="card-body">
                        <h4 class="card-title">Add Extra:</h4>
                        <div class="pt-2">
                            <form class="col-12" action="{{
route('admin_extras_update') }}" method="POST">
                                <input class="form-control form-control-lg mb-3"
type="text" name="name" placeholder="Extra name..."/>
                                @csrf
                                <button type="submit" class="btn btn-
primary">Submit</button>
                            </form>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

@endsection
```

ingredients.php

```
@extends('layouts.admin')

@section('content')

    <div class="content-wrapper">
        <div class="row">
            <div class="col-md-7 grid-margin stretch-card">
                <div class="card">
                    <div class="card-body">
                        <p class="card-title mb-0">Ingredients:</p>
                        <div class="table-responsive">
                            <table class="table table-striped table-borderless">
                                <thead>
                                <tr>
                                    <th>Id</th>
                                    <th>Name</th>
                                    <th>Delete</th>
                                </tr>
                                </thead>
                                <tbody>
                                @foreach($table as $el)
                                    <tr>
                                        <th>{{ $el->id }}</th>
                                        <th>{{ $el->name }}</th>
                                        <th>
                                            <form action="{{
route('admin_ingredients_delete') }}" method="POST">
                                                @csrf
                                                @method('DELETE')
                                                <input type="hidden"
name="ing_id" value="{{ $el->id }}"/>
                                                <button type="submit" class="btn
btn-danger btn-sm">Delete</button>
                                            </form>
                                        </th>
                                    </tr>
                                @endforeach
                                </tbody>
                            </table>
                        </div>
                    </div>
                </div>
            </div>
```

```
            <div class="col-md-5 grid-margin stretch-card">
                <div class="card">
                    <div class="card-body">
                        <h4 class="card-title">Add Ingredient:</h4>
                        <div class="pt-2">
                            <form class="col-12" action="{{
route('admin_ingredients_update') }}" method="POST">
                                <input class="form-control form-control-lg mb-3"
type="text" name="name" placeholder="Extra name..."/>
                                @csrf
                                <button type="submit" class="btn btn-
primary">Submit</button>
                            </form>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

@endsection
```

links.blade.php

```
@extends('layouts.admin')

@section('content')

    <div class="content-wrapper">
        <div class="row">
            <div class="col-md-7 grid-margin stretch-card">
                <div class="card">
                    <div class="card-body">
                        <p class="card-title mb-0">Categories:</p>
                        <div class="table-responsive">
                            <table class="table table-striped table-borderless">
                                <thead>
                                <tr>
                                    <th>Id</th>
                                    <th>Name</th>
                                </tr>
                                </thead>
                                <tbody>
                                @foreach($table as $el)
                                    <tr>
                                        <th>{{ $el->id }}</th>
                                        <th>{{ $el->name }}</th>
                                    </tr>
                                @endforeach
                                </tbody>
                            </table>
                        </div>
                    </div>
                </div>
            </div>

            <div class="col-md-5 grid-margin stretch-card">
                <div class="card">
                    <div class="card-body">
                        <h4 class="card-title">Update Link:</h4>
                        <div class="pt-2">
                            <form class="col-12" action="{{
route('admin_categories_update') }}" method="POST">
                                <div class="form-group">
                                    <label for="category_id">Category Id</label>
                                    <select class="form-control" id="category_id"
name="category_id">
```

```
                                        @foreach($table as $el)
                                            <option value="{{ $el->id }}">{{ $el-
>id }}</option>
                                        @endforeach
                                    </select>
                                </div>

                                <input class="form-control form-control-lg mb-3"
type="text" name="name" placeholder="Enter new name here."/>

                                @csrf
                                <button type="submit" class="btn btn-
primary">Submit</button>
                            </form>
                        </div>
                    </div>
                </div>
            </div>
        </div>

@endsection
```

navs.blade.php

```
@extends('layouts.admin')

@section('content')

    <div class="content-wrapper">
        <div class="row">
            <div class="col-md-7 grid-margin stretch-card">
                <div class="card">
                    <div class="card-body">
                        <p class="card-title mb-0">Navigation Elements:</p>
                        <div class="table-responsive">
                            <table class="table table-striped table-borderless">
                                <thead>
                                <tr>
                                    <th>Id</th>
                                    <th>Name</th>
                                    <th>Route</th>
                                    <th>Position</th>
                                    <th>LogIn Status</th>
                                </tr>
                                </thead>
                                <tbody>
                                @foreach($table as $el)
                                    <tr>
                                        <th>{{ $el->id }}</th>
                                        <th>{{ $el->name }}</th>
                                        <th>{{ $el->href }}</th>
                                        <th>{{ $el->position }}</th>
                                        <th>{{ $el->login_status }}</th>
                                    </tr>
                                @endforeach
                                </tbody>
                            </table>
                        </div>
                    </div>
                </div>
            </div>

            <div class="col-md-5 grid-margin stretch-card">
                <div class="card">
                    <div class="card-body">
                        <h4 class="card-title">Update Navigation Element
Position:</h4>
```

```
                        <div class="pt-2">
                            <form class="col-12" action="{{
route('admin_navs_update') }}" method="POST">
                                <div class="form-group">
                                    <label for="nav_id">Navigation Element
Id</label>
                                    <select class="form-control" id="nav_id"
name="nav_id">
                                        @foreach($table as $el)
                                            <option value="{{ $el->id }}">{{ $el-
>id }}</option>
                                        @endforeach
                                    </select>
                                </div>

                                <div class="form-group">
                                    <label for="position">New Position
Value</label>
                                    <select class="form-control" id="position"
name="position">
                                        @for($i = 0; $i <= 99; $i++)
                                            <option value="{{ $i }}">{{ $i
}}</option>
                                        @endfor
                                    </select>
                                </div>

                                @csrf
                                <button type="submit" class="btn btn-
primary">Submit</button>
                            </form>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

@endsection
```

orders.blade.php

```
@extends('layouts.admin')

@section('content')

    <div class="content-wrapper">
        <div class="row">
            <div class="col-md-7 grid-margin stretch-card">
                <div class="card">
                    <div class="card-body">
                        <p class="card-title mb-0">Top Products</p>
                        <div class="table-responsive">
                            <table class="table table-striped table-borderless">
                                <thead>
                                <tr>
                                    <th>Product</th>
                                    <th>Price</th>
                                    <th>Date</th>
                                    <th>Status</th>
                                </tr>
                                </thead>
                                <tbody>
                                <tr>
                                    <td>Search Engine Marketing</td>
                                    <td class="font-weight-bold">$362</td>
                                    <td>21 Sep 2018</td>
                                    <td class="font-weight-medium"><div
class="badge badge-success">Completed</div></td>
                                </tr>
                                <tr>
                                    <td>Search Engine Optimization</td>
                                    <td class="font-weight-bold">$116</td>
                                    <td>13 Jun 2018</td>
                                    <td class="font-weight-medium"><div
class="badge badge-success">Completed</div></td>
                                </tr>
                                <tr>
                                    <td>Display Advertising</td>
                                    <td class="font-weight-bold">$551</td>
                                    <td>28 Sep 2018</td>
                                    <td class="font-weight-medium"><div
class="badge badge-warning">Pending</div></td>
                                </tr>
                                <tr>
```

```
                                    <td>Pay Per Click Advertising</td>
                                    <td class="font-weight-bold">$523</td>
                                    <td>30 Jun 2018</td>
                                    <td class="font-weight-medium"><div
class="badge badge-warning">Pending</div></td>
                                </tr>
                                <tr>
                                    <td>E-Mail Marketing</td>
                                    <td class="font-weight-bold">$781</td>
                                    <td>01 Nov 2018</td>
                                    <td class="font-weight-medium"><div
class="badge badge-danger">Cancelled</div></td>
                                </tr>
                                <tr>
                                    <td>Referral Marketing</td>
                                    <td class="font-weight-bold">$283</td>
                                    <td>20 Mar 2018</td>
                                    <td class="font-weight-medium"><div
class="badge badge-warning">Pending</div></td>
                                </tr>
                                <tr>
                                    <td>Social media marketing</td>
                                    <td class="font-weight-bold">$897</td>
                                    <td>26 Oct 2018</td>
                                    <td class="font-weight-medium"><div
class="badge badge-success">Completed</div></td>
                                </tr>
                                </tbody>
                            </table>
                        </div>
                    </div>
                </div>
            </div>

            <div class="col-md-5 grid-margin stretch-card">
                <div class="card">
                    <div class="card-body">
                        <h4 class="card-title">To Do Lists</h4>
                        <div class="list-wrapper pt-2">
                            <ul class="d-flex flex-column-reverse todo-list todo-
list-custom">
                                <li>
                                    <div class="form-check form-check-flat">
                                        <label class="form-check-label">
```

```
                                        <input class="checkbox"
type="checkbox">
                                        Meeting with Urban Team
                                    </label>
                                </div>
                                <i class="remove ti-close"></i>
                            </li>
                            <li class="completed">
                                <div class="form-check form-check-flat">
                                    <label class="form-check-label">
                                        <input class="checkbox"
type="checkbox" checked>
                                        Duplicate a project for new customer
                                    </label>
                                </div>
                                <i class="remove ti-close"></i>
                            </li>
                            <li>
                                <div class="form-check form-check-flat">
                                    <label class="form-check-label">
                                        <input class="checkbox"
type="checkbox">
                                        Project meeting with CEO
                                    </label>
                                </div>
                                <i class="remove ti-close"></i>
                            </li>
                            <li class="completed">
                                <div class="form-check form-check-flat">
                                    <label class="form-check-label">
                                        <input class="checkbox"
type="checkbox" checked>
                                        Follow up of team zilla
                                    </label>
                                </div>
                                <i class="remove ti-close"></i>
                            </li>
                            <li>
                                <div class="form-check form-check-flat">
                                    <label class="form-check-label">
                                        <input class="checkbox"
type="checkbox">
                                        Level up for Antony
                                    </label>
                                </div>
```

```
                                    <i class="remove ti-close"></i>
                                </li>
                            </ul>
                        </div>
                        <div class="add-items d-flex mb-0 mt-2">
                            <input type="text" class="form-control todo-list-
input"  placeholder="Add new task">
                            <button class="add btn btn-icon text-primary todo-
list-add-btn bg-transparent"><i class="icon-circle-plus"></i></button>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

@endsection
```

products.blade.php

```
@extends('layouts.admin')

@section('content')

    <div class="content-wrapper">
        <div class="row">
            <div class="col-md-7 grid-margin stretch-card">
                <div class="card">
                    <div class="card-body">
                        <p class="card-title mb-0">Products:</p>
                        <div class="table-responsive">
                            <table class="table table-striped table-borderless">
                                <thead>
                                <tr>
                                    <th>Id</th>
                                    <th>Name</th>
                                    <th>Change</th>
                                    <th>Delete</th>
                                </tr>
                                </thead>
                                <tbody>
                                @foreach($table as $el)
                                    <tr>
                                        <th>{{ $el->id }}</th>
                                        <th>{{ $el->name }}</th>
                                        <th><a href="{{
route('changeProduct.form', ['product' => $el->id]) }}">Change</a></th>
                                        <th><a href="{{ route('deleteProduct',
['product' => $el->id]) }}" class="text-danger">Delete</a></th>
                                    </tr>
                                @endforeach
                                </tbody>
                            </table>
                        </div>
                    </div>
                </div>
            </div>

            <div class="col-md-5 grid-margin stretch-card">
                <div class="card">
                    <div class="card-body">
                        <h4 class="card-title">Add Product:</h4>
                        <div class="pt-2">
```

```
                            <p>
                                <a href="{{ route('addProductForm') }}">Add a New
Product</a>
                            </p>
                        </div>
                    </div>
                </div>
            </div>
        </div>

@endsection
```