Praktikum iz Web programiranja PHP Sajt: Speakers

http://praktikumphpspeakers.epizy.com/speakers/

Nemanja Kašanov, 79/18 Internet tehnologije Beograd, 12. jul 2020.

Sadržaj:

- 5. Korišćene tehnologije i opis sajta
- 6. Stranice sajta sa opisom funkcionalnosti
 - 7. Home Page
 - 8. Speakers
 - 9. Login
 - 10. Speaker
 - 11. My Account
 - 12. About Author
 - 13. Admin Panel
- 15. Prikaz tabela i struktura baze podataka
- 18. Prikaz strukture projekta
- 21. Kodovi
 - 22. index.php
 - 24. CONFIG
 - 24. config.php
 - 25. connection.php
 - 26. VIEWS
 - 26. head.php
 - 27. nav.php
 - 30. footer.php
 - 32. aboutAuthor.php
 - 33. account.php
 - 36. all data.php
 - 38. admin.php
 - 45. change data.php
 - 48. entry.php

- 49. home.php
- 51. login.php
- 53. page_top.php
- 55. register.php
- 57. registerSuccess
- 58. speaker.php
- 62. speakers.php

64. – MODELS

- 64. speaker.php
- 67. add big image.php
- 68. add_category.php
- 69. add event.php
- 70. change category.php
- 71. change_nav_item.php
- 72. change user.php
- 73. delete.php
- 74. export_log.php
- 75. user data.php
- 77. word.php
- 78. grades.php
- 79. login.php
- 81. logout.php
- 82. register.php
- 84. verify.php
- 85. filter_speakers.php
- 88. speakers/functions.php

89. – search_users.php

90. - show_all_speakers.php

91. – functions.php

93. – ASSETS/JS

93. – checks.js

96. – grades.js

97. – speakers.js

Korišćene tehnologije:

Korišćeni jezici: HTML 5, CSS 3, JavaSrcipt, PHP

Ostalo: jQuery, PhpWord, PhpSpreadsheets, Regular Expressions, JSON, AJAX, Bootstrap, Visual Studio Code, PHP rad sa slikama i .txt fajlovima, phpMyAdmin, MySQL


Opis saita:

Celokupan sadržaj sajta pretstavlja simulaciju aplikacije na kojoj se pronalaze govornici za određeni događaj ili se osoba registruje kao govornik ili stručnjak u nekoj oblasti kojeg kasnije mogu pronaći potencijalni poslodavci ili osobe iz iste struke radi saradnje.

Za izradu dizajna sajta korišćen je Template.

Stranice sajta sa opisom funkcionalnosti:


index.php (home page):



Sve strane sajta sadrže navigacioni meni čiji podatci dolaze iz baze podataka kao i footer.

Ovo je početna stranica koja prikazuje tri velike slike u slajderu, dolazeće događaje i 4 korisnika koji su se poslednji registrovali. Celokupni sadržaj se dohvata iz baze podataka i dinamički je ispisan.

Speakers page:




Na ovoj stranici se nalaze prikazani svi korisnici registrovani kao govornici. Prikaz je na osnovu podataka iz baze i za svakog korisnika se prikazuju ime, prezime, kratak opis osobe i prosečna ocena koju ima taj korisnik.

Sa leve strane se nalazi panel gde korisnik može da filtrira i pretražuje registrovane govornike po parametrima koje izabere. Pretraga se vrši na serverskoj strani.


Klikom na ime ili sliku otvara se stranica sa detaljnijim podatcima izabranog korisnika.

Log in page:



Na ovoj stranici se već registrovani korisnici mogu ulogovati na sajt (koristi se rad sa sesijama u php-u).


Register page:



Ovde se korisnik može registrovati. Provere podataka u formi se vrše prvo JS-om, a potom kroz PHP na serverskoj strani i sve greške se prikazuju korisniku ispod forme.

Nakon uspešne registracije korisniku se šalje email sa linkom za aktivaciju naloga koji inače ne bi ima pristup stranicama registrovanog korisnika dok se ne aktivira.

Speaker page:




Stranica Speaker prikazuje detaljne podatke o svakom registrovanom govorniku.


Sadrži sliku, ime, prezime, opis, kontakt emil adresu, oblasti znanja, prosečnu ocenu i Koliko puta je korisnik ukupno ocenjen.

Ako stranici pristupa ulogovan korisnik ima mogućnost da oceni govornika.

My Account page:



Ovoj stranici ima pristup svaki ulogovani korisnik i popunjavanjem forme dodaje podatke svom nalogu ili ih ažurira. Podatci su prikazani sa leve strane.



Popunjavanjem podataka oni se upisuju u bazu podataka i slika se preuveliča da odgovara formatu za prikaz na sajtu i dodaje joj se žig na dno.


About Author page:




Ova stranica sadrži informacije o autoru i link kojim se te informacije mogu preuzeti u vidu Word dokumenta.


Admin panel page:

Admin panel je stranica namenjena samo za ulogovane korisnike koji imaju status administratora.




Prvi deo panela pruža prikaz statistika pristupa korisnika stranicama i link klikom na koji se istorija pristupa stranicama is fajla log.txt preuzima u Excel fajlu.








Drugi deo panela sa desne strane prikazuje poslednjih 50 redova iz log.txt fajla (istorija pristupa stranicama), a sa leve strane admin može otvoriti podatke tabela iz baze i njima upravljati(brisati, menjati i dodavati).

Prikaz tabela i strukture baze podataka:















Prikaz strukture projekta:

∨ js





✓ views ✓ fixed m footer.php m head.php nav.php aboutAuthor.php account.php add_data.php 💏 admin.php 💏 change_data.php entry.php m home.php 🐄 login.php 💏 page_top.php m register.php registerSuccess.php speaker.php speakers.php

Kodovi:

index.php

```
<?php
session start();
require_once "config/connection.php";
require_once "models/functions.php";
include "views/fixed/head.php";
include "views/fixed/nav.php";
if(!isset($_GET['page'])){
    include "views/entry.php";
    include "views/home.php";
else{
    switch($_GET['page']){
        case 'speakers':
            include 'views/page top.php';
            include 'views/speakers.php';
        break;
        case 'login':
            include 'views/page_top.php';
            include 'views/login.php';
        break;
        case 'register':
            include 'views/page top.php';
            include 'views/register.php';
        break:
        case 'aboutAuthor':
            include 'views/page top.php';
            include 'views/aboutAuthor.php';
        break;
        case 'registerSuccess':
            include 'views/page_top.php';
            include 'views/registerSuccess.php';
        break;
        case 'verify':
            include 'views/page top.php';
        break;
        case 'admin':
            include 'views/page_top.php';
            include 'views/admin.php';
        break;
        case 'account':
```

```
include 'views/page_top.php';
           include 'views/account.php';
       break;
        case 'speaker':
            include 'views/page_top.php';
           include 'views/speaker.php';
       break;
       case 'change':
            include 'views/page_top.php';
           include 'views/change_data.php';
       break;
        case 'add':
           include 'views/page_top.php';
           include 'views/add_data.php';
       break;
include "views/fixed/footer.php";
```

CONFIG

config.php

```
<?php
//INITIAL
define("BASE_URL", "http://localhost:8080/speakers/");
define("ABSOLUTE_PATH", $_SERVER["DOCUMENT_ROOT"]."/speakers");
define("ENV_FILE", ABSOLUTE_PATH."/config/.env");
define("LOG_FILE", ABSOLUTE_PATH."/data/log.txt");
define("ADRESAR", ABSOLUTE_PATH."/data/adresar.txt");
define("SEPARTOR", "&");
//DATABASE
define("SERVER", env("SERVER"));
define("DATABASE", env("DBNAME"));
define("USERNAME", env("USERNAME"));
define("PASSWORD", env("PASSWORD"));
function env($name){
    $open = fopen(ENV_FILE, "r");
    $data = file(ENV_FILE);
    $send = "";
    foreach($data as $key=>$value){
        $config = explode("=", $value);
        if($config[0]==$name){
            $send = trim($config[1]);
    return $send;
```

connection.php

```
<?php
require_once "config.php";
pageEntryDataIn();
try {
   $connection = new PDO("mysql:host=".SERVER.";dbname=".DATABASE.";charset=utf8
 , USERNAME, PASSWORD);
    $connection->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
    $connection->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
catch(PDOException $ex){
    echo $ex->getMessage();
function executeQuery($query){
    global $connection;
    return $connection->query($query)->fetchAll();
function pageEntryDataIn(){
    $open = fopen(LOG_FILE, "a");
    if($open){
        fwrite($open, "{$_SERVER['PHP_SELF']}\t".date('d.m.Y H:i:s')."\t{$_SERVER
['REMOTE_ADDR']}\n");
       fclose($open);
```

VIEWS:

head.php

```
<!DOCTYPE html>
<html lang="en">
        <title>Speakers</title>
        <meta charset="utf-8"/>
        <meta name="viewport" content="width=device-width, initial-</pre>
scale=1, shrink-to-fit=no"/>
       <meta name="description" content="Hire speakers or get gigs as a speaker.</pre>
        <meta name="keywords" content="Speakers, Speaker, event, speakers"/>
        <link rel="shortcut icon" href="assets/images/icon.ico"/>
        <link href="https://fonts.googleapis.com/css?family=Open+Sans:300,400,700</pre>
 900|Playfair+Display:400,900" rel="stylesheet"/>
        <link rel="stylesheet" href="assets/fonts/icomoon/style.css"/>
        <link href="https://stackpath.bootstrapcdn.com/font-</pre>
awesome/4.7.0/css/font-awesome.min.css" rel="stylesheet" integrity="sha384-
wvfXpqpZZVQGK6TAh5PVlGOfQNHSoD2xbE+QkPxCAF1NEevoEH3S10sibVcOQVnN" crossorigin="an
onymous"/>
        <link rel="stylesheet" href="assets/css/bootstrap.min.css"/>
        <link rel="stylesheet" href="assets/css/jquery-ui.css"/>
        <link rel="stylesheet" href="assets/css/owl.carousel.min.css"/>
        <link rel="stylesheet" href="assets/css/owl.theme.default.min.css"/>
        <link rel="stylesheet" href="assets/css/owl.theme.default.min.css"/>
        <link rel="stylesheet" href="assets/css/jquery.fancybox.min.css"/>
        <link rel="stylesheet" href="assets/css/bootstrap-datepicker.css"/>
        <link rel="stylesheet" href="assets/fonts/flaticon/font/flaticon.css"/>
        <link rel="stylesheet" href="assets/css/aos.css"/>
        <link rel="stylesheet" href="assets/css/style.css"/>
    </head>
```

nav.php

```
<body data-spy="scroll" data-target=".site-navbar-target" data-</pre>
offset="300" id="home-section">
    <!-- <div id="overlayer"></div>
   <div class="loader">
       <div class="spinner-border text-primary" role="status">
           <span class="sr-only">Loading...</span>
       </div>
    </div> -->
    <div class="site-wrap">
       <div class="site-mobile-menu site-navbar-target">
            <div class="site-mobile-menu-header">
               <div class="site-mobile-menu-close mt-3">
                   <span class="icon-close2 js-menu-toggle"></span>
                </div>
           </div>
           <div class="site-mobile-menu-body"></div>
        </div>
        <header class="site-navbar js-sticky-header site-navbar-</pre>
target" role="banner" >
           <div class="container">
               <div class="row align-items-center">
                   <div class="col-6 col-x1-2">
                       <h1 class="mb-0 site-
logo"><a href="index.php" class="h2 mb-0">Speakers<span class="text-</pre>
primary">.</span> </a></h1>
                   </div>
                   <div class="col-12 col-md-10 d-none d-xl-block">
                        <nav class="site-navigation position-relative text-</pre>
right" role="navigation">
                           auto d-none d-lg-block">
```

```
<?php
                                 require_once "models/functions.php";
                                 $query;
                                 if(isset($_SESSION['userStatus']) && $_SESSIO
N['userStatus'] == 1) $query = "SELECT * FROM nav elements WHERE parent=0 AND log
in_status=0 OR login_status=2 ORDER BY position ASC";
                                 else $query = "SELECT * FROM nav_elements WHE
RE parent=0 AND login_status=0 OR login_status=1 ORDER BY position ASC";
                                 $rows = executeQuery($query);
                                 foreach($rows as $row):
                                 if(check_for_children($row->id_nav)){
                                     echo '';
                                 else{
                                     echo '';
                              <a href="<?= $row->href ?>" class="nav-
link"><?= $row->name ?></a>
                              <?php
                                 if(check for children($row->id nav)){
                                     echo '';
                                     show_nav_elements($row->id_nav);
                                     echo '';
                              <?php
                                 echo '';
                                 endforeach;
                                 if(isset($_SESSION['userStatus']) && $_SESSIO
N['userRole'] == 1):
                                     <a href="index.php?page=admin" class=</a>
"nav-link">Admin Panel</a>
                                 <?php
                                 endif;
```

footer.php

```
<footer class="site-footer">
                <div class="container">
                    <div class="row">
                        <div class="col-md-4">
                            <h2 class="footer-heading mb-4">About Us</h2>
                            This is a platform that helps people find professi
onals in their fields to speak on events or conferences or help speakers find spe
aking gigs in their respected fields. Using the platform is absolutely free.
                        </div>
                        <div class="col-md-3 ml-auto">
                            <h2 class="footer-heading mb-4">Quick Links</h2>
                            <?php
                                    $query = "SELECT * FROM nav_elements WHERE pa
rent != 0";
                                    $links = executeQuery($query);
                                    foreach($links as $link):
                                    <a href="<?= $link-</a>
>href ?>" class="smoothscroll"><?= $link->name ?></a>
                                <?php
                                    endforeach;
                            </div>
                        <div class="col-md-4">
                            <div class="mb-5">
                            <h2 class="footer-heading mb-4">Follow Us</h2>
                            <a href="https://www.facebook.com/" class="pl-0 pr-</pre>
3"><span class="icon-facebook"></span></a>
                            <a href="https://twitter.com/" class="pl-3 pr-</pre>
3"><span class="icon-twitter"></span></a>
                            <a href="https://www.instagram.com/" class="pl-3 pr-</pre>
3"><span class="icon-instagram"></span></a>
                            <a href="https://www.linkedin.com/" class="pl-3 pr-</pre>
3"><span class="icon-linkedin"></span></a>
                            </div>
                        </div>
                    </div>
                </div>
```

```
</footer>
        </div>
        <!-- .site-wrap -->
       <script src="assets/js/jquery-3.3.1.min.js"></script>
        <script src="assets/js/jquery-ui.js"></script>
       <script src="assets/js/popper.min.js"></script>
        <script src="assets/js/bootstrap.min.js"></script>
        <script src="assets/js/owl.carousel.min.js"></script>
       <script src="assets/js/jquery.countdown.min.js"></script>
        <script src="assets/js/jquery.easing.1.3.js"></script>
        <script src="assets/js/aos.js"></script>
       <script src="assets/js/jquery.fancybox.min.js"></script>
        <script src="assets/js/jquery.sticky.js"></script>
        <script src="assets/js/isotope.pkgd.min.js"></script>
       <script src="assets/js/typed.js"></script>
                    <script>
                    var typed = new Typed('.typed-words', {
                    strings: ["Motivational Speakers", "Professional Speakers", "Bu
siness Speakers"],
                    typeSpeed: 80,
                    backSpeed: 80,
                    backDelay: 4000,
                    startDelay: 1000,
                    loop: true,
                    showCursor: true
                    });
                    </script>
        <script src="assets/js/main.js"></script>
       <script src="assets/js/checks.js"></script>
       <script src="assets/js/grades.js"></script>
        <script src="assets/js/speakers.js"></script>
   </body>
</html>
```

aboutAuthor.php

account.php

```
<?php
if(isset($_SESSION['userStatus']) && $_SESSION['userStatus'] == 1):
    $name = $ SESSION['userName'];
    $!name = $ SESSION['userLName'];
    $email = $_SESSION['userEmail'];
    $user = $_SESSION['userId'];
<section class="site-section d-flex justify-content-center flex-wrap" id="about-</pre>
section">
    <div class="row col-lg-8 col-sm-12">
        <div class="col-lg-5 col-sm-12 text-left">
            <?php
                if(isset($ SESSION['changes']) && $ SESSION['changes'] == 'yes'):
                danger">Changes to your account were applied.
            <?php
                endif;
                $ SESSION['changes'] = '';
                $queryData = "SELECT ud.description, ud.image, ud.image_sm FROM u
sers AS u INNER JOIN user data AS ud ON u.id = ud.user id WHERE u.id=$user";
                $data = executeQuery($queryData);
                $queryCategories = "SELECT c.category FROM (users AS u INNER JOIN
 user_categories AS uc ON u.id=uc.user_id) INNER JOIN categories AS c ON c.id=uc.
category id WHERE u.id=$user";
                $categories = executeQuery($queryCategories);
            <img src="</pre>
            <?php
                if(isset($data[0]-
>image_sm)) echo 'assets/images/users/'.$data[0]->image_sm;
                else echo 'assets/images/generic user.png';
            alt="<?= $name.' '.$lname ?>" class="rounded-circle img-fluid w-
50 mb-4"/>
            <h3 class="h4 text-black"><?= $name." ".$lname ?></h3>
```

```
Contact: <?= $email ?>
           <?php if(isset($data[0])): ?>
              <?= $data[0]->description ?>
           <?php endif;</pre>
              if(isset($categories[0]) && count($categories) > 0):
                  echo 'Categories:';
                  echo '';
                  foreach($categories as $el):
                     <?= $el->category ?>
                  <?php
                  endforeach;
                  echo '';
              endif;
       </div>
       <div class="col-lg-7 col-sm-12 mt-3">
           <h3 class="mb-4 text-
black">Fill this form to register yourself as a speaker or change your settings.<
/h3>
           <form action="models/account/speaker.php" method="POST" name="speaker</pre>
Form" enctype="multipart/form-data" onsubmit="return speakerFormCheck()">
              <h5 class="text-black">Choose your profile picture:</h5>
              <div class="input-group mb-3">
                  <div class="custom-file">
                      <input type="file" accept="image/*" id="profilePicture" n</pre>
ame="profilePicture" class="btn btn-block btn-primary text-white py-2 px-5"/>
                  </div>
              </div>
              <h5 class="text-black">Tell people about yourself:</h5>
              <div class="form-group row">
                  <div class="col-md-12">
                     <textarea class="form-
control" placeholder="About you section" name="aboutYou" id="aboutYou" maxlength=
"200"></textarea>
                     center">Text cannot contain special characters or be empty.
                  </div>
              </div>
```

```
<h5 class="text-black">Select one or more categories:</h5>
               <div class="col-12 mb-5">
                   <div clas="col-12">
                       <?php
                           $query = "SELECT * FROM categories";
                           $categories = executeQuery($query);
                           foreach($categories as $el):
                       <div class="custom-control custom-checkbox">
                           <input type="checkbox" class="custom-control-</pre>
input" id="<?= $el->id ?>" name="category[]" value="<?= $el->id ?>"/>
                           <label class="custom-control-label" for="<?= $el-</pre>
>id ?>"><?= $el->category ?></label>
                       </div>
                       <?php
                           endforeach;
                   </div>
               </div>
               <div class="form-group row">
                   <div class="col-md-12 mr-auto">
                       <input type="submit" class="btn btn-block btn-</pre>
primary text-white py-2 px-5" value="Speaker" name="btn speaker" value="Submit"/>
                       center">Fill the form correctly to proceed.
                   </div>
               </div>
               <?php
                   if(isset($ SESSION['errors'])) {
                        show_errors_array($_SESSION['errors']);
                       $ SESSION['errors'] = [];
           </form>
       </div>
   </div>
</section>
<?php
endif;?>
```

add_data.php

```
<?php
$table = $ GET['table'];
if($ SESSION['userRole'] == 1):
<section class="site-section d-flex justify-content-center flex-wrap" id="about-</pre>
section">
   <div class="col-12 d-flex justify-content-center">
       <div class="col-lg-6 col-sm-12 border p-3">
           <?php
           if($ GET['table'] == "categories"):
               <div class="col-12 text-center">
                   Add category:
                   <form action="models/admin/add category.php" method="POST">
                       <input type="text" name="category" id="category"/>
                       <button type="submit" class="btn btn-</pre>
info" name="submit">Submit</button>
                   </form>
               </div>
           <?php
           endif;
           if($_GET['table'] == "big_images"):
               <div class="col-12 text-center">
                   Add Big Image on Entry:
                   3">Only the last three added will be displayed.
                   Image must be under 2MB.
                   <form action="models/admin/add_big_image.php" method="POST" e</pre>
nctype="multipart/form-data" class="mt-5">
                       <input type="file" name="image" id="image" accept="image/</pre>
                       <input type="text" name="description" id="description" pl</pre>
aceholder="Description"/>
```

```
<button type="submit" class="btn btn-</pre>
info" name="submit">Submit</button>
                    </form>
               </div>
            <?php
            endif;
            if($ GET['table'] == "event"):
               <div class="col-12 text-center">
                    Add Event:
                    3">Only the last four added will be displayed.
                   <form action="models/admin/add_event.php" method="POST" class</pre>
="mt-5">
                       <input type="text" name="event_name" id="event_name" plac</pre>
eholder="Event Name"/>
                       <input type="text" name="event_description" id="event_des</pre>
cription" placeholder="Event Description"/>
                       <button type="submit" class="btn btn-</pre>
info" name="submit">Submit</button>
                   </form>
               </div>
            <?php
            endif;
       </div>
   </div>
</section>
<?php
endif;
```

admin.php

```
<?php
if($ SESSION['userRole'] == 1):
require_once "models/admin/users_data.php";
<section class="site-section d-flex justify-content-center flex-wrap" id="about-</pre>
section">
   <div class="col-12 mt-5 mb-5">
       <div class="col-12 d-flex flex-wrap">
           <div class="col-lg-4 col-md-12 p-5">
              Page entries last 24 hours:
              <?php
              foreach($page_entries as $el):
                  <?= $el[1] ?> ---- <?= $el[0] ?>
              <?php
              endforeach;
           </div>
           <div class="col-lg-4 col-md-12 p-5">
              Page entries in total:
              <?php
              foreach($page entries all as $el):
                  <?= $el[1] ?> (<?= round(100 - ($el[1] / $total</pre>
entries) * 100 ,2) ?>) ----- <?= $el[0] ?>
              <?php
              endforeach;
           </div>
           <div class="col-lg-4 col-md-12 p-5">
              <div class="col-12">
                  Users logged in:
                      <?php
                      $time now = time();
                      time\ yesterday = time\ now - (60 * 60 * 24);
```

```
$users_online = "SELECT * FROM online WHERE time BETWEEN
$time yesterday AND $time now";
                  $users online array = executeQuery($users online);
                  $users online now = count($users online array);
                  echo "$users_online_now";
              Total page entries in last 24h: <?= $total entr</pre>
ies ?>
              Total page entries in total: <?= count($file_ar</pre>
ray) ?>
              <a href="models/admin/export_log.php">Open current LOG file i
n Excel.</a>
            </div>
         </div>
      </div>
      <div class="col-12 d-flex flex-wrap">
         <div class="col-lg-8 col-sm-12 p-5">
            Change data:
           <div class="col-12 p-3 border mb-3">
               <details class="col-12">
                  <summary class="h4">Users:</summary>
                  <thead>
                        >
                           Id
                           Name
                           Last Name
                           Email
                           Role
                           Status
                           Change
                           Delete
                        </thead>
                     $data = executeQuery("SELECT * FROM users");
                        foreach($data as $el):
                        <?= $el->id ?>
                          <?= $el->name ?>
```

```
<?= $el->last name ?>
                                                                                                                                                                                  <?= $el->email ?>
                                                                                                                                                                                  <?= $el->role ?>
                                                                                                                                                                                  <?= $el->status ?>
                                                                                                                                                                                  <a href="index.php?page=change&table=user"
s&id=<?= $el->id ?>">Change</a>
                                                                                                                                                                                  <a href="models/admin/delete.php?table=us"
ers&id=<?= $el->id ?>">Delete</a>
                                                                                                                                                              <?php
                                                                                                                                                              endforeach;
                                                                                                                                          </details>
                                                                                                   <details class="col-12 mt-5">
                                                                                                                       <summary class="h4">Categories:</summary>
                                                                                                                       <a href="index.php?page=add&table=categories" class="h4">
Add category.</a>
                                                                                                                       <thead>
                                                                                                                                                              >
                                                                                                                                                                                  Id
                                                                                                                                                                                  Category Name
                                                                                                                                                                                  Change
                                                                                                                                                                                  Delete
                                                                                                                                                              </thead>
                                                                                                                                           <?php
                                                                                                                                                              $data = executeQuery("SELECT * FROM categories");
                                                                                                                                                              foreach($data as $el):
                                                                                                                                                              <?= $el->id ?>
                                                                                                                                                                                  <?= $el->category ?>
                                                                                                                                                                                  <a href="index.php?page=change&table=cate">td><a href="index.php?page=cate">td><a href="index.php?page=cate">td><a href="index.php?page=cate">td><a href="index.php?page=cate">td><a href="index.php?page=cate">td><a href="index.php?page=cate">td><a href="index.php?page=cate">td><a href="index.ph
gories&id=<?= $el->id ?>">Change</a>
                                                                                                                                                                                  <a href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca">href="models/admin/delete.php?table=ca"
tegories&id=<?= $el->id ?>">Delete</a>
```

```
<?php
                                                                                            endforeach;
                                                                                </details>
                                                         <details class="col-12 mt-5">
                                                                     <summary class="h4">Nav Menu Elements:</summary>
                                                                     Id
                                                                                                       Name
                                                                                                       Link
                                                                                                       Parent
                                                                                                       Level
                                                                                                       Position
                                                                                                       Login Status
                                                                                                       Change
                                                                                                       Delete
                                                                                            </thead>
                                                                                <?php
                                                                                            $data = executeQuery("SELECT * FROM nav_elements"
);
                                                                                            foreach($data as $el):
                                                                                            <?= $el->id nav ?>
                                                                                                       <?= $el->name ?>
                                                                                                       <?= $el->href ?>
                                                                                                       <?= $el->parent ?>
                                                                                                       <?= $el->level ?>
                                                                                                       <?= $el->position ?>
                                                                                                       <?= $el->login status ?>
                                                                                                       <a href="index.php?page=change&table=nav_
elements&id=<?= $el->id nav ?>">Change</a>
                                                                                                       <a href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na">href="models/admin/delete.php?table=na"
v elements&id=<?= $el->id nav ?>">Delete</a>
```

```
<?php
                                                                                                                      endforeach;
                                                                                                       </details>
                                                                          <details class="col-12 mt-5">
                                                                                         <summary class="h4">Big Images on Home Page:</summary>
                                                                                         <a href="index.php?page=add&table=big_images" class="h4">
Add Image.</a>
                                                                                         Id
                                                                                                                                     Src
                                                                                                                                     Description
                                                                                                                                     Delete
                                                                                                                      </thead>
                                                                                                        <?php
                                                                                                                      $data = executeQuery("SELECT * FROM images_entry"
);
                                                                                                                      foreach($data as $el):
                                                                                                                      <?= $el->id ?>
                                                                                                                                     <?= $el->src ?>
                                                                                                                                     <?= $el->alt ?>
                                                                                                                                     <a href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im">href="models/admin/delete.php?table=im"
ages_entry&id=<?= $el->id ?>">Delete</a>
                                                                                                                      <?php
                                                                                                                      endforeach;
                                                                                                       </details>
```

```
<details class="col-12 mt-5">
                   <summary class="h4">Events:</summary>
                   <a href="index.php?page=add&table=event" class="h4">Add E
vent.</a>
                   Id
                             Event Name
                             Event Description
                             Delete
                          </thead>
                      <?php
                          $data = executeQuery("SELECT * FROM events");
                          foreach($data as $el):
                          <?= $el->id ?>
                             <?= $el->event_name ?>
                             <?= $el->event description ?>
                             <a href="models/admin/delete.php?table=ev">td><a href="models/admin/delete.php?table=ev">hp?table=ev</a>
ents&id=<?= $el->id ?>">Delete</a>
                          <?php
                          endforeach;
                      </details>
             </div>
         </div>
         <div class="col-lg-4 col-sm-12 p-5">
             Accessed pages data (last 50):
             <?php
             $file = fopen("data/log.txt", "r");
```

change_data.php

```
<?php
$table = $ GET['table'];
$id = $_GET['id'];
if($ SESSION['userRole'] == 1):
<section class="site-section d-flex justify-content-center flex-wrap" id="about-</pre>
section">
    <div class="col-12 d-flex justify-content-center">
        <div class="col-lg-6 col-sm-12 border p-3">
            if($_GET['table'] == "users"):
                <div class="col-12 text-center">
                    <form action="models/admin/change user.php" method="POST">
                        Change admin status of this user:
                        <div class="radio">
                            <label><input type="radio" name="admin" value="1">Adm
in</label>
                        </div>
                        <div class="radio">
                           <label><input type="radio" name="admin" checked="chec</pre>
ked" value="0">User</label>
                        </div>
                        3">Activate or deactivate account of the user:
                        <div class="radio">
                            <label><input type="radio" name="status" checked="che</pre>
cked" value="1">Activate</label>
                        </div>
                        <div class="radio">
                            <label><input type="radio" name="status" value="0">De
activate</label>
                        </div>
                        <input type="hidden" name="id" id="id" value="<?= $id ?>"
                        <button type="submit" class="btn btn-</pre>
info" name="submit">Submit</button>
                   </form>
```

```
</div>
           <?php
           endif;
           if($ GET['table'] == "categories"):
               <div class="col-12 text-center">
                   Rename category:
                   <form action="models/admin/change_category.php" method="POST"</pre>
                       <input type="text" name="category" id="category"/>
                       <input type="hidden" name="id" id="id" value="<?= $id ?>"
                       <button type="submit" class="btn btn-</pre>
info" name="submit">Submit</button>
                   </form>
               </div>
           <?php
           endif;
           if($_GET['table'] == "nav_elements"):
               <div class="col-12 text-center">
                   Change Navigation Element:
                   Fill in all the elements of the form:
                   <form action="models/admin/change nav item.php" method="POST"</pre>
                       <div class="form-group">
                           <input type="text" class="form-</pre>
control" id="name" name="name" placeholder="Name"/>
                       </div>
                       <div class="form-group">
                           <input type="text" class="form-</pre>
control" id="href" name="href" placeholder="href (link)"/>
                       </div>
                       <div class="form-group">
                           <input type="text" class="form-</pre>
control" id="parent" name="parent" placeholder="Parent (Id number)" maxlength="2"
                       </div>
```

```
<div class="form-group">
                             <input type="text" class="form-</pre>
control" id="level" name="level" placeholder="Level (number)" maxlength="2"/>
                         </div>
                         <div class="form-group">
                             <input type="text" class="form-</pre>
control" id="position" name="position" placeholder="Position (number)" maxlength=
                         </div>
                         <div class="form-group">
                             <input type="text" class="form-</pre>
control" id="login_status" name="login_status" placeholder="Login Status (number
0, 1, 2)" maxlength="1"/>
                             <label for="login_status">0 for all, 1 for logged in
users, 2 for admins</label>
                         </div>
                         <input type="hidden" name="id" id="id" value="<?= $id ?>"
                         <button type="submit" class="btn btn-</pre>
info" name="submit">Submit</button>
                    </form>
                </div>
            <?php
            endif;
        </div>
    </div>
</section>
<?php
endif;
```

entry.php

```
<section class="site-blocks-cover overflow-hidden">
    <div class="container">
        <div class="row">
            <div class="col-lg-12 align-self-center">
                <div class="row">
                    <div class="col-lg-11">
                        <h1>We are <span class="typed-words"></span></h1>
                        Contact and book speakers for your events. Build netwo
rks. <a href="index.php?page=speakers">Explore.</a>
                    </div>
                </div>
            </div>
        </div>
    </div>
</section>
<section>
   <div class="container">
        <div class="row">
            <div class="col-12" style="margin-top: -7%;">
                <div class="slide-one-item home-slider owl-carousel">
                    <?php
                        $query = "SELECT * FROM images_entry ORDER BY id DESC LIM
IT 3";
                        $array = executeQuery($query);
                        foreach($array as $el):
                    <img src="<?= $el->src ?>" alt="<?= $el->alt ?>" class="img-
fluid img"/>
                    <?php endforeach ?>
                </div>
            </div>
        </div>
    </div>
</section>
```

home.php

```
<section class="site-section" id="about-section">
   <div class="container">
       <div class="row">
           <div class="col-12 mb-3">
               <h2 class="text-black">Hey there, I'm Nemanja The Founder</h2>
           </div>
           <div class="col-md-6 mb-5">
               I believe in improvement and progress, so I have decided to bu
ild this platform to connect people and help organise events where people would l
earn and advance professionally or otherwise.
               Here you can connect, talk to or book speakers for your events
or if you are a speaker find a gig for yourself.
               Even with this platform being new thousands of people have sha
red positive experiences and reported to us that they have found people needed fo
r their jobs and formed new friendships.
               5"><img src="assets/images/signature.jpg" alt="Signature" class="img-fluid w-
25">
           </div>
           <div class="col-md-5 ml-auto">
               <h2 class="text-black mb-4 h6">Upcmoing Speaking Gigs</h2>
               <?php
                       $eventsQuery = "SELECT * FROM events ORDER BY id DESC LIM
IT 4";
                       $events = executeQuery($eventsQuery);
                       foreach($events as $el):
                   class="mb-4">
                       <h3 class="text-black m-0"><?= $el->event name ?></h3>
                       <span class="text-muted"><?= $el-</pre>
>event description ?></span>
                   <?php endforeach; ?>
               </div>
       </div>
       <div class="row">
           <?php
```

```
$query = "SELECT u.id, u.name, ud.description, ud.image_sm FROM users
AS u INNER JOIN user data AS ud ON u.id = ud.user id ORDER BY u.id DESC LIMIT 4"
            $users_to_display = executeQuery($query);
            foreach($users_to_display as $el):
            <div class="col-lg-3 text-left">
                <a href="index.php?page=speaker&id=<?= $el->id ?>">
                    <img src="assets/images/users/<?= $el-</pre>
>image_sm ?>" alt="<?= $el->name ?>" class="rounded-circle img-fluid w-50 mb-4">
                   <h3 class="h4 text-black"><?= $el->name ?></h3>
                </a>
                <?= $el->description ?>
            </div>
            <?php endforeach; ?>
       </div>
   </div>
</section>
```

login.php

```
<div class="site-section" id="contact-section">
   <div class="container">
       <div class="row">
           <div class="col-12 text-center mb-5">
              <h2 class="text-black">Fill the form to log in:</h2>
           </div>
       </div>
       <div class="row d-flex justify-content-center">
           <div class="col-lg-8 col-md-12 mb-5">
               <form action="models/login/login.php" method="POST" name="registe"</pre>
rForm" onsubmit="return loginFormCheck()">
                  <div class="form-group row">
                      <div class="col-md-12">
                          <input type="text" class="form-</pre>
control" placeholder="Email address" name="email" id="email"/>
                         center">Invalid email format.
                      </div>
                  </div>
                  <div class="form-group row">
                      <div class="col-md-12">
                          <input type="password" class="form-</pre>
control" placeholder="Password" name="pass" id="pass"/>
                          center">Invalid password format.
                      </div>
                  </div>
                  <div class="form-group row">
                      <div class="col-md-12 mr-auto">
                          <input type="submit" class="btn btn-block btn-</pre>
primary text-white py-2 px-
5" value="Register" name="sub_register" value="Submit"/>
                          center">Fill the form correctly to proceed.
                      </div>
                  </div>
                  <?php
                      if(isset($ SESSION['errors'])) {
```

page_top.php

```
<section class="site-blocks-cover overflow-hidden">
    <div class="container">
        <div class="row">
           <div class="col-lg-12 align-self-center">
               <div class="row">
                   <div class="col-lg-11">
                       <?php
                           if($_GET['page'] == "speakers" || $_GET['page'] == "e
vents"){
                               echo "<h1>Find speakers:</h1>Find and contact
people with skills you need. Build your network.";
                           else if($_GET['page'] == "login"){
                               echo "<h1>Log In:</h1>Log in to an existing ac
count.";
                           else if($ GET['page'] == "register"){
                               echo "<h1>Register here:</h1>Create a new acco
unt and become a member now.";
                           else if($ GET['page'] == "aboutAuthor"){
                               echo "<h1>About Author:</h1>";
                           else if($ GET['page'] == "registerSuccess"){
                               echo "<h1>Account registered:</h1>";
                           else if($_GET['page'] == "verify"){
                               if($_GET['error'] == "") echo "<h1>Account activa
ted:</h1>Click <a href='index.php?page=login'>here</a> to log in.";
                               else echo "<h1>Error:</h1>An error has occured
 while processing your information. <br/> Please try again later.";
                           else if($_GET['page'] == "admin"){
                               echo "<h1>Admin panel:</h1>";
                               if(!isset($_SESSION['userRole']) || $_SESSION['us
erRole'] != 1) echo "You are not authorised to access this page.";
                           else if($_GET['page'] == "account"){
                               echo "<h1>My Account:</h1>Account Settings:</p
                               if(!isset($ SESSION['userStatus']) || $ SESSION['
userStatus'] != 1) echo "You are not authorised to access this page.";
```

```
else if($_GET['page'] == "speaker"){
                               if(isset($_GET['id']) && $_GET['id'] != '') echo
"<h1>Speaker:</h1>Find details about a speaker and leave a grade to help the c
ommunity.";
                              else echo "<h1>Error:</h1>User not found."
                           else if($_GET['page'] == "change"){
                              echo "<h1>Admin panel(change):</h1>";
                               if(!isset($_SESSION['userRole']) || $_SESSION['us
erRole'] != 1) echo "You are not authorised to access this page.";
                           else if($_GET['page'] == "add"){
                               echo "<h1>Admin panel(add data):</h1>";
                               if(!isset($_SESSION['userRole']) || $_SESSION['us
erRole'] != 1) echo "You are not authorised to access this page.";
                   </div>
               </div>
           </div>
       </div>
    </div>
</section>
```

register.php

```
<div class="site-section" id="contact-section">
   <div class="container">
       <div class="row">
           <div class="col-12 text-center mb-5">
              <h2 class="text-black">Join our community:</h2>
           </div>
       </div>
       <div class="row d-flex justify-content-center">
           <div class="col-lg-8 col-md-12 mb-5">
              <form action="models/register/register.php" method="POST" name="r</pre>
egisterForm" onsubmit="return registerFormCheck()">
                  <div class="form-group row">
                      <div class="col-md-6 mb-3 mb-md-0">
                         <input type="text" class="form-</pre>
control" placeholder="First name" name="name" id="name"/>
                         center">Invalid format, name must begin with a capital letter.
                      </div>
                      <div class="col-md-6">
                         <input type="text" class="form-</pre>
control" placeholder="Last name" name="lname" id="lname"/>
                         center">Invalid format, last name must begin with a capital letter.
                      </div>
                  </div>
                  <div class="form-group row">
                      <div class="col-md-12">
                         <input type="text" class="form-</pre>
control" placeholder="Email address" name="email" id="email"/>
                         center">Invalid email format.
                      </div>
                  </div>
                  <div class="form-group row">
                      <div class="col-md-12">
                         <input type="password" class="form-</pre>
control" placeholder="Password" name="pass" id="pass"/>
                         center">Insert a password that is between 6 and 20 characters, contains at least
one uppercase, one lowercase letter and one digit.
```

```
</div>
                 </div>
                  <div class="form-group row">
                     <div class="col-md-12">
                         <input type="password" class="form-</pre>
control" placeholder="Repeat password" name="rpass" id="rpass"/>
                         center">Passwords do not match.
                     </div>
                  </div>
                  <div class="form-group row">
                     <div class="col-md-12 mr-auto">
                         <input type="submit" class="btn btn-block btn-</pre>
primary text-white py-2 px-
5" value="Register" name="sub_register" value="Submit"/>
                         center">Fill the form correctly to proceed.
                     </div>
                  </div>
                  <?php
                     if(isset($ SESSION['errors'])) {
                         show_errors_array($_SESSION['errors']);
                         $_SESSION['errors'] = [];
              </form>
          </div>
       </div>
   </div>
</div>
```

registerSuccess.php

speaker.php

```
<?php
    if(isset($ GET['id']) && $ GET['id'] != ''):
    $user = $ GET['id'];
    $queryData = "SELECT u.name, u.last name, u.email, ud.description, ud.image,
ud.image_sm FROM users AS u INNER JOIN user_data AS ud ON u.id = ud.user id WHERE
 u.id=$user";
    $queryCategories = "SELECT c.category FROM (users AS u INNER JOIN user catego
ries AS uc ON u.id=uc.user id) INNER JOIN categories AS c ON c.id=uc.category id
WHERE u.id=$user";
    $data = executeQuery($queryData);
    $categories = executeQuery($queryCategories);
    if(count($data) != 0):
<section class="site-section" id="about-section">
    <div class="col-12 d-flex justify-content-center">
        <div class="col-lg-9 col-md-12 d-flex flex-wrap mt-4 mb-5 d-flex justify-</pre>
content-center">
            <div class="col-lg-6 col-sm-12">
                <div class="col-12">
                    <div class="col-12 text-center">
                        <img src="</pre>
                            <?php
                                if(isset($data[0]-
>image sm)) echo 'assets/images/users/'.$data[0]->image sm;
                                else echo 'assets/images/generic_user.png';
                        alt="<?= $data[0]->name.' '.$data[0]-
>last_name ?>" class="rounded-circle img-fluid w-50 mb-4"/>
                    </div>
                    <div class="col-12 text-center">
                        <?= $data[0]->name.' '.$data[0]-
>last name ?>
                        <?php
                            if(isset($data[0]->description)):
                                <span class="font-weight-</p>
bold">About the speaker:</span><br/><?= $data[0]->description ?>
                            <?php
```

```
endif;
                         if(isset($data[0]->email)):
                            <span class="font-weight-
bold">Contact email:</span><br/><?= $data[0]->email ?>
                         <?php
                         endif;
                 </div>
              </div>
          </div>
          <div class="col-lg-6 col-sm-12">
              <div class="col-12 text-center">
              <?php
                 if(isset($categories[0]) && count($categories) > 0):
                     echo '<p class="h5 font-weight-
bold">Areas of knowledge:';
                     echo '';
                     foreach($categories as $el):
                         <?= $el->category ?>
                     <?php
                     endforeach;
                     echo '';
                 endif;
              </div>
              <div class="col-12 text-center mt-4 text-center">
                 Average grade:
                 <span class="h3 text-info">
                     <?php
                         $queryGrades = "SELECT AVG(grade) AS grade FROM user
grades WHERE user id=$user";
                         $grades = executeQuery($queryGrades);
                         $grade = $grades[0]->grade;
                         $grade = round($grade);
                         for($i = 0; $i < 5; $i++){}
                            if($i < $grade){
                                echo '<i class="fa fa-star" aria-
hidden="true"></i>';
                            }
                            else{
```

```
echo '<i class="fa fa-star-o" aria-
hidden="true"></i>';
                            $queryTotal = "SELECT COUNT(user id) AS total FROM us
er_grades WHERE user_id=".$user;
                            $total = executeQuery($queryTotal);
                    </span>
                    Total grades: <?= $total[0]->total ?>
                </div>
                <?php if(isset($ SESSION['userStatus']) && $user != $ SESSION['us</pre>
erId']): ?>
                <div class="col-12 text-center mt-5">
                    <input type="hidden" value="<?= $ SESSION['userId'] ?>" name=
"user_id" id="user_id"/>
                    <input type="hidden" value="<?= $user ?>" name="speaker id" i
d="speaker id"/>
                    <span class="font-weight-</p>
bold">Grade the speaker:</span><br>To help our community be as objective and hone
st as possible.
                    <span class="h3">
                        <button class="starButton" value="1"><i class="fa fa-</pre>
star grade" aria-hidden="true"></i></button>
                        <button class="starButton" value="2"><i class="fa fa-</pre>
star grade" aria-hidden="true"></i></button>
                        <button class="starButton" value="3"><i class="fa fa-</pre>
star grade" aria-hidden="true"></i></button>
                        <button class="starButton" value="4"><i class="fa fa-</pre>
star grade" aria-hidden="true"></i></button>
                        <button class="starButton" value="5"><i class="fa fa-</pre>
star grade" aria-hidden="true"></i></button>
                    </span>
                    <div class="col-12 text-center mt-3" id="gradedText">
                        <span class="text-
info">Thank you for grading and supporting the community!</span><br/>if you ever
change your mind you can change the grade here.
                    </div>
                </div>
                <?php endif; ?>
            </div>
        </div>
    </div>
 /section>
```

```
<?php
    endif;

if(count($data) == 0):
        echo '<section class="site-section" id="about-section">This user is not registered as a speaker.</div>';
    endif;
endif;
?>
```

speakers.php

```
<?php
<section class="site-section d-flex justify-content-center" id="about-section">
    <div class="col-lg-10 col-sm-12 d-flex flex-wrap">
        <div class="col-lg-3 col-sm-12 border-right">
            <!-- SEARCH, SORTING AND FILTERING -->
            <div class="col-12">
                <form class="col-12" action="#" method="POST">
                     <div class="col-12 mb-3 mt-3">
                         <!-- SEARCH -->
                         <div class="md-form active-cyan active-cyan-2 mb-3">
                             <input class="form-control col-</pre>
12" type="text" placeholder="Search by name" aria-
label="Search" id="search" name="search"/>
                         </div>
                    </div>
                     <div class="col-12 mb-3 mt-4">
                         <!-- STARS FILTERS -->
                         Filter by stars rated:
                         <div class="form-check">
                             <input class="form-check-</pre>
input cbxClass starCbx" type="checkbox" id="starCbx1" name="starCbx1" value="5"/>
                             <label class="form-check-</pre>
label" for="starCbx1">5 STARS</label>
                         </div>
                         <div class="form-check">
                             <input class="form-check-</pre>
input cbxClass starCbx" type="checkbox" id="starCbx2" name="starCbx2" value="4"/>
                             <label class="form-check-</pre>
label" for="starCbx2">4 STARS</label>
                         </div>
                         <div class="form-check">
                             <input class="form-check-</pre>
input cbxClass starCbx" type="checkbox" id="starCbx3" name="starCbx3" value="3"/>
                             <label class="form-check-</pre>
label" for="starCbx3">3 STARS</label>
                         </div>
                         <div class="form-check">
```

```
<input class="form-check-</pre>
input cbxClass starCbx" type="checkbox" id="starCbx4" name="starCbx4" value="2"/>
                             <label class="form-check-</pre>
label" for="starCbx4">2 STARS</label>
                         </div>
                         <div class="form-check">
                             <input class="form-check-</pre>
input cbxClass starCbx" type="checkbox" id="starCbx5" name="starCbx5" value="1"/>
                             <label class="form-check-</pre>
label" for="starCbx5">1 STAR</label>
                         </div>
                     </div>
                     <div class="col-12 mb-3 mt-4">
                         <!-- CATEGORY FILTERS -->
                         Filter by expertise:
                             $query_categories = "SELECT * FROM categories";
                             $categories = executeQuery($query categories);
                             foreach($categories as $ctg):
                         <div class="form-check">
                             <input class="form-check-</pre>
input categCbx cbxClass" type="checkbox" id="<?= $ctg->id ?>" name="<?= $ctg-</pre>
>id ?>" value="<?= $ctg->id ?>"/>
                             <label class="form-check-label" for="<?= $ctg-</pre>
>id ?>"><?= $ctg->category ?></label>
                         </div>
                         <?php endforeach; ?>
                     </div>
                </form>
            </div>
        </div>
        <div class="col-lg-9 col-sm-12 pt-5" id="speakersDisplay">
            <!-- DISPLAY SPEAKERS -->
        </div>
    </div>
</section>
```

MODELS:

speaker.php

```
<?php
session_start();
if(isset($_POST['btn_speaker'])){
    require_once "../../config/connection.php";
    $_SESSION['errors'] = [];
    $image = $_FILES['profilePicture'];
    $text = $_POST['aboutYou'];
    $categories = [];
    foreach($_POST['category'] as $el){
        array_push($categories, $el);
    $regexText = "/^[A-Za-z1-9\.\,\!\?\'\:\;\_\- ]{5,200}$/";
    $errors = [];
    if(count($categories) == 0) array_push($errors, "You must select at least one
 category.");
    if(!preg_match($regexText, $text)) array_push($errors, "Short description is
required.");
    if(!is_uploaded_file($_FILES['profilePicture']['tmp_name'])) array_push($erro
rs, "Upload the image of yourself to register as a speaker.");
    if($ FILES['profilePicture']['size'] > 2000000) array push($errors, "Image mu
st be under 2MB.");
    if($ FILES['profilePicture']['type'] != "image/jpeg" && $ FILES['profilePictu
re']['type'] != "image/png") array_push($errors, "File provided is not an image o
f .PNG or .JPG type.");
    if(count($errors) == 0){
        // UPLOAD ORIGINAL IMAGE
        $origName = $_FILES['profilePicture']['name'];
        $name = $_SESSION['userEmail']."__img__".$origName;
        $tmp = $image['tmp_name'];
        $path = "../../assets/images/users/$name";
        move uploaded file($tmp, $path);
        // IMAGE RESIZE AND WATERMARK
```

```
$dimensions = getimagesize($path);
        $width = $dimensions[0];
        $height = $dimensions[1];
        new width = 250;
        $new height = 250;
        $bg = imagecreatetruecolor($new width, $new height);
        $mark = imagecreatefrompng("../../assets/images/mark.png");
        if($ FILES['profilePicture']['type'] == "image/jpeg"){
            if(imagecreatefromjpeg($path)){
                $uploadedImg = imagecreatefromjpeg($path);
                imagecopyresampled($bg, $uploadedImg, 0, 0, 0, 0, $new width, $ne
w_height, $width, $height);
                $nameSm = $_SESSION['userEmail']."__sm__".$origName;
                imagecopymerge($bg, $mark, 95,225,0,0,60,25, 30);
                imagejpeg($bg, "../../assets/images/users/$nameSm");
            else{
                array_push($errors, "Corrupt image file!");
                $ SESSION['errors'] = $errors;
                header("Location: ../../index.php?page=account");
            }
        else if($ FILES['profilePicture']['type'] == "image/png"){
            if(imagecreatefrompng($path)){
                $uploadedImg = imagecreatefrompng($path);
                imagecopyresampled($bg, $uploadedImg, 0, 0, 0, 0, $new_width, $ne
w height, $width, $height);
                $nameSm = $_SESSION['userEmail']."__sm__".$origName;
                imagecopymerge($bg, $mark, 95,225,0,0,60,25, 30);
                imagepng($bg, "../../assets/images/users/$nameSm");
            else{
                array_push($errors, "Corrupt image file!");
                $_SESSION['errors'] = $errors;
                header("Location: ../../index.php?page=account");
        // INSERT INTO THE DATABASE
        $user id = $ SESSION["userId"];
```

```
$rows_in = executeQuery("SELECT * FROM user_data WHERE user_id = $user_id
');
        $categ_in = executeQuery("SELECT * FROM user_categories WHERE user id = $
user id");
        if(count($rows in) == 0){
            $userDataQuery = $connection-
>prepare("INSERT INTO user_data (user_id, description, image, image_sm) VALUES (:
id, :desc, :image, :imagesm)");
        else{
            $userDataQuery = $connection-
>prepare("UPDATE user_data SET description=:desc, image=:image, image_sm=:imagesm
 WHERE user id=:id");
        $userDataQuery->bindParam(':id', $user id, PDO::PARAM INT);
        $userDataQuery->bindParam(':desc', $text, PDO::PARAM_STR, 200);
        $userDataQuery->bindParam(':image', $name, PDO::PARAM STR, 999);
        $userDataQuery->bindParam(':imagesm', $nameSm, PDO::PARAM_STR, 999);
        $userDataQuery->execute();
        if(count($categ in) != 0){
            $delete categ = "DELETE FROM user categories WHERE user id=$user id";
            $connection->exec($delete categ);
        foreach($categories as $el){
            $categ query = "INSERT INTO user categories (user id, category id) VA
LUES ($user id, $el)";
            $connection->exec($categ query);
        $ SESSION['changes'] = 'yes';
        header("Location: ../../index.php?page=account");
    }
    else{
        $_SESSION['errors'] = $errors;
        header("Location: ../../index.php?page=account");
```

add_big_image.php

```
??php
require_once "../../config/connection.php";

if(isset($_POST['submit'])){
    $description = $_POST['description'];
    $image_name = $_FILES['image']['name'];
    $tmp_name = $_FILES['image']['tmp_name'];
    $size = $_FILES['image']['size'];
    $path = "../../assets/images/$image_name";

    if($size < 2000000){
        move_uploaded_file($tmp_name, $path);

        $query = "INSERT INTO images_entry (src, alt) VALUES ('assets/images/$image_name', '$description')";
        $connection->exec($query);
    }
}

header("Location: ../../index.php?page=admin");
```

add_category.php

```
<?php
require_once "../../config/connection.php";

if(isset($_POST['submit'])){
    $category = $_POST['category'];

    $query = "INSERT INTO categories (category) VALUES ('$category')";
    $connection->exec($query);
}

header("Location: ../../index.php?page=admin");
```

add_event.php

```
<?php
require_once "../../config/connection.php";

if(isset($_POST['submit'])){
    $name = $_POST['event_name'];
    $description = $_POST['event_description'];

    $query = "INSERT INTO events (event_name, event_description) VALUES ('$name', '$description')";
    $connection->exec($query);
}

header("Location: ../../index.php?page=admin");
```

change_category.php

```
<?php
require_once "../../config/connection.php";

if(isset($_POST['submit'])){
    $id = $_POST['id'];
    $categ = $_POST['category'];

    $query = "UPDATE categories SET category = '$categ' WHERE id=$id";
    $connection->exec($query);
}

header("Location: ../../index.php?page=admin");
```

change nav item

```
<!php
require_once "../../config/connection.php";

if(isset($_POST['submit'])){
    $id = $_POST['id'];
    $name = $_POST['name'];
    $href = $_POST['href'];
    $parent = $_POST['parent'];
    $level = $_POST['level'];
    $position = $_POST['losition'];
    $status = $_POST['login_status'];

    $query = "UPDATE nav_elements SET name='$name', href='$href', parent=$parent, level=$level, position=$position, login_status=$status WHERE id_nav=$id";
    $connection->exec($query);
}

header("Location: ../../index.php?page=admin");
```

change user.php

```
<!php
require_once "../../config/connection.php";

if(isset($_POST['submit'])){
    $id = $_POST['id'];
    $name = $_POST['name'];
    $href = $_POST['href'];
    $parent = $_POST['parent'];
    $level = $_POST['level'];
    $position = $_POST['losition'];
    $status = $_POST['login_status'];

    $query = "UPDATE nav_elements SET name='$name', href='$href', parent=$parent, level=$level, position=$position, login_status=$status WHERE id_nav=$id";
    $connection->exec($query);
}

header("Location: ../../index.php?page=admin");
```

delete.php

export log.php

```
<?php
require_once "../../config/connection.php";
require_once '../../vendor/autoload.php';
$file = fopen("../../data/log.txt", "r");
if($file){
    $file_array = file("../../data/log.txt");
    $file data = [];
    foreach($file_array as $el){
        array_push($file_data, explode("\t", $el));
    }
use PhpOffice\PhpSpreadsheet\Spreadsheet;
use PhpOffice\PhpSpreadsheet\Writer\Xlsx;
$spreadsheet = new Spreadsheet();
$sheet = $spreadsheet->getActiveSheet();
$sheet->getColumnDimension('A')->setWidth(100);
$sheet->getColumnDimension('B')->setWidth(50);
$sheet->getColumnDimension('C')->setWidth(70);
$sheet->setCellValue("A1", "Page");
$sheet->setCellValue("B1", "Time");
$sheet->setCellValue("C1", "IP Address");
pow = 2;
foreach($file_data as $el){
    $sheet->setCellValue("A$row", $el[0]);
    $sheet->setCellValue("B$row", $el[1]);
    $sheet->setCellValue("C$row", $e1[2]);
    $row++;
header("Content-type: application/vnd.ms-excel");
header("Content-Disposition: attachment; Filename=posts.xls");
$writer = new Xlsx($spreadsheet);
$writer->save('php://output');
```

users data.php

```
<?php
$file = fopen("data/log.txt", "r");
if($file){
    $file_array = file("data/log.txt");
    $file_data = [];
    foreach($file array as $el){
        array_push($file_data, explode("\t", $el));
    $all_pages = [];
    foreach($file_data as $el){
        if(!in_array($el[0], $all_pages)){
            array_push($all_pages, $el[0]);
    }
    $time now = time();
    $time_yesterday = $time_now - (60 * 60 *24);
    $page entries = [];
    foreach($all_pages as $page){
        count = 0;
        foreach($file data as $el){
            $entry_time = DateTime::createFromFormat('d.m.Y H:i:s', $el[1])-
>getTimestamp();
            if($page == $el[0] && $entry time >= $time yesterday && $entry time <
= $time_now){
                $count++;
        array_push($page_entries, [$page, $count]);
    }
    $page entries all = [];
    foreach($all_pages as $page){
        count = 0;
        foreach($file_data as $el){
            if($page == $el[0]){
                $count++;
```

```
}
    array_push($page_entries_all, [$page, $count]);
}

$total_entries = 0;
foreach($page_entries as $el){
    $total_entries += $el[1];
}

fclose($file);
}
```

word.php

grades.php

```
<?php
// session_start();
require_once "../../config/connection.php";
if(isset($_POST['sendGrade'])){
    $grade = $_POST['sendGrade'];
    $user = $_POST['sendUserId'];
    $speaker = $_POST['sendSpeakerId'];
    $userAlreadyGraded = "SELECT * FROM user_grades WHERE grader_id=$user AND use
r_id=$speaker";
    $isGraded = executeQuery($userAlreadyGraded);
    if(count($isGraded) == 0){
        $query = "INSERT INTO user_grades (user_id, grader_id, grade) VALUES ($sp
eaker, $user, $grade)";
        $connection->exec($query);
    else{
        $query = "UPDATE user_grades SET grade=$grade WHERE user_id=$speaker AND
grader_id=$user";
        $connection->exec($query);
```

login.php

```
<?php
session start();
if(isset($_POST['sub_register'])){
    include "../../config/connection.php";
    $ SESSION['errors'] = [];
    $email = $ POST['email'];
    $pass = $ POST['pass'];
    \ensuremath{$\text{special}} = "/^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/";
    \ensuremath{$\text{pregexPass}} = "/^(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).\{6,20\}$/";
    $errors = [];
    if(!preg match($regexEmail, $email)) array push($errors, "Invalid email forma
    if(!preg match($regexPass, $pass)) array push($errors, "Invalid password form
at.");
    $pass = md5($pass);
    $query = "SELECT id, role, status, name, last_name, email FROM users WHERE em
ail='$email' AND password='$pass'";
    $user = executeQuery($query);
    if(count($user) != 1) array_push($errors, "USER WITH THIS EMAIL OR PASSWORD N
OT FOUND.");
    if(count($errors) == 0){
        if(count($user) == 1){
            $id = $user[0]->id;
            $role = $user[0]->role;
            $status = $user[0]->status;
            $sessionEmail = $user[0]->email;
            $sessionName = $user[0]->name;
            $sessionLName = $user[0]->last name;
            $ SESSION['userId'] = $id;
            $_SESSION['userRole'] = $role;
            $ SESSION['userStatus'] = $status;
            $_SESSION['userEmail'] = $sessionEmail;
            $ SESSION['userName'] = $sessionName;
```

logout.php

```
<?php
require_once "../../config/connection.php";
session_start();

$id = $_SESSION['userId'];
$online_query = "DELETE FROM online WHERE user_id=$id";
$connection->exec($online_query);

session_destroy();
header("Location: ../../index.php");
```

register.php

```
<?php
session start();
if(isset($_POST['sub_register'])){
    require once "../../config/connection.php";
   $ SESSION['errors'] = [];
   $name = $ POST['name'];
   $lname = $ POST['lname'];
   $email = $_POST['email'];
   $pass = $ POST['pass'];
   $rpass = $_POST['rpass'];
   $errors = [];
    $regexName = "/^[a-zA-Z]+(([',. -][a-zA-Z])?[a-zA-Z]*)*$/";
   \frac{\text{sregexEmail} = \frac{\pi}{\wedge w+([\cdot,-]?\wedge w+)*(\cdot,w{2,3})+\$/}}{(\cdot,w{2,3})+\$/};
    regexPass = "/^(?=.*\d)(?=.*[a-z])(?=.*[A-z]).{6,20}$/";
    if(!preg_match($regexName, $name)) array_push($errors, "Invalid name format."
);
    if(!preg_match($regexName, $lname)) array_push($errors, "Invalid last name fo
rmat.");
   if(!preg match($regexEmail, $email)) array push($errors, "Invalid email forma
t.");
   $emailQuery = "SELECT * FROM users WHERE email='$email'";
    $emailAlreadyExists = executeQuery($emailQuery);
   $emailAlreadyExists = count($emailAlreadyExists);
    if($emailAlreadyExists >= 1) array push($errors, "There is an account already
 registered to this email.");
    if(!preg match($regexPass, $pass)) array push($errors, "Password must include
 at least one uppercase, lowercase and a digit, and must be between 6 and 20 chara
cters.");
    if($pass != $rpass) array_push($errors, "Passwords do not match.");
    if(count($errors) == 0){
        $pass = md5($pass);
        rand = md5(rand);
```

verify.php

```
<?php
require_once "../../config/connection.php";
if(isset($_GET['email']) && !empty($_GET['email']) && isset($_GET['rand']) && !em
pty($_GET['rand'])){
    $email = $_GET['email'];
    $rand = $_GET['rand'];
    $query = "SELECT email, rand_password, status FROM users WHERE email='$email'
 AND rand_password='$rand' AND status=0";
    $returned = executeQuery($query);
    if(count($returned) > 0){
        $updateQuery = "UPDATE users SET status=1 WHERE email='$email' AND rand p
assword='$rand' AND status=0";
        $connection->exec($updateQuery);
        header("Location: ../../index.php?page=verify&error=");
    else{
        header("Location: ../../index.php?page=verify&error=yes");
else{
    header("Location: ../../index.php?page=verify&error=yes");
```

filter speakers.php

```
<?php
require once "../../config/connection.php";
require_once "functions.php";
$stars = $_POST['stars'];
$categories = $_POST['categ'];
$query categories = "SELECT c.category, uc.user id AS id FROM categories AS c INN
ER JOIN user categories AS uc ON c.id = uc.category id";
$query_grades = "SELECT ROUND(AVG(grade)) AS grade, u.id AS id FROM users AS u IN
NER JOIN user grades AS ug ON u.id = ug.user id GROUP BY u.id";
// FILTERING BY GRADES (STARS)
if(count($stars) > 1){
    $query grades .= " HAVING grade > 0 ";
    if(in array(5, $stars)){
        $query_grades .= "AND grade = 5 ";
    if(in array(4, $stars)){
        if(in_array(5, $stars)) $query_grades .= "OR grade = 4 ";
        else $query grades .= "AND grade = 4 ";
    if(in array(3, $stars)){
        if(in_array(5, $stars) || in_array(4, $stars)) $query grades .= "OR grade
        else $query_grades .= "AND grade = 3 ";
    if(in array(2, $stars)){
        if(in_array(5, $stars) || in_array(4, $stars) || in_array(3, $stars)) $qu
ery_grades .= "OR grade = 2 ";
        else $query grades .= "AND grade = 2 ";
    if(in array(1, $stars)){
        if(in_array(5, $stars) || in_array(4, $stars) || in_array(3, $stars) || i
n_array(2, $stars)) $query_grades .= "OR grade = 1 ";
        else $query_grades .= "AND grade = 1 ";
    }
if(count($stars) == 1){
    $query grades = "SELECT AVG(grade) AS grade, u.id AS id FROM users AS u INNER
 JOIN user grades AS ug ON u.id = ug.user id GROUP BY u.id";
```

```
// FILTERING CATEGORIES
if(count($categories) > 1){
    $switch = 0;
    for($i = 1; $i < count($categories); $i++){</pre>
        if(switch == 0)
            $query categories .= " WHERE c.id = ".$categories[$i];
            $switch = 1;
        else{
            $query_categories .= " OR c.id = ".$categories[$i];
$users = get all users();
$categories = executeQuery($query_categories);
$grades = executeQuery($query_grades);
if(count($stars) > 1){
    $user = [];
    foreach($users as $el){
        foreach($grades as $grade){
            if($el->id == $grade->id){
                array_push($user, $el);
            }
    }
else{
    $user = $users;
// USERS WITH SELECTED CATEGORIES
$users_by_categ = [];
foreach($categories as $el){
    if(!in_array($el->id, $users_by_categ)){
        array_push($users_by_categ, $el->id);
$users to return = [];
foreach($user as $el){
    if(in_array($el->id, $users_by_categ)){
        array push($users to return, $el);
```

```
}
}
suser = $users_to_return;
$categories = get_all_categories();

$json = json_encode([
    "user" => $user,
    "categories" => $categories,
    "grades" => $grades
]);
echo $json;
// header("Content-type: application/json");
```

speakers/functions.php

```
<?php

require_once "../../config/connection.php";

function get_all_users(){
    return executeQuery("SELECT u.id, u.name, u.last_name, u.email, ud.descriptio
n, ud.image_sm FROM users AS u INNER JOIN user_data AS ud ON u.id = ud.user_id OR
DER BY id DESC");
}

function get_all_categories(){
    return executeQuery("SELECT c.id, c.category, uc.user_id FROM categories AS c
INNER JOIN user_categories AS uc ON c.id = uc.category_id");
}

function get_all_grades(){
    return executeQuery("SELECT AVG(grade) AS grade, u.id AS id FROM users AS u I
NNER JOIN user_grades AS ug ON u.id = ug.user_id GROUP BY u.id");
}
</pre>
```

search users.php

```
<?php
require_once "../../config/connection.php";
require_once "functions.php";
if(isset($_POST['input'])){
    $input = strtolower($_POST['input']);
    $user = executeQuery("SELECT u.id, u.name, u.last_name, u.email, ud.descripti
on, ud.image, ud.image_sm FROM users AS u INNER JOIN user_data AS ud ON u.id = ud
.user_id WHERE LOWER(CONCAT(u.name, ' ', u.last_name)) LIKE '%$input%'");
    $categories = get_all_categories();
    $grades = get_all_grades();
    $json = json_encode([
        "user" => $user,
        "categories" => $categories,
        "grades" => $grades
    ]);
    echo $json;
    // header("Content-type: application/json");
```

show_all_speakers.php

```
require_once "../../config/connection.php";
require "functions.php";

$user = get_all_users();
$categories = get_all_categories();
$grades = get_all_grades();

$json = json_encode([
    "user" => $user,
    "categories" => $categories,
    "grades" => $grades
]);
echo $json;
// header("Content-type: application/json");
```

functions.php

```
<?php
function show nav elements($parent){
   $childrenQuery = "SELECT * FROM nav_elements WHERE parent=$parent";
   $childrenArray = executeQuery($childrenQuery);
   foreach($childrenArray as $child):
       if(check_for_children($child->id_nav)){
           echo '';
       else{
           echo '';
       <a href="<?= $child->href ?>" class="nav-link"><?= $child->name ?></a>
           if(check_for_children($child->id_nav)){
               echo '';
               show_nav_elements($child->id_nav);
               echo '';
           }
       <?php
       echo "";
   endforeach;
function check_for_children($parentId){
   $childrenQuery = "SELECT * FROM nav elements WHERE parent=$parentId";
   $childrenArray = executeQuery($childrenQuery);
   if(count($childrenArray) > 0){
       return true;
   else{
       return false;
function show_errors_array($array){
   foreach($array as $el):
```

ASSETS/JS:

checks.js

```
//SWITCHES
var switchName = 0;
var switchLName = 1;
var switchEmail = 2;
var switchPass = 3;
var switchRepeatPass = 4;
var switchLoginMail = 0;
var switchLoginPass = 1;
var switchAboutYou = 0;
var switchArray = [false, false, false, false, false];
$(document).ready(function(){
    // HIDE MESSAGES
    $(".hideThis").hide();
    // $("#login_emailR").hide();
    // $("#login_passR").hide();
   // $("#loginFormR").hide();
    // REGEX
    let regexNameAndLastName = /^[a-zA-Z]+(([',. -][a-zA-Z]*)*$/;
    let regexEmail = /^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/;
    let regexPassword = /^(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).\{6,20\};
    let regexAboutText = /^[A-Za-z1-9\.\,\!\?\' ]{5,200}$/;
    // REGISTER CHECKS
    let addressName = $("#name");
    let problemName = $("#nameR");
    $("#name").blur(function(){
        regexCheck(regexNameAndLastName, addressName, problemName, switchName);
    });
    let addressLName = $("#lname");
    let problemLName = $("#lnameR");
    $("#lname").blur(function(){
```

```
regexCheck(regexNameAndLastName, addressLName, problemLName, switchLName)
    });
    let addressEmail = $("#email");
    let problemEmail = $("#emailR");
    $("#email").blur(function(){
        regexCheck(regexEmail, addressEmail, problemEmail, switchEmail);
    });
    let addressPass = $("#pass");
    let problemPass = $("#passR");
    $("#pass").blur(function(){
        regexCheck(regexPassword, addressPass, problemPass, switchPass);
    });
    let addressAboutYou = $("#aboutYou");
    let problemAboutYou = $("#aboutYouR");
    $("#aboutYou").blur(function(){
        regexCheck(regexAboutText, addressAboutYou, problemAboutYou, switchAboutY
ou);
    });
    $("#rpass").blur(function(){
        let firstPassword = $("#pass").val();
        let secondPassword = $("#rpass").val();
        if(firstPassword == secondPassword){
            $("#rpassR").hide();
            switchArray[switchRepeatPass] = true;
        else{
            $("#rpassR").show();
            switchArray[switchRepeatPass] = false;
    });
});
// FUNCTIONS
function regexCheck(regex, address, problem, switchNum){
    addressValue = address.val();
    if(regex.test(addressValue)){
       problem.hide();
```

```
switchArray[switchNum] = true;
   else{
        problem.show();
        switchArray[switchNum] = false;
    }
function registerFormCheck(){
   if(switchArray[0] == true && switchArray[1] == true && switchArray[2] == true
&& switchArray[3] == true && switchArray[4] == true){
        return true;
   else{
        $("#submitR").show();
       return false;
    }
function loginFormCheck(){
   if(switchArray[2] == true && switchArray[3] == true){
        return true;
   else{
        $("#submitR").show();
        return false;
function speakerFormCheck(){
    if(switchArray[0] == true){
        return true;
   else{
        $("#aboutYouR").show();
       return false;
```

grades.js

```
$(document).ready(function(){
   $("#gradedText").hide();
    $(".starButton").click(function(){
        let grade = $(this).val();
       let userId = $("#user_id").val();
       let speakerId = $("#speaker_id").val();
        $.ajax({
            url: "models/grades.php",
            method: "POST",
            data: {
                sendGrade: grade,
                sendUserId: userId,
                sendSpeakerId: speakerId
            },
            success: function(data){
                $("#gradedText").show();
            },
            error: function(err){
                console.log(err);
       });
    });
```

speakers.js

```
$(document).ready(function(){
    displayAllSpeakers();
    $(".cbxClass").click(function(){
        let arrayStars = [null];
        let arrayCateg = [null];
        $(".starCbx:checkbox:checked").each(function(){
            arrayStars.push($(this).val());
        });
        $(".categCbx:checkbox:checked").each(function(){
            arrayCateg.push($(this).val());
        });
        $.ajax({
            url: "models/speakers/filter_speakers.php",
            dataType: "json",
            method: "POST",
            data: {
                stars: arrayStars,
                categ: arrayCateg
            },
            success: function(data){
                displaySpeakers(data);
            },
            error: function(err){
                console.log(err);
            }
        });
    });
    $("#search").keyup(function(){
        let input = $(this).val();
        $('.cbxClass').prop('checked', false);
        $.ajax({
            url: "models/speakers/search_users.php",
            dataType: "json",
            method: "POST",
            data: {
                input: input
```

```
success: function(data){
                if(input == ""){
                    displayAllSpeakers();
                else{
                    displaySpeakers(data);
            },
            error: function(err){
                console.log(err);
            }
        });
    });
});
function displayAllSpeakers(){
    $.ajax({
        url: "models/speakers/show all speakers.php",
        dataType: "json",
        method: "POST",
        success: function(data){
            displaySpeakers(data);
        },
        error: function(err){
            console.log(err);
        }
    });
function displaySpeakers(data){
    let html = "";
    data.user.forEach(el => {
        let categories = data.categories.filter(ctg => ctg.user_id == el.id);
        let grades = data.grades.filter(gr => gr.id == el.id);
        grade = grades[0];
        if(grades[0] == undefined){
            grade = 0;
        else{
            grade = Math.round(grade.grade);
```

```
html += 
        <div class="col-12 d-flex flex-wrap mb-5 pb-3 speakerDiv">
           <div class="col-lg-4 col-sm-12 text-center">
                <a href="index.php?page=speaker&id=${el.id}" class="h3">
                   <img src="assets/images/users/${el.image_sm}" alt="${el.name}</pre>
 ${el.last name}" class="rounded-circle img-fluid w-50 mb-4"/>
               </a>
           </div>
            <div class="col-lg-8 col-sm-12">
               <div class="col-12">
                   <a href="index.php?page=speaker&id=${el.id}" class="h3">${el.
name} ${el.last name}</a>
                   ${el.description}
               </div>
                <div class="col-12 d-flex flex-wrap">
                   <div class="col-lg-10 col-sm-12">
                       ;
                       categories.forEach(ctg => {
                           html += `${ctg.category}`;
                       });
                       html += `
                   </div>
                   <div class="col-lg-2 col-sm-12 text-center">
                       <i class="fa fa-star" aria-
hidden="true"></i><br/>${grade}
                   </div>
               </div>
           </div>
       </div>
    });
    $('#speakersDisplay').html(html);
```