

```
mysql> desc p_pizza_sizes;
```

Field	Type	Null	Key	Default	Extra
size_id	int(11)	NO	PRI	NULL	
size_desc	varchar(255)	NO		NULL	
active_sw	enum('Y','N')	NO		Y	

```
3 rows in set (0.00 sec)
```

```
mysql> desc p_pizza;
```

Field	Type	Null	Key	Default	Extra
pizza_id	int(11)	NO	PRI	NULL	auto_increment
pizza_desc	varchar(255)	NO		NULL	
price	float(8,2)	NO		0.00	
active_sw	enum('Y','N')	NO		Y	
lastmod	timestamp	NO		CURRENT_TIMESTAMP	on update CURRENT_TIMESTAMP

```
5 rows in set (0.01 sec)
```

```
mysql> desc p_topping_categories;
```

Field	Type	Null	Key	Default	Extra
topping_category_id	int(11)	NO	PRI	NULL	auto_increment
topping_category_desc	varchar(255)	NO		NULL	
active_sw	enum('Y','N')	NO		Y	
lastmod	timestamp	NO		CURRENT_TIMESTAMP	on update CURRENT_TIMESTAMP

```
4 rows in set (0.00 sec)
```

```
mysql> desc p_toppings;
```

Field	Type	Null	Key	Default	Extra
topping_id	int(11)	NO	PRI	NULL	auto_increment
topping_category_id	int(11)	NO	MUL	NULL	
topping_desc	varchar(255)	NO		NULL	
topping_price	float(8,2)	NO		0.00	
active_sw	enum('Y','N')	NO		Y	
lastmod	timestamp	NO		CURRENT_TIMESTAMP	on update CURRENT_TIMESTAMP

```
6 rows in set (0.00 sec)
```

```
mysql> desc p_customer;
```

```
+-----+
```

Field	Type	Null	Key	Default	Extra
customer_id	int(11)	NO	PRI	NULL	auto_increment
first_name	varchar(255)	NO		NULL	
last_name	varchar(255)	NO		NULL	
email_id	varchar(255)	NO	UNI	NULL	
pri_phone	varchar(255)	YES		NULL	
alt_phone	varchar(255)	YES		NULL	
lastmod	timestamp	NO		CURRENT_TIMESTAMP	on update CURRENT_TIMESTAMP

7 rows in set (0.00 sec)

```
mysql> desc p_address_types;
```

Field	Type	Null	Key	Default	Extra
address_type_cd	int(11)	NO	PRI	NULL	
address_type_cd_desc	varchar(255)	NO		NULL	
active_sw	enum('Y','N')	NO		Y	

3 rows in set (0.00 sec)

```
mysql> desc p_addresses;
```

Field	Type	Null	Key	Default	Extra
address_id	int(11)	NO	PRI	NULL	auto_increment
customer_id	int(11)	NO	MUL	NULL	
address_type_cd	int(11)	NO		NULL	
address_line_one	varchar(255)	NO		NULL	
address_line_two	varchar(255)	YES		NULL	
city_name	varchar(255)	NO		NULL	
state_cd	char(2)	NO		GA	
postal_cd	varchar(32)	NO		NULL	
active_sw	enum('Y','N')	NO		Y	
lastmod	timestamp	NO		CURRENT_TIMESTAMP	on update CURRENT_TIMESTAMP

10 rows in set (0.00 sec)

```
mysql> desc p_credit_card_types;
```

Field	Type	Null	Key	Default	Extra
credit_card_type_cd	varchar(32)	NO	PRI	NULL	
credit_card_type_cd_desc	varchar(255)	NO		NULL	
active_sw	enum('Y','N')	NO		Y	

3 rows in set (0.00 sec)

```
mysql> desc p_payment_profiles;
```

Field	Type	Null	Key	Default	Extra
payment_profile_id	int(11)	NO	PRI	NULL	auto_increment
customer_id	int(11)	NO	MUL	NULL	
address_id	int(11)	NO	MUL	NULL	
credit_card_type_cd	varchar(32)	NO	MUL	NULL	
credit_card_number	varchar(64)	NO		NULL	
credit_card_name	varchar(255)	NO		NULL	
expiration_month	int(2)	NO		NULL	
expiration_year	year(4)	NO		NULL	
security_code	char(3)	NO		NULL	
active_sw	enum('Y','N')	NO		Y	
lastmod	timestamp	NO		CURRENT_TIMESTAMP	on update CURRENT_TIMESTAMP

```
11 rows in set (0.00 sec)
```

```
mysql> desc p_order_types;
```

Field	Type	Null	Key	Default	Extra
order_type_cd	int(11)	NO	PRI	NULL	on update CURRENT_TIMESTAMP
order_type_cd_desc	varchar(255)	NO		NULL	
active_sw	enum('Y','N')	NO		Y	
lastmod	timestamp	NO		CURRENT_TIMESTAMP	

```
4 rows in set (0.00 sec)
```

```
mysql> desc p_order_status_codes;
```

Field	Type	Null	Key	Default	Extra
order_status_cd	int(11)	NO	PRI	NULL	on update CURRENT_TIMESTAMP
order_status_cd_desc	varchar(255)	NO		NULL	
active_sw	enum('Y','N')	NO		Y	
lastmod	timestamp	NO		CURRENT_TIMESTAMP	

```
4 rows in set (0.01 sec)
```

```
mysql> desc p_discount_codes;
```

Field	Type	Null	Key	Default	Extra
discount_cd	varchar(32)	NO	PRI	NULL	
discount_cd_desc	varchar(255)	NO		NULL	
amount	float(8,2)	NO		0.00	
valid_thru_date	date	NO		2020-12-31	
active_sw	enum('Y','N')	NO		Y	

Field	Type	Null	Key	Default	Extra
lastmod	timestamp	NO		CURRENT_TIMESTAMP	on update CURRENT_TIMESTAMP

6 rows in set (0.00 sec)

mysql> desc p\_orders;

Field	Type	Null	Key	Default	Extra
order_id	int(11)	NO	PRI	NULL	auto_increment
order_date	date	NO		0000-00-00	
customer_id	int(11)	NO	MUL	NULL	
order_type_cd	int(11)	NO	MUL	NULL	
order_status_cd	int(11)	NO	MUL	NULL	
discount_cd	varchar(32)	YES		NULL	
remarks	text	YES		NULL	
lastmod	timestamp	NO		CURRENT_TIMESTAMP	on update CURRENT_TIMESTAMP

8 rows in set (0.01 sec)

mysql> desc p\_order\_details;

Field	Type	Null	Key	Default	Extra
order_detail_id	int(11)	NO	PRI	NULL	auto_increment
order_id	int(11)	NO	MUL	NULL	
pizza_id	int(11)	NO	MUL	NULL	
size_id	int(11)	NO	MUL	NULL	
pizza_price	float(8,2)	NO		0.00	
topping_id	int(11)	NO	MUL	NULL	
topping_price	float(8,2)	NO		0.00	
lastmod	timestamp	NO		CURRENT_TIMESTAMP	on update CURRENT_TIMESTAMP

8 rows in set (0.00 sec)