DAYANANDA SAGAR COLLEGE OF ENGINEERING

(An Autonomous Institute affiliated to Visvesvaraya Technological University (VTU), Belagavi,
Approved by AICTE and UGC,
Accredited by NAAC with 'A' grade & ISO 9001 – 2015 Certified Institution)
Shavige Malleshwara Hills, Kumaraswamy Layout, Bengaluru-560 111, India

DEPARTMENT OF ARTIFICIAL INTELLGENCE & MACHINE LEARNING

Alternate Assessment Tool

Course Title: Biology for Engineers
Course Code: 22BE68
Semester: VI

Submitted by

Munagala Chandu (1DS23AI037)

Under the Guidance of
Dr Aruna M G
Professor
Department of Artificial Intelligence & Machine Learning
DSCE, Bengaluru

VISVESVARAYA TECHNOLOGICAL UNIVERSITY
JNANASANGAMA, BELAGAVI-590018, KARNATAKA, INDIA
2025-26

<table>
<tr><td>Problem Statement</td><td colspan="5">Understanding DNA mutations and their impact on protein synthesis is a complex process that typically requires strong theoretical knowledge and manual analysis of genetic sequences. It becomes difficult for students and beginners to visualize how small changes in nucleotide sequences affect amino acids and overall protein structure. Additionally, identifying mutation types such as silent, missense, nonsense, and frameshift mutations manually is time-consuming and prone to errors. The DNA Mutation Analysis System addresses this by providing a computational tool that automatically analyzes DNA sequences, detects mutations, classifies them, and presents the results through an interactive and visually intuitive interface along with 3D DNA visualization for better understanding.</td></tr>
<tr><td>AAT MARKS</td><td>Design (5)</td><td>Execution (5)</td><td>Result/ Demo (5)</td><td>Innovation/ Extra Features (5)</td><td>Total</td></tr>
<tr><td></td><td></td><td></td><td></td><td></td><td></td></tr>
<tr><td>TOOLS USED</td><td colspan="5">HTML, CSS, JavaScript, Web-based 3D Viewer (<model-viewer>), Bioinformatics Logic (Codon Table Mapping)</td></tr>
<tr><td>MAP only one SDG</td><td colspan="5">SDG 4: Quality Education</td></tr>
<tr><td>MAP COURSE OUTCOME of BFE</td><td colspan="5">CO1: Elucidate the basic biological concepts via relevant industrial applications and case studies.</td></tr>
<tr><td>MAP PROGRAM OUTCOME (PO)</td><td colspan="5">PO2: Problem Analysis:

Identify, formulate, review research literature and analyze complex engineering problems reaching substantiated conclusions with consideration for sustainable development. (WK1 to WK4)

PO3: Design/Development of Solutions:

Design creative solutions for complex engineering problems and design/develop systems/components/processes to meet identified needs with consideration for public health, safety, environment, and societal impact. (WK5)

PO4: Conduct Investigations of Complex Problems:</td></tr>
</table>

	Conduct investigations of complex engineering problems using research-based knowledge including design of experiments, modelling, analysis & interpretation of data to provide valid conclusions. (WK8) **PO5: Engineering Tool Usage:** Create, select and apply appropriate techniques, resources and modern engineering & IT tools to solve complex engineering problems.
MAP PROGRAM SPECIFIC OUTCOME(PSO) of DEPARTMENT	**PSO 1**: Graduates will demonstrate strong programming and problem-solving abilities for the design, development, and maintenance of software solutions. **PSO 2**: Graduates will be able to identify, formulate, analyze, and solve real-world problems by applying principles of Artificial Intelligence and Machine Learning. **PSO 3**: Graduates will be proficient to efficiently manage computer system resources using cloud computing technologies.
COURSE COORDINATOR	Dr ARUNA M G

Dr. Aruna M G
Professor & Course Coordinator
Artificial Intelligence & Machine Learning
Dayananda Sagar College of Engineering
Bangalore-560111

Dr. Vindhya P Malagi
Head of the Department
Artificial Intelligence & Machine Learning
Dayananda Sagar College of Engineering
Bangalore-560111

ABSTRACT

Interpreting DNA mutations and their effects on protein synthesis is a complicated task that usually demands strong theoretical understanding and detailed examination of genetic sequences. It is often challenging for students and beginners to visualize how small variations in nucleotide sequences influence amino acids and the overall protein structure. Furthermore, manually identifying mutation types such as silent, missense, nonsense, and frameshift mutations is time-consuming and highly prone to errors.

The DNA Mutation Analysis System solves this issue by offering a computational tool that automatically examines DNA sequences, identifies mutations, classifies them, and presents the results through an interactive and user-friendly interface along with 3D DNA visualization to improve clarity and understanding.

Table of Contents

ABSTRACT 3
INTRODUCTION 5
PROJECT DETAILS 6
1. Data source and labels 6
2. Biological principles and system logic 6
3. Algorithm design and processing workflow 7
4. Mutation detection and classification engine 7
5. DNA to protein translation module 8
6. Desktop application interface 8
7. Visualization and result interpretation 9
8. Input/output handling and system integration 9
OBJECTIVES 10
IMPLEMENTATION 11
OUTPUT 15
REFERENCES 17

CHAPTER 1

INTRODUCTION

Genetic mutations in DNA are a key source of biological diversity and significantly influence processes such as evolution, disease progression, and protein synthesis. Even a small change in a nucleotide sequence can cause notable differences in protein structure and function. However, analyzing these effects through traditional approaches often requires strong theoretical understanding and manual examination, making it challenging for students and beginners.

The DNA Mutation Analysis System addresses this limitation by providing a computational and visual platform that simulates biological processes in an interactive way. Instead of manually analyzing sequences, users can input DNA data and immediately observe how mutations impact codons, amino acids, and overall protein structure.

At the molecular level, DNA is made up of four nucleotides—adenine, thymine, cytosine, and guanine—which follow specific base-pairing rules. The system uses these principles to generate complementary and reverse-complement strands, reflecting the antiparallel structure of DNA. Additionally, DNA sequences are read in triplets called codons, each corresponding to a particular amino acid based on the standard genetic code.

The system builds on this biological foundation to perform translation from DNA to protein sequences. It compares the translated output of user-provided DNA with that of a reference sequence, allowing mutations to be identified. These mutations are then categorized based on their biological effects, such as whether they change amino acids or introduce premature stop codons.

Beyond computation, the system focuses on visualization. A modern user interface provides real-time feedback, while color-coded highlights help differentiate between normal and mutated regions. The inclusion of a 3D DNA model further enhances understanding by enabling users to interact with a visual representation of genetic structures.

Overall, this project demonstrates how computational tools can simplify complex biological concepts and make them more accessible. It showcases the interdisciplinary nature of bioinformatics by integrating biology, programming, and user interface design into a unified system.

CHAPTER 2

PROJECT DETAILS

1. Data source and labels

The system functions using a predefined reference DNA sequence taken from a segment of the human β-globin gene. This gene is extensively studied in molecular biology and is frequently used as a standard reference for mutation analysis.

The reference sequence acts as a baseline for comparison, enabling the system to detect variations in user-provided DNA. From this sequence, a corresponding protein sequence is produced through codon-based translation, forming the reference protein.

Rather than depending on large-scale bioinformatics datasets, this project emphasizes real-time analysis of user-input sequences. This approach simplifies the implementation while still preserving biological accuracy and relevance.

2. Biological principles and system logic

The system is grounded in essential molecular biology principles:

DNA is composed of nucleotides: A, T, C, G

Base pairing follows Watson-Crick rules:

- Adenine pairs with Thymine
- Cytosine pairs with Guanine

The system generates complementary strands and reverse complements to simulate DNA's antiparallel structure. This reflects how DNA exists in nature, with strands running in opposite directions (5'→3' and 3'→5').

DNA is processed in groups of three nucleotides called codons. Each codon corresponds to a specific amino acid or a stop signal. The system uses a complete codon table to map these codons to amino acids, ensuring biological accuracy. Additionally, amino acids are

categorized based on their chemical properties (hydrophobic, polar, charged), which helps in determining mutation severity during classification.

3. Algorithm design and processing workflow

The system follows a structured computational workflow:

1. Accept DNA input from user
2. Validate input using pattern matching
3. Generate complementary and reverse strands
4. Divide DNA into codons
5. Translate codons into amino acids
6. Compare with reference sequence
7. Detect mismatches
8. Classify mutations
9. Calculate mutation rate
10. Display results

This workflow ensures that each step mirrors a real biological process while maintaining computational efficiency.

4. Mutation detection and classification engine

The mutation engine is a core component of the system. It performs base-by-base comparison between the user sequence and the reference sequence.

For each mismatch:

- The system identifies the corresponding codon
- Determines the affected amino acid
- Classifies the mutation

Mutation types include:

- Silent Mutation: No change in amino acid
- Missense Mutation: Amino acid substitution
- Conservative (similar properties)

- Non-conservative (different properties)
- Nonsense Mutation: Formation of STOP codon
- Frameshift Mutation: Caused by insertions/deletions

Severity is assigned based on biological impact, helping users understand the significance of mutations.

5. DNA to protein translation module

This module converts DNA sequences into protein sequences using the standard genetic code.

Key features:

- Codon-based translation
- Support for reading frames
- STOP codon detection
- Amino acid mapping

The system generates protein sequences for both the reference DNA and user input, enabling direct comparison and highlighting differences.

6. Desktop application interface

The system is implemented as a web-based application with a structured and interactive interface.

Features include:

- DNA input field
- Action buttons (Analyze, Clear)
- Status display messages
- Output panels for DNA and protein

The interface uses a dark theme with gradient backgrounds and glass-like UI components, enhancing visual appeal while maintaining readability.

7. Visualization and result interpretation

Visualization plays a crucial role in understanding results.

The system uses:

- Color-coded mutation highlighting
- Animated effects for mutated bases
- Structured display of mutation details

Each mutation is shown with:

- Position
- Base change
- Codon change
- Amino acid substitution

Additionally, a 3D DNA model is included using a web-based viewer. Users can interact with the model through rotation, zoom, and AR features, making the experience more immersive.

8. Input/output handling and system integration

The system ensures robust input validation and structured output generation.

Input Handling:

- Accepts DNA sequences from user
- Validates characters using regular expressions
- Ensures minimum sequence length

Output Handling:

- Displays DNA strands
- Shows protein sequences
- Highlights mutations
- Provides detailed analysis

CHAPTER 3

OBJECTIVES

- Simulate DNA to protein translation using biological principles: Implements codon-based translation and the standard genetic code to convert DNA sequences into amino acid chains, demonstrating the process of protein synthesis computationally.
- Detect and classify genetic mutations accurately: Compares user DNA with a reference sequence to identify variations and categorizes them into silent, missense, nonsense, and frameshift mutations based on their biological impact.
- Provide a visual representation of mutation effects: Displays mutations using color-coded highlights and structured outputs, enabling clear understanding of nucleotide, codon, and amino acid-level changes.
- Develop an interactive bioinformatics learning tool: Creates a user-friendly platform where users can input DNA sequences and observe real-time analysis, making complex genetic concepts easier to understand.
- Integrate computational logic with biological concepts: Applies programming techniques such as validation, mapping, and comparison to model real biological processes efficiently.
- Enhance user understanding through visualization: Uses UI elements and a 3D DNA model viewer to improve conceptual clarity and engagement through interactive exploration.

CHAPTER 4

IMPLEMENTATION

Following Pseudocode explain the working of the entire application.

```
BEGIN APPLICATION

Initialize UI and DNA model viewer

WHEN user enters DNA:

    Validate sequence format

    IF invalid:

        Show error

Generate reverse complement

Split DNA into codons

Translate codons into amino acids

Compare with reference:

    Identify mismatches

    Classify mutation types

    Determine severity

Calculate mutation rate

Display:

    DNA strands

    Protein sequences

    Mutation details

Render interactive 3D DNA model
```

```
END APPLICATION
```

The above pseudocode outlines the overall working logic of the DNA Mutation Analysis System in a structured and sequential manner. The application begins by initializing the user interface and loading the 3D DNA model viewer, ensuring that both the computational and visualization components are ready for interaction. When the user inputs a DNA sequence, the system first performs validation to ensure that only valid nucleotide characters (A, T, C, G) are present. If the input is invalid, an appropriate error message is displayed to guide the user. Once validated, the system generates the reverse complement of the DNA sequence to simulate the template strand, reflecting the antiparallel nature of DNA.

After preprocessing, the DNA sequence is divided into codons (triplets), which are then translated into amino acids using the standard genetic code. The translated sequence is compared with a predefined reference sequence to detect mismatches. Based on these differences, the system classifies mutation types and determines their severity. It further calculates the mutation rate to quantify the extent of variation. Finally, the results are presented to the user, including DNA strands, protein sequences, and detailed mutation analysis. The process concludes with rendering an interactive 3D DNA model, allowing users to visually explore the biological structure alongside the computed results.

In this project, a comparison is made between a rule-based approach (implemented using logical conditions and regex-style validation) and a machine learning approach using Logistic Regression to analyze DNA mutation patterns. While Logistic Regression can be used to classify mutation severity based on extracted features, the rule-based system directly applies biological principles for precise mutation identification.

The rule-based approach leverages deterministic mappings such as codon-to-amino acid relationships and predefined mutation categories, ensuring that the output remains biologically accurate and interpretable. In contrast, Logistic Regression depends on numerical feature extraction and statistical learning, which introduces abstraction between the input DNA sequence and the final prediction. This means that while Logistic Regression can generalize patterns, it may not always capture the exact biological reasoning behind a mutation. Additionally, implementing Logistic Regression requires a labeled dataset, feature engineering, and model training, which increases system complexity. For this project, where the underlying biological rules are already well-established, the rule-based method provides a more direct, efficient, and reliable solution.

Comparison of Rule-Based System and Random Forest Model

Parameter	Rule-Based System (Regex / Logic-Based)	Random Forest Model (ML)
Approach Type	Deterministic	Machine Learning (Ensemble)
Working Principle	Uses predefined biological rules	Uses multiple decision trees and aggregates their predictions
Input	Raw DNA sequence	Extracted numerical features (mutation rate, codon changes, etc.)
Output	Exact mutation type + severity (silent, missense, nonsense)	Probability-based classification (e.g., Low Risk / High Risk)
Accuracy	Very High (for known biological rules)	High (~94.18% observed accuracy)
Generalization	Poor (cannot handle unseen patterns)	Very Good (handles complex and unseen data well)
Flexibility	Low (rules must be manually modified)	High (model improves with more data)
Interpretability	Very High (direct logical mapping)	Moderate (harder to interpret due to multiple trees)
Training Required	No	Yes (requires labeled dataset)
Execution Time	Very Fast	Fast (slightly higher due to multiple trees)
Data Requirement	No dataset needed	Requires structured training dataset
Error Handling	Limited to predefined conditions	Better (learns patterns from data)
Scalability	Low	High
Real-world Adaptability	Limited	Strong for real-world predictive systems

The Random Forest model achieved the highest performance among the evaluated machine learning approaches, with an accuracy of 0.94186, outperforming Naive Bayes at 0.90698 and Logistic Regression at 0.88953. This strong performance highlights the model's ability to capture complex relationships in DNA mutation data by combining multiple decision trees and reducing overfitting through ensemble learning.

The model works by analyzing extracted features such as mutation patterns, codon changes, and sequence variations, and then aggregating predictions from multiple trees to produce a final classification. This allows it to handle non-linear relationships effectively and improves robustness compared to simpler models.

Despite its high accuracy, the Random Forest model still produces probability-based outputs rather than exact biological classifications. DNA mutation analysis relies on well-defined biological rules, such as codon-to-amino acid mapping and specific mutation categories like silent, missense, and nonsense. These rules are deterministic, meaning the correct classification can be derived directly without approximation.

Additionally, while Random Forest performs well, it requires training data, feature engineering, and computational resources. It is also less interpretable, as the final decision is based on multiple trees rather than a single clear rule.

Therefore, although the Random Forest model demonstrates strong predictive capability and generalization, especially compared to Logistic Regression and Naive Bayes, the rule-based approach remains more suitable for this project. It provides exact, biologically accurate results with higher interpretability, lower complexity, and no dependency on training data.


CHAPTER 6


OUTPUT


The system produces multiple outputs that help users understand mutation effects clearly:

- DNA coding and template strands
- Codon-wise breakdown
- Amino acid sequence
- Mutation classification
- Severity level and mutation rate
- Detailed mutation descriptions

The results are displayed in a structured and visually intuitive format, making it easier to interpret complex biological data.




DNA Mutation Analysis System
Advanced Molecular Biology Visualization
DNA Double Helix
AR Compatible | Rotate & Zoom
Enter DNA Sequence (5'→3')
ATGGTCGA
Only A, T, C, G allowed
Analyze DNA
Clear
Template Strand (3'→5')
TCG ACC AT
Coding Strand (5'→3')
ATG GTC GA
Reference Sequence
ATGGTGCACCTGACTCCTGAGGAGAAGTCT
Amino Acid Translation
User: MV
Reference: MVHLT PEEKS
LOW RISK - Minor variations detected
Mutation rate: 3.3% (1 coding mutations)
Detailed Mutation Analysis:
Position 6: G → C
Synonymous mutation - No amino acid change
Codon: GTG → GTC (V → V)


DNA Double Helix
AR Compatible | Rotate & Zoom

REFERENCES

1. NCBI – National Center for Biotechnology Information

https://www.ncbi.nlm.nih.gov/

2. Standard Genetic Code Table (NCBI)

https://www.ncbi.nlm.nih.gov/Taxonomy/Utils/wprintgc.cgi

3. Molecular Biology of the Cell – Alberts et al. (Reference Book)

https://www.ncbi.nlm.nih.gov/books/NBK21054/

4. Khan Academy – DNA, RNA, and Protein Synthesis

https://www.khanacademy.org/science/ap-biology/gene-expression-and-regulation

5. Nature Education – Scitable (Genetics & Mutation Concepts)

https://www.nature.com/scitable/topicpage/mutations-1127/

6. Google Model Viewer Documentation (3D Web Visualization)

https://modelviewer.dev/

7. Introduction to Bioinformatics – Algorithms and Applications

https://www.ebi.ac.uk/training/online/course/introduction-bioinformatics