OTDS Notification Model

Contents

1 Introduction 3
2 Integration process 4
2.1 Delivery schedule 4
3 Common information 4
3.1 Header product Identification 4
3.2 Packaging 5
4 OTDS Amenities, facts and texts 6
4.1 Accommodation 6
5 OTDS Rates 6
5.1 Unit 6
5.2 SellingUnit 7
5.3 Occupancy 8
5.4 PriceItems 8
PriceItem Basic 8
Condition 9
Combinatorics 9
Reduction 10
Adult ExtraPax 11
Override 12
BoardCharge 13
TaxFee, Extra and Supplement 13
Offer 13
5.5 Hotel deactivation 14
6 Allotment notification 15
7 Appendices 17
Hotel codes, Room codes, Rateplan codes, board codes,.. 17
8 Versions 17

1 Introduction

This document covers anything you need to know beyond the OTDS standard documentation (https://forum.otds.de/redmine/projects/otdspub/wiki), to be able to work successfully with our OTDS push data. It contains thoughts behind our implementation, considerations and decisions taken when we implemented our OTDS notification format. OTDS is developed by the OTDS verein.

OTDS is used to populate your cache or to be redistributed in your distribution channels. When redistributed, the concept is not to change the supplier data, but to add to the supplier data further concepts required.
OTDS updates can be sent either as complete data delivery or as a delta delivery for updating existing products.

OTDS have two basic notification types:

- OTDS rates and allotment update. — Allotment, inventory and rates information is delivered upon a contract
- OTDS allotment or allotment updates — Including only allotment information following bookings, cancellations

We can also include description of properties and services true the DRV GlobalTypes.

GlobalTypes® describe uniform descriptions of touristic attributes which are uniquely coded. With GlobalTypes®, tour operators can especially highlight the service scope of their products whilst attributing products themselves. At the same time, the search for suitable offers is simplified for final consumers and travel agents. Thousands of attributes in 19 categories can currently be viewed as room type, accommodation attributes etc.).

The definition of the DRV GlobalTypes with corresponding SubTypes and AdditionalTypes.

http://www.globaltypecenter.de/index.php?language=en

Examples in the section 3.1

2 Integration process

When choosing OTDS for a push integration, we provide clients with a static OTDS data set form our Integration environment. The Integration environment is only refreshed a couple of times per year and conclusively very suitable to repeat tests until all issues are resolved. The Integration environment has a small number of hotels per destination enabled (currently 1336 hotels) with often several contracts each (i.e S22, W22 and S23).

The test data provided can be computed to specific options to be booked. Using our real-time XML-API endless amounts of “Quotes” can be excuted to ensure that the price computed from the OTDS matches the price in our booking flow.

More information on the real-time messages can be found in our “OTA Communication Model” documentation and our Postman collection with message examples.

2.1 Delivery schedule

A full notification of Rates and Allotment for all hotels and all active contracts in a clients portfolio is sent once a week on a mutually agreed weekday and time.

During the week all changes are provided with 15 minute deltas. This means that for contracts that have been updated, rates and allotment information is provided.

For contracts that have suffered bookings, cancellations and allotment updates, but the contract itself was not updated, only Allotment will be provided. And we only provide a changed allotment when the remaining allotment falls under 9 units for any given day in the contract.

When we provide a “delta” because the contract has changed, we always provide all data for that contract to avoid complexity and errors in discovery of what exactly has changed. This helps creating an easy replace logic for the Accommodation Key or SellingAccom Key.

3 Common information

3.1 Header product Identification

The header of the both the rates and allotment and the allotment notifications contains the same relevant information that makes reference to the product on sale.

The OTDS will be composed of the elemens Products, Brands and Accommodations/Accommodation. Also Accommodation/Properties, inside of Accommodation.
For rates and allotment, the OTDS will have the element SellingAcccom (as much as RatePlans) and Availabilities.
For allotment only, the OTDS will only have Availabilities element.

```xml
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<Otds Version="2.1.2" UpdateMode="New" xmlns="http://otds-group.org/otds">
    <Products>
        <Product ProductType="AccommodationOnly" Key="AccomOnly">
            <Components>
                <Accommodation/>
            </Components>
        </Product>
    </Products>
    <Brands>
        <Brand Key="TestBrand">
            <Booking>
                <BookingGroup Area="GlobalArea">
                    <BookingParameter Name="TestBrand" Field="BrandCode">
                        <Value>TestBrand</Value>
                    </BookingParameter>
                </BookingGroup>
            </Booking>
        </Brand>
    </Brands>
    <Accommodations UpdateMode="New">
        <Accommodation Key="APTFAOBOD4AR" UpdateMode="New">
            <Properties>
                <PropertyGroup>
                    <AccommodationType>Hotel</AccommodationType>
                    <AccommodationName>qa_Offers-EBO</AccommodationName>
                </PropertyGroup>
            </Properties>
            <SellingAccom Key="APTFAOBOD4AR-W21-QST1-0000" UpdateMode="New">
            <SellingAccom Key="APTFAOBOD4AR-W21-QST1-00F0" UpdateMode="New">
            <Availabilities Key="AV MAIN RMSD000000 W21" UpdateMode="New">
            <Availabilities Key="AV MAIN APCF000000 W21" UpdateMode="New">
            <Availabilities Key="IH CLOSESALES W21" UpdateMode="New">
            <Availabilities Key="CLOSED ARRIVAL DEPARTURE RMSD000000 W21" UpdateMode="New">
        </Accommodation>
    </Accommodations>
</Otds>
```


- **Otds**, this field shows the version and the UpdateMode, if the request is Rates+Avail, the value will be **New** because we will always include the entire the contract, but if the action is **Avail** (Deltas) the value will be **Merge** due to is updating the Avails of an existent contract
- **Products**, in this field has to be add the type of product, for the being time allways will be Accommodation waiting to develop other types.
- **Brands**, only can change the Value of BookingParameter, and it depends on the Client.
- **Booking,** in **RequestCode** must be indicate the type of product, in that case H of hotel, and **ServiceCode** that is the code of the Stock.

3.2 Packaging

This is for Hotel plus Rent a Car or Skipass/equipment/classes etc. TBC

4 OTDS Amenities, facts and texts

4.1 Accommodation

- **Accommodations y Accommodation,** in UpdateMode the value will be the same as Otds node
- **Property/PropertyGroup** display the different information of the Hotel as, address, telephone, e-mail, etc.

For extensive NBC (NonBookableContent) we refer to our OTA_HotelDescriptiveInfo push and pull messages.

5 OTDS Rates

Accommodations y Accommodation, in UpdateMode the value will be the same as Otds node **SellingAccomm**, in that part appears all related to the Rates, as Boards, RatePlans, Basic rates, Supplements, Offers, etc.
It is composed of:

- Tags,
- **Tag,** this indicates the Giata hotel code
- **ConditionalTag,** will have as many **PriceItems**, the value reference to the PriceItems Key, and the Condition indicates that the PriceItems will apply (at booking) to the board or boards indicates.

```
<SellingAccom Key="APTFAOC57S-NOQ-SUPQ-00F00" UpdateMode="New">
    <Tags>
        <Tag Class="Giata" TagValueType="Numeric">47854</Tag>
        <ConditionalTag>
            <Tag Class="Service">H_NOQ-RMSD000000_00F00-ACB1-1</Tag>
            <Condition>
                <Keys Source="global:Board">BB</Keys>
            </Condition>
        </ConditionalTag>
        <ConditionalTag>
            <Tag Class="Service">H_NOQ-RMSD000000_00F00-ACB1-2</Tag>
            <Condition>
                <Keys Source="global:Board">BB</Keys>
            </Condition>
        </ConditionalTag>
```

- **Board,** as many Nodes as Boards exist in the contract, the Key will be the Board Code, and included is de name and the type of the board
- SellingAccom **Key** is composed of**:** HotelCode, Issue, ContractingGroup, Rateplan
- ConditionalTag, **Service Tag** is composed of H for hotel,ContractingGroup-RoomCode_RateplanCode-PriceCode-counter
- Unit→

5.1 Unit

Inside SellingAccomm will have as many Units as exist in the contract, the key is formed with the Unit code + the RatePlan code. It is composed by these nodes:

- **Properties**, contains the information about the Unit, with Name, Type and Description
- **Tags**, appears the RatePlan, when exist

- From **SellingAccomm** UpdateMode always is New
- SellingUnit →

5.2 SellingUnit

- **SellingUnit**, will have as many SellingUnits as Units and RatePlans we have in the contract. It is composed by:
- **Tags,** will have **Tags** for **FullPayers, MaxAgeChild** (max ages of children), **MaxAgeInfant** (max age of Infants)
- **ConditionalTags**, will have tags that indicates, which pax/es are the FullPayer, from which pax is ExtraPax, and if that rooms allows SingleUse occupation.
- Additionally, we have ConditionalTags for offers. Every PriceItem Offer has a ConditionalTag, the Tag Class is the Class of the offer associated. Condition indicates the condition when to apply that offer, as arrival and departure dates, the duration of stay, booking date, etc. These Tags are necessary to know with which offers is NOT combinable with others, indicating in the PriceItem with a in Not/Impact the ConditionalTag corresponding to the offer

```
<ConditionalTag>
    <Tag Class="Offer">BasicOffer_EB03_EarlyBooking-1_1</Tag>
    <Condition>
        <And>
            <BookingDate Source="Product">
                <Min>2017-10-01</Min>
                <Max>2022-03-31</Max>
            </BookingDate>
            <Duration DurationUnit="Nights">
                <Max>10</Max>
                <Min>4</Min>
            </Duration>
            <Date DayType="Stay" Source="ThisComponent">
                <Min>2022-04-01</Min>
                <Max>2022-04-30</Max>
            </Date>
        </And>
    </Condition>
</ConditionalTag>
```

```
<PriceItem Class="BasicOffer_EB03_EarlyBooking-1_1">
    <GenericAbsolute ExecutionPriority="3">
    <Condition>
        <ProductPrice>
        <And>
            <Impact>
                <ConditionalTags Class="Offer" Source="SellingUnit">BasicOffer_EB03_EarlyBooking-1_1</ConditionalTags>
            </Impact>
            <PersonImpact>
            <DayImpact>
                <Date DayType="Stay" Source="ThisComponent">
                    <Min>2022-04-01</Min>
                    <Max>2022-04-30</Max>
                </Date>
            </DayImpact>
            <Not>
                <Impact>
                    <ConditionalTags Class="Offer" Source="SellingUnit">BasicOffer_AO01_AdultOffer-1_1 BasicOffer_EB02_EarlyBooking-1_1
                </Impact>
            </Not>
        </And>
    </Condition>
```

5.3 Occupancy

Occupancy, indicates the possible minimum and maximum occupations. There can exist more than one Occupancy, depends if that room can be SingleUse or not.
In that case the first Occupancy indicates that in that rrom can be 3 types of paxes, Adult, child and Infant, the ages allowed and the number of every type.
The second one indicates that can be use as SingleUse

```
<Occupancy Key="Pax1-4_Adults_1-4_Children_0-3_Infants_0-1">
    <Person>
        <MinAge>12</MinAge>
        <MinCount>1</MinCount>
        <MaxCount>4</MaxCount>
    </Person>
    <Person>
        <MinAge>2</MinAge>
        <MaxAge>11</MaxAge>
        <MinCount>0</MinCount>
        <MaxCount>3</MaxCount>
    </Person>
    <Person>
        <MinAge>0</MinAge>
        <MaxAge>1</MaxAge>
        <MinCount>0</MinCount>
        <MaxCount>1</MaxCount>
    </Person>
</Occupancy>
<Occupancy Key="Pax1-1_Adults1-1_Children0-0_Infants0-0">
    <Person>
        <MinAge>12</MinAge>
        <Count>1</Count>
    </Person>
</Occupancy>
```

5.4 PriceItems

PriceItems, inside SellingUnit are the PriceItems here we find the Rates, like Basic rates, Extra pax rate and discount, Supplements, Board Supplements, Extras, TaxFees and Offers.
The PriceItems of Basic Rates are composed by PriceItem for Basic Rates, and rates, discounts or supplements of Extra Pax, Child, Infant and SingleUse. The key will be composed by Type of product, Issue (that indicates the type of contract), Unit code, RatePlan code, Rate code and a counter →

<PriceItems Key="H_W21-APCF000000_0000-AMT4-1">.

PriceItem Basic

The Basic Rate is composed by:

- Absolute:
  - **Value** is the absolute rate:
  - **DayBase** indicates if it is a rate per day or per X days, or if the value is “X” indicates that it is a rate for the entire stay.

- **PersonBase** indicates if the rate is per person, per X people indicates, or if the value is “X” indicates that the rate is per room.

```
<PriceItem Class="Basic_AMT4_1_BB">
    <Absolute>
        <Value>23.00</Value>
        <DayBase IntervalType="Stay">1</DayBase>
        <PersonBase>1</PersonBase>
    </Absolute>
```

Condition

Condition, indicates all the conditions to apply that rate, as Stay days, Board to apply, ConditionalTag of SellingAccom, the paxes that can be applied (types and ages).

It also contains the node **ProductPrice, that values are only used for information, to compose the Combinatorics (combination of different rates), this isn’t relevant data for the consuming process**

```
<Condition>
    <ProductPrice>
        <ApplyOffers>true</ApplyOffers>
        <Board>BB</Board>
        <FromBoard>BB</FromBoard>
        <Type>Basic</Type>
        <BoardsToApply>BB AI FB HB</BoardsToApply>
    </ProductPrice>
    <And>
        <Keys Source="global:Board">BB</Keys>
        <Or>
            <And>
                <Date DayType="Stay" Source="ThisComponent">
                    <Min>2020-05-18</Min>
                    <Max>2020-10-31</Max>
                </Date>
                <DayImpact>
                    <Date DayType="Stay" Source="ThisComponent">
                        <Min>2020-05-18</Min>
                        <Max>2020-10-31</Max>
                    </Date>
                </DayImpact>
            </And>
        </Or>
        <Impact>
            <ConditionalTags Class="Service" Source="Unit">H_W21-APCF000000_0000-AMT4-1</ConditionalTags>
        </Impact>
        <PersonImpact>
            <PersonIndex Source="Product">
                <Until>4</Until>
            </PersonIndex>
        </PersonImpact>
        <PersonImpact>
            <PersonAge>
                <Min>2</Min>
            </PersonAge>
        </PersonImpact>
    </And>
</Condition>
```

Combinatorics

with Combinatorics we indicate which other PirceItems or types of PriceItem are possible combine or not.

- With **CombinationCode** must be indicated the type of PriceItem is, in that case Basic, the level of combination (here 0), it means that if we have several PriceItem with the same Conditions (dates, paxes, boards, ect), the PriceItem that will be used will be the one with the lower CombinationLevel.

- In **CombinableWhen** will be indicated with which other PriceItem type are combinable or not, in that cse, this price Item is not combinable with other Basic and is combinable with type BoardCharge, Extra, Supplemente, etc.
- Furthermore, in that case, it has the node **ExcludedPriceItem**, where additionally especify which with other PriceItem is never combinable.

- **It is possible to create more than one Combinatorics node**

```
<Combinatorics LayerLevel="-2">
    <CombinationLevel>0</CombinationLevel>
    <CombinationCode>Basic</CombinationCode>
    <CombinationIndex>0</CombinationIndex>
    <CombinableWhen>
        <And>
            <Not>
                <CombinationCode>Basic</CombinationCode>
            </Not>
            <Or>
                <CombinationCode>BoardCharge</CombinationCode>
                <CombinationCode>OverrideBoardCharge</CombinationCode>
                <CombinationCode>BasicReduction</CombinationCode>
                <CombinationCode>Extra</CombinationCode>
                <CombinationCode>Supplement</CombinationCode>
                <CombinationCode>TaxFee</CombinationCode>
            </Or>
        </And>
    </CombinableWhen>
</Combinatorics>
<Combinatorics LayerLevel="6">
    <CombinationCode>Basic_AMT4_1_BB</CombinationCode>
</Combinatorics>
<Combinatorics>
    <ExcludePriceItemClasses>
        <ExcludePriceItemClass>BasicBoardCharge-AI_BB BasicBoardCharge-FB_BB
    </ExcludePriceItemClasses>
</Combinatorics>
```

Reduction

PriceItem type **Reduction** (Child and ExtraPax), are usually percentage discount, in ApplyTo we indicate the PriceItem Basic that this has to apply on.

```
<PriceItem Class="Basic_AMT4_1_BB-CHReduction_2">
    <Percent>
        <Value>-100.00</Value>
        <ApplyTo>Basic_AMT4_1_BB</ApplyTo>
    </Percent>
```

In **Conditions**, we indicate the ConditionalTag of SellungUnit that correspond to the PaxGroup, indicateing the Ages and from pax is to apply that piceItem, the Board and dates.

In that case, the discount will be applied to 3th ExtraPax of all paxes with ages between 2 and 11 years, it means, since 3th child if that child is between 2 to 11 years.

```
<And>
    <PersonImpact>
        <PersonIndex>
            <Until>3</Until>
            <PersonFilter>
                <PersonAge Source="Product">
                    <Min>2</Min>
                    <Max>11</Max>
                </PersonAge>
                <ConditionalTags Class="PaxGroup" Source="SellingUnit">ExtraPax</ConditionalTags>
            </PersonFilter>
        </PersonIndex>
    </PersonImpact>
    <PersonImpact>
        <PersonAge Source="Product">
            <Min>2</Min>
            <Max>11</Max>
        </PersonAge>
    </PersonImpact>
    <Or>
        <And>
            <Date DayType="Stay" Source="ThisComponent">
                <Min>2020-05-18</Min>
                <Max>2020-10-31</Max>
            </Date>
            <DayImpact>
                <Date DayType="Stay" Source="ThisComponent">
                    <Min>2020-05-18</Min>
                    <Max>2020-10-31</Max>
                </Date>
            </DayImpact>
        </And>
    </Or>
```

In that case de **Combinatorics** is different, because only has to be indicate the CombinationCode (type), CombinationLevel, and in CombinableWhen will be indicated the CombinationIndexMax, it means that this PriceItem will be combinable with All PriceItems with combination level less than 99

```
<Combinatorics LayerLevel="-2">
    <CombinationLevel>1</CombinationLevel>
    <CombinationCode>BasicReduction</CombinationCode>
    <CombinationIndex>1</CombinationIndex>
    <CombinableWhen>
        <And>
            <CombinationIndexMax>99</CombinationIndexMax>
        </And>
    </CombinableWhen>
</Combinatorics>
<Combinatorics LayerLevel="6">
    <CombinationCode>Basic_AMT4_1_BB-CHReduction_2</CombinationCode>
</Combinatorics>
```

Adult ExtraPax

PriceItem Reduction type **Adult ExtraPax**, it is similar to PriceItem Child Reduction, but the Condition is that it is not possible to apply it to Children (indicating the ages), and it has to indicate from which pax has to apply, in below case, the Second pax

```
</ProductPrice>
<And>
    <Not>
        <PersonImpact>
            <PersonAge Source="Product">
                <Max>11</Max>
            </PersonAge>
        </PersonImpact>
    </Not>
    <PersonImpact>
        <PersonIndex Source="Product">
            <From>2</From>
        </PersonIndex>
    </PersonImpact>
    <Or>
        <And>
```

Override

PriceItem type **Override**, are similar to Basic, the way to override the basics is with Combinatorics. Indicating a lower CombinationLevel as Basic, at same conditions regarding, board, dates and pax, and it is not combinable with Basic, the PriceItem that will be applied in the reservation will be the Override.

```
<PriceItems Key="H_S21-RMDLSGPA00-ACBRU1-1">
    <PriceItem Class="Override_ACBRU1_1_BB">
        <Absolute>
            <Value>40.80</Value>
            <DayBase IntervalType="Stay">1</DayBase>
            <PersonBase>1</PersonBase>
        </Absolute>
```

```
<Combinatorics LayerLevel="-2">
    <CombinationLevel>-2</CombinationLevel>
    <CombinationCode>Override</CombinationCode>
    <CombinationIndex>-2</CombinationIndex>
    <CombinableWhen>
        <And>
            <Not>
                <CombinationCode>Basic</CombinationCode>
            </Not>
            <Or>
                <CombinationCode>BoardCharge</CombinationCode>
                <CombinationCode>OverrideBoardCharge</CombinationCode>
                <CombinationCode>BasicReduction</CombinationCode>
                <CombinationCode>Extra</CombinationCode>
                <CombinationCode>Supplement</CombinationCode>
                <CombinationCode>TaxFee</CombinationCode>
            </Or>
        </And>
    </CombinableWhen>
</Combinatorics>
<Combinatorics LayerLevel="6">
    <CombinationCode>Override_ACBRU1_1_BB</CombinationCode>
</Combinatorics>
<Combinatorics>
    <ExcludePriceItemClasses>
        <ExcludePriceItemClass>BasicOffer_CO01_ChildOffers-1_1 BasicOffer_DP01_SpecialDateOffer
    </ExcludePriceItemClasses>
</Combinatorics>
```

BoardCharge

PriceItem type **BoardCharge,** this one can be combined with Basics due to normally works as a supplement, for this reason we add a Tag Impact with PriceItems (with the ConditionalTag of SellingAccom) that must be combined.

- In Combinatorics we indicate that is not combinable with others BoardCharge, as we do not want to apply more than 1 Board supplement, and it is combinable with priceItems type Basic, Override, Extra, Supplement, etc.

- **The Value of the Class of the PriceItem indicates the Board that is applied and the Board of the basic rate that is added (this is only information)**

```
<PriceItems Key="BoardCharge">
    <PriceItem Class="BasicBoardCharge-HB_BB">
        <Absolute>
            <Value>30.60</Value>
            <DayBase IntervalType="Stay">1</DayBase>
            <PersonBase>1</PersonBase>
        </Absolute>
        <Condition>
            <ProductPrice>
            <And>
                <Keys Source="global:Board">HB</Keys>
                <Or>
                <Impact>
                    <ConditionalTags Class="Service" Source="SellingAccom">H_S21-RMDLSGPA00-ACBR1-1 H_S21-RM
                </Impact>
                <PersonImpact>
                <PersonImpact>
            </And>
        </Condition>
        <Combinatorics LayerLevel="-2">
            <CombinationLevel>1</CombinationLevel>
            <CombinationCode>BoardCharge</CombinationCode>
            <CombinationIndex>1</CombinationIndex>
            <CombinableWhen>
                <And>
                    <Not>
                        <CombinationCode>BoardCharge</CombinationCode>
                    </Not>
                    <Or>
                        <CombinationCode>Basic</CombinationCode>
                        <CombinationCode>Override</CombinationCode>
                        <CombinationCode>BasicReduction</CombinationCode>
                        <CombinationCode>Extra</CombinationCode>
                        <CombinationCode>Supplement</CombinationCode>
                        <CombinationCode>TaxFee</CombinationCode>
```

TaxFee, Extra and Supplement

PriceItem type **TaxFee**, **Extra** and **Supplement**, works similar as BoardSupplement, as a supplement to basic rates. Normally can be combined with priceItems of the same type.

Offer

PriceItem type **Offer** are a little bit different. Will be two types of rates, Absolute or Discount, the tag for Absolute is the same as others PriceItem but if it is a Percentage discount, the Node is different, because use the GenericAbsolute (**GenericAbsolute/GenericValue/PercentModificationValue)**,

This is because the way of calculating the discount is different, the discount in GenericAbsolute is applied always to the basic rate, deduct all discounts at basic, instead the Percent that apply the discount at the basic but if exist an other discount, it is applied at bascic – first discount, etc (for example, if basic is X, if is using Percent, de calculation is, X-15%-10%-5%, etc, and in GenericAbsolute is X-10% + X-15% + X-5%).
Furthermore, it has to add an other node **ModificationBasis/ConsideredPriceItems/ConsideredPriceItemClasses**, that is where has to indicate in which PriceItem that discount can be applied.

** In that case Combinatorics are not important, because to indicate if an offer is combinable with others and applied to other PriceItem, is using the Tag Impact in Condition where will be indicate which ConditionalTag of Offers placed in SellingUnit will be applied (and combinable) to that offer

Discount

```
<PriceItems Key="Offers">
    <PriceItem Class="BasicOffer_CO01_ChildOffers-1_1">
        <GenericAbsolute ExecutionPriority="0">
            <GenericValue>
                <PercentModificationValue>
                    <PercentValue>-100.00</PercentValue>
                    <ModificationBasis>
                        <ConsideredPriceItems>
                            <ConsideredPriceItemClasses>Basic_ACBR1_2_BB-CHReduction_1 Basic_ACBR2_1_BB-Sing
                        </ConsideredPriceItems>
                    </ModificationBasis>
                </PercentModificationValue>
            </GenericValue>
            <DayBase>1</DayBase>
            <PersonBase>1</PersonBase>
        </GenericAbsolute>
        <Condition>
            <ProductPrice>
            <And>
                <Impact>
                    <ConditionalTags Class="Offer" Source="SellingUnit">BasicOffer_CO01_ChildOffers-1_1</Cor
                </Impact>
                <PersonImpact>
                <PersonImpact>
                <DayImpact>
            </And>
        </Condition>
```

Absolute

```
    <PriceItem Class="BasicOffer_DP01_SpecialDateOffers-1_1">
        <Absolute>
            <Value>-10.00</Value>
            <DayBase IntervalType="Stay">1</DayBase>
            <PersonBase>x</PersonBase>
        </Absolute>
        <Condition>
            <ProductPrice>
            <And>
                <Impact>
                    <ConditionalTags Class="Offer" Source="SellingUnit">BasicOffer_DP01_SpecialDateOffers-1_1</Conditio
                </Impact>
                <DayImpact>
                    <DayIndex Source="ThisComponent">
                        <Until>1</Until>
                        <From>1</From>
                    </DayIndex>
                </DayImpact>
            </And>
        </Condition>
```

5.5 Hotel deactivation

A hotel can be fully eactivated by sending an allotment update without a specific room/board for all the remaining days set as stop sale (SS). This is an example for a total deactivation of S16 season:

tbc

6 Allotment notification

Allotment notifications contain only the **Availabilities** and the UpdateMode will be **Merge** as it is updating the Avails of an existent contract.

In Availabilities, will show MainAvailabilities, **SubAvailabilities**, **CloseSales** and **Closed Arrival/Departures**

- MainAvailabilities and SubAvailabilities, is composed of:
  - Dates of the Availability
  - **DefaultDayState** that is mandatory and always will be Open, and indicates that have open sales, but then,
  - Will have **DayState** that indicates for every day between the dates, with tag **Close**, a stopsales for that day, **Request**, is open sales but on request, or between the tag open, will apear a number indicating the number of allotments for that day.
  - ****Offset** is the position of the day between the dates

```
<Availabilities Key="AV_MAIN_RMSD000000_W21" UpdateMode="New">
    <Availability StartDate="2021-11-01" EndDate="2022-03-31" Key="20211101-20220331">
        <DefaultDayState>
            <Open/>
        </DefaultDayState>
        <DayState Offset="0" Key="0">
            <Closed/>
        </DayState>
        <DayState Offset="1" Key="1">
            <Closed/>
        </DayState>
        <DayState Offset="2" Key="2">
            <Request/>
        </DayState>
        <DayState Offset="180" Key="180">
            <Open>99</Open>
        </DayState>
```

  - At the end of the list of DayState will appear the **Condition**, where will indicate if that availability is valid for **Boards**, **SellingUnit** or **RatePlan**. If doesn't have any condition, the availabilities applies to all. If exist a Board condition, it will apply to that Board, or if exist SellingUnit condition, it will apply only to that Unit, etc.

```
<Condition>
    <And>
        <Keys Source="Board">RO</Keys>
        <Keys Source="SellingUnit">SUSD000000</Keys>
        <Impact>
            <ConditionalTags Class="RatePlan" Source="PHF00"/>
        </Impact>
    </And>
</Condition>
```

- Regarding **Closesales**,
  - in **StartDate** and **EndDate** will be indicate the start and end dates of the contract
  - In Availability, always a wil be a **DefaultDayState** with tag **Closed**.
  - In **Conditions**, will indicate the dates and the **Board** and/or the **SellingUnit** and/or de **RatePLan** that will be apply this **Close**
-

```
<Availabilities Key="IH_CLOSESALES_W21" UpdateMode="New">
    <Availability StartDate="2021-11-01" EndDate="2022-03-31" Key="20211101-20220331">
        <DefaultDayState>
            <Closed/>
        </DefaultDayState>
    </Availability>
    <Condition>
        <Or>
            <And>
                <Keys Source="SellingUnit">RMSD000000</Keys>
                <Date DayType="Stay" Source="ThisComponent">
                    <Min>2020-08-02</Min>
                    <Max>2020-08-02</Max>
                </Date>
            </And>
            <And>
                <Keys Source="Board">BB</Keys>
                <Keys Source="SellingUnit">RMSD000000</Keys>
                <Date DayType="Stay" Source="ThisComponent">
                    <Min>2020-08-03</Min>
                    <Max>2020-08-03</Max>
                </Date>
            </And>
            <And>
                <Keys Source="Board">BB</Keys>
                <Keys Source="SellingUnit">RMSD000000</Keys>
                <Impact>
                    <ConditionalTags Class="RatePlan" Source="00F0"/>
                </Impact>
                <Date DayType="Stay" Source="ThisComponent">
                    <Min>2020-08-04</Min>
                    <Max>2020-08-04</Max>
                </Date>
```

- **Close Arrival/Departure**, is using to indicate the mandatory check-in and check-out of the clients in the indicated days. The structure is like InHouseCloseSale.
    - **StartDate** and **EndDate** will be indicate the start and end dates of the contract
    - In Availability, always a wil be a **DefaultDayState** with tag **Closed**.
    - In **Conditions**, will indicate the **Dates** and the **Board** and/or the **SellingUnit** and/or de **RatePlan** that will be apply this **Close.** But in Dates it must be indicate **CheckIn** or **CheckOut** instead **Stay**,

```
<Availabilities Key="CLOSED_ARRIVAL_DEPARTURE_RMSD000000_W21" UpdateMode="New">
    <Availability StartDate="2021-11-01" EndDate="2022-03-31" Key="20211101-20220331">
        <DefaultDayState>
            <Closed/>
        </DefaultDayState>
    </Availability>
    <Condition>
        <And>
            <Keys Source="SellingUnit">RMSD000000</Keys>
            <Or>
                <And>
                    <Keys Source="Board">HB</Keys>
                    <Impact>
                        <ConditionalTags Class="RatePlan" Source="B000"/>
                    </Impact>
                    <Date DayType="CheckIn" Source="ThisComponent">
                        <Min>2020-08-09</Min>
                        <Max>2020-08-09</Max>
                    </Date>
                </And>
                <Date DayType="CheckOut" Source="ThisComponent">
                    <Min>2020-08-14</Min>
                    <Max>2020-08-14</Max>
                </Date>
            </Or>
        </And>
    </Condition>
</Availabilities>
```

In case of Deltas, the OTDS will be the same but without the **SellingAccom, due to that is the rates, and the Deltas are only for Availabilities

7 Appendices

Hotel codes, Room codes, Rateplan codes, board codes,..

In our „OTA Communication Model“ documentation there are 15 chapters explaining the various code concepts we have in our system. Please refer to that document for code explanaition.

8 Versions

Date	Version	Name	Revision
11 October 2021	0.1	Sebastian Muñoz	Initial internal document for review
6 May 2022	1.0	Sam Jaarsma Sebastian Muñoz	First public version for pilot
tbc	1.1		Revision with improvements after pilot