

Session 3.

1. Create a functional component named ProductCard that accepts props for productName and price, and displays them in a styled div.
2. Build a UserProfile component that takes username, followers, and profilePic as props and renders a mini Instagram-style profile card.
3. Set up default props for your UserProfile component so that if followers or profilePic is not provided, it shows 0 followers and a default image URL.

Hint: Use the defaultProps property to set fallback values.
4. Add prop type validation to your ProductCard component using the prop-types package to ensure productName is a string and price is a number.

Hint: Install prop-types with npm and import it in your file.

Answer:-

UserProfile.jsx

```
const UserProfile = ({UserName = "nena" , Follower, profilePic}) => {
  return (
    <div>
      <h1>{UserName}</h1>
      <h2>{Follower}</h2>
      <img src={profilePic} alt="Profile_Images" />
    </div>
  )
}

export default UserProfile
```

ProductCard.jsx

```
import PropTypes from 'prop-types';

const ProductCard = ({ productName, price }) => {
  return (
    <div>
      <h1>{productName}</h1>
      <h2>{price}</h2>
    </div>
  )
}
```

```

    )
  }

  ProductCard.propTypes = {
    productName: PropTypes.string,
    price: PropTypes.number,
  }

  export default ProductCard

```

App.jsx

```

import UserProfile from './Exercise/UserProfile'

const data = {
  productName: "Iphone",
  price: "250/-"
}

const User = {
  userName : "Rahul",
  Follower : 250,
  profilePic : "https://encrypted-
tbn0.gstatic.com/images?q=tbn:ANd9GcQQDdUWwMwDanyxz_a628wp0yuz2-
_RdI26bV0Q9qvQ&s=10"
}

const App = () => {
  return (
    <>
      { /* <ProductCard productName={data.productName} price={data.price} />
      */}
      <UserProfile UserName={User.userName} Follower= {User.Follower}
      profilePic={User.profilePic}/>
    </>
  )
}

export default App

```