

To prepare

This tab allows the display of all the sampling to be made. The user visualizes all the lines of missions not yet processed.

A pre-selection by the use of filters is possible. The user can choose to specify:

- .An item
- .A recipient
- .An order number
- .A mission number
- .A load
- .An shipment
- .A DN number
- .A support number

**Picking details - To prepare**

Item =  Load

Recipient =  Shipping


Order no.:  DN

Mission number  Support No.

View : Default view

| Act. | Mission line identifier | Mission number | Item code | Preparation reference number | Numero vague | Loading code | Loading date | Del.note no.: |
|------|-------------------------|----------------|-----------|------------------------------|--------------|--------------|--------------|---------------|
|      | 78                      | 47             | G5054182  | 3                            | 2            |              |              | 0             |
|      | 79                      | 47             | G5054182  | 3                            | 2            |              |              | 0             |
|      |                         |                |           |                              |              |              |              |               |
|      |                         |                |           |                              |              |              |              |               |
|      |                         |                |           |                              |              |              |              |               |
|      |                         |                |           |                              |              |              |              |               |

Several options are available from the context menu:



### 1. Allocate a load

Enables to assign to a loading

**Loading selection**

Find

| Code        | Date     | Description   |
|-------------|----------|---------------|
| LOAD001     | 20220611 | LOAD 001 - Sc |
| LOAD002     | 20220810 | Loading South |
| SOUTH RD    | 20220810 | Loading South |
| TNT NORTH   | 20220812 | TNT Transport |
| TNTXPRSS001 | 20220713 | TNT EXPRESS   |
|             |          |               |
|             |          |               |
|             |          |               |
|             |          |               |
|             |          |               |
|             |          |               |
|             |          |               |

Menu Picking details

**Picking details**

☐ To prepare

☐ Prepared

☐ Pre-shipped

☐ Shipped

☐ Terminated

☐ All

**Picking details - To prepare**

Item =  Load

Recipient =  Shipping

Order no.:  DN

Mission number  Support No.

View : Default view

| Act. | Mission line identifier | Mission number | Item code | Preparation reference number | Numero vague | Loading code | Loading date | Del.note no.: |
|------|-------------------------|----------------|-----------|------------------------------|--------------|--------------|--------------|---------------|
|      | 78                      | 47             | G5054182  | 3                            | 2            |              |              | 0             |
|      | 79                      | 47             | G5054182  | 3                            | 2            | Load002      | 10/08/2022   | 0             |

It is also possible to create a new load directly from this window, by clicking on the add button .

## 2.Allocate expedition

Allows to assign to a shipment on the same principle as the allocation to a load.

This option allows to manage the concept of shipping without having to go through the loading module. It allows traceability of the status of the orders. A shipment is then defined by a reference and a description.

## 3.Allocate a del. note


Allows assignment to a delivery note.

SpeedWMS generates an automatic DN number.

## 4.Allocate a support

Allows the assignment to a prepared support. It will then be fed at the mission line level.

A list of supports is displayed, without particular control. This option enables to group the samplings in the same support.



## 5.Move support

Enables to change the location of the support.