

Clarins Mission Line Validation – Internal Support Procedure

Sensitivity: Internal

Audience: Support / Technical Team

System: Speed WMS

Purpose

This procedure is used to **correct and validate mission lines** for Clarins orders when:

- Orders are **not validating correctly**
- Mission lines are stuck below validation status
- Mission lines are not linked to valid stock locations

Validation must be performed **only using active picking locations** and **open-box stock**, not reserve or full-carton stock.

Key Parameters

Before running the script, define the following:

DECLARE @ArtCode varchar(50) = '80110136'; -- SKU / Article Code

DECLARE @Stk_Keyu int = 218923; -- Selected Stock Key

Step 1: Identify Orders and Mission Lines Not Yet Validated

This step identifies:

- Orders with mission lines already in status 040
- Orders whose overall status is **below 040**
- Mission lines below validation status for the specified SKU

WITH ope_mil_040 AS (

SELECT

OPE_KEYU,

ACT_CODE,

OPE_NOOE,

OPE_STAT,

```

OPE_DAT.OPE_NoVA,
(
  SELECT COUNT(MIL_KEYU)
  FROM MIL_DAT
  WHERE MIL_DAT.OPE_NoOE = OPE_DAT.OPE_NoOE
  AND MIL_DAT.ACT_CODE = OPE_DAT.ACT_CODE
  AND MIL_STAT = '040'
) AS MIL_040,
(
  SELECT COUNT(MIL_KEYU)
  FROM MIL_DAT
  WHERE MIL_DAT.OPE_NoOE = OPE_DAT.OPE_NoOE
  AND MIL_DAT.ACT_CODE = OPE_DAT.ACT_CODE
) AS Nb_MIL
FROM OPE_DAT
WHERE ACT_CODE = 'RSAJHBCLA'
)

```

```

SELECT
  O.OPE_KEYU,
  O.ACT_CODE,
  O.OPE_NoOE,
  O.OPE_STAT,
  MIL_040,
  Nb_MIL,
  M.MIL_KEYU,
  M.MIL_STAT,
  M.ACT_CODE,

```

```

M.ART_CODE,
M.MIL_QTTA,
M.MIL_EMP,
M.MIL_NoSU,
M.MIL_SUPP,
M.MIL_LOT1P,
M.MIL_DLUOP
FROM ope_mil_040 O
JOIN MIL_DAT M
  ON O.ACT_CODE = M.ACT_CODE
  AND O.OPE_NoOE = M.OPE_NoOE
WHERE MIL_040 > 0
  AND O.OPE_STAT < '040'
  AND M.MIL_STAT < '040'
  AND M.ART_CODE = @ArtCode
ORDER BY M.MIL_STAT, Nb_MIL;

```

Step 2: Identify Valid Stock for Validation

This step finds **active stock locations** for the SKU that:

- Are in **Inspection (INS)** status
- Are located in **picking zones**
- Are actively being consumed (open boxes)

```

SELECT
  STK_KEYU,
  STK_LIEU,
  ART_CODE,
  STK_QTE,
  QUA_CODE,

```

```

    STK_NoSU,
    STK_LOT1,
    STK_DLUO,
    (
        SELECT SUM(MIL_QTTP)
        FROM MIL_DAT
        WHERE MIL_DAT.ACT_CODE = STK_DAT.ACT_CODE
        AND MIL_DAT.QUA_CODE = 'INS'
        AND MIL_DAT.ART_CODE = STK_DAT.ART_CODE
        AND MIL_DAT.MIL_EMP = STK_DAT.STK_LIEU
        AND MIL_STAT < '040'
    ) AS MIL_QTTP
FROM STK_DAT
WHERE ACT_CODE = 'RSAJHBCLA'
AND QUA_CODE = 'INS'
AND ART_CODE = @ArtCode
AND STK_LIEU IN (
    SELECT EMP_LIEU
    FROM EMZ_BAS
    WHERE ZEM_CODE = 'CLA_PIC'
)
ORDER BY ART_CODE, STK_LIEU, STK_NoSU;

```

Step 3: Reassign Mission Lines to Valid Stock Location

This step updates mission lines that:

- Are in status 020
- Are not currently linked to valid stock
- Match the specified SKU

Only **up to 150 mission lines** are updated at a time.

BEGIN TRAN

UPDATE MIL_DAT

SET MIL_EMP = s.STK_LIEU

FROM (

SELECT STK_LIEU, STK_NoSU, STK_LOT1, STK_DLUO

FROM STK_DAT

WHERE STK_KEYU = @Stk_Keyu

AND ART_CODE = @ArtCode

) s

WHERE MIL_STAT < '040'

AND MIL_KEYU IN (

SELECT TOP 150 M.MIL_KEYU

FROM MIL_DAT M

LEFT JOIN STK_DAT S

ON M.ACT_CODE = S.ACT_CODE

AND M.ART_CODE = S.ART_CODE

AND M.MIL_EMP = S.STK_LIEU

AND M.MIL_NoSU = S.STK_NoSU

WHERE M.ACT_CODE = 'RSAJHBCLA'

AND M.MIL_STAT = '020'

AND S.STK_KEYU IS NULL

AND M.ART_CODE = @ArtCode

)

COMMIT TRAN

Critical Business Rules (Must Be Followed)

Stock Selection Rules

-  Only Active Picking Locations
-  Do NOT use Reserve Locations
-  Do NOT use Full Cartons
-  Only Open-Box Stock

How to Identify Open-Box Stock

- If multiple LPNs for the same SKU have **identical quantities**, these represent **full cartons** → **Do not use**
- If an LPN shows **quantity being reduced**, it represents an **open box** → **Valid for validation**

Important Notes

- Validation from **reserve stock** must be handled via the **replenishment process**
- This script is intended for **Support use only**
- Always verify stock behavior before assigning STK_KEYU