NJN: A Dataset for the Normal and Jaundiced Newborns

- 760 images
- 560 normal and 200 jaundiced
- 1000*1000 resolution
- iPhone 11 pro max 12 MP camera



Abdulrazzak, A. Y., Mohammed, S. L., & Al-Naji, A. (2023). NJN: A Dataset for the Normal and Jaundiced Newborns. BioMedInformatics, 3(3), 543-552. https://doi.org/10.3390/biomedinformatics3030037

Classification Techniques

k-Nearest Neighbors(kNN)



Random Forest(RF)



XGBoost



Technique	Accuracy	Precision	Recall	F1-Score
KNN	95.4%	96%	95%	96%
RF	97.3%	97%	97%	97%
XGboot	98.6%	99%	99%	99%

Abdulrazzak, A. Y., Mohammed, S. L., & Al-Naji, A. (2023). NJN: A Dataset for the Normal and Jaundiced Newborns. BioMedInformatics, 3(3), 543-552. https://doi.org/10.3390/biomedinformatics3030037

NBHR Dataset

nbhr-test > test1-reconstructed.csv

```
1  201017110742653,34,106,97
2  201017110742654,0.30674890010918193,106,97
3  201017110742667,-4.894369319053015,106,97
4  201017110742684,-10.270865619718588,106,97
5  201017110742701,-15.167022615333124,106,97
6  201017110742718,-19.35857035731617,106,97
7  201017110742736,-22.810811179883096,106,97
8  201017110742753,-25.443043766793018,106,97
9  201017110742767,-27.073100518948266,106,97
```



- Sample Rate : 60 fps
- Resolution : 640 x 480

B. Huang, W. Chen, C.-L. Lin, C.-F. Juang, Y. Xing, Y. Wang, and J. Wang, “A neonatal dataset and benchmark for non-contact neonatal heart rate monitoring based on spatio-temporal neural networks,” Engineering Applications of Artificial Intelligence, vol. 106, p. 104447, 2021, doi: 10.1016/j.engappai.2021.104447.

MMPD Dataset

- Full dataset(370GB, 320 x 240 resolution)
- Mini dataset(48GB, 80 x 60 resolution)
- 660 one-minute videos - 11 Hours
- 33 subjects
- Frame rate : 30 fps
- Recorded using a Samsung Galaxy S22 Ultra mobile phone



Jiankai Tang, Kequan Chen, Yuntao Wang, Yuanchun Shi, Shwetak Patel, Daniel McDuff, Xin Liu, "MMPD: Multi-Domain Mobile Video Physiology Dataset", IEEE EMBC, 2023

MMPD Dataset

TABLE III

BASELINE RESULTS ON THE MMPD DATASETS GENERATED USING THE RPPG-TOOLBOX [1]. FOR THE SUPERVISED METHODS WE SHOW RESULTS TRAINED ON THE UBFC-RPPG AND PURE.

Training Set	**UBFC** [7]				**PURE** [8]			
Testing Set	MMPD				MMPD			
	MAE↓	RMSE↓	MAPE↓	ρ ↑	MAE↓	RMSE↓	MAPE ↓	ρ ↑
Skin tone								
3	3.60	6.91	5.01	0.76	**3.06**	**6.60**	**4.06**	**0.77**
4	14.45	20.51	16.23	-0.12	8.94	15.74	9.98	0.25
5	10.06	13.72	14.11	0.45	12.39	16.51	16.74	0.12
6	14.88	20.21	16.85	0.18	15.43	20.98	17.51	0.20
Motion								
Stationary	5.34	11.17	6.32	0.56	5.91	11.56	7.13	0.54
Rotation	11.73	16.45	15.14	0.12	8.92	14.99	11.24	0.17
Talking	7.35	12.52	9.07	0.50	8.32	13.71	10.21	0.42
Walking	24.91	29.76	26.24	-0.02	27.21	31.97	28.56	0.03
Light								
LED-low	8.33	13.69	10.10	0.44	7.95	13.64	9.46	0.39
LED-high	7.92	13.18	10.14	0.40	7.80	13.37	10.00	0.37
Incandescent	8.18	13.83	10.29	0.37	7.40	13.46	9.12	0.38
Nature	10.41	16.77	12.37	0.36	11.04	17.66	12.52	0.35

MAE = Mean Absolute Error in HR estimation (Beats/Min), RMSE = Root Mean Square Error in HR estimation (Beats/Min), ρ = Pearson Correlation in HR estimation.

Jiankai Tang, Kequan Chen, Yuntao Wang, Yuanchun Shi, Shwetak Patel, Daniel McDuff, Xin Liu, "MMPD: Multi-Domain Mobile Video Physiology Dataset", IEEE EMBC, 2023

rPPG- Toolbox - Initial Setup

```
Preprocessing dataset...
  0%|                                                
```

rPPG- Toolbox - Testing





X. Liu, G. Narayanswamy, A. Paruchuri, X. Zhang, J. Tang, Y. Zhang, R. Sengupta, S. Patel, Y. Wang, and D. McDuff, “rppg-toolbox: Deep remote PPG toolbox,” Advances in Neural Information Processing Systems, vol. 36, pp. 68485–68510, 2023.

Applicant CVs.

Supervisor CVs.

Request letter from the applicant

Clear details regarding the funding

Certificate of GCP training (At least 1 member)

Checklist

Consent forms 3 Languages

Information sheets 3 Languages

Letter from the Doctor

Project Proposal (8 copies and a soft copy)

Supervisor should certify that the proposal is satisfactory (Optional)