

# Chapter 8 :



## Computer Science

**Class XI (As per  
CBSE Board)**

**Conditional  
&  
Looping  
Constructs**

**New  
Syllabus  
2019-20**

**Visit : [python.mykvs.in](http://python.mykvs.in) for regular updates**

# Control Statements

---

Control statements are used to control the flow of execution depending upon the specified condition/logic.

There are three types of control statements.

1. Decision Making Statements
2. Iteration Statements (Loops)
3. Jump Statements (break, continue, pass)

# Decision Making Statement

---

Decision making statement used to control the flow of execution of program depending upon condition.

There are three types of decision making statement.


1. **if statements**
2. **if-else statements**
3. **Nested if-else statement**

# Decision Making Statement

---

## 1. if statements

An if statement is a programming conditional statement that, if proved true, performs a function or displays information.



# Decision Making Statement

---

## 1. if statements

### Syntax:

```
if(condition):  
    statement  
    [statements]
```

### e.g.

```
noofbooks = 2  
if (noofbooks == 2):  
    print('You have ')  
    print('two books')  
print('outside of if statement')
```

### Output

You have two books

**Note:** To indicate a block of code in Python, you must indent each line of the block by the same amount. In above e.g. both print statements are part of if condition because of both are at same level indented but not the third print statement.

# Decision Making Statement

---

## 1. if statements

### Using logical operator in if statement

```
x=1  
y=2  
if(x==1 and y==2):  
    print('condition matching the criteria')
```

#### Output :-

condition matching the criteria

-----

```
a=100  
if not(a == 20):  
    print('a is not equal to 20')
```


#### Output :-

a is not equal to 20

# Decision Making Statement

## 2. if-else Statements

If-else statement executes some code if the test expression is true (nonzero) and some other code if the test expression is false.



# Decision Making Statement

---

## 2. if-else Statements

Syntax:

```
if(condition):  
    statements  
else:  
    statements
```

e.g.

```
a=10
```

```
if(a < 100):  
    print('less than 100')  
else:  
    print('more than equal 100')
```

**OUTPUT**

less than 100


**\*Write a program in python to check that entered number is even or odd**



# Decision Making Statement

## 3. Nested if-else statement

The nested if...else statement allows you to check for multiple test expressions and execute different codes for more than two conditions.



# Decision Making Statement

---

## 3. Nested if-else statement

### Syntax

```
If (condition):  
    statements  
elif (condition):  
    statements  
else:  
    statements
```

### E.G.

```
num = float(input("Enter a number: "))  
if num >= 0:  
    if num == 0:  
        print("Zero")  
    else:  
        print("Positive number")  
else:  
    print("Negative number")
```

### OUTPUT

```
Enter a number: 5  
Positive number
```

**\* Write python program to find out largest of 3 numbers.**

# Iteration Statements (Loops)

---

Iteration statements(loop) are used to execute a block of statements as long as the condition is true.

Loops statements are used when we need to run same code again and again.

Python Iteration (Loops) statements are of three type :-

**1. While Loop**

**2. For Loop**

**3. Nested For Loops**

# Iteration Statements (Loops)

## 1. While Loop

It is used to execute a block of statement as long as a given condition is true. And when the condition become false, the control will come out of the loop. The condition is checked every time at the beginning of the loop.

### Syntax


```
while (condition):  
    statement  
    [statements]
```

### e.g.

```
x = 1  
while (x <= 4):  
    print(x)  
    x = x + 1
```

### Output

1  
2  
3  
4



# Iteration Statements (Loops)

---

## While Loop continue

### While Loop With Else

e.g.

```
x = 1
while (x < 3):
    print('inside while loop value of x is ',x)
    x = x + 1
else:
    print('inside else value of x is ', x)
```

## Output

```
inside while loop value of x is 1
inside while loop value of x is 2
inside else value of x is 5
```

\*Write a program in python to find out the factorial of a given number

# Iteration Statements (Loops)

## While Loop continue

### Infinite While Loop

**e.g.**

```
x = 5
```

```
while (x == 5):  
    print('inside loop')
```

### Output

Inside loop

Inside loop

...

...

# Iteration Statements (Loops)

## 2. For Loop

It is used to iterate over items of any sequence, such as a list or a string.

### Syntax

```
for val in sequence:  
    statements
```

**e.g.**

```
for i in range(3,5):  
    print(i)
```

Output

```
3  
4
```

# Iteration Statements (Loops)

## 2. For Loop continue

### Example programs

```
for i in range(5,3,-1):  
    print(i)
```

### Output

5  
4

### range() Function Parameters

**start:** Starting number of the sequence.

**stop:** Generate numbers up to, but not including this number.

**step(Optional):** Determines the increment between each numbers in the sequence.



# Iteration Statements (Loops)

## 2. For Loop continue

### For Loop With Else

**e.g.**

```
for i in range(1, 4):  
    print(i)  
else: # Executed because no break in for  
    print("No Break")
```

### Output

```
1  
2  
3  
4  
No Break
```

# Iteration Statements (Loops)

## 2. For Loop continue

### Nested For Loop

**e.g.**

```
for i in range(1,3):  
    for j in range(1,11):  
        k=i*j  
        print (k, end=' ')  
    print()
```

### Output

```
1 2 3 4 5 6 7 8 9 10  
2 4 6 8 10 12 14 16 18 20
```

# Iteration Statements (Loops)

## 3. Jump Statements

**Jump statements** are used to transfer the **program's** control from one location to another. Means these are used to alter the flow of a loop like - to skip a part of a loop or terminate a loop

There are three types of jump statements used in python.

**1.break**

**2.continue**

**3.pass**

# Iteration Statements (Loops)

## 1.break

it is used to terminate the loop.

e.g.

```
for val in "string":
```

```
    if val == "i":
```

```
        break
```

```
    print(val)
```

```
print("The end")
```

## Output

s

t

r

The end

# Iteration Statements (Loops)

## 2.continue

It is used to skip all the remaining statements in the loop and move controls back to the top of the loop.

**e.g.**

```
for val in "init":  
    if val == "i":  
        continue  
    print(val)  
print("The end")
```

### **Output**

```
n  
t  
The end
```

# Iteration Statements (Loops)

## 3. pass Statement

This statement does nothing. It can be used when a statement is required syntactically but the program requires no action.

### Use in loop

**while True:**

**pass # Busy-wait for keyboard interrupt (Ctrl+C)**

### In function

It makes a controller to pass by without executing any code.

**e.g.**

```
def myfun():
```

```
    pass #if we don't use pass here then error message will be shown
    print('my program')
```

**OUTPUT**

My program

# Iteration Statements (Loops)

## 3. pass Statement continue

**e.g.**

```
for i in 'initial':  
    if(i == 'i'):  
        pass  
    else:  
        print(i)
```

### OUTPUT

n  
t  
a  
l

**NOTE :** **continue** forces the loop to start at the next iteration while **pass** means "there is no code to execute here" and will **continue** through the remainder of the loop body.