a Registered S2: first heritable-copier detection



First heritable copier: 14/20 S2 L16 worlds; 6 censored at 3 million updates
Per detection: teal no partner fetch in 16/16; red partner fetch in ≥8/16
Each detection uses 16 partner traces; grey ticks = censored worlds

b R2: open memory-fed persistence



Same 20 S2 worlds as a; terminal persistence = 0/20
All earlier scheduled samples combined: 1/20 worlds ever positive

c Registered evolved law: untested

Family test	Candidates	Eligible	Unresolved
L1	1337	0	0
L2	1337	0	724
L2 excluding L1	1337	0	724

L2 support suspended: zero certified cases

Candidate tapes from the same 20 registered S2 worlds as a

Zero eligible cases do not mean zero capacity

c–e: candidate tapes from same 20 S2 worlds as a
L1 frozen overlap / L2 broader pure-copy certificate; d = L2 ledger

d Registered exclusions and unresolved cases

Status	Reason	n
culture-negative	culture not positive	558
excluded	original partner read	55
unresolved	Opcode 07 (POP ES)	708
unresolved	Opcode 0c	2
unresolved	Opcode 0f	1
unresolved	Opcode 21	1
unresolved	Opcode 31	1
unresolved	Opcode 5f	10
unresolved	Opcode e5	1

L2 candidate tapes: 558 culture-negative, 55 excluded
724 unresolved (708 at POP ES); total 1,337

e Post hoc: admissions and exact-law checks

d bytes	Genotypes	Worlds	Encounters	Byte/core/ancestry mismatches
4	10	10	538,240	0
16	22	20	1,686,400	0

d = physical copy displacement (write – read) mod 32, in bytes

Same 20 S2 worlds: 779 culture-positive world/tape records

→ 600 admitted records (590 d16; 10 d4) → 32 selected genotypes

d = 4 joint free-payload tests: 0 applicable positions/genotype (n = 10)

d = 16 erasure tests: 0 applicable positions/genotype (n = 22)

32 genotypes /20 worlds; 2,224,640 encounters; worlds overlap by d

Nonempty coordinate perturbations: d = 4 erasure; d = 16 single/joint payload
No applicable coordinates above means no corresponding perturbations
Listed encounters include empty-assignment controls; check bytes/core/ancestry

f Exploratory byte-pattern copies: d = 4 bytes



Separate post hoc snapshot fates: 512 encounters per batch

Cohort	Median new targets/batch
8086 S2 L16 (20 worlds; 3 donor tiles)	94.5
Z80 G L16 (20 worlds; 1 donor tile)	214.5

New target = non-donor 16-byte half newly matching 2-byte donor tiling

Median of batch totals: 5 samples/world × soup/uniform × donor A/B