a Validation: distinct denominators

Comparison / criterion	Criterion met/n	Different n
8088/hardware: state agreement	3,126,917/3,137,000	10,083
C1/C0: ring stability	643/690	47
C1/C0: identical assay metrics	407/417	10
C1/archive: same claim verdict	19/22	3
C1/archive: same component outcome	32/36	4

10,083 hardware divergences: expected; none unexpected

Ring stability: 95% upper bound on changed-memory rate <0.01%
Each row names its agreement criterion and denominator

b I1: flags remain flags

Core	Flagged / conditions	Different assays
C1	47/690	10/417
C2	114/690	10/417

Baseline = historical compatibility core C0

C1 = corrected classic; C2 = vendor-specific semantics

Separate sets: 690 ring conditions; 417 isolated assays

Flag: 95% upper bound on changed-memory rate ≥0.01%
Zero flags +identical assays criterion: not met

c I1-T2: all 22 claim verdicts

Claim	vs archive	Claim	vs archive
DZ1	stands	C4b	stands
DZ2	changed	C4c	stands
DZ3	changed	F4c	stands
E1	stands	S1	stands
E2	stands	S2	stands
E3	stands	S3	stands
E-L32L	stands	S4	stands
L1	stands	S5	stands
L2	changed	X1-1	stands
L3	stands	X1-2	stands
L	stands	X1-3	stands

DZ2 timing; DZ3 transmitter trend; L2 recovery sites
Stands = same as archive; E1 stability remains failed; 19/22 stand

d Four changed components of 36

Component	Historical	Core C1
DZ2	not met	met
DZ3	not met	met
L2 L16	not met	n/a
L2 L20	n/a	not met

n/a = not applicable: no recovered lineage

L = tape bytes; these are the constituent tests in a

Historical = published archive; DZ timing/share; L2 sites
Complete 36-component ledger retained in Source Data

e Assay changes by measurement

Metric	Differing C1	Differing C2
copy into neighbor as A	0	0
copy into neighbor as B	6	6
baseline similarity	0	0
Informative partners, generation 1	0	0
Informative partners, generation 2	0	0
copy offset	0	0
self preserved as A	0	0
self preserved as B	9	9
Offspring ≥75% parent match	0	0
Generation-2 normalized gain	0	0
Generation-2 conditional gain	0	0
Normalized culture gain	0	0
is replicator	0	0
faithful	0	0

Counts /417 assays vs C0; rows overlap (not additive)
A = parent; B = partner; match threshold q = 75%

f Stage-L scoring and snapshot availability

L bytes	Worlds	Scoreable worlds	Worlds missing snapshot
16	10	10	10
20	10	10	10

Missing snapshot: step 7,500 world updates

Scoreable from retained final bytes and journals

10 independent recovery worlds / tape length

Stage L: closure-recovery worlds, 10 / tape length
Snapshot alerts do not prevent scoring retained final data