38.1
90.0
120.0
46.0
22.2
524.2
24.2°
Slot 25x4
150.0
53.2
30
38xt2.0
230.0
To fit 9" x 2.75" Shock
276.7
Shock mounts parallel to downtube
50.8xt2.0 OVAL 58x44xL150
628.3
376.0
35.0
2.75" (70mm)
64.2°
130.0
204mm rear
wheel travel
22x22 Square
Brace 17.0 x 6.0
downtube is pierced
Seat tube
position at
max travel
Brace is twisted
for 12mm through axle
36x22 Square
385.0
ISIS Chain guide mount
8mm thick
54.1
ISIS Chain guide mount
8mm thick
100.0
extruded to no wider than 20mm
(round to square extrusion?)
downtube is pierced
150.0
385.0


RODO/NAMAIKI CYCLES LO-8


LO-8 FRAME
Drawn By: Philip Lord
Original Design & Vector Artwork: Philip Lord / Namaiki Cycles
Date / Rev: Sunday, 5 December 2004 at 1:55AM

Usage Rights: Licensed for Personal & Non-Commercial Use Only All Commercial, Production, and Tradenames Rights Reserved.

Attribution: All technical CAD drawings, frame geometry specifica tions, and vector artwork for the LO-8 and associated Namaiki Cycles frameset(s) were originally designed by Philip Lord.








Left Dropout


RODO/NAMAIKI CYCLES LO-8

LEFT DROPOUT
Drawn By: Philip Lord
Original Design & Vector Artwork: Philip Lord / Namaiki Cycles
Date / Rev: Sunday, 5 December 2004 at 1:55AM

Usage Rights: Licensed for Personal & Non-Commercial Use Only. All Commercial, Production, and Tradename Rights Reserved.

Attribution: All technical CAD drawings, frame geometry specifications, and vector artwork for the LO-8 (and associated Namaiki Cycles framesets) were originally designed by Philip Lord.





TIGHT press fit for 22mm (608DD)
diameter bearing


DOWNTUBE PIERCE
(UPPER-LINK LOWER PIVOT)

RODO/NAMAIKI CYCLES LO-8

DOWNTUBE PIERCE (UPPER-LINK LOWER PIVOT)
Drawn By: Philip Lord
Original Design & Vector Artwork: Philip Lord / Namaiki Cycles
Date / Rev: Sunday, 5 December 2004 at 1:55AM

Usage Rights: Licensed for Personal & Non-Commercial Use Only. All Commercial, Production, and Tradename Rights Reserved.

Attribution: All technical CAD drawings, frame geometry specifications, and vector artwork for the LO-8 (and associated Namaiki Cycles framesets) were originally designed by Philip Lord.




TOP LINK BRACE

RODO/NAMAIKI CYCLES LO-8

TOP LINK BRACE
Drawn By: Philip Lord
Original Design & Vector Artwork: Philip Lord / Namaiki Cycles
Date / Rev: Sunday, 5 December 2004 at 1:55AM


Usage Rights: Licensed for Personal & Non-Commercial Use Only. All Commercial, Production, and Tradename Rights Reserved.


Attribution: All technical CAD drawings, frame geometry specifications, and vector artwork for the LO-8 (and associated Namaiki Cycles framesets) were originally designed by Philip Lord.



22.0
TIGHT press fit for 22mm (608DD)
diameter bearing

22.0
TIGHT press fit for 22mm (608DD)
diameter bearing





RODO/NAMAIKI CYCLES LO-8


TOP LINK
Drawn By: Philip Lord
Original Design & Vector Artwork: Philip Lord / Namaiki Cycles
Date / Rev: Sunday, 5 December 2004 at 1:55AM


Usage Rights: Licensed for Personal & Non-Commercial Use Only. All Commercial, Production, and Tradename Rights Reserved.

Attribution: All technical CAD drawings, frame geometry specifications, and vector artwork for the LO-8 (and associated Namaiki Cycles framesets) were originally designed by Philip Lord.

X2

TOP LINK






SHOCK MOUNTS (left and right)

RODO/NAMAIKI CYCLES LO-8

SHOCK MOUNTS (x2)
Drawn By: Philip Lord
Original Design & Vector Artwork: Philip Lord / Namaiki Cycles
Date / Rev: Sunday, 5 December 2004 at 1:55AM


Usage Rights: Licensed for Personal & Non-Commercial Use Only. All Commercial, Production, and Tradename Rights Reserved.

Attribution: All technical CAD drawings, frame geometry specifications, and vector artwork for the LO-8 (and associated Namaiki Cycles framesets) were originally designed by Philip Lord.



TIGHT press fit for 28mm (638DD)
diameter bearing

YOKE





RODO/NAMAIKI CYCLES LO-8


YOKE
Drawn By: Philip Lord
Original Design & Vector Artwork: Philip Lord / Namaiki Cycles
Date / Rev: Sunday, 5 December 2004 at 1:55AM

Usage Rights: Licensed for Personal & Non-Commercial Use Only. All Commercial, Production, and Tradename Rights Reserved.

Attribution: All technical CAD drawings, frame geometry specifications, and vector artwork for the LO-8 (and associated Namaiki Cycles framesets) were originally designed by Philip Lord.







RODO/NAMAIKI CYCLES LO-8


SHOCK ACTUATOR
Drawn By: Philip Lord
Original Design & Vector Artwork: Philip Lord / Namaiki Cycles
Date / Rev: Sunday, 5 December 2004 at 1:55AM

Usage Rights: Licensed for Personal & Non-Commercial Use Only. All Commercial, Production, and Tradename Rights Reserved.

Attribution: All technical CAD drawings, frame geometry specifications, and vector artwork for the LO-8 (and associated Namaiki Cycles framesets) were originally designed by Philip Lord.

X2

SHOCK ACTUATOR




RIGHT DROPOUT

RODO/NAMAIKI CYCLES LO-8

RIGHT DROPOUT
Drawn By: Philip Lord
Original Design & Vector Artwork: Philip Lord / Namaiki Cycles
Date / Rev: Sunday, 5 December 2004 at 1:55AM

Usage Rights: Licensed for Personal & Non-Commercial Use Only. All Commercial, Production, and Tradename Rights Reserved.

Attribution: All technical CAD drawings, frame geometry specifications, and vector artwork for the LO-8 (and associated Namaiki Cycles framesets) were originally designed by Philip Lord.



RODO/NAMAIKI CYCLES LO-8

HANGER
Drawn By: Philip Lord
Original Design & Vector Artwork: Philip Lord / Namaiki Cycles
Date / Rev: Sunday, 5 December 2004 at 1:55AM

Usage Rights: Licensed for Personal & Non-Commercial Use Only. All Commercial, Production, and Tradename Rights Reserved.

Attribution: All technical CAD drawings, frame geometry specifications, and vector artwork for the LO-8 (and associated Namaiki Cycles framesets) were originally designed by Philip Lord.


HANGER

Top Link bolts




X2

Lower link bolts



X2


Shock mounting bolt



X1

HIGH TENSILE STEEL
ALLEN BOLTS (M8)

Top link brace bolts



X2


HIGH TENSILE STEEL
ALLEN BOLTS (M5)


RODO/NAMAIKI CYCLES LO-8

BOLTS
Drawn By: Philip Lord
Original Design & Vector Artwork: Philip Lord / Namaiki Cycles
Date / Rev: Sunday, 5 December 2004 at 1:55AM

Usage Rights: Licensed for Personal & Non-Commercial Use Only. All Commercial, Production, and Tradename Rights Reserved.


Attribution: All technical CAD drawings, frame geometry specifications, and vector artwork for the LO-8 (and associated Namaiki Cycles framesets) were originally designed by Philip Lord.





TIGHT press fit for 28mm (638DD) diameter bearing

TIGHT press fit for 28mm (638DD) diameter bearing



RODO/NAMAIKI CYCLES LO-8

LOWER LINK
Drawn By: Philip Lord
Original Design & Vector Artwork: Philip Lord / Namaiki Cycles
Date / Rev: Sunday, 5 December 2004 at 1:55AM

Usage Rights: Licensed for Personal & Non-Commercial Use Only. All Commercial, Production, and Tradename Rights Reserved.

Attribution: All technical CAD drawings, frame geometry specifications, and vector artwork for the LO-8 (and associated Namaiki Cycles framesets) were originally designed by Philip Lord.

LOWER LINK














X4

Upper link spacers

X2

Shock spacers

X4

Lower link spacers


SPACERS

RODO/NAMAIKI CYCLES LO-8

SPACERS
Drawn By: Philip Lord
Original Design & Vector Artwork: Philip Lord / Namaiki Cycles
Date / Rev: Sunday, 5 December 2004 at 1:55AM

Usage Rights: Licensed for Personal & Non-Commercial Use Only. All Commercial, Production, and Tradename Rights Reserved.

Attribution: All technical CAD drawings, frame geometry specifications, and vector artwork for the LO-8 (and associated Namaiki Cycles framesets) were originally designed by Philip Lord.



RODO/NAMAIKI CYCLES LO-8

LOWER-LINK FORWARD PIVOT
Drawn By: Philip Lord
Original Design & Vector Artwork: Philip Lord / Namaiki Cycles
Date / Rev: Sunday, 5 December 2004 at 1:55AM

Usage Rights: Licensed for Personal & Non-Commercial Use Only. All Commercial, Production, and Tradename Rights Reserved.

Attribution: All technical CAD drawings, frame geometry specifications, and vector artwork for the LO-8 (and associated Namaiki Cycles framesets) were originally designed by Philip Lord.

LOWER-LINK FORWARD PIVOT