



TEACHER CURRICULUM | 2026 EDITION

AI Engineer for Kids

Think clearly. Build safely. Make a game.

AGES 10-16	6 x 60 MIN	80% HANDS-ON	NO EXPERIENCE
------------	------------	--------------	---------------

THE COURSE PROMISE

Six practical sessions help young people guide AI, question its answers, protect private information, and improve ideas one small step at a time.

FINAL BUILD	AI SAFETY QUEST
-------------	-----------------

aininja.academy



START HERE

Teacher quick start

Everything needed to run the workshop is arranged as a practical teaching guide. Read the safety note, prepare one device per team, then open the lesson plan for the session you are teaching.

	QUICK START	TEACHER DECISION
01	Course promise	One playable AI Safety Quest game
02	Delivery	Six 60-minute sessions teams of 2-3
03	Class rhythm	Story, demo, build, test, fix, exit
04	Safety rule	Teacher operates Codex for ages 10-12
05	Progress	Use the same device and browser each week

SHARED-DEVICE RULE

Assign the same device every week

Progress is stored only in the current browser on the current device. Label each laptop, keep each team on the same browser, avoid incognito mode, and keep the paper engineer log as the backup record.

INSIDE THIS GUIDE

- Course promise and delivery
- Memory stories and SAFE code
- Child-friendly engineer loop
- Six complete lesson plans
- Optional project bank
- Final project rubric
- Adaptive AI Engineering 101
- Teacher safety and assessment



This course teaches children to use AI safely, think clearly, test ideas, and build one complete game. The language stays simple enough for a five-year-old to follow, while the projects can be extended for older learners.

TEACHER GUIDE

Course promise

By the end, each learner or small team will have built and presented a playable **AI Safety Quest** game. The game teaches another child how to ask AI for help, protect private information, check answers, respond to unsafe output, and improve a weak result.

The larger goal is not to make children memorize technical words. It is to help them form the habits of an AI engineer:

- 1 Understand the problem.
- 2 Break it into small pieces.
- 3 Give clear instructions.
- 4 Test what comes back.
- 5 Look for mistakes and missing viewpoints.
- 6 Improve one thing at a time.
- 7 Keep people safe and in control.
- 8 Explain what was built and why.

TEACHER GUIDE

Audience and delivery

- Ages: 10-16
- Format: 6 sessions, 60 minutes each
- Grouping: pairs or teams of three
- Practice-to-theory ratio: about 80% building and 20% explanation
- Required experience: none
- Recommended tools: paper, markers, presentation software, Scratch or another teacher-approved block-coding tool, and one adult-operated AI account for demonstrations
- Final project: a playable branching game with at least five decisions, three safety lessons, a scoring system, and a reflection screen

Special Codex access rule

- **Ages 10-12:** Learners do not create personal Codex accounts, share an adult's login, or directly operate Codex. They plan prompts, predict results, test the game, and suggest improvements while the teacher signs in, types or runs the task, approves every action, and reviews the result.
- **Ages 13-16:** Direct use requires parent or guardian permission, teacher or school approval, and active teacher supervision.
- **Every learner:** Never share account credentials or enter names, faces, voices, precise locations, secrets, health information, family information, or private schoolwork.
- **Thailand workshops:** Collect written guardian permission and provide a clear privacy notice. Re-check the service's current age rules and local requirements before every cohort.

What you need before class



- One laptop or tablet for every pair or team of three.
- One teacher laptop and projector for stories and adult-operated AI demonstrations.
- A current Chrome, Edge, Safari, or Firefox browser in normal mode, not private or incognito mode.
- Printed GOAL prompt cards, SAFE cards, engineer logs, and peer-test sheets.
- Internet access to open the hosted app and run a teacher-operated Codex demonstration. Paper activities and prepared offline builds can continue without internet.
- No learner account. Use one teacher-approved AI account only when a demonstration is part of the session.

Shared-device progress rule

The web app stores session completion and the Final Quest checklist only in the current browser on the current device. Progress does not follow a learner to another laptop and disappears if site data is cleared. Label each school device, assign it to the same team every week, use the same browser, avoid private or incognito mode, and keep the paper engineer log as the backup learning record.

Two difficulty tracks

Every class shares the same story and project. The depth changes by age.

Learners	Core track	Stretch track
Ages 10-12	Use pictures, prompt cards, block coding, and short explanations. Work mostly in pairs.	Add one extra game level or a second ending.
Ages 13-16	Add variables, reusable blocks, test tables, source checks, and written design choices.	Add adaptive difficulty, a simple rubric, or teacher-approved AI-generated hints.

Do not divide learners by ability in public. Let everyone begin with the core track and choose a stretch challenge.



TEACHER GUIDE

The two memory stories

Story 1: The Robot Puppy

"Imagine a very fast robot puppy. It has read many instruction cards. It wants to help, but it does not know what you mean unless you explain the job. Sometimes it confidently brings a slipper when you asked for a sandwich. A good AI engineer gives the puppy a clear job, shows an example, checks what it brings back, and tries again."

This story teaches:

- AI predicts useful-looking answers; it does not think or feel like a person.
- Clear instructions and examples improve results.
- A confident answer can still be wrong.
- A human must check and decide.

Story 2: The Backpack Rule

"Your name, address, school, passwords, private photos, and family details belong in a zipped backpack. We do not empty that backpack into a robot's training box."

Use the **SAFE** check before sending anything to AI:

- **S - Secrets stay secret.** Never share passwords, addresses, phone numbers, school details, private photos, or another person's information.
- **A - Ask a trusted adult.** Stop when a request feels personal, frightening, unfair, or confusing.
- **F - Find the proof.** Check important claims with reliable sources or a knowledgeable adult.
- **E - Everyone deserves kindness.** Do not use AI to bully, cheat, impersonate, or harm.

Put the SAFE card beside every device during the course.

TEACHER GUIDE

The child-friendly AI engineer loop

Call this the **Build-a-Bridge Loop**:

- 1 Pick the island - What are we trying to reach?** Say the goal in one sentence.
- 2 Count the stepping stones - What small jobs are needed?** Break the goal into steps.
- 3 Give the robot a map - What instruction and example will help?** Write a clear prompt.
- 4 Walk across slowly - Does each part work?** Test one step at a time.
- 5 Shake the bridge - Where could it fail?** Try unusual, unclear, and unsafe inputs.
- 6 Fix one plank - What is the smallest useful change?** Improve and test again.
- 7 Add a guardrail - How do we keep people safe?** Protect privacy and keep a human decision point.
- 8 Show the map - Can someone else understand it?** Explain the build in simple words.

Avoid beginning with words such as "model," "algorithm," or "inference." Teach the idea first through the story, then offer the correct term as an optional label.

TEACHER GUIDE

Standard 60-minute session rhythm



Use the same rhythm every time so learners know what comes next.

Time	Activity	Purpose
0-4 min	Story and movement game	Introduce one memorable idea without a lecture.
4-10 min	Teacher demonstration	Show the idea, including one deliberate mistake.
10-44 min	Build challenge	Learners make something in pairs or teams.
44-52 min	Swap and test	Another team tries to break or improve it.
52-58 min	Fix one thing	Learners use feedback and test again.
58-60 min	Exit ticket	Say: "I built..., I checked..., Next I would..."

This keeps 48 of 60 minutes practical. No uninterrupted explanation should run longer than six minutes.



TEACHER GUIDE

Six-session curriculum

SESSION 01 | 60 MINUTES

Meet the Robot Puppy

LEARNING OUTCOME	MATERIALS
Learners explain that AI follows patterns while people choose the goal, judge the result, and stay responsible.	Robot Puppy story card; red-object sorting cards; markers and paper; Cosmic Hello starter or slides; one team device.
LEARNER PROOF	
A working sort or Cosmic Hello result, one surprising test, and one improvement.	

MINUTE-BY-MINUTE RUN SHEET

TIME	ACTIVITY	WHAT HAPPENS
00-04	Story + movement	Act out the Robot Puppy fetching red objects, including one funny wrong choice.
04-10	Teacher demo	Show one pattern helper and deliberately test it with an unseen example.
10-44	Build challenge	Build a paper sorting robot or Cosmic Hello App, write one success rule, and test three inputs.
44-52	Swap + test	Another team tries one normal input and one surprising input without coaching.
52-58	Fix one thing	Improve one instruction, rule, label, or button and repeat the failed test.
58-60	Exit ticket	Finish: A pattern is a clue, but the human still has to...

Big idea: AI predicts answers from patterns. The child is the captain who chooses the mission and checks the result.

Story: The robot puppy fetches a red ball correctly three times, then brings a red apple too. In the AI Coding Cockpit, the child is the captain and the puppy is a fast helper.

Build: Explorer learners make a paper sorting robot. Builder learners make a Cosmic Hello App with one input, one button, and one visible result.

Steps:

- 1 Say the mission in one sentence.
- 2 Show the helper two or three examples.
- 3 Make the smallest version work.
- 4 Test it with one new or unusual example.
- 5 Fix one thing.
- 6 Repeat the same test and explain the evidence.

Mini-project: Pattern Detective or Cosmic Hello App.

Thinking habit: A pattern is a clue, not proof.

Adaptive topics: The AI Coding Cockpit, The Loop, and Cosmic Hello.



SESSION 02 | 60 MINUTES

Map It, Then Check It

LEARNING OUTCOME	MATERIALS
Learners repair a vague request with GOAL and separate confident language from checked evidence.	Four GOAL prompt cards; red, yellow, and green truth cards; two teacher-provided fact sources; prompt worksheet; one team device.
LEARNER PROOF	
A complete GOAL prompt, a truth-lamp rating, and a written verification step.	

MINUTE-BY-MINUTE RUN SHEET

TIME	ACTIVITY	WHAT HAPPENS
00-04	Story + movement	Use a treasure map and loud parrot to separate clear directions from confidence.
04-10	Teacher demo	Turn Tell me about space into a GOAL prompt, then flag one unsupported answer.
10-44	Build challenge	Repair three prompts, choose the strongest, and check its result with provided sources.
44-52	Swap + test	A partner follows the prompt literally and marks the answer red, yellow, or green.
52-58	Fix one thing	Add one missing limit, example, source, or stop rule and check again.
58-60	Exit ticket	Name one clue that an AI answer needs a truth check.

Big idea: A useful prompt gives the robot a clear map. A confident answer still needs a truth check.

Story: A treasure hunter needs more than "take me there." A loud parrot can also point toward the wrong treasure, so the map and the answer both need checking.

Build: Teams repair a vague prompt with GOAL, then inspect its answer with the Three-Lamp Check.

Use the **GOAL** prompt recipe:

- **G - Goal:** What should the AI help make or solve?
- **O - Objects and facts:** What information does it need?
- **A - Agreements:** What rules, limits, and safety boundaries apply?
- **L - Look:** What should the answer look like?

Steps:

- 1 Start with "Tell me about space."
- 2 Add a specific goal.
- 3 Add the learner's age and what they already know.
- 4 Add one safety or accuracy rule.
- 5 Ask for a format, such as three bullets or a tiny story.
- 6 Mark the answer red, yellow, or green.
- 7 Check one important claim with a reliable source or teacher.

Use the **Three-Lamp Check**:



- 1 Red:** The answer could affect health, money, safety, or reputation. Stop and ask an adult or expert.
- 2 Yellow:** It is a surprising, new, or unsourced fact. Check it.
- 3 Green:** It is a low-stakes creative suggestion. Explore while staying kind.

Mini-project: GOAL Prompt Map plus one Fact-Check Card.

Thinking habit: Clear instructions help; evidence decides. "I don't know yet" is an intelligent answer.

Adaptive topics: Prompt Engineering That Works and A Second Pair of Robot Eyes.



SESSION 03 | 60 MINUTES

Protect People and Build Kindly

LEARNING OUTCOME	MATERIALS
Learners remove private details, use fictional data, and test whether an idea includes and respects people.	Privacy Backpack cards; fictional character cards; kindness and fairness checklist; Kind Story Machine template; paper or team device.
LEARNER PROOF	
A repaired safe prompt and a kind story tested from one missing person's viewpoint.	

MINUTE-BY-MINUTE RUN SHEET

TIME	ACTIVITY	WHAT HAPPENS
00-04	Story + movement	Mime zipping private details into a backpack and drawing a ramp with a magic crayon.
04-10	Teacher demo	Repair a prompt containing a real school and address, then show one unfair story choice.
10-44	Build challenge	Sort privacy cards, rewrite unsafe prompts, and build a Kind Story Machine.
44-52	Swap + test	Ask: Who is included, who is missing, and could this embarrass or exclude someone?
52-58	Fix one thing	Remove one unnecessary detail or add one kinder, more inclusive choice.
58-60	Exit ticket	Say one detail that always stays in the privacy backpack.

Big idea: Safe engineers protect private information and choose ideas that are fair, useful, and kind.

Story: Private details stay inside a zipped backpack. A magic crayon can draw ten playgrounds, but a thoughtful child checks whether everyone can use them.

Build: Repair an unsafe prompt with fictional details, then create and fairness-check a Kind Story Machine.

Steps:

- 1 Highlight personal or unnecessary information.
- 2 Remove it or replace it with invented details.
- 3 Run the SAFE check.
- 4 Build a story from hero, goal, obstacle, helper, and ending cards.
- 5 Ask who is included, who is missing, and whether any choice could hurt someone.
- 6 Improve one part and explain the human decision.

Mini-project: Privacy Shield plus Kind Story Machine.

Thinking habit: Share only what the job needs, and ask who might be missing.

Adaptive topics: Privacy, fairness, and an optional teacher-led risk review.



SESSION 04 | 60 MINUTES

Build in Tiny Loops

LEARNING OUTCOME	MATERIALS
Learners create the three-question SAFE Quiz foundation and use a repeatable debugging loop.	SAFE Quiz starter; Show-Find-Fix-Try Again cards; prepared broken example; three-case test sheet; one team device.
LEARNER PROOF	
One playable quiz path, a reproduced bug, a small fix, and a passed repeat test.	

MINUTE-BY-MINUTE RUN SHEET

TIME	ACTIVITY	WHAT HAPPENS
00-04	Story + movement	Cross an imaginary river one stepping stone at a time and find the wobbly stone.
04-10	Teacher demo	Make a prepared bug appear, read its clue, change one cause, and rerun the test.
10-44	Build challenge	Build three SAFE questions with choices, feedback, and a score, then test the main path.
44-52	Swap + test	Partners use the three-case test sheet and record the exact step where anything breaks.
52-58	Fix one thing	Repair the smallest cause and repeat the same case before trying anything new.
58-60	Exit ticket	Point to the evidence that the fix worked.

Big idea: Engineers build, test, debug, and improve one small working piece at a time.

Story: Cross a river one stepping stone at a time. If one stone wobbles, make the bug show itself and follow its muddy footprints.

Build: Create the required three-question SAFE Quiz that will become the first playable path of the final AI Safety Quest.

Steps:

- 1 Write the player's goal.
- 2 Draw the start, three questions, feedback, score, and ending.
- 3 Build only the start and first question.
- 4 Test the click path.
- 5 Add the remaining questions and score.
- 6 Reproduce one bug.
- 7 Fix the smallest cause.
- 8 Repeat the same test.

Mini-project: Three-question SAFE Quiz-the capstone foundation.

Thinking habit: Small working pieces beat one giant unfinished idea.

Adaptive topics: The Loop, Debugging Without Panic, Building Tiny Apps, and Practice Labs.

Alternative: Habit Rocket may replace the quiz only when the teacher provides a ready-made AI Safety Quest starter for Session 5.



SESSION 05 | 60 MINUTES

Build AI Safety Quest

LEARNING OUTCOME	MATERIALS
Learners turn their quiz foundation into a branching safety game with guardrails and reflection.	Session 4 SAFE Quiz; quest storyboard; five-choice question bank; capstone checklist; icons or art cards; one team device.
LEARNER PROOF	
A playable path with five decisions, three SAFE lessons, scoring, two endings, and a final reflection.	

MINUTE-BY-MINUTE RUN SHEET

TIME	ACTIVITY	WHAT HAPPENS
00-04	Story + movement	Open the Robot City map and choose the player, mission, and safety tools.
04-10	Teacher demo	Connect one choice to feedback, a score change, and two possible next paths.
10-44	Build challenge	Expand the quiz into five decisions, complete one path, then add a second ending.
44-52	Swap + test	A partner plays without explanation and checks clarity, safety, scoring, and both endings.
52-58	Fix one thing	Improve the most confusing choice or weakest safety lesson and replay that path.
58-60	Exit ticket	Explain where a human remains in control inside the game.

Big idea: A useful product starts with one player, one mission, testable choices, and guardrails.

Story: Build one working lemonade stand before drawing a giant shopping mall. The player enters Robot City with a map, truth lamp, privacy backpack, and kindness shield.

Build: Expand the Session 4 quiz into a branching AI Safety Quest.

Required game features:

- A title and clear mission
- At least five player decisions
- At least three SAFE lessons
- One privacy challenge
- One "check the answer" challenge
- One kindness or fairness challenge
- A score, badge, or progress meter
- Helpful feedback after each choice
- At least two endings
- A final reflection: "What will you do before trusting AI?"

Steps:

- 1 Choose a mission: rescue a library, prepare a space trip, solve a mystery, or protect a magical forest.
- 2 Reuse the working quiz path from Session 4.



- 3 Add two decisions so the game has at least five.
- 4 Mark where privacy, truth, and kindness appear.
- 5 Add the second ending and final reflection.
- 6 Test every choice once.

Core-track tool: Scratch or presentation slides with linked buttons.

Stretch-track option: Use variables, reusable blocks, a question bank, or teacher-approved AI-generated hints. AI must never ask the player for personal information.

Thinking habit: Safety belongs inside the design, not in tiny words at the end.

Adaptive topics: Building Tiny SaaS and Web Apps, The Loop, and Practice Labs.



SESSION 06 | 60 MINUTES

Test, Ship, and Showcase

LEARNING OUTCOME	MATERIALS
Learners use peer evidence to improve the Quest, complete a safe launch check, and explain their choices.	Completed AI Safety Quest; peer-test sheet; launch checklist; engineer log; presentation screen; team device.
LEARNER PROOF	
A recorded peer test, one verified fix, a completed launch checklist, and a two-minute showcase.	

MINUTE-BY-MINUTE RUN SHEET

TIME	ACTIVITY	WHAT HAPPENS
00-04	Story + movement	Test an imaginary bridge with a mouse, elephant, wind, and checker robot.
04-10	Teacher demo	Model useful feedback: exact step, observed result, and expected result.
10-44	Build challenge	Rotate through peer tests, choose the highest-impact issue, fix it, and run the launch check.
44-52	Swap + retest	The original tester repeats the failed path and signs only when evidence is visible.
52-58	Showcase	Demonstrate one decision, one safety lesson, and the before-and-after fix.
58-60	Exit ticket	Finish: We know our game is ready because...

Big idea: Engineers use testers and a second pair of robot eyes, then show proof that the project works.

Story: A bridge builder tests with toy elephants, mice, wind, and a checker robot before people cross.

Build: Peer-test AI Safety Quest, compare one reviewer opinion, fix the most important issue, retest, and present.

Team test sheet:

Test	Question
New-player test	Can someone understand the mission without help?
Wrong-choice test	Does an unsafe choice teach rather than shame?
Privacy test	Does the game avoid requesting real personal information?
Truth test	Does the game remind players to verify important claims?
Fairness test	Are characters and choices respectful and inclusive?
Edge-case test	What happens if a player repeats, skips, or chooses an unexpected path?
Learning test	Can the player name one SAFE rule afterward?

Steps:

- 1 Observe another child playing silently.
- 2 Write down where they pause or become confused.
- 3 Ask a second reviewer for risks, but treat the opinion as a clue rather than proof.
- 4 Choose the most important problem.



- 5 Fix it and repeat the same test.
- 6 Run the shipping checklist: app opens, buttons work, text is readable, private data is absent, and limits are explained.
- 7 Present the game in three minutes.

Showcase sentence frame:

We built ____ for _____. The hardest problem was _____. Our safety guardrail is _____. A tester found _____. We improved it by _____.

Thinking habit: A bug is a clue that helps the next version.

Adaptive topics: A Second Pair of Robot Eyes, Shipping a Real Project, and The Teacher Loop.



TEACHER GUIDE

Optional project bank

These are short builds for extra classes, early finishers, clubs, or camps.

1. Silly Prompt Repair Shop

Learners repair unclear prompts and explain which GOAL ingredient was missing.

2. Hallucination Detective Board

Learners collect fictional "confident parrot" answers, mark the suspicious clues, and describe how they would check each claim.

3. Emotion-Free Robot Translator

Learners rewrite rude or confusing messages in a calm, kind tone. Remind them that AI can copy emotional language but does not feel emotions.

4. Eco-Invention Studio

Teams ask for ideas to reduce classroom waste, compare options, select one using simple criteria, and build a paper prototype.

5. Homework Helper Rules

Learners design a helper that gives hints, asks questions, and explains steps without completing the learner's work for them.

6. Bias Goggles Challenge

Teams inspect a fictional recommendation list and ask: Who is included? Who is missing? What information might change the answer?

7. AI Zoo Guide

Learners create a guide for imaginary animals, then separate creative details from real animal facts that require checking.



TEACHER GUIDE

Final project rubric

Score each area from 1 to 4. Use the rubric for feedback, not competition.

Area	Problem
1 - Starting	Goal is unclear.
2 - Growing	Goal needs explanation.
3 - Working	Player and goal are clear.
4 - Thoughtful	Goal is clear, useful, and focused.

Area	Build
1 - Starting	Few choices work.
2 - Growing	One path works.
3 - Working	Required paths and feedback work.
4 - Thoughtful	Game is polished and handles unusual choices.

Area	AI thinking
1 - Starting	Steps are hard to follow.
2 - Growing	Some steps are visible.
3 - Working	Team used the Build-a-Bridge Loop.
4 - Thoughtful	Team explains trade-offs and iterations clearly.

Area	Safety
1 - Starting	Safety appears only at the end.
2 - Growing	One safety rule is shown.
3 - Working	Privacy, checking, and kindness are built in.
4 - Thoughtful	Guardrails teach clearly without fear or shame.

Area	Testing
1 - Starting	No outside test.
2 - Growing	One test with little change.
3 - Working	Peer test produced an improvement.
4 - Thoughtful	Several tests led to specific improvements.

Area	Explanation
1 - Starting	Team names features.
2 - Growing	Team partly explains choices.
3 - Working	Team explains user, problem, safety, and fix.
4 - Thoughtful	Every member can explain and answer questions.

Completion target: mostly level 3. Level 4 is an optional stretch, not the price of success.



TEACHER GUIDE

Adaptive AI Engineering 101 syllabus

These nine topics are teaching ingredients folded into the six-session safety course; they are not nine extra classes. Use the same idea with two depths: the Explorer track for ages 10-12 uses pictures, metaphors, paired work, and guided steps; the Builder track for ages 13-16 adds success criteria, stronger testing, written evidence, and optional teacher-managed coding agents.

Course structure

Session	Core focus	Adaptive topics	Practical outcome
1	Meet the Robot Puppy	AI Coding Cockpit and Loop introduction	Test a pattern helper or Cosmic Hello App and improve one result.
2	Map It, Then Check It	Prompt Engineering and Second Pair of Robot Eyes	Repair a GOAL prompt and verify its answer.
3	Protect People and Build Kindly	Privacy, fairness, and optional risk review	Repair unsafe data and build an inclusive idea.
4	Build in Tiny Loops	Loop, Debugging, Tiny Apps, and Practice Labs	Build the three-question SAFE Quiz as the capstone's first playable path.
5	Build AI Safety Quest	Tiny Apps, Loop, and debugging	Expand the quiz into a five-choice, two-ending game.
6	Test, Ship, and Showcase	Second Pair of Robot Eyes and Shipping	Peer-test, fix, verify, and present the game.

Delivery contract:

- **Six classes total:** run weekly, twice weekly, or as two classes per day in a three-day camp.
- **Sixty minutes per class:** four minutes of story, six minutes of demonstration, 48 minutes of building/testing/fixing, and a two-minute exit ticket.
- **Six hours total:** Session 4 creates the capstone foundation, Session 5 completes it, and Session 6 tests and presents it.
- **Teacher Loop:** use it as the facilitation rhythm in all six classes, not as a seventh learner session.

The nine adaptive modules

Module	1. The AI Coding Cockpit
Placement	Session 1
Child-friendly idea	The human captain chooses the mission; robot helpers work and check.
Practical build	Cosmic Hello App with one input, button, and visible result.
Explorer, ages 10-12	Use a picture checklist: folder, inspect, tiny build, open, fix, retest.
Builder, ages 13-16	Define success criteria before code changes and record evidence.

Module	2. The Loop
Placement	All sessions
Child-friendly idea	Plant, look, water, check, and care for the next leaf.
Practical build	Improve each build through small loops.
Explorer, ages 10-12	Tell the robot, watch it, try it, and fix one thing.
Builder, ages 13-16	Ask, inspect, plan, patch, test, reflect, and repeat.

Module	3. Prompt Engineering That Works
--------	----------------------------------



Placement	Session 2
Child-friendly idea	A treasure map needs a goal, starting point, limits, landmarks, proof, and a stop.
Practical build	Turn "Make me an app" into a testable kids habit-tracker brief.
Explorer, ages 10-12	Use the four-part GOAL recipe and one example.
Builder, ages 13-16	Add context, constraints, examples, verification, and a stop rule.
Module	4. A Second Pair of Robot Eyes
Placement	Sessions 2 and 6
Child-friendly idea	One robot builds the bridge; another gently shakes it.
Practical build	Compare a builder answer with a reviewer answer.
Explorer, ages 10-12	Role-play Builder and Checker on paper while the teacher operates any real AI tool.
Builder, ages 13-16	With guardian permission and active teacher supervision, use approved Codex, Claude Code, or Fable 5 and settle disagreement with tests.
Module	5. Debugging Without Panic
Placement	Session 4
Child-friendly idea	Make the bug show itself, then follow its footprints.
Practical build	Reproduce and fix one prepared bug, then add a return-check.
Explorer, ages 10-12	Use Show it, Find it, Fix it, Try again cards.
Builder, ages 13-16	Write a reproducible test and a regression check.
Module	6. Shipping a Real Project
Placement	Session 6
Child-friendly idea	A project is done when another person can use it.
Practical build	Check opening, buttons, readability, README, secrets, and proof.
Explorer, ages 10-12	Swap devices and use a picture launch card.
Builder, ages 13-16	Run automated checks, document limits, and make a clean commit.
Module	7. Building Tiny SaaS and Web Apps
Placement	Sessions 4 and 5
Child-friendly idea	Build one lemonade stand before drawing a giant mall.
Practical build	Prototype one dashboard flow with sample data and a pretend plan selector.
Explorer, ages 10-12	Use linked paper or slides with no real login or payment.
Builder, ages 13-16	Use local data and mock checkout; map later Supabase, Stripe, and Vercel connections.
Module	8. The Teacher Loop
Placement	Every session
Child-friendly idea	Teach one dance step before adding the next.
Practical build	Use the story, demo, build, test, fix, and exit rhythm.
Explorer, ages 10-12	Use one metaphor, demo, and learner-created result.
Builder, ages 13-16	Add criteria, an edge case, peer feedback, and one improvement.
Module	9. Five Practice Labs
Placement	Lab choices
Child-friendly idea	Earn skill badges through small missions, not a giant scroll.
Practical build	Cosmic Hello, Habit Rocket, Bug Detective, Mini SaaS Studio, or a teacher-led Fable 5 Risk Review.
Explorer, ages 10-12	Complete a guided lab with a partner and show one proof.
Builder, ages 13-16	Complete a structured build or risk review with verification evidence.

Every module ends with the same three pieces of proof:



- 1 A working click path or repeatable demonstration.
- 2 A visible result or test record.
- 3 A learner explanation of what changed, what was checked, and what should happen next.

Safety boundaries apply throughout: teachers manage coding-agent accounts; learners use fictional or sample data; no real payments, production databases, child accounts, secrets, faces, voices, precise locations, or private schoolwork are used in class; and public sharing requires teacher and guardian approval.



TEACHER GUIDE

Teacher safety and facilitation rules

- 1** Use a school- or teacher-approved AI service and follow its current age and consent requirements.
- 2** For ages 10-12, the teacher signs in and operates Codex. Learners may plan, predict, test, and improve, but they do not create personal accounts, share the teacher's login, or directly operate Codex.
- 3** For ages 13-16, direct Codex use requires parent or guardian permission and active teacher supervision.
- 4** Do not enter real names, contact details, precise locations, faces, voices, health details, private schoolwork, or family information.
- 5** Use fictional or teacher-provided data in every demonstration.
- 6** Do not use AI as a therapist, doctor, authority, disciplinarian, or private confidant.
- 7** A teacher reviews generated content before it is shown widely or published.
- 8** Do not publish a child's game, image, name, or voice without the required guardian and school permission.
- 9** Teach learners to report disturbing, sexual, hateful, manipulative, or frightening output immediately. They should close or cover the screen and call an adult, not investigate it alone.
- 10** Do not grade learners on whether AI produced a "perfect" answer. Grade their questions, checking, improvements, safety decisions, and explanations.
- 11** Keep a non-AI path available so every learner can participate if consent, access, connectivity, or comfort is different.



TEACHER GUIDE

Assessment without heavy theory

Use evidence from the work rather than a long written test:

- Prompt cards show whether the learner can give clear instructions.
- Fact-check cards show whether the learner can pause and verify.
- Privacy repairs show whether the learner can remove unnecessary personal details.
- Build logs show whether the learner can test and improve.
- The final game shows whether the learner can combine problem-solving with safety.
- The showcase explanation reveals whether the learner understands the choices they made.

Each learner keeps a one-page engineer log:

Today our goal was:
We broke it into:
We asked or instructed:
The first result did:
We found this problem:
We changed:
Our safety check was:
Next time we would:



TEACHER GUIDE

What success looks like

At the end of the course, a learner should be able to say:

- "AI is a fast pattern helper, not an all-knowing person."
- "I can give it a clear job and example."
- "I check important answers instead of trusting confidence."
- "I keep private information in my backpack."
- "I ask an adult when something feels unsafe or confusing."
- "I can break a big idea into small parts, test it, and improve it."
- "I made a game that teaches someone else to use AI safely."