CENTROVISION

API Specification Document
For
Client

Document Version: 1.0

CENTROVISION

CENTROVISION

Revision History

The table below provides the revision history of this document

Date	Version	Author	Approved By	Description
Dec-2020	V1.0			Initial Draft

Index

S.No.	Topic	Page
1.	Preface	3
1.1	Purpose of this document	3
1.2	Use of this document	3
1.3	Overview	3
2.	MODE API	3-5
3.	DIAL API	5-7
4.	HANGUP API	7-8
5.	DISPOSE API	9-10
6.	LOGOUT API	10-12
7.	MODE LIST API	12-13
8.	DISPOITION LIST API	14-15
9.	SUBDISPOSITION LIST API	15-17
10.	HOLD API	17-18
11.	UNHOLD API	19-20
12.	MUTE API	20-22
13.	UNMUTE API	22-24
14.	LINE STATUS API	24-26

CENTROVISION

1. Preface

1.1 Purpose of this document

Documentation is the key to a great experience when consuming your **API**. It not only enables consumer satisfaction, but also allows your **API** adoption to increase.

1.2 Use of this document

API docs, or **API** description **documents**, are the collection of references, tutorials, and examples that help developers **use** your **API**. Your **API's documentation** is the primary resource for explaining what is possible with your **API** and how to get started.

1.3 Overview

This preface is for information only (in very specific term the purpose & the use).

2. MODE API

Agent should be able to change his/her mode from the Web CRM

Implementation Approach: Web CRM team need to provide a combo box on the CRM page using which agent can change his/her mode. At the change event of this combo box, web CRM team need to call a Mode API.

Request

API URL
http://Server IP for the hosting API:18111/?ACTION=MODE&campaign=<campaign name>&agent=<agent name>&mode=<mode id>&modetext=<mode name>&client_id=XXXX

CENTROVISION

Parameters

Params	Values	Description
campaign	varchar(25) [mandatory]	Must enter a name of the campaign through which an agent is logged in
agent	varchar(45) [mandatory]	Must enter the userid of the agent who is logged in
mode	tinyint(1) [mandatory]	Must enter the numeric code of the desired mode for instance 1 is for Auto and 2 is for manual.
modetext	varchar(20) [mandatory]	The name of a desired mode to be entered
client_id	int(5) [mandatory]	The numeric client id is to be entered

Steps for changing Mode in Agent through API as follows

Illustration of its implementation follows as: -

Step1 – Consider the steps of logging in to agent => Select any mode and keep logged in.

Step2 – Now in the web browser, put the API below as: -

http://Server IP for the hosting API:18111/?ACTION=MODE&campaign=<campaign name>&agent=<agent name>&mode=<mode id>&modetext=<mode name>&client_id=XXXX

Now in the above link put the following values: -

campaign – must enter a name of the campaign through which an agent is logged in

agent – must enter the userid of the agent who is logged in

mode id – must enter the numeric code of the desired mode for instance 1 is for Auto and 2 is for manual.

Modename – the name of a desired mode to be entered.

Client_id – the numeric client id is to be entered.

Step3 – Now Hit enter = > It will affect the alteration of mode by giving out message ‘Agent Mode Changed’. And displaying message in agent ‘Mode Changed as requested by Admin’.

Response

The status of the Mode API response shows as follows:

Response
Agent mode changed (success)
Same mode not allowed
Agent not login or exist
Error

3. DIAL API

Agent should be able to dial the call from Web CRM

Implementation Approach: Web CRM team need to provide a button on the CRM page using which agent can dial the call in manual/progressive mode. At the click event of this button, web CRM team need to call a Dial API.

Request

URL
http://Server IP for the hosting API:18111/?ACTION=DIAL&campaign=<campaign name>&agent=<agent name>&line=0&phone=XXXXXXXXXX&client_id=XXXX

CENTROVISION

Parameters

Params	Values	Description
campaign	varchar(25) [mandatory]	Must enter a name of the campaign through which an agent is logged in
agent	varchar(45) [mandatory]	Must enter the userid of the agent who is logged in
line	int(1) [mandatory]	By default it's set as 0
phone	varchar(15) [mandatory]	A valid phone no should be entered
client_id	int(5) [mandatory]	The numeric client id is to be entered

Steps for Dialing a number in Agent through API as follows

Illustration of its implementation follows as: -

Step1 - Consider the steps of logging in to agent => Select manual/progressive mode and keep logged in.

Step2 - Now in the web browser, put the API below as:

http://Server IP for the hosting API:18111/?ACTION=DIAL&campaign=<campaign name>&agent=<agent name>&line=0&phone=XXXXXXXXXX&client_id=XXXX

Now in the above link put the following values: -

campaign – must enter a name of the campaign through which an agent is logged in

agent – must enter the userid of the agent who is logged in

line – By default it's set as 0.

phone – a valid phone no should be entered.

client_id – the numeric client id is to be entered

Step3 – Press Enter => the agent should begin ringing the phone and display message in web browser 'Success to Dial' and In agent 'Number is dialed as requested by admin'

Response

Response
Agent not in manual or progressive mode
Agent not login or exist
Agent busy
Success to dial (success)
Error

4. HANGUP API

Agent should be able to disconnect the call from Web CRM

Implementation Approach: Web CRM team need to provide a button on the CRM page using which agent can end the call. At the click event of this button, web CRM team need to call a Hangup API.

Request

URL
http://Server IP for the hosting API:18111/?ACTION=HANGUP&campaign=<campaign name>&agent=<agent name>&line=0&client_id=XXXX

CENTROVISION

Parameters

Params	Values	Description
campaign	varchar(25) [mandatory]	Must enter a name of the campaign through which an agent is logged in
agent	varchar(45) [mandatory]	Must enter the userid of the agent who is logged in
line	int(1) [mandatory]	By default it's set as 0
client_id	int(5) [mandatory]	The numeric client id is to be entered

Steps for disconnect the call in Agent through API as follows

Illustration of its implementation is follows as: -

Step1 – Login to agent to a desired campaign and mode => Dial a number and keep the call connected.

Step2 – Open web browser then hit the API below

http://Server IP for the hosting API:18111/?ACTION=HANGUP&campaign=<campaign name>&agent=<agent name>&line=0&client_id=XXXX

Step3 – Now press enter => The call will be disconnected by showing message 'Call hangup' in the web browser.

Response

Response
Agent not login or exist
Call hangup (success)
Error

CENTROVISION

5. DISPOSE API

Disposition, selected by Agent in the Web CRM, should gets updated into the database.

Implementation Approach: Web CRM team need to provide a combo box on the CRM page using which agent can select the disposition for the current call. At the select event of this combo box, web CRM team need to call an Dispose API.

Request

URL
http://Server IP for the hosting API:18111/?ACTION=DISPOSE&campaign=<campaign name>&agent=<agent name>&disposition=<disposition name>&sub_disposition=<sub disposition name>& client_id=XXXX

Parameters

Params	Values	Description
campaign	varchar(25) [mandatory]	Must enter a name of the campaign through which an agent is logged in
agent	varchar(45) [mandatory]	Must enter the userid of the agent who is logged in
disposition	varchar(30) [mandatory]	Must enter the disposition name which mapped to the campaign
sub_dispsoition	varchar(30)	Must enter the sub disposition name which mapped to the campaign
client_id	int(5) [mandatory]	The numeric client id is to be entered

Steps for dispose the call in Agent through API as follows

Illustration of its implementation is follows as: -

Step1 – Login to agent to a desired campaign and mode => Dial a number/Received a call from server and keep the call connected.

Step2 – Open web browser then hit the API as below

http://Server IP for the hosting API:18111/?ACTION=DISPOSE&campaign=<campaign name>&agent=<agent name>&disposition=<disposition name>&sub_disposition=<sub disposition name>& client_id=XXXX

Now in the above API enter the appropriate/desired names of disposition and sub disposition along with other parameters.

Step3 – Now press enter => The call will be disposed by showing message as 'Call disposed (success)' in the web browser.

Response

Response
Call disposed (success)
Agent not login or exist
Error

6. LOGOUT API

Agent should be able to logout from the agent application from the Web CRM

Implementation Approach: Web CRM team need to provide a button on the CRM page using which agent can logout from agent application. At the click of button, web CRM team need to call a Logout API.

CENTROVISION

Request

URL
http://Server IP for the hosting API:18111/?ACTION=LOGOUT&campaign=<campaign name>&agent=<agent name>&client_id=XXXX

Parameters

Params	Values	Description
campaign	varchar(25) [mandatory]	Must enter a name of the campaign through which an agent is logged in
agent	varchar(45) [mandatory]	Must enter the userid of the agent who is logged in
client_id	int(5) [mandatory]	The numeric client id is to be entered

Steps for Logout agent through API as follows

Illustration of its implementation follows as: -

Step1 – Login to agent to a desired campaign and mode

Step2 – Open web browser then hit the API as below

http://Server IP for the hosting API:18111/?ACTION=LOGOUT&campaign=<campaign name>&agent=<agent name>&client_id=XXXX

In the above API apply the appropriate values of agent (userid) and campaign based on the logged status.

Step3 – Now press enter => It will enable logout displaying message of success.

Response

Response
Agent logout (success)
Agent not login or exist
Agent not idle

7. MODE LIST API

Web CRM able to get the Mode List through the API

Implementation Approach: Web CRM team need to provide a button on the CRM page using which agent can get the mode list. At the click event of this button, web CRM team need to call a Mode List API.

Request

URL
http://Server IP for the hosting API:18111/?ACTION=LIST&campaign=<campaign name>&agent=<agent name>&list=mode&client_id=XXXX

CENTROVISION

Parameters

Params	Values	Description
campaign	varchar(25) [mandatory]	Must enter a name of the campaign through which an agent is logged in
agent	varchar(45) [mandatory]	Must enter the userid of the agent who is logged in
list	mode	By default it's set as "mode". No need to change it.
client_id	int(5) [mandatory]	The numeric client id is to be entered

Steps for getting mode list in agent through API as follows

Illustration of its implementation follows as: -

Step1 – Login to agent to a desired campaign and mode

Step2 – Open web browser then hit the API as below

http://Server IP for the hosting API:18111/?ACTION=LIST&campaign=<campaign name>&agent=<agent name>&list=mode&client_id=XXXX

In the above API apply the appropriate values of agent (userid) and campaign based on the logged status.

Step3 – Now press enter => It will show list all the modes along with their mode relating to the agent and campaign as

1=Auto|2=Manual|3=Callback|4=Break|5=Progressive|6=Mo.

Response

Response
1=Auto|2=Manual|3=Callback|4=Break|5=Progressive|6=Mo.

CENTROVISION

8. DISPOSITION LIST API

Web CRM able to get the disposition list for selected campaign through the API

Implementation Approach: Web CRM team need to provide a button on the CRM page using which agent can get the disposition list. At the click event of this button, web CRM team need to call a Disposition List API.

Request

URL
http://Server IP for the hosting API:18111/?ACTION=LIST&campaign=<campaign name>&agent=<agent name>&list=disposition&client_id=XXXX

Parameters

Params	Values	Description
campaign	varchar(25) [mandatory]	Must enter a name of the campaign through which an agent is logged in
agent	varchar(45) [mandatory]	Must enter the userid of the agent who is logged in
list	disposition	By default it's set as "disposition". No need to change it.
client_id	int(5) [mandatory]	The numeric client id is to be entered

Steps for getting disposition list in agent through API as follows

Illustration of its implementation follows as: -

Step1 – Login to agent to a desired campaign and mode

Step2 – Open web browser then hit the API as below

http://Server IP for the hosting API:18111/?ACTION=LIST&campaign=<campaign name>&agent=<agent name>&list=disposition&client_id=XXXX

In the above API apply the appropriate values of agent (userid) and campaign based on the logged status.

Step3 – Now press enter => It will show list all the dispositions relating to the agent and campaign as below:

No Answer|Hangup|Not Interested|Not Reachable|Wrong Number|DNC

Response

Response
No Answer|Hangup|Not Interested|Not Reachable|Wrong Number|DNC

9. SUB DISPOSITION LIST API

Web CRM able to get the sub disposition list for selected campaign through the API

Implementation Approach: Web CRM team need to provide a button on the CRM page using which agent can get the sub disposition list. At the click event of this button, web CRM team need to call a Sub Disposition List API.

Request

URL
http://Server IP for the hosting API:18111/?ACTION=LIST&campaign=<campaign name>&agent=<agent name>&list=sub_disposition&client_id=XXXX&disposition=<disposition name>

CENTROVISION

Parameters

Params	Values	Description
campaign	varchar(25) [mandatory]	Must enter a name of the campaign through which an agent is logged in
agent	varchar(45) [mandatory]	Must enter the userid of the agent who is logged in
list	sub_disposition	By default it's set as "sub_disposition". No need to change it.
client_id	int(5) [mandatory]	The numeric client id is to be entered
disposition	varchar(30) [mandatory]	Must enter the disposition name which have sub disposition and that mapped to the campaign

Steps for getting sub disposition list in agent through API as follows

Illustration of its implementation follows as: -

Step1 – Login to agent to a desired campaign and mode

Step2 – Open web browser then hit the API as below

http://Server IP for the hosting API:18111/?ACTION=LIST&campaign=<campaign name>&agent=<agent name>&list=sub_disposition&client_id=XXXX&disposition=<disposition name>

In the above API, put

1. The names of the agent as well as campaign that is logged in the agent.

2. Must enter the disposition name which have sub disposition and that mapped to the campaign

Step3 – Now press enter => It will show list all the sub dispositions along with their sub disposition relating to the agent and campaign as below:

Not Answering|Not pick the phone.

Response

Response
Not Answering|Not pick the phone.

10. HOLD API

Agent should be able to hold the call from Web CRM

Implementation Approach: Web CRM team need to provide a button on the CRM page using which agent can hold the current call. At the click event of this button, web CRM team need to call a Hold API.

Request

URL
http://Server IP for the hosting API:18111/?ACTION=HOLD&campaign=<campaign name>&agent=<agent name>&line=0&client_id=XXXX

Parameters

Params	Values	Description
campaign	varchar(25) [mandatory]	Must enter a name of the campaign through which an agent is logged in
agent	varchar(45) [mandatory]	Must enter the userid of the agent who is logged in

line	int(1) [mandatory]	By default it's set as "0".
client_id	int(5) [mandatory]	The numeric client id is to be entered

Steps for holding customer call through API as follows

Illustration of its implementation follows as: -

Step1 – Login to agent to a desired campaign and mode => Dial a number/Received a call from server and keep the call connected.

Step2 – Open web browser then hit the API as below

http://Server IP for the hosting API:18111/?ACTION=HOLD&campaign=<campaign name>&agent=<agent name>&line=0&client_id=XXXX

In the above API, put the names of the agent as well as campaign that is logged in the agent.

Step3 – Now press enter => The call will be disposed by showing message as 'Call hold (success)' in the web

Response

Response
Call hold (success)
Agent not on call
Agent not login or exist

CENTROVISION

11. UNHOLD API

Agent should be able to Unhold the call from Web CRM

Implementation Approach: Web CRM team need to provide a button on the CRM page using which agent can Unhold the current call. At the click event of this button, web CRM team need to call a UNHOLD API.

Request

URL
http://Server IP for the hosting API:18111/?ACTION=UNHOLD&campaign=<campaign name>&agent=<agent name>&line=0&client_id=XXXX

Parameters

Params	Values	Description
campaign	varchar(25) [mandatory]	Must enter a name of the campaign through which an agent is logged in
agent	varchar(45) [mandatory]	Must enter the userid of the agent who is logged in
line	int(1) [mandatory]	By default it's set as "0".
client_id	int(5) [mandatory]	The numeric client id is to be entered

Steps for Unhold customer call through API as follows

Illustration of its implementation follows as: -

Step1 – Login to agent to a desired campaign and mode => Dial a number/Received a call from server and keep the call connected.

Step2 – If call already on hold then open web browser and hit the API as below

http://Server IP for the hosting API:18111/?ACTION=HOLD&campaign=<campaign name>&agent=<agent name>&line=0&client_id=XXXX

In the above API, put the names of the agent as well as campaign that is logged in the agent.

Step3 – Now press enter => The call will be unhold by showing message as 'Call unhold' in the web

Response

Response
Call unhold
Agent not on hold
Agent not login or exist

12. MUTE API

Agent should be able to Mute the call from Web CRM

Implementation Approach: Web CRM team need to provide a button on the CRM page using which agent can Mute the current call. At the click event of this button, web CRM team need to call an MUTE API.

CENTROVISION

Request

URL
http://Server IP for the hosting API:18111/?ACTION=MUTE&campaign=<campaign name>&agent=<agent name>&line=0&client_id=XXXX

Parameters

Params	Values	Description
campaign	varchar(25) [mandatory]	Must enter a name of the campaign through which an agent is logged in
agent	varchar(45) [mandatory]	Must enter the userid of the agent who is logged in
line	int(1) [mandatory]	By default it's set as "0".
client_id	int(5) [mandatory]	The numeric client id is to be entered

Steps for Mute call through API as follows

Illustration of its implementation follows as: -

Step1 – Login to agent to a desired campaign and mode => Dial a number/Received a call from server and keep the call connected.

Step2 – Open web browser and hit the API as below

http://Server IP for the hosting API:18111/?ACTION=MUTE&campaign=<campaign name>&agent=<agent name>&line=0&client_id=XXXX

In the above API, put the names of the agent as well as campaign that is logged in the agent.

Step3 – Now press enter => The call will be Mute by showing message as 'Call mute' in the web

Response

Response
Call mute
Agent not on call
Agent not login or exist

13. UNMUTE API

Agent should be able to UnMute the call from Web CRM

Implementation Approach: Web CRM team need to provide a button on the CRM page using which agent can UnMute the current call. At the click event of this button, web CRM team need to call an UNMUTE API.

Request

URL
http://Server IP for the hosting API:18111/?ACTION=UNMUTE&campaign=<campaign name>&agent=<agent name>&line=0&client_id=XXXX

CENTROVISION

Parameters

Params	Values	Description
campaign	varchar(25) [mandatory]	Must enter a name of the campaign through which an agent is logged in
agent	varchar(45) [mandatory]	Must enter the userid of the agent who is logged in
line	int(1) [mandatory]	By default it's set as "0".
client_id	int(5) [mandatory]	The numeric client id is to be entered

Steps for UnMute call through API as follows

Illustration of its implementation follows as: -

Step1 – Login to agent to a desired campaign and mode => Dial a number/Received a call from server and keep the call connected.

Step2 – If call already mute then open web browser and hit the API as below

http://Server IP for the hosting API:18111/?ACTION=MUTE&campaign=<campaign name>&agent=<agent name>&line=0&client_id=XXXX

In the above API, put the names of the agent as well as campaign that is logged in the agent.

Step3 – Now press enter => The call will be UnMute by showing message as 'Call Unmute' in the web

Response

Response
Call unmute
Agent not on mute
Agent not login or exist

14. LINE STATUS API

Agent should be able to check the line status from Web CRM

Implementation Approach**:** Web CRM team need to provide a button on the CRM page using which agent can check the line Status of Agent. At the click event of this button, web CRM team need to call an LINE STATUS API.

Request

URL
http://Server IP for the hosting API:18111/?ACTION=LINESTATUS&campaign=<campaign name>&agent=<agent name>&client_id=XXXX

CENTROVISION

Parameters

Params	Values	Description
campaign	varchar(25) [mandatory]	Must enter a name of the campaign through which an agent is logged in
agent	varchar(45) [mandatory]	Must enter the userid of the agent who is logged in
client_id	int(5) [mandatory]	The numeric client id is to be entered

Steps for checking line status through API as follows

Illustration of its implementation follows as: -

Step1 – Login to agent to a desired campaign and mode => Dial a number/Received a call from server and keep the call connected.

Step2 – Open web browser and hit the API as below

http://Server IP for the hosting API:18111/?ACTION=LINESTATUS&campaign=<campaign name>&agent=<agent name>&client_id=XXXX

In the above API, put the names of the agent as well as campaign that is logged in the agent.

Step3 – Now press enter => It will show the line status as follows in the web

Line 1:BUSY, Line 2:FREE

Response

Response
Line 1:FREE, Line 2:FREE
Line 1:BUSY, Line 2:FREE
Line 1:BUSY, Line 2:BUSY

CENTROVISION