



Enterprise API Documentation

Detailed Endpoint Reference for Client Integration.

All API requests require an Authorization Header: **Authorization: Bearer {Token}**

Get Attribute Mst

Feature: Submits data to process Get Attribute Mst.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/AttributeMst/GetAttributeMst`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/AttributeMst/GetAttributeMst" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{}'
```

Add Edit Attribute Mst

Feature: Creates or updates records for Add Edit Attribute Mst.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/AttributeMst/AddEditAttributeMst`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/AttributeMst/AddEditAttributeMst" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete AttributeMstModel JSON payload here  
  }'
```

Get Attribute Type

Feature: Submits data to process Get Attribute Type.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/AttributeMst/GetAttributeType`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/AttributeMst/GetAttributeType" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{}'
```

Add Edit Attribute Type

Feature: Creates or updates records for Add Edit Attribute Type.

CONNECTION ROUTE

POST

https://{server-ip}>/api/AttributeMst/AddEditAttributeType

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/AttributeMst/AddEditAttributeType" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete AttributeTypeModel JSON payload here  
}'
```

Get Attribute List By Id By I D

Feature: Submits data to process Get Attribute List By Id By I D.

CONNECTION ROUTE

POST

https://{server-ip}>/api/AttributeMst/getAttributeListById/{id}

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/AttributeMst/getAttributeListById/{id}" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{}'
```

Update Tally Data

Feature: Retrieves data for Update Tally Data.

CONNECTION ROUTE

GET

https://{server-ip}>/api/AttributeType/updateTallyData

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/AttributeType/updateTallyData" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Sale Targets

Feature: Submits data to process Get Sale Targets.

CONNECTION ROUTE

POST

https://{server-ip}>/api/AttributeType/getSaleTargets

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/AttributeType/getSaleTargets" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete SaleTargetRequestModel JSON payload here
}'
```

Save Sale Target

Feature: Creates or updates records for Save Sale Target.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/AttributeType/SaveSaleTarget`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/AttributeType/SaveSaleTarget" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete SaleTargetModel JSON payload here
  }'
```

Get Calendar Events

Feature: Submits data to process Get Calendar Events.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/AttributeType/GetCalendarEvents`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/AttributeType/GetCalendarEvents" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete ListRequestModel JSON payload here
  }'
```

Bulk Assign Pipeline

Feature: Submits data to process Bulk Assign Pipeline.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/AttributeType/BulkAssignPipeline`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/AttributeType/BulkAssignPipeline" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete BulkAssignPipelineModal JSON payload here  
  }'
```

Save Menu Options

Feature: Creates or updates records for Save Menu Options.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/AttributeType/SaveMenuOptions`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/AttributeType/SaveMenuOptions" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete AddMenuOptions JSON payload here  
  }'
```

Get Menu List

Feature: Fetches a list of Menu List records.

CONNECTION ROUTE

GET

`https://{server-ip}>/api/AttributeType/GetMenuList`

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/AttributeType/GetMenuList" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Menus

Feature: Retrieves data for Get Menus.

CONNECTION ROUTE

GET

`https://{server-ip}>/api/AttributeType/GetMenus`

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/AttributeType/GetMenus" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Side Menu List

Feature: Fetches a list of Side Menu List records.

CONNECTION ROUTE

GET

https://{server-ip}>/api/AttributeType/GetSideMenuList

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/AttributeType/GetSideMenuList" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Dologin

Feature: Authenticates the user and returns an access token.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Authentication/dologin

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Authentication/dologin" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete LoginModel JSON payload here
}'
```


{type} By I D

Feature: Submits data to process {type} By I D.

CONNECTION ROUTE

POST

https://{server-ip}/api/Authentication/sendOtp/{type}/{MobileNo}

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}/api/Authentication/sendOtp/{type}/{MobileNo}" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{}'
```

Verify Mobile O T P By I D

Feature: Submits data to process Verify Mobile O T P By I D.

CONNECTION ROUTE

POST

https://{server-ip}/api/Authentication/verifyMobileOTP/{MobileNo}&{OTP}

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}/api/Authentication/verifyMobileOTP/{MobileNo}&{OTP}" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{}'
```

Userlogin

Feature: Authenticates the user and returns an access token.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Authentication/userlogin`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Authentication/userlogin" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete UserLoginMst JSON payload here  
'
```

Request Reset Password

Feature: Submits data to process Request Reset Password.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Authentication/requestResetPassword?email=value`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Authentication/requestResetPassword?email=value" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{}'
```

Update User Password

Feature: Creates or updates records for Update User Password.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Authentication/updateUserPassword

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Authentication/updateUserPassword" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete UpdateUserPasswordModel JSON payload here
  }'
```

Forgot Password

Feature: Submits data to process Forgot Password.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Authentication/forgotPassword

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Authentication/forgotPassword" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete ForgotPasswordModel JSON payload here
  }'
```

User Menu Options By I D

Feature: Retrieves data for User Menu Options By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Authentication/userMenuOptions/{userId}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Authentication/userMenuOptions/{userId}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Bank Details

Feature: Retrieves data for Get Bank Details.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Bank/GetBankDetails

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Bank/GetBankDetails" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Add Edit Bank Details

Feature: Creates or updates records for Add Edit Bank Details.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Bank/AddEditBankDetails

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Bank/AddEditBankDetails" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete BankMstModel JSON payload here  
  }'
```

Get Brands

Feature: Retrieves data for Get Brands.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Brand/getBrands

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Brand/getBrands" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Save Brand

Feature: Creates or updates records for Save Brand.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Brand/SaveBrand

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Brand/SaveBrand" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete BrandModel JSON payload here  
  }'
```

Get Brand By Id By I D

Feature: Retrieves data for Get Brand By Id By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Brand/GetBrandById/{id}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Brand/GetBrandById/{id}" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Generate Brand Excel

Feature: Retrieves data for Generate Brand Excel.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Brand/GenerateBrandExcel

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Brand/GenerateBrandExcel" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Add Edit Comment

Feature: Creates or updates records for Add Edit Comment.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Comment/AddEditComment

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Comment/AddEditComment" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete Comments JSON payload here
}'
```

Get Comment By Customer Id By I D

Feature: Retrieves data for Get Comment By Customer Id By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Comment/GetCommentByCustomerId/{Id}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Comment/GetCommentByCustomerId/{Id}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

{ Id} By I D

Feature: Retrieves data for { Id} By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Comment/GetComments/{Id}/{type}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Comment/GetComments/{Id}/{type}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```


{to Date} By I D

Feature: Retrieves data for {to Date} By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Comment/GetPipelineComment/{fromDate}/{toDate}/{empCode}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Comment/GetPipelineComment/{fromDate}/{toDate}/{empCode" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Save Comment

Feature: Creates or updates records for Save Comment.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Comment/SaveComment

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Comment/SaveComment" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete CommentsRequestModel JSON payload here
}'
```

Edit Comment

Feature: Creates or updates records for Edit Comment.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Comment/EditComment`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Comment/EditComment" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete EditCommentModel JSON payload here
  }'
```

Comments Count For Chart

Feature: Retrieves data for Comments Count For Chart.

CONNECTION ROUTE

GET

`https://{server-ip}>/api/Comment/CommentsCountForChart?isShowAll=value`

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Comment/CommentsCountForChart?isShowAll=value" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Comp Recent Comments By I D

Feature: Retrieves data for Get Comp Recent Comments By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Comment/GetCompRecentComments/{Id}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Comment/GetCompRecentComments/{Id}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Country

Feature: Retrieves data for Get Country.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Country/GetCountry

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Country/GetCountry" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get City List

Feature: Fetches a list of City List records.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Country/GetCityList

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Country/GetCityList" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get State By Country Id

Feature: Submits data to process Get State By Country Id.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Country/GetStateByCountryId

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Country/GetStateByCountryId" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete RequestCountryModel JSON payload here
}'
```

Get City By State Id

Feature: Submits data to process Get City By State Id.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Country/GetCityByStateId`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Country/GetCityByStateId" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete RequestStateModel JSON payload here
  }'
```

Save Country

Feature: Creates or updates records for Save Country.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Country/SaveCountry`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Country/SaveCountry" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete CountryModel JSON payload here
  }'
```

Save State

Feature: Creates or updates records for Save State.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Country/SaveState`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Country/SaveState" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete CountryModel JSON payload here  
  }'
```

Save City

Feature: Creates or updates records for Save City.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Country/SaveCity`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Country/SaveCity" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete CountryModel JSON payload here  
  }'
```

Search City By I D

Feature: Retrieves data for Search City By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Country/SearchCity/{searchText}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Country/SearchCity/{searchText}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Search State By I D

Feature: Retrieves data for Search State By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Country/SearchState/{searchText}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Country/SearchState/{searchText}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Customer List

Feature: Submits data to process Get Customer List.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Customer/GetCustomerList`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Customer/GetCustomerList" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete EmployeeCustomerRequestModel JSON payload here  
}'
```

Generate Customers Excel

Feature: Submits data to process Generate Customers Excel.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Customer/GenerateCustomersExcel`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Customer/GenerateCustomersExcel" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete EmployeeCustomerRequestModel JSON payload here  
}'
```


Get Customer By Stage

Feature: Submits data to process Get Customer By Stage.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Customer/getCustomerByStage?empCode=value&stage=v
alue`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Customer/getCustomerByStage?empCode=value&stage=value"  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{}'
```

Get Emp All Client List

Feature: Submits data to process Get Emp All Client List.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Customer/getEmpAllClientList`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Customer/getEmpAllClientList" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete CustomerRequestModel JSON payload here  
}'
```

Searched Emp Clients

Feature: Submits data to process Searched Emp Clients.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Customer/searchedEmpClients`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Customer/searchedEmpClients" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete CustomerRequestModel JSON payload here  
}'
```

Save Customer Form

Feature: Creates or updates records for Save Customer Form.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Customer/saveCustomerForm`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Customer/saveCustomerForm" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete CompanyModel JSON payload here  
}'
```

Get Stages

Feature: Retrieves data for Get Stages.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Customer/getStages

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Customer/getStages" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Company By Id By I D

Feature: Retrieves data for Get Company By Id By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Customer/getCompanyById/{id}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Customer/getCompanyById/{id}" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Company Contact By I D

Feature: Retrieves data for Get Company Contact By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Customer/getCompanyContact/{CompCode}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Customer/getCompanyContact/{CompCode}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Add Edit Company Contact

Feature: Creates or updates records for Add Edit Company Contact.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Customer/addEditCompanyContact

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Customer/addEditCompanyContact" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete CustomerContactModel JSON payload here
}'
```

Customer Check In Detail By I D

Feature: Retrieves data for Customer Check In Detail By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Customer/customerCheckInDetail/{CompCode}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Customer/customerCheckInDetail/{CompCode}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Customer Pipe Line By I D

Feature: Retrieves data for Customer Pipe Line By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Customer/customerPipeLine/{CompCode}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Customer/customerPipeLine/{CompCode}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

{ Comp Code} By I D

Feature: Submits data to process { Comp Code} By I D.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Customer/addToPipeLine/{CompCode}/{EmpCode}

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Customer/addToPipeLine/{CompCode}/{EmpCode}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{}'
```

{comp Code} By I D

Feature: Submits data to process {comp Code} By I D.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Customer/RemoveCustomerPipeline/{compCode}/{empCode}

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Customer/RemoveCustomerPipeline/{compCode}/{empCode}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{}'
```

Search E R P C Lients

Feature: Submits data to process Search E R P C Lients.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Customer/SearchERPCLients`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Customer/SearchERPCLients" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete CustomerRequestModel JSON payload here  
  }'
```

Search C R M C Lient List

Feature: Submits data to process Search C R M C Lient List.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Customer/SearchCRMCLientList`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Customer/SearchCRMCLientList" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete CustomerRequestModel JSON payload here  
  }'
```

Save Map C R M Tally Customer

Feature: Creates or updates records for Save Map C R M Tally Customer.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Customer/saveMapCRMTallyCustomer`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Customer/saveMapCRMTallyCustomer" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete TallyCrmMappedModel JSON payload here  
}'
```

Get Tally Crm Mapped List By I D

Feature: Fetches a list of Tally Crm Mapped List By I D records.

CONNECTION ROUTE

GET

`https://{server-ip}>/api/Customer/getTallyCrmMappedList/{EmpCode}`

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Customer/getTallyCrmMappedList/{EmpCode}" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```


Generate Tally Crm Mapped Excel

Feature: Submits data to process Generate Tally Crm Mapped Excel.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Customer/GenerateTallyCrmMappedExcel

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Customer/GenerateTallyCrmMappedExcel" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete ListRequestModel JSON payload here
}'
```

{ Comp Code} By I D

Feature: Submits data to process { Comp Code} By I D.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Customer/updateCustomerStages/{CompCode}/{Stage}

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Customer/updateCustomerStages/{CompCode}/{Stage}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{}'
```

{ Comp Code} By I D

Feature: Submits data to process { Comp Code} By I D.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Customer/updateCustomerBusinessValue/{CompCode}/{businessValue}

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Customer/updateCustomerBusinessValue/{CompCode}/{businessValue}" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{}'
```

{emp Code} By I D

Feature: Submits data to process {emp Code} By I D.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Customer/postForCMC/{empCode}/{compCode}

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Customer/postForCMC/{empCode}/{compCode}" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{}'
```

Get Cmc Customer List

Feature: Submits data to process Get Cmc Customer List.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Customer/getCmcCustomerList`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Customer/getCmcCustomerList" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete ListRequestModel JSON payload here  
}'
```

Generate Cmc Customers To Excel

Feature: Submits data to process Generate Cmc Customers To Excel.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Customer/GenerateCmcCustomersToExcel`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Customer/GenerateCmcCustomersToExcel" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete ListRequestModel JSON payload here  
}'
```

Update C M C Status

Feature: Creates or updates records for Update C M C Status.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Customer/updateCMCStatus

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Customer/updateCMCStatus" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete UpdateCMCStatusModel JSON payload here
  }'
```

Cmc Customer P D F By I D

Feature: Retrieves data for Cmc Customer P D F By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Customer/CmcCustomerPDF/{id}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Customer/CmcCustomerPDF/{id}" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Update Customer Terms

Feature: Creates or updates records for Update Customer Terms.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Customer/updateCustomerTerms

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Customer/updateCustomerTerms" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete CompanyModel JSON payload here
  }'
```

Customer E R P Invoices By I D

Feature: Retrieves data for Customer E R P Invoices By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Customer/CustomerERPInvoices/{erpCompCode}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Customer/CustomerERPInvoices/{erpCompCode}" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Customer Data By I D

Feature: Retrieves data for Get Customer Data By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Customer/GetCustomerData/{CompCode}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Customer/GetCustomerData/{CompCode}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Delete Company Map Record

Feature: Submits data to process Delete Company Map Record.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Customer/DeleteCompanyMapRecord

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Customer/DeleteCompanyMapRecord" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete RemoveTallyCrmMapModel JSON payload here
}'
```

Get Customer Specifications By I D

Feature: Retrieves data for Get Customer Specifications By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Customer/GetCustomerSpecifications/{CompCode}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Customer/GetCustomerSpecifications/{CompCode}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Customer P O Specs By I D

Feature: Retrieves data for Get Customer P O Specs By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Customer/GetCustomerPOSpecs/{CompCode}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Customer/GetCustomerPOSpecs/{CompCode}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Customer Rate Change Specs By I D

Feature: Retrieves data for Get Customer Rate Change Specs By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Customer/GetCustomerRateChangeSpecs/{CompCode}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Customer/GetCustomerRateChangeSpecs/{CompCode}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Dashboard Header By I D

Feature: Retrieves data for Dashboard Header By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Dashboard/DashboardHeader/{empCode}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Dashboard/DashboardHeader/{empCode}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```


Mvc Stagewise By I D

Feature: Retrieves data for Mvc Stagewise By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Dashboard/MvcStagewise/{empCode}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Dashboard/MvcStagewise/{empCode}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Mvc Country Wise By I D

Feature: Retrieves data for Mvc Country Wise By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Dashboard/MvcCountryWise/{empCode}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Dashboard/MvcCountryWise/{empCode}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Yearly Sale Data By I D

Feature: Retrieves data for Yearly Sale Data By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Dashboard/YearlySaleData/{empCode}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Dashboard/YearlySaleData/{empCode}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Erp Mapped Customer Count By I D

Feature: Retrieves data for Erp Mapped Customer Count By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Dashboard/ErpMappedCustomerCount/{empCode}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Dashboard/ErpMappedCustomerCount/{empCode}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Reminder Count By I D

Feature: Retrieves data for Reminder Count By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Dashboard/ReminderCount/{empCode}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Dashboard/ReminderCount/{empCode}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Document By Id By I D

Feature: Submits data to process Get Document By Id By I D.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Document/GetDocumentById/{docAid}

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Document/GetDocumentById/{docAid}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{}'
```

Add Edit Documents

Feature: Creates or updates records for Add Edit Documents.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Document/AddEditDocuments`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Document/AddEditDocuments" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete DocumentAttachment JSON payload here  
  }'
```

Upload Scheduler Files

Feature: Submits data to process Upload Scheduler Files.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Document/uploadSchedulerFiles`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Document/uploadSchedulerFiles" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{}'
```

{id} By I D

Feature: Retrieves data for {id} By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Document/GetDocumentsByRefType/{id}/{type}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Document/GetDocumentsByRefType/{id}/{type}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Doc Category Types

Feature: Retrieves data for Get Doc Category Types.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Document/GetDocCategoryTypes

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Document/GetDocCategoryTypes" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Term

Feature: Retrieves data for Get Term.

CONNECTION ROUTE

GET

https://{server-ip}>/api/DutiesTaxes/GetTerm?type=value

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/DutiesTaxes/GetTerm?type=value" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Duty Tax

Feature: Retrieves data for Get Duty Tax.

CONNECTION ROUTE

GET

https://{server-ip}>/api/DutiesTaxes/GetDutyTax

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/DutiesTaxes/GetDutyTax" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Add Edit Duty Tax

Feature: Creates or updates records for Add Edit Duty Tax.

CONNECTION ROUTE

POST

https://{server-ip}>/api/DutiesTaxes/AddEditDutyTax

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/DutiesTaxes/AddEditDutyTax" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete DutiesTaxesModel JSON payload here  
}'
```

Generate Duty Tax Excel

Feature: Retrieves data for Generate Duty Tax Excel.

CONNECTION ROUTE

GET

https://{server-ip}>/api/DutiesTaxes/GenerateDutyTaxExcel

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/DutiesTaxes/GenerateDutyTaxExcel" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Form By Category By I D

Feature: Retrieves data for Get Form By Category By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/DynamicItemSpecForm/GetFormByCategory/{category}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/DynamicItemSpecForm/GetFormByCategory/{category}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Save Dynamic Item Spec Form Data

Feature: Creates or updates records for Save Dynamic Item Spec Form Data.

CONNECTION ROUTE

POST

https://{server-ip}>/api/DynamicItemSpecForm/SaveDynamicItemSpecFormData

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/DynamicItemSpecForm/SaveDynamicItemSpecFormData" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete SaveDynamicItemSpecDateModel JSON payload here
}'
```


Get List

Feature: Submits data to process Get List.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/DynamicItemSpecForm/GetList`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/DynamicItemSpecForm/GetList" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete ListRequestModel JSON payload here  
}'
```

Save Specs Approval

Feature: Creates or updates records for Save Specs Approval.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/DynamicItemSpecForm/SaveSpecsApproval`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/DynamicItemSpecForm/SaveSpecsApproval" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete SpecsApproval JSON payload here  
}'
```

Get Dynamic Spec Data

Feature: Retrieves data for Get Dynamic Spec Data.

CONNECTION ROUTE

GET

https://{server-ip}>/api/DynamicItemSpecForm/GetDynamicSpecData

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/DynamicItemSpecForm/GetDynamicSpecData" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Save Dynamic Spec Data

Feature: Creates or updates records for Save Dynamic Spec Data.

CONNECTION ROUTE

POST

https://{server-ip}>/api/DynamicItemSpecForm/SaveDynamicSpecData

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/DynamicItemSpecForm/SaveDynamicSpecData" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete DynamicItemSpecFormModel JSON payload here
}'
```

Send

Feature: Submits data to process Send.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/EmailSender/send`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/EmailSender/send" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete EmailModel JSON payload here  
}'
```

Save Employee

Feature: Creates or updates records for Save Employee.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Employee/SaveEmployee`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Employee/SaveEmployee" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete EmployeeModel JSON payload here  
}'
```

Get Employee List

Feature: Fetches a list of Employee List records.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Employee/GetEmployeeList

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Employee/GetEmployeeList" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Employee By Id By I D

Feature: Retrieves data for Get Employee By Id By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Employee/GetEmployeeById/{id}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Employee/GetEmployeeById/{id}" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Designation

Feature: Retrieves data for Get Designation.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Employee/getDesignation

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Employee/getDesignation" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get User Type

Feature: Retrieves data for Get User Type.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Employee/getUserType

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Employee/getUserType" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Employees By Type By I D

Feature: Retrieves data for Get Employees By Type By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Employee/GetEmployeesByType/{userType}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Employee/GetEmployeesByType/{userType}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Employees By Search By I D

Feature: Retrieves data for Get Employees By Search By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Employee/GetEmployeesBySearch/{searchText}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Employee/GetEmployeesBySearch/{searchText}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Generate Employee Excel

Feature: Retrieves data for Generate Employee Excel.

CONNECTION ROUTE

GET

`https://{server-ip}>/api/Employee/GenerateEmployeeExcel`

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Employee/GenerateEmployeeExcel" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Update Profile Data

Feature: Creates or updates records for Update Profile Data.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Employee/updateProfileData`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Employee/updateProfileData" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete UserProfileModel JSON payload here
}'
```

Get Tally C R M Sales Person Mapped

Feature: Retrieves data for Get Tally C R M Sales Person Mapped.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Employee/GetTallyCRMSalesPersonMapped

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Employee/GetTallyCRMSalesPersonMapped" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Tally Sales Name

Feature: Retrieves data for Get Tally Sales Name.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Employee/GetTallySalesName

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Employee/GetTallySalesName" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```


Add Tally C R M Sales Person Map

Feature: Creates or updates records for Add Tally C R M Sales Person Map.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Employee/AddTallyCRMSalesPersonMap

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Employee/AddTallyCRMSalesPersonMap" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete GetTallyCRMSalesPersonMappedModelcs JSON payload here
}'
```

Delete Tally C R M Sales Person Map By I D

Feature: Removes or deletes the specified Delete Tally C R M Sales Person Map By I D record.

CONNECTION ROUTE

DELETE

https://{server-ip}>/api/Employee/DeleteTallyCRMSalesPersonMap/{srNo}

INTEGRATION EXAMPLE

```
curl -X DELETE "https://{server-ip}>/api/Employee/DeleteTallyCRMSalesPersonMap/{srNo}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Mgmt Hierarchy By I D

Feature: Retrieves data for Get Mgmt Hierarchy By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Employee/GetMgmtHierarchy/{empCode}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Employee/GetMgmtHierarchy/{empCode}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Save Mgmt Hierarchy

Feature: Creates or updates records for Save Mgmt Hierarchy.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Employee/SaveMgmtHierarchy

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Employee/SaveMgmtHierarchy" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete AddHierarchyRequestModel JSON payload here
}'
```

Error

Feature: Retrieves data for Error.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Error/Error

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Error/Error" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Error Logs By Id By I D

Feature: Retrieves data for Get Error Logs By Id By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Error/GetErrorLogsById/{id}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Error/GetErrorLogsById/{id}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Franchise Request

Feature: Submits data to process Franchise Request.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Franchise/FranchiseRequest`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Franchise/FranchiseRequest" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete FranchiseRequestModel JSON payload here  
}'
```

Get Franchise List

Feature: Submits data to process Get Franchise List.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Franchise/GetFranchiseList`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Franchise/GetFranchiseList" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{}'
```

Get Proforma Invoices

Feature: Submits data to process Get Proforma Invoices.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Invoice/GetProformaInvoices

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Invoice/GetProformaInvoices" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete ListRequestModel JSON payload here  
  }'
```

Generate Proforma Invoice

Feature: Submits data to process Generate Proforma Invoice.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Invoice/GenerateProformaInvoice

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Invoice/GenerateProformaInvoice" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete QuotationModel JSON payload here  
  }'
```

Save Proforma Invoice

Feature: Creates or updates records for Save Proforma Invoice.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Invoice/SaveProformaInvoice

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Invoice/SaveProformaInvoice" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete GenerateInvoiceModel JSON payload here  
}'
```

Proforma P D F By I D

Feature: Retrieves data for Proforma P D F By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Invoice/proformaPDF/{id}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Invoice/proformaPDF/{id}" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Proforma Invoice By Cust Id By I D

Feature: Retrieves data for Get Proforma Invoice By Cust Id By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Invoice/getProformaInvoiceByCustId/{id}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Invoice/getProformaInvoiceByCustId/{id}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Generate Proforma Invoice Excel

Feature: Submits data to process Generate Proforma Invoice Excel.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Invoice/GenerateProformaInvoiceExcel

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Invoice/GenerateProformaInvoiceExcel" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete ListRequestModel JSON payload here
}'
```

Add

Feature: Creates or updates records for Add.

CONNECTION ROUTE

POST

https://{server-ip}>/api/JobProfile/Add

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/JobProfile/Add" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete JobModel JSON payload here
  }'
```

Get Leads

Feature: Submits data to process Get Leads.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Lead/getLeads

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Lead/getLeads" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete ListRequestModel JSON payload here
  }'
```


Generate Leads To Excel

Feature: Submits data to process Generate Leads To Excel.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Lead/GenerateLeadsToExcel

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Lead/GenerateLeadsToExcel" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete ListRequestModel JSON payload here  
  }'
```

{ Emp Code} By I D

Feature: Retrieves data for { Emp Code} By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Lead/AssignToMe/{EmpCode}/{LeadAid}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Lead/AssignToMe/{EmpCode}/{LeadAid}" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Emp Leads By I D

Feature: Retrieves data for Get Emp Leads By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Lead/getEmpLeads/{EmpCode}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Lead/getEmpLeads/{EmpCode}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Save Lead

Feature: Creates or updates records for Save Lead.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Lead/SaveLead

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Lead/SaveLead" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete LeadMaster JSON payload here
}'
```

Save Lead Stage

Feature: Creates or updates records for Save Lead Stage.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Lead/SaveLeadStage

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Lead/SaveLeadStage" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete LeadStage JSON payload here
  }'
```

Get All Assigned Leads

Feature: Retrieves data for Get All Assigned Leads.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Lead/getAllAssignedLeads

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Lead/getAllAssignedLeads" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Generate All Assigned Leads To Excel

Feature: Submits data to process Generate All Assigned Leads To Excel.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Lead/GenerateAllAssignedLeadsToExcel`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Lead/GenerateAllAssignedLeadsToExcel" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete ListRequestModel JSON payload here
}'
```

Generate Employee Leads To Excel

Feature: Submits data to process Generate Employee Leads To Excel.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Lead/GenerateEmployeeLeadsToExcel`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Lead/GenerateEmployeeLeadsToExcel" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete ListRequestModel JSON payload here
}'
```

Upload

Feature: Submits data to process Upload.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Lead/upload

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Lead/upload" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{}'
```

Stage Wise Lead Report

Feature: Submits data to process Stage Wise Lead Report.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Lead/StageWiseLeadReport

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Lead/StageWiseLeadReport" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete ListRequestModel JSON payload here  
  }'
```

Generate Leads Stage Report To Excel

Feature: Submits data to process Generate Leads Stage Report To Excel.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Lead/GenerateLeadsStageReportToExcel`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Lead/GenerateLeadsStageReportToExcel" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete ListRequestModel JSON payload here
}'
```

Get Lead Stage Log Report

Feature: Submits data to process Get Lead Stage Log Report.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Lead/GetLeadStageLogReport`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Lead/GetLeadStageLogReport" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete ListRequestModel JSON payload here
}'
```

Generate Lead Stage Log Report To Excel

Feature: Submits data to process Generate Lead Stage Log Report To Excel.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Lead/GenerateLeadStageLogReportToExcel

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Lead/GenerateLeadStageLogReportToExcel" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete ExportLeadStageLogReport JSON payload here
  }'
```

Add Lead To Customer List

Feature: Creates or updates records for Add Lead To Customer List.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Lead/AddLeadToCustomerList

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Lead/AddLeadToCustomerList" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete ExportLeadToCustomerList JSON payload here
  }'
```

Id By I D

Feature: Retrieves data for Id By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Lead/id/{LeadAid}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Lead/id/{LeadAid}" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Lead Dropped Reasons

Feature: Retrieves data for Get Lead Dropped Reasons.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Lead/GetLeadDroppedReasons

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Lead/GetLeadDroppedReasons" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```


User Menu Access By I D

Feature: Retrieves data for User Menu Access By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Menu/userMenuAccess/{empCode}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Menu/userMenuAccess/{empCode}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Side Menu

Feature: Retrieves data for Get Side Menu.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Menu/getSideMenu

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Menu/getSideMenu" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Add Edit Side Menu

Feature: Creates or updates records for Add Edit Side Menu.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Menu/AddEditSideMenu

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Menu/AddEditSideMenu" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete AddEditSideMenuModel JSON payload here  
}'
```

Get Parent Menu Ids

Feature: Retrieves data for Get Parent Menu Ids.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Menu/getParentMenuIds

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Menu/getParentMenuIds" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Add Edit Access To All

Feature: Creates or updates records for Add Edit Access To All.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Menu/AddEditAccessToAll

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Menu/AddEditAccessToAll" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete AddEditMenuModel JSON payload here  
}'
```

{id} By I D

Feature: Retrieves data for {id} By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Notification/get/{id}/{type}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Notification/get/{id}/{type}" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Add

Feature: Creates or updates records for Add.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Notification/Add`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Notification/Add" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete NotificationModel JSON payload here  
}'
```

Mark As Read

Feature: Submits data to process Mark As Read.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Notification/MarkAsRead`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Notification/MarkAsRead" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete MarkAsRead JSON payload here  
}'
```

Notification Count By I D

Feature: Retrieves data for Notification Count By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Notification/NotificationCount/{EmpCode}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Notification/NotificationCount/{EmpCode}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Otp Master

Feature: Submits data to process Get Otp Master.

CONNECTION ROUTE

POST

https://{server-ip}>/api/OtpMst/GetOtpMaster

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/OtpMst/GetOtpMaster" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{}'
```

Get Plant Name

Feature: Retrieves data for Get Plant Name.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Plant/getPlantName

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Plant/getPlantName" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Add Edit Plant

Feature: Creates or updates records for Add Edit Plant.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Plant/AddEditPlant

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Plant/AddEditPlant" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete PlantModel JSON payload here
}'
```

Generate Plant Excel

Feature: Retrieves data for Generate Plant Excel.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Plant/GeneratePlantExcel

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Plant/GeneratePlantExcel" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Product Category

Feature: Retrieves data for Get Product Category.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Product/getProductCategory

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Product/getProductCategory" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Unit Type

Feature: Retrieves data for Get Unit Type.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Product/getUnitType

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Product/getUnitType" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Product With Price List

Feature: Fetches a list of Product With Price List records.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Product/ProductWithPriceList

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Product/ProductWithPriceList" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```


Searched Products

Feature: Submits data to process Searched Products.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Product/searchedProducts`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Product/searchedProducts" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete ProductRequestModel JSON payload here  
  }'
```

Search E R P Invoice Item

Feature: Submits data to process Search E R P Invoice Item.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Product/searchERPInvoiceItem`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Product/searchERPInvoiceItem" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete ProductRequestModel JSON payload here  
  }'
```

Save Product

Feature: Creates or updates records for Save Product.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Product/SaveProduct

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Product/SaveProduct" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete ProductModel JSON payload here
  }'
```

Get Product By Id By I D

Feature: Retrieves data for Get Product By Id By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Product/GetProductById/{id}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Product/GetProductById/{id}" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Generate Product Excel

Feature: Retrieves data for Generate Product Excel.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Product/GenerateProductExcel

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Product/GenerateProductExcel" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Save Product Category

Feature: Creates or updates records for Save Product Category.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Product/SaveProductCategory

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Product/SaveProductCategory" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete ProductCategoryModel JSON payload here
}'
```

Generate Product Category Excel

Feature: Retrieves data for Generate Product Category Excel.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Product/GenerateProductCategoryExcel

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Product/GenerateProductCategoryExcel" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Add Edit Unit

Feature: Creates or updates records for Add Edit Unit.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Product/AddEditUnit

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Product/AddEditUnit" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete UnitModel JSON payload here
}'
```

Get Quote Type

Feature: Retrieves data for Get Quote Type.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Quote/getQuoteType

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Quote/getQuoteType" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Currency Name

Feature: Retrieves data for Get Currency Name.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Quote/getCurrencyName

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Quote/getCurrencyName" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Save Quotation Form

Feature: Creates or updates records for Save Quotation Form.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Quote/SaveQuotationForm

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Quote/SaveQuotationForm" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete QuotationModel JSON payload here  
  }'
```

Get Quotation

Feature: Submits data to process Get Quotation.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Quote/getQuotation

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Quote/getQuotation" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete ListRequestModel JSON payload here  
  }'
```

Get Quotation By Id By I D

Feature: Retrieves data for Get Quotation By Id By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Quote/getQuotationById/{id}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Quote/getQuotationById/{id}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Quotation P D F By I D

Feature: Retrieves data for Quotation P D F By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Quote/quotationPDF/{id}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Quote/quotationPDF/{id}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Quotation By Cust Id By I D

Feature: Retrieves data for Get Quotation By Cust Id By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Quote/getQuotationByCustId/{id}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Quote/getQuotationByCustId/{id}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Statusdata

Feature: Retrieves data for Get Statusdata.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Quote/getStatusdata

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Quote/getStatusdata" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```


Generate Quotation Excel

Feature: Submits data to process Generate Quotation Excel.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Quote/GenerateQuotationExcel

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Quote/GenerateQuotationExcel" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete ListRequestModel JSON payload here  
  }'
```

Update Status

Feature: Creates or updates records for Update Status.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Quote/updateStatus

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Quote/updateStatus" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete UpdateStatusModel JSON payload here  
  }'
```

Status Count By I D

Feature: Retrieves data for Status Count By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Quote/statusCount/{empCode}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Quote/statusCount/{empCode}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Activity Status

Feature: Retrieves data for Get Activity Status.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Reports/GetActivityStatus?isShowAll=value

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Reports/GetActivityStatus?isShowAll=value" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Activity Status Customer

Feature: Submits data to process Get Activity Status Customer.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/GetActivityStatusCustomer`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GetActivityStatusCustomer" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete ListRequestModel JSON payload here  
}'
```

Get Customer E R P Sale Report

Feature: Submits data to process Get Customer E R P Sale Report.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/GetCustomerERPSaleReport`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GetCustomerERPSaleReport" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete ListRequestModel JSON payload here  
}'
```

Get Customers Last Comment By I D

Feature: Retrieves data for Get Customers Last Comment By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Reports/GetCustomersLastComment/{empCode}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Reports/GetCustomersLastComment/{empCode}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Employee Customer Summary

Feature: Retrieves data for Get Employee Customer Summary.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Reports/GetEmployeeCustomerSummary

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Reports/GetEmployeeCustomerSummary" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Customer Stage Change Log

Feature: Submits data to process Get Customer Stage Change Log.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/GetCustomerStageChangeLog`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GetCustomerStageChangeLog" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete ListRequestModel JSON payload here
}'
```

Generate Customer Stage Change Log Report To Excel

Feature: Submits data to process Generate Customer Stage Change Log Report To Excel.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/GenerateCustomerStageChangeLogReportToExcel`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GenerateCustomerStageChangeLogReportToExcel" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete CustomerStageChangeLogExportModel JSON payload here
}'
```

Get Quotation Report

Feature: Submits data to process Get Quotation Report.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Reports/GetQuotationReport

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GetQuotationReport" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete ListRequestModel JSON payload here  
}'
```

Get Sample Report

Feature: Submits data to process Get Sample Report.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Reports/GetSampleReport

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GetSampleReport" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete ListRequestModel JSON payload here  
}'
```

Get Pending Sale Order

Feature: Submits data to process Get Pending Sale Order.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Reports/GetPendingSaleOrder

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GetPendingSaleOrder" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete ListRequestModel JSON payload here
  }'
```

Get Customer Billing Frequency Rpt

Feature: Submits data to process Get Customer Billing Frequency Rpt.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Reports/GetCustomerBillingFrequencyRpt

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GetCustomerBillingFrequencyRpt" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete ListRequestModel JSON payload here
  }'
```

Generate Customer Billing Freq Report To Excel

Feature: Submits data to process Generate Customer Billing Freq Report To Excel.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/GenerateCustomerBillingFreqReportToExcel`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GenerateCustomerBillingFreqReportToExcel" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete ExportCustomerBillingFreqReport JSON payload here
}'
```

Get Checkin Data

Feature: Submits data to process Get Checkin Data.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/GetCheckinData`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GetCheckinData" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete ListRequestModel JSON payload here
}'
```


Get Outstanding Balance Data

Feature: Submits data to process Get Outstanding Balance Data.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/GetOutstandingBalanceData`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GetOutstandingBalanceData" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete ListRequestModel JSON payload here  
'
```

Get Comments Report

Feature: Submits data to process Get Comments Report.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/GetCommentsReport`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GetCommentsReport" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete ListRequestModel JSON payload here  
'
```

Generate Comments Report Excel

Feature: Submits data to process Generate Comments Report Excel.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/GenerateCommentsReportExcel`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GenerateCommentsReportExcel" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete ExportCommentReport JSON payload here
  }'
```

Generate Pending Sale Order Excel

Feature: Submits data to process Generate Pending Sale Order Excel.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/GeneratePendingSaleOrderExcel`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GeneratePendingSaleOrderExcel" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete ExportPendingReport JSON payload here
  }'
```

Generate Activity Status Excel

Feature: Submits data to process Generate Activity Status Excel.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/GenerateActivityStatusExcel?isShowAll=value`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GenerateActivityStatusExcel?isShowAll=value" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete ExportCommentCount JSON payload here
}'
```

Generate Customer E R P Sale Report Excel

Feature: Submits data to process Generate Customer E R P Sale Report Excel.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/GenerateCustomerERPSaleReportExcel`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GenerateCustomerERPSaleReportExcel" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete ExportErpSaleReport JSON payload here
}'
```

Generate Sample Report Excel

Feature: Submits data to process Generate Sample Report Excel.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/GenerateSampleReportExcel`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GenerateSampleReportExcel" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete ExportSampleReport JSON payload here
}'
```

Generate Quotation Report Excel

Feature: Submits data to process Generate Quotation Report Excel.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/GenerateQuotationReportExcel`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GenerateQuotationReportExcel" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete ExportQuotationReport JSON payload here
}'
```

Generate Activity Status Customer Excel

Feature: Submits data to process Generate Activity Status Customer Excel.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/GenerateActivityStatusCustomerExcel`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GenerateActivityStatusCustomerExcel" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete ExportCustomerVisitReport JSON payload here  
}'
```

Get Nif Report

Feature: Submits data to process Get Nif Report.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/GetNifReport`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GetNifReport" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete ListRequestModel JSON payload here  
}'
```

Generate Get Nif Report Excel

Feature: Submits data to process Generate Get Nif Report Excel.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Reports/GenerateGetNifReportExcel

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GenerateGetNifReportExcel" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete ExportNifReport JSON payload here  
  }'
```

Generate Checkin Data Excel

Feature: Submits data to process Generate Checkin Data Excel.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Reports/GenerateCheckinDataExcel

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GenerateCheckinDataExcel" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete ExportCheckInExcel JSON payload here  
  }'
```

Generate Outstanding Balance Excel

Feature: Submits data to process Generate Outstanding Balance Excel.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/GenerateOutstandingBalanceExcel`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GenerateOutstandingBalanceExcel" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete ExportOutstandingBalanceReport JSON payload here  
}'
```

Get Emp Tally Sale Rpt

Feature: Submits data to process Get Emp Tally Sale Rpt.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/GetEmpTallySaleRpt`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GetEmpTallySaleRpt" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete ListRequestModel JSON payload here  
}'
```

Generate Product Wise Tally Sale Report Excel

Feature: Submits data to process Generate Product Wise Tally Sale Report Excel.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Reports/GenerateProductWiseTallySaleReportExcel

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GenerateProductWiseTallySaleReportExcel" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete ListRequestModel JSON payload here
}'
```

Generate Employee Stage Excel

Feature: Submits data to process Generate Employee Stage Excel.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Reports/GenerateEmployeeStageExcel

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GenerateEmployeeStageExcel" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete ExportEmpCustomerStageWiseReport JSON payload here
}'
```


Get Feedback List

Feature: Submits data to process Get Feedback List.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Reports/GetFeedbackList

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GetFeedbackList" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete ListRequestModel JSON payload here  
}'
```

Generate Feedback Report To Excel

Feature: Submits data to process Generate Feedback Report To Excel.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Reports/GenerateFeedbackReportToExcel

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GenerateFeedbackReportToExcel" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete ListRequestModel JSON payload here  
}'
```

Get Feedback Answer By Id By I D

Feature: Retrieves data for Get Feedback Answer By Id By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Reports/GetFeedbackAnswerById/{FbId}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Reports/GetFeedbackAnswerById/{FbId}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Customer Comments

Feature: Submits data to process Get Customer Comments.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Reports/GetCustomerComments

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GetCustomerComments" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete ListRequestModel JSON payload here
}'
```

Generate Customer Comments Excel

Feature: Submits data to process Generate Customer Comments Excel.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/GenerateCustomerCommentsExcel`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GenerateCustomerCommentsExcel" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete ExportCommentReport JSON payload here
  }'
```

Get E R P Customer Despatches

Feature: Submits data to process Get E R P Customer Despatches.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/GetERPCustomerDespatches`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GetERPCustomerDespatches" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete ListRequestModel JSON payload here
  }'
```

Generate E R P Customer Despatches To Excel

Feature: Submits data to process Generate E R P Customer Despatches To Excel.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/GenerateERPCustomerDespatchesToExcel`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GenerateERPCustomerDespatchesToExcel" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete ListRequestModel JSON payload here  
}'
```

Get E R P Sale And Pending Order Rpt

Feature: Submits data to process Get E R P Sale And Pending Order Rpt.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/GetERPSaleAndPendingOrderRpt`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GetERPSaleAndPendingOrderRpt" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete ListRequestModel JSON payload here  
}'
```

Get E R P Sale Vs Pending Order With Visiton

Feature: Submits data to process Get E R P Sale Vs Pending Order With Visiton.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/getERPSaleVsPendingOrderWithVisiton`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/getERPSaleVsPendingOrderWithVisiton" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete ListRequestModel JSON payload here
}'
```

Get E R P Product Rate Change Report

Feature: Submits data to process Get E R P Product Rate Change Report.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Reports/GetERPPProductRateChangeReport`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Reports/GetERPPProductRateChangeReport" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete ListRequestModel JSON payload here
}'
```

Save Sample

Feature: Creates or updates records for Save Sample.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Sample/SaveSample`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Sample/SaveSample" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete SampleModel JSON payload here  
}'
```

Get Samples

Feature: Submits data to process Get Samples.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Sample/getSamples`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Sample/getSamples" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete ListRequestModel JSON payload here  
}'
```

Get Samples By Id By I D

Feature: Retrieves data for Get Samples By Id By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Sample/getSamplesById/{id}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Sample/getSamplesById/{id}" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Sample P D F By I D

Feature: Retrieves data for Sample P D F By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Sample/samplePDF/{id}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Sample/samplePDF/{id}" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Save Sample Dispatch

Feature: Creates or updates records for Save Sample Dispatch.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Sample/saveSampleDispatch

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Sample/saveSampleDispatch" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete SampleDispatchModel JSON payload here  
}'
```

Get Sample By Cust Id By I D

Feature: Retrieves data for Get Sample By Cust Id By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Sample/getSampleByCustId/{id}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Sample/getSampleByCustId/{id}" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```


Generate Sample Excel

Feature: Submits data to process Generate Sample Excel.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Sample/GenerateSampleExcel

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Sample/GenerateSampleExcel" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete ListRequestModel JSON payload here  
'
```

{id} By I D

Feature: Retrieves data for {id} By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Sample/sendSampleMail/{id}/{sendDespatchDetail}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Sample/sendSampleMail/{id}/{sendDespatchDetail}" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Sms Template

Feature: Submits data to process Get Sms Template.

CONNECTION ROUTE

POST

https://{server-ip}>/api/SmsTemplate/GetSmsTemplate

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/SmsTemplate/GetSmsTemplate" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{}'
```

Get Sms Template By Id By I D

Feature: Submits data to process Get Sms Template By Id By I D.

CONNECTION ROUTE

POST

https://{server-ip}>/api/SmsTemplate/GetSmsTemplateById/{id}

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/SmsTemplate/GetSmsTemplateById/{id}" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{}'
```

Add Edit Sms Template Mst

Feature: Creates or updates records for Add Edit Sms Template Mst.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/SmsTemplate/AddEditSmsTemplateMst`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/SmsTemplate/AddEditSmsTemplateMst" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete SmsTemplateMasterModel JSON payload here  
}'
```

Get S M S Text List

Feature: Submits data to process Get S M S Text List.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/SmsTemplate/GetSMSTextList`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/SmsTemplate/GetSMSTextList" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{}'
```

Save Rate Change Specs

Feature: Creates or updates records for Save Rate Change Specs.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Specification/SaveRateChangeSpecs`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Specification/SaveRateChangeSpecs" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete RateChangeRequest JSON payload here
  }'
```

Save Specs Approval

Feature: Creates or updates records for Save Specs Approval.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Specification/SaveSpecsApproval`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Specification/SaveSpecsApproval" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete SpecsApproval JSON payload here
  }'
```

Save Customer Terms Specs

Feature: Creates or updates records for Save Customer Terms Specs.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Specification/SaveCustomerTermsSpecs`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Specification/SaveCustomerTermsSpecs" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete CompanyTermsSpecs JSON payload here
  }'
```

Get Customer Terms Specs

Feature: Submits data to process Get Customer Terms Specs.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Specification/getCustomerTermsSpecs`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Specification/getCustomerTermsSpecs" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete ListRequestModel JSON payload here
  }'
```

Rate Change Specs

Feature: Submits data to process Rate Change Specs.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Specification/RateChangeSpecs

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Specification/RateChangeSpecs" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete ListRequestModel JSON payload here
  }'
```

Get Customer Rate Change Specs

Feature: Submits data to process Get Customer Rate Change Specs.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Specification/getCustomerRateChangeSpecs

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Specification/getCustomerRateChangeSpecs" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete ListRequestModel JSON payload here
  }'
```

Rate Change Specs P D F By I D

Feature: Retrieves data for Rate Change Specs P D F By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Specification/RateChangeSpecsPDF/{id}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Specification/RateChangeSpecsPDF/{id}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Item Spec Change P D F By I D

Feature: Retrieves data for Item Spec Change P D F By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Specification/ItemSpecChangePDF/{id}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Specification/ItemSpecChangePDF/{id}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Save Specs Approval Info

Feature: Creates or updates records for Save Specs Approval Info.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Specification/SaveSpecsApprovalInfo`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Specification/SaveSpecsApprovalInfo" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete SpecsApproval JSON payload here  
  }'
```

Get Order Status Spec List

Feature: Submits data to process Get Order Status Spec List.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Specification/GetOrderStatusSpecList`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Specification/GetOrderStatusSpecList" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete ListRequestModel JSON payload here  
  }'
```


Save Task

Feature: Creates or updates records for Save Task.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Task/SaveTask

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Task/SaveTask" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE" \  
-H "Content-Type: application/json" \  
-d '{  
  // Complete TaskModel JSON payload here  
}'
```

Get Task By I D

Feature: Retrieves data for Get Task By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Task/getTask/{EmpCode}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Task/getTask/{EmpCode}" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Priority

Feature: Retrieves data for Get Priority.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Task/getPriority

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Task/getPriority" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Get Task Status

Feature: Retrieves data for Get Task Status.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Task/getTaskStatus

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Task/getTaskStatus" \  
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Save Task Process Template

Feature: Creates or updates records for Save Task Process Template.

CONNECTION ROUTE

POST

https://{server-ip}/api/Task/SaveTaskProcessTemplate

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}/api/Task/SaveTaskProcessTemplate" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete TaskProcessTemplateRequestModel JSON payload here
  }'
```

Get Task Process Templates

Feature: Retrieves data for Get Task Process Templates.

CONNECTION ROUTE

GET

https://{server-ip}/api/Task/getTaskProcessTemplates

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}/api/Task/getTaskProcessTemplates" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Auto Generate Task

Feature: Submits data to process Auto Generate Task.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Task/autoGenerateTask

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Task/autoGenerateTask" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete AutoGenerateTaskModel JSON payload here  
  }'
```

Task Process Template By I D

Feature: Retrieves data for Task Process Template By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Task/taskProcessTemplate/{id}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Task/taskProcessTemplate/{id}" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Task Template Maps By I D

Feature: Retrieves data for Task Template Maps By I D.

CONNECTION ROUTE

GET

https://{server-ip}>/api/Task/taskTemplateMaps/{taskName}

INTEGRATION EXAMPLE

```
curl -X GET "https://{server-ip}>/api/Task/taskTemplateMaps/{taskName}" \
-H "Authorization: Bearer YOUR_TOKEN_HERE"
```

Save Task Template Map

Feature: Creates or updates records for Save Task Template Map.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Task/SaveTaskTemplateMap

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Task/SaveTaskTemplateMap" \
-H "Authorization: Bearer YOUR_TOKEN_HERE" \
-H "Content-Type: application/json" \
-d '{
  // Complete TaskTemplateMap JSON payload here
}'
```

Get Time Zone

Feature: Submits data to process Get Time Zone.

CONNECTION ROUTE

POST

https://{server-ip}>/api/TimeZone/GetTimeZone

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/TimeZone/GetTimeZone" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{}'
```

Add Edit Time Zone

Feature: Creates or updates records for Add Edit Time Zone.

CONNECTION ROUTE

POST

https://{server-ip}>/api/TimeZone/AddEditTimeZone

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/TimeZone/AddEditTimeZone" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete TimeZoneModel JSON payload here  
  }'
```

Getuserlist

Feature: Submits data to process Getuserlist.

CONNECTION ROUTE

POST

https://{server-ip}>/api/User/getuserlist

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/User/getuserlist" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete UserModel JSON payload here
  }'
```

Register

Feature: Submits data to process Register.

CONNECTION ROUTE

POST

https://{server-ip}>/api/User/register

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/User/register" \
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \
  -H "Content-Type: application/json" \
  -d '{
    // Complete SignUpModel JSON payload here
  }'
```

Webregister

Feature: Submits data to process Webregister.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/User/Webregister`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/User/Webregister" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete WebUserRegModel JSON payload here  
  }'
```

Getusertypelist

Feature: Submits data to process Getusertypelist.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/User/getusertypelist`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/User/getusertypelist" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{}'
```


Add Edit User Type

Feature: Creates or updates records for Add Edit User Type.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/User/AddEditUserType`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/User/AddEditUserType" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete UserTypeModel JSON payload here  
  }'
```

Send Whats App

Feature: Submits data to process Send Whats App.

CONNECTION ROUTE

POST

`https://{server-ip}>/api/Whatsapp/SendWhatsApp`

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Whatsapp/SendWhatsApp" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{  
    // Complete MessageData JSON payload here  
  }'
```

Get Whats App List

Feature: Submits data to process Get Whats App List.

CONNECTION ROUTE

POST

https://{server-ip}>/api/Whatsapp/GetWhatsAppList

INTEGRATION EXAMPLE

```
curl -X POST "https://{server-ip}>/api/Whatsapp/GetWhatsAppList" \  
  -H "Authorization: Bearer YOUR_TOKEN_HERE" \  
  -H "Content-Type: application/json" \  
  -d '{}'
```