

Evaluation Form

BAD TO THE BONE

Medications Associated
with Increased Fracture Risk

This clinically relevant and interactive (case-based) program was developed by leading Canadian experts to address the importance of risk assessment, screening and management for all patients at high risk for stress fracture with the particular focus on the use of medications that are associated with bone loss, osteoporosis, and fragility fractures. This program aims to translate scientific and clinical evidence into practical steps and incorporates expert recommendations into practical strategies applicable to primary care practice.

DATE

2018/11/30

LOCATION

location

Demographics

Physician: ☐ Yes ☐ No ☐ Other Please specify _____

Type of Practice: ☐ Full-time ☐ Part-time ☐ Solo ☐ Group ☐ Office ☐ Hospital ☐ Other

LEARNING OBJECTIVES: BAD TO THE BONE Medications Associated with Increased Fracture Risk

After participating in this activity, I am now better able to:

1. Describe the morbidity, mortality and economic burden of illness associated with osteoporosis in Canada

Strongly disagree	Disagree	Neutral	Agree	Strongly agree
1	2	3	4	5

2. Explain the factors that determine osteoporotic fracture risk

Strongly disagree	Disagree	Neutral	Agree	Strongly agree
1	2	3	4	5

3. Identify medications associated with bone loss and increased fracture risk

Strongly disagree	Disagree	Neutral	Agree	Strongly agree
1	2	3	4	5

4. Mitigate the impact of medication-related factors which may increase the risk of bone loss and fragility fractures

Strongly disagree	Disagree	Neutral	Agree	Strongly agree
1	2	3	4	5