

This report summarizes the performance of different neurons based on key metrics.

The metrics include KS Statistic, Pearson Correlation, and RMSE.

KS Statistic is...

A perfect Pearson correlation is 1. A correlation of 0 indicates no linear relationship.

RMSE is the square root of the average of squared differences between predicted and actual values. A 0 RMSE indicates no error.


The Overall Score is a weighted combination of these metrics.

Summary Table of Spike Train Metrics

Neuron	KS Statistic	Pearson Correlation	RMSE	Overall Score
Neuron 1	0.0	1.0	0.0	100.0
Neuron 2	0.0	1.0	0.0	100.0
Neuron 3	2.056e-05	0.649	6.749e-05	0.0
Neuron 4	0.0	1.0	0.0	100.0
Neuron 5	5.556e-07	0.9997	1.054e-05	96.28


fano_factor.png

Fano Factor per Neuron




gt_filtered_mempot.png


neuron1_mempot: Original vs Median Filtered




neuron2_mempot: Original vs Median Filtered




neuron3_mempot: Original vs Median Filtered



neuron4_mempot: Original vs Median Filtered




isi_cv.png




isi_dist_neuron1.png

ISI Distribution: neuron1_spike (gt vs sub)




isi_dist_neuron2.png

ISI Distribution: neuron2_spike (gt vs sub)




isi_dist_neuron3.png

ISI Distribution: neuron3_spike (gt vs sub)




isi_dist_neuron4.png

ISI Distribution: neuron4_spike (gt vs sub)




isi_dist_neuron5.png

ISI Distribution: neuron5_spike (gt vs sub)




peri_stim_histogram.png

Peri-Stimulus Time Histograms (PSTH)
Top: Ground Truth, Bottom: Submission




raster_difference.png

Raster Plot: Differences in Spikes (Ground Truth vs Submission)




sub_filtered_mempot.png


neuron1_mempot: Original vs Median Filtered



neuron2_mempot: Original vs Median Filtered



neuron3_mempot: Original vs Median Filtered



neuron4_mempot: Original vs Median Filtered

