

```
<!-- Forms
```

```
===== -->
```

```
<div class="bs-docs-section">
  <div class="row">
    <div class="col-lg-12">
      <div class="page-header">
        <h1 id="forms">Forms</h1>
      </div>
    </div>
  </div>

  <div class="row">
    <div class="col-lg-6">
      <div class="well bs-component">
        <form class="form-horizontal">
          <fieldset>
            <legend>Legend</legend>
            <div class="form-group">
              <label for="inputEmail" class="col-lg-2 control-label">Email</label>
              <div class="col-lg-10">
                <input type="text" class="form-control" id="inputEmail" placeholder="Email">
              </div>
            </div>
            <div class="form-group">
              <label for="inputPassword" class="col-lg-2 control-label">Password</label>
              <div class="col-lg-10">
                <input type="password" class="form-control" id="inputPassword" placeholder="Password">
                <div class="checkbox">
                  <label>
                    <input type="checkbox"> Checkbox
                  </label>
                </div>
              </div>
            </div>
            <div class="form-group">
              <label for="textArea" class="col-lg-2 control-label">Textarea</label>
              <div class="col-lg-10">
                <textarea class="form-control" rows="3" id="textArea"></textarea>
                <span class="help-block">A longer block of help text that breaks onto a new line and may extend beyond one line.</span>
              </div>
            </div>
            <div class="form-group">
              <label class="col-lg-2 control-label">Radios</label>
              <div class="col-lg-10">
                <div class="radio">
                  <label>
                    <input type="radio" name="optionsRadios" id="optionsRadios1" value="option1" checked="">
                    Option one is this
                  </label>
                </div>
              </div>
            </div>
          </fieldset>
        </form>
      </div>
    </div>
  </div>
</div>
```

```

        <div class="radio">
            <label>
                <input type="radio" name="optionsRadios" id="optionsRadios2" value=
                    "option2">
                    Option two can be something else
            </label>
        </div>
    </div>
</div>
<div class="form-group">
    <label for="select" class="col-lg-2 control-label">Selects</label>
    <div class="col-lg-10">
        <select class="form-control" id="select">
            <option>1</option>
            <option>2</option>
            <option>3</option>
            <option>4</option>
            <option>5</option>
        </select>
        <br>
        <select multiple="" class="form-control">
            <option>1</option>
            <option>2</option>
            <option>3</option>
            <option>4</option>
            <option>5</option>
        </select>
    </div>
</div>
<div class="form-group">
    <div class="col-lg-10 col-lg-offset-2">
        <button type="reset" class="btn btn-default">Cancel</button>
        <button type="submit" class="btn btn-primary">Submit</button>
    </div>
</div>
</fieldset>
</form>
</div>
</div>
<div class="col-lg-4 col-lg-offset-1">

    <form class="bs-component">
        <div class="form-group">
            <label class="control-label" for="focusedInput">Focused input</label>
            <input class="form-control" id="focusedInput" type="text" value="This is
                focused...">
        </div>

        <div class="form-group">
            <label class="control-label" for="disabledInput">Disabled input</label>
            <input class="form-control" id="disabledInput" type="text" placeholder=
                "Disabled input here..." disabled="">
        </div>
    </form>

```

```
<div class="form-group has-warning">
  <label class="control-label" for="inputWarning">Input warning</label>
  <input type="text" class="form-control" id="inputWarning">
</div>

<div class="form-group has-error">
  <label class="control-label" for="inputError">Input error</label>
  <input type="text" class="form-control" id="inputError">
</div>

<div class="form-group has-success">
  <label class="control-label" for="inputSuccess">Input success</label>
  <input type="text" class="form-control" id="inputSuccess">
</div>

<div class="form-group">
  <label class="control-label" for="inputLarge">Large input</label>
  <input class="form-control input-lg" type="text" id="inputLarge">
</div>

<div class="form-group">
  <label class="control-label" for="inputDefault">Default input</label>
  <input type="text" class="form-control" id="inputDefault">
</div>

<div class="form-group">
  <label class="control-label" for="inputSmall">Small input</label>
  <input class="form-control input-sm" type="text" id="inputSmall">
</div>

<div class="form-group">
  <label class="control-label">Input addons</label>
  <div class="input-group">
    <span class="input-group-addon">$</span>
    <input type="text" class="form-control">
    <span class="input-group-btn">
      <button class="btn btn-default" type="button">Button</button>
    </span>
  </div>
</div>
</form>

</div>
</div>
</div>
```