

Nama : Reiza Fajar Nugraha
NIM : 242410101032
Kelas : A

Aktivitas 5

1. Buat Resource Controller: `php artisan make:controller MahasiswaController --resource --model=Mahasiswa`

```
PS E:\File Reiza\SEMESTER 4\242410101032_NeroPC\TUGAS LARAVEL\NeroPC> php artisan make:controller MahasiswaController --resource --model=Mahasiswa

INFO Controller [E:\File Reiza\SEMESTER 4\242410101032_NeroPC\TUGAS LARAVEL\NeroPC\app\Http\Controllers\MahasiswaController.php] created successfully.
```

2. Daftarkan di `routes/web.php`: `Route::resource('mahasiswa', MahasiswaController::class)`

```
routes > web.php
7 //Route NeroPC
8 Route::get('/', [PcController::class, 'index'])->name('dashboard');
9 Route::get('/tambah-pc', [PcController::class, 'create'])->name('pc.create');
10 Route::get('/daftar-produk', [PcController::class, 'list'])->name('pc.index');
11
12
13 Route::get('/test-flash', function () {
14     return redirect()->route('dashboard')->with('success', 'Pesan ini adalah contoh Flash Ses
15 });
16
17 Route::get('/tentang', function () {
18     return view('tentang');
19 })->name('tentang');
20
21 Route::get('/kontak', function () {
22     return view('kontak');
23 })->name('kontak');
24
25 Route::resource('mahasiswa', MahasiswaController::class);
```

3. Buat semua view: `mahasiswa/index.blade.php` (tabel + pagination), `create.blade.php` (form), `edit.blade.php` (form pre-filled), `show.blade.php` (detail)

```
▼ mahasiswa
  create.blade.php U
  edit.blade.php U
  index.blade.php U
  show.blade.php U
```

4. Implementasi method `index()` — ambil semua mahasiswa dengan `paginate(10)` dan tampilkan ke view

```
class MahasiswaController extends Controller
{
    public function index()
    {
        $mahasiswas = Mahasiswa::paginate(10);
        return view('mahasiswa.index', compact('mahasiswas'));
    }
}
```

5. Implementasi create() dan store() — dengan validasi nim (unique), nama (min:3), email (email|unique), jurusan (in:SI, TI, MI)

```
17 public function create()
18 {
19     return view('mahasiswa.create');
20 }
21
22 public function store(Request $request)
23 {
24     $validatedData = $request->validate([
25         'nim' => 'required|unique:mahasiswas,nim',
26         'nama' => 'required|min:3',
27         'email' => 'required|email|unique:mahasiswas,email',
28         'jurusan' => 'required|in:SI, TI, MI, IF',
29         'ipk' => 'nullable|numeric|min:0|max:4',
30         'semester' => 'nullable|integer|min:1|max:14',
31         'aktif' => 'nullable',
32         'foto' => 'nullable|image|mimes:jpg,png|max:2048'
33     ]);
34
35     if ($request->hasFile('foto')) {
36         $validatedData['foto'] = $request->file('foto')->store('profile_photos', 'public');
37     }
38
39     $validatedData['aktif'] = $request->has('aktif') ? true : false;
40
41     Mahasiswa::create($validatedData);
42
43     return redirect()->route('mahasiswa.index')->with('success', 'Data mahasiswa berhasil ditambahkan!');
44 }
```

6. Implementasi edit() dan update() — tampilkan form dengan old() atau \$mahasiswa->field, validasi unique kecuali ID ini

```
51 public function edit(Mahasiswa $mahasiswa)
52 {
53     return view('mahasiswa.edit', compact('mahasiswa'));
54 }
55
56 public function update(Request $request, Mahasiswa $mahasiswa)
57 {
58     $validatedData = $request->validate([
59         'nim' => 'required|unique:mahasiswas,nim,' . $mahasiswa->id,
60         'nama' => 'required|min:3',
61         'email' => 'required|email|unique:mahasiswas,email,' . $mahasiswa->id,
62         'jurusan' => 'required|in:SI, TI, MI, IF',
63         'ipk' => 'nullable|numeric|min:0|max:4',
64         'semester' => 'nullable|integer|min:1|max:14',
65         'aktif' => 'nullable',
66         'foto' => 'nullable|image|mimes:jpg,png|max:2048'
67     ]);
68
69     if ($request->hasFile('foto')) {
70         if ($mahasiswa->foto && Storage::disk('public')->exists($mahasiswa->foto)) {
71             Storage::disk('public')->delete($mahasiswa->foto);
72         }
73         $validatedData['foto'] = $request->file('foto')->store('profile_photos', 'public');
74     }
75
76     $validatedData['aktif'] = $request->has('aktif') ? true : false;
77
78     $mahasiswa->update($validatedData);
79
80     return redirect()->route('mahasiswa.index')->with('success', 'Data mahasiswa berhasil diubah!');
81 }
```

7. Implementasi destroy() — dengan konfirmasi JavaScript sebelum hapus

```

83 public function destroy(Mahasiswa $mahasiswa)
84 {
85     if ($mahasiswa->foto && Storage::disk('public')->exists($mahasiswa->foto)) {
86         Storage::disk('public')->delete($mahasiswa->foto);
87     }
88
89     $mahasiswa->delete();
90
91     return redirect()->route('mahasiswa.index')->with('success', 'Data mahasiswa berhasil dihapus!');
92 }

```

```

77 @push('scripts')
78 <script>
79     document.addEventListener('DOMContentLoaded', function() {
80         const deleteForms = document.querySelectorAll('.form-delete');
81         deleteForms.forEach(form => {
82             form.addEventListener('submit', function(e) {
83                 e.preventDefault();
84                 if(confirm('Apakah Anda yakin ingin menghapus data mahasiswa ini?')) {
85                     this.submit();
86                 }
87             });
88         });
89     });
90 </script>
91 @endpush

```

8. Tambahkan flash message di layout dan tampilkan session('success') / session('error')

```

20 @if(session('success'))
21     <div class="alert alert-success alert-dismissible fade show" role="alert">
22         {{ session('success') }}
23         <button type="button" class="btn-close" data-bs-dismiss="alert" aria-label="Close"></button>
24     </div>
25 @endif
26
27 @if(session('error'))
28     <div class="alert alert-danger alert-dismissible fade show" role="alert">
29         {{ session('error') }}
30         <button type="button" class="btn-close" data-bs-dismiss="alert" aria-label="Close"></button>
31     </div>
32 @endif

```

9. BONUS: Tambahkan fitur upload foto profil dengan validasi image|mimes:jpg,png|max:2048

```

public function store(Request $request)
{
    $validatedData = $request->validate([
        'nim' => 'required|unique:mahasiswas,nim',
        'nama' => 'required|min:3',
        'email' => 'required|email|unique:mahasiswas,email',
        'jurusan' => 'required|in:SI,TI,MI,IF',
        'ipk' => 'nullable|numeric|min:0|max:4',
        'semester' => 'nullable|integer|min:1|max:14',
        'aktif' => 'nullable',
        'foto' => 'nullable|image|mimes:jpg,png|max:2048'
    ]);

    if ($request->hasFile('foto')) {
        $validatedData['foto'] = $request->file('foto')->store('profile_photos', 'public');
    }
}

```

```
public function update(Request $request, Mahasiswa $mahasiswa)
{
    $validatedData = $request->validate([
        'nim' => 'required|unique:mahasiswas,nim,' . $mahasiswa->id,
        'nama' => 'required|min:3',
        'email' => 'required|email|unique:mahasiswas,email,' . $mahasiswa->id,
        'jurusan' => 'required|in:SI,II,MI,IF',
        'ipk' => 'nullable|numeric|min:0|max:4',
        'semester' => 'nullable|integer|min:1|max:14',
        'aktif' => 'nullable',
        'foto' => 'nullable|image|mimes:jpg,png|max:2048'
    ]);

    if ($request->hasFile('foto')) {
        if ($mahasiswa->foto && Storage::disk('public')->exists($mahasiswa->foto)) {
            Storage::disk('public')->delete($mahasiswa->foto);
        }
        $validatedData['foto'] = $request->file('foto')->store('profile_photos', 'public');
    }
}
```

```
public function destroy(Mahasiswa $mahasiswa)
{
    if ($mahasiswa->foto && Storage::disk('public')->exists($mahasiswa->foto)) {
        Storage::disk('public')->delete($mahasiswa->foto);
    }
}
```

Aktivitas 6

1. Instal Laravel Breeze: `composer require laravel/breeze --dev`, kemudian `php artisan breeze:install blade`

```
PS E:\File Reiza\SEMESTER 4\242410101032_NeroPC\TUGAS LARAVEL\NeroPC> composer require laravel/breeze --dev
./composer.json has been updated
Running composer update laravel/breeze
Loading composer repositories with package information
Updating dependencies
Lock file operations: 1 install, 0 updates, 0 removals
  - Locking laravel/breeze (v2.4.1)
Writing lock file
Installing dependencies from lock file (including require-dev)
Package operations: 1 install, 0 updates, 0 removals
  - Downloading laravel/breeze (v2.4.1)
  - Installing laravel/breeze (v2.4.1): Extracting archive
Generating optimized autoload files
> illuminate\Foundation\ComposerScripts::postAutoloadDump
> @php artisan package:discover --ansi

 INFO  Discovering packages.

laravel/breeze ..... DONE
laravel/pail ..... DONE
laravel/tinker ..... DONE
nesbot/carbon ..... DONE
nunomaduro/collision ..... DONE
nunomaduro/termwind ..... DONE

78 packages you are using are looking for funding.
Use the `composer fund` command to find out more!
> @php artisan vendor:publish --tag=laravel-assets --ansi --force

 INFO  No publishable resources for tag [laravel-assets].

No security vulnerability advisories found.
Using version ^2.4 for laravel/breeze

PS E:\File Reiza\SEMESTER 4\242410101032_NeroPC\TUGAS LARAVEL\NeroPC> php artisan breeze:install blade

 INFO  Installing and building Node dependencies.

up to date, audited 142 packages in 1s

34 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities

> build
> vite build
```

2. Jalankan `php artisan migrate` untuk membuat tabel users

```
PS E:\File Reiza\SEMESTER 4\242410101032_NeroPC\TUGAS LARAVEL\NeroPC> php artisan migrate

 INFO  Running migrations.

2026_05_14_082847_add_role_to_users_table ..... 4.58ms DONE
2026_05_14_082934_add_user_id_to_pcs_table ..... 0.19ms DONE
```

3. Jalankan npm install && npm run dev untuk build assets

```
PS E:\File Reiza\SEMESTER 4\242410101032_NeroPC\TUGAS LARAVEL\NeroPC> npm install ; npm run dev
>>

up to date, audited 142 packages in 2s

34 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities

> dev
> vite

15.32.25 [vite] (client) Re-optimizing dependencies because lockfile has changed


VITE v8.0.10 ready in 480 ms

→ Local:   http://localhost:5173/
→ Network: use --host to expose
→ press h + enter to show help

LARAVEL v13.6.0 plugin v3.0.1

→ APP_URL: http://localhost
```



4. Coba register dan login di <http://127.0.0.1:8000/register>



The screenshot shows a web browser window with the address bar displaying `127.0.0.1:8000/register`. The page features a registration form with the following fields and elements:

- Name:** A text input field containing "Reiza Fajar N".
- Email:** A text input field containing "reizafn53@gmail.com".
- Password:** A password input field with masked characters (dots).
- Confirm Password:** A password input field with masked characters (dots).
- REGISTER:** A dark button located at the bottom right of the form.
- Already registered?:** A link located at the bottom left of the form.


At the top of the form, there is a logo consisting of three stacked cubes.




5. Amankan semua route mahasiswa dengan middleware auth: `Route::middleware('auth')->resource('mahasiswa', MahasiswaController::class)`


```
PS E:\File Reiza\SEMESTER 4\242410101032_NeroPC\TUGAS LARAVEL\NeroPC> php artisan make:middleware CekAdmin
INFO: Middleware [E:\File Reiza\SEMESTER 4\242410101032_NeroPC\TUGAS LARAVEL\NeroPC\app\Http\Middleware\CekAdmin.php] created successfully.
```

6. Coba akses /mahasiswa tanpa login — pastikan diredirect ke halaman login





7. Tambahkan nama user di navbar: {{ auth()->user()->name }}



8. Buat custom middleware CekAdmin yang hanya mengizinkan user dengan role 'admin' mengakses route tertentu

```

6  class CekAdmin
7  {
8      public function handle(Request $request, Closure $next): Response
9      {
10         // Cek apakah user login dan memiliki role 'admin'
11         if (auth()->check() && auth()->user()->role === 'admin') {
12             return $next($request);
13         }
14         abort(403, 'Akses Ditolak: Anda bukan Admin.');
```

9. BONUS: Modifikasi index() Controller agar hanya menampilkan data yang dibuat oleh user yang sedang login


```
class PcController extends Controller
{
    public function index()
    {
        $pcs = Pc::where('user_id', auth()->id())->latest()->paginate(10);
        return view('pc.index', compact('pcs'));
    }
}
```